

Date	17 November 2022
Team ID	PNT2022TMID30858
Project Name	Car Resale Value Prediction

## Read the Dataset :

```
# loading the data from csv file to pandas dataframecar_dataset =
```

```
pd.read_csv('/content/car data.csv')
```

```
#inspecting the first five rows of the dataframe
```

```
car_dataset.head()
```

**output :**

```
index,Car_Name,Year,Selling_Price,Present_Price,Kms_Driven,Fuel_Type,Seller_Type,T
ransmission,Owner
0,ritz,2014,3.35,5.59,27000,Petrol,Dealer,Manual,
0
1,sx4,2013,4.75,9.54,43000,Diesel,Dealer,Manual,0
2,ciaz,2017,7.25,9.85,6900,Petrol,Dealer,Manual,0
3,wagon
r,2011,2.85,4.15,5200,Petrol,Dealer,Manual,0
4,swift,2014,4.6,6.87,42450,Diesel,Dealer,Manual,
0
```

```
#checking the number of rows and columns
```

```
car_dataset.shape
```

**output**

```
:
```

```
(301, 9)
```

#getting some information about dataset

```
car_dataset.info()
```

**output :**

```
<class
'pandas.core.frame.DataFrame'>
RangeIndex: 301 entries, 0 to 300
Data columns (total 9 columns):
 #   Column                Non-Null Count  Dtype
---  -
 0   Car_Name              301 non-null    object
 1   Year                  301 non-null    int64
 2   Selling_Price         301 non-null    float64
 3   Present_Price         301 non-null    float64
 4   Kms_Driven            301 non-null    int64
 5   Fuel_Type             301 non-null    object
 6   Seller_Type           301 non-null    object
 7   Transmission          301 non-null    object
 8   Owner                 301 non-null    int64
dtypes: float64(2), int64(3),
object(4)memory usage: 21.3+ KB
```

#checking the number of missing values

```
car_dataset.isnull().sum()
```

**output :**

Car\_Name 0

Year 0

Selling\_Price 0

Present\_Price 0

Kms\_Driven 0

Fuel\_Type 0

Seller\_Type 0

Transmission 0

Owner 0 dtype:

int64

