

# IoT Based Safety Gadget for Child Safety Monitoring & Notification

<b>Team ID</b>	PNT2022TMID31301
<b>Team Members</b>	Arun G - 710719104015 Arunadevi R - 710719104016 Dharun P – 710719104029 Gayathri S R - 710719104032

## Project Code:

### Login.html:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <link rel="stylesheet" href="../../css/login.css">
  <title>Sign Up</title>
</head>

<body>
  <div class="wrapper">
    <div class="loginContainer">
      <span>Login To Continue</span>
      <div class="traditionalLoginContainer">
        <form class="signupForm" action="/" method="post">
          <input type="email" name="email"
placeholder="Email" id="email">
          <input type="password" name="password"
placeholder="Password" id="password">
          <input class="loginButton" type="submit"
value="Login">
        </form>
      </div>
      <a class="hyperLink" href="registration.html">Don't have an
Account? Register ↗</a>
    </div>
  </div>

  <!--set the path where the node modules are installed in pc-->
  <script
src="node_modules/localforage/dist/localforage.js"></script>

  <script>

document.querySelector(".signupForm").addEventListener("submit", async
(e) => {
  e.preventDefault()
  let email = document.getElementById("email").value
  let password = document.getElementById("password").value
  let flag = false
```

```

        let userData = await localforage.getItem("userDatabase")
        console.log(userData)
        if (userData) {
            userData.forEach(e => {
                if (e.email === email) {
                    if (e.password === password || e.isFire ===
true) {

                        localforage.setItem("userData", e)
                        flag = true
                        window.location.href = "index.html"

                    }
                }
            })

        } else {
            alert("User Not Found")
        }

        if (!flag) {
            alert("Invalid Credentials")
        }
    })
</script>
</body>

</html>

```

## Registration.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <link rel="stylesheet" href="../css/login.css">
    <title>Sign Up</title>
</head>

<body>
    <div class="wrapper">
        <div class="loginContainer">
            <span>SignUp to Continue</span>
            <div class="traditionalLoginContainer">
                <form class="signupForm" action="/" method="post">
                    <input type="text" name="firstName"
placeholder="First Name" id="firstName">
                    <input type="text" name="lastName"
placeholder="Last Name" id="lastName">
                    <input type="text" name="username"
placeholder="User Name" id="username">
                    <input type="email" name="email"
placeholder="Email" id="email">
                    <input type="password" name="password"
placeholder="Password" id="password">

```

```

        <input class="loginButton" type="submit"
value="Sign Up">
        </form>
    </div>
    <a class="hyperLink" href="login.html">Already have an
Account? Login ↗</a>
    </div>
</div>

    <!--set the path where the node modules are installed in pc-->
    <script
src="node_modules/localforage/dist/localforage.js"></script>

    <script>

document.querySelector(".signupForm").addEventListener("submit", async
(e) => {
    e.preventDefault()
    let firstName = document.getElementById("firstName").value
    let lastName = document.getElementById("lastName").value
    let username = document.getElementById("username").value
    let email = document.getElementById("email").value
    let password = document.getElementById("password").value
    let
profilePic=`https://avatars.dicebear.com/api/initials/${firstName}-${
lastName}.svg?backgroundColor=variant03`

    let data = { firstName, lastName, username, email,
password, profilePic }

    await localforage.setItem("userData", data)

    let database = await localforage.getItem("userDatabase")
    if (database == null) {
        database = []
    }
    database.push(data)
    await localforage.setItem("userDatabase", database)
    window.location.href = "index.html"
})
</script>
</body>

</html>

```

## Index.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8" />
    <meta name="description" />
    <meta name="viewport" content="width=device-width, initial-
scale=1.0" />
    <link rel="stylesheet" href="../css/index.css">
    <title>IOT Based Safety Gadget for Child Safety Monitoring and
Notification</title>

```

```

</head>

<body>
  <div class="wrapper">
    <div class="details">
      <h1 class="name"></h1>
      <div class="imageContainer">
        <img class="image" width=150px alt="profile picture" />
      </div>
      <h2 class="email"></h2>

      <a class="dashboard" href="dashboard.html">Go to Dashboard
    </a>
    </div>
  </div>

  <!--set the path where the node modules are installed in pc-->
  <script
src="node_modules/localforage/dist/localforage.js"></script>

  <script>
    async function check() {
      let data = localforage.getItem("userData")
      if (data == null) {
        window.location.href = "login.html"
      }
    }
    check()
  </script>
  <script>
    async function main() {
      let name = document.querySelector(".name")
      let image = document.querySelector(".image")
      let email = document.querySelector(".email")
      let userData = await localforage.getItem("userData")
      if (userData == null) {
        window.location.href = "login.html"
      }
      name.innerHTML = `Welcome ${userData.firstName}
${userData.lastName}!`
      image.src = userData.profilePic
      email.innerHTML = `Your email is: <a style="text-
decoration: none;color: #0072B5;"
href="mailto:${userData.email}">${userData.email}</a>`
    }
    main()
  </script>
</body>

</html>

```

## Dashboard.html

```

<!DOCTYPE html>
<html lang="en">

<head>

```

```

    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <link rel="stylesheet" href="../../css/dashboard.css">
    <title>Dashboard</title>
</head>

<body>
    <div class="wrapper">
        <div class="header">
            <span class="heading">Dashboard</span>
            <span class="right">
                <span class="username">Hello User</span>
                <span>
                    
                </span>
            </span>
        </div>

        <div class="actionCenter">
            <div class="action">
                <span class="createChild">Create Child Card</span>
            </div>
            <div class="action">
                <span class="logout">Log out</span>
            </div>
        </div>

        <div class="childCardContainer">
            <div class="childCard">
                <div class="childCardHeader">
                    <span>Child Name</span>
                    <span>Age 0</span>
                </div>
                <div class="actions">
                    <span>View</span>
                    <span>GeoFence</span>
                </div>
            </div>
        </div>
    </div>

    <!--set the path where the node modules are installed in pc-->
    <script
src="C:/Users/sankeerthan/node_modules/localforage/dist/localforage.js"
></script>

    <script>
        async function main() {
            let userData = await localforage.getItem('userData')
            if (userData == null) {
                window.location.href = "login.html"
            }
            document.querySelector(".username").innerHTML = `Hello
${userData.firstName}`

```

```

        document.querySelector(".profilePic").src =
userData.profilePic
    }
    main()
    document.querySelector(".logout").addEventListener("click",
async () => {
        await localforage.setItem('userData', null)
        window.location.href = "login.html"
    })

document.querySelector('.createChild').addEventListener('click',functio
n() {
        window.location.href = "child.html"
    });
</script>
</body>

</html>

```

## Child.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>Child card</title>
    <style>
        form {
            background:#006699;
            padding:5px;
            position:absolute;
            top:27px;
        }
    </style>
</head>
<body>
    <form id="form">
        <p><input type="text" id="name" placeholder="Name"/></p>
        <p><input type="text" id="age" placeholder="Age" /></p>
        <p><input type="submit" id="createBtn" value="Create" /></p>
    </form>
    <script>

document.querySelector('#createBtn').addEventListener('click',function(
) {
        const name=document.getElementById("name").value;
        const age=document.getElementById("age").value;
        alert(`Child card created!\nName : ${name}\nAge : ${age}`);
    })
</script>
</body>
</html>

```

## SafetyTips.html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">

<html>
<head>
<title>Child Safety Tips - Kidnapping Escape</title>
<link href="https://www.crime-safety-security.com/crime.xml"
rel="alternate" title="RSS" type="application/rss+xml"/>
<style type="text/css">
#addSiteTo {
width:90%;
font-size:85%;
text-align:center;
padding:8px 0;
border:1px solid #000;
margin:12px auto;
background-color: #FFFFFF;
}

#addSiteTo p {
padding:2px 2px 4px;
margin:0;
}

#addSiteTo img {
border:0;
padding:1px 0;
}

#addSiteTo .questionMark {
padding:0;
margin:1px auto;
text-align:center;
width:75%;
}

#addSiteTo .questionMark img {
margin:0 4px 4px 0;
padding:0;
}
</style>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type"/>
<meta content="Child Safety Tips for stranger danger and personal
safety devices to prevent child kidnapping." name="Description"/>
<meta content="Child Safety, Stranger Danger, child kidnapping,
Personal Safety Devices" name="Keywords"/>
<link
href="http://web.archive.org/web/20120213042846cs_/http://www.crime-
safety-security.com/support-files/classic_footer.css" rel="stylesheet"
type="text/css"/>
<meta content="SKYPE_TOOLBAR_PARSER_COMPATIBLE" name="SKYPE_TOOLBAR"/>
<link href="https://www.crime-safety-security.com/child-safety-
kidnap.html" rel="canonical"/>
<script language="JavaScript" type="text/javascript">
<!--
```

```

function MM_swapImgRestore()
{
    var i,x,a=document.MM_sr;
    for(i=0;a&&i<a.length&&(x=a[i])&&x.oSrc;i++) x.src=x.oSrc;
}

function MM_preloadImages()
{
    var d=document;
    if(d.images)
    {
        if(!d.MM_p) d.MM_p=new Array();
        var i,j=d.MM_p.length,a=MM_preloadImages.arguments;
        for(i=0; i<a.length; i++)
            if (a[i].indexOf("#")!=0)
            {
                d.MM_p[j]=new Image; d.MM_p[j++].src=a[i];
            }
    }
}

function MM_swapImage()
{
    var i,j=0,x,a=MM_swapImage.arguments;
    document.MM_sr=new Array;
    for(i=0;i<(a.length-2);i+=3)
        if ((x=MM_findObj(a[i]))!=null){document.MM_sr[j++]=x;
    if(!x.oSrc) x.oSrc=x.src; x.src=a[i+2];}
}

function MM_openBrWindow(theURL,winName,features)
{
    window.open(theURL,winName,features);
}

function MM_findObj(n, d)
{
    var p,i,x;
    if(!d) d=document; if((p=n.indexOf("?"))>0&&parent.frames.length)
    {
        d=parent.frames[n.substring(p+1)].document; n=n.substring(0,p);
    }
    if(!(x=d[n])&&d.all)
        x=d.all[n];
    for (i=0;!x&&i<d.forms.length;i++) x=d.forms[i][n];
    for(i=0;!x&&d.layers&&i<d.layers.length;i++)
        x=MM_findObj(n,d.layers[i].document);
    if(!x && d.getElementById)
        x=d.getElementById(n);
    return x;
}

//-->
</script>
<script language="JavaScript" type="text/JavaScript">
<!--
function MM_displayStatusMsg(msgStr) { //v1.0
    status=msgStr;

```



```

    document.MM_returnValue = true;
}
//-->
</script>
<style media="all" type="text/css">
body, td
{
    font:13px Verdana, Geneva, Arial, Helvetica, sans-serif;
    color:#000;
    margin: 0px;
}
</style>
</head>
<body alink="Red" background="http://www.crime-safety-
security.com/imgs/backimage.gif" bgcolor="#FFFFFF" link="Blue"
onload="MM_preloadImages('http://www.crime-safety-
security.com/imgs/index-over.gif', 'http://www.crime-safety-
security.com/imgs/crime-blog-over.gif', 'http://www.crime-safety-
security.com/imgs/site-directory-over.gif', 'http://www.crime-safety-
security.com/imgs/index-sitemap-over.gif', 'http://www.crime-safety-
security.com/imgs/Stranger-Danger-over.gif', 'http://www.crime-safety-
security.com/imgs/Internet-Safety-for-Kids-over.gif',
'http://www.crime-safety-security.com/imgs/Cyber-Bullying-over.gif',
'http://www.crime-safety-security.com/imgs/Stop-Bullying-over.gif',
'http://www.crime-safety-security.com/imgs/School-Violence-over.gif',
'http://www.crime-safety-security.com/imgs/Teen-Abuse-over.gif',
'http://www.crime-safety-security.com/imgs/Cyber-Stalking-over.gif',
'http://www.crime-safety-security.com/imgs/College-Security-over.gif',
'http://www.crime-safety-security.com/imgs/Running-Safety-over.gif',
'http://www.crime-safety-security.com/imgs/Street-Crime-over.gif',
'http://www.crime-safety-security.com/imgs/Purse-Snatching-over.gif',
'http://www.crime-safety-security.com/imgs/Parking-Lot-Safety-
over.gif', 'http://www.crime-safety-security.com/imgs/Driving-Safety-
Tips-over.gif', 'http://www.crime-safety-security.com/imgs/Apartment-
Security-over.gif', 'http://www.crime-safety-
security.com/imgs/Burglary-Prevention-over.gif', 'http://www.crime-
safety-security.com/imgs/Camping-Safety-over.gif', 'http://www.crime-
safety-security.com/imgs/Myth-Busters-over.gif', 'http://www.crime-
safety-security.com/imgs/Urban-Myths-over.gif', 'http://www.crime-
safety-security.com/imgs/Free-Range-Kids-over.gif', 'http://www.crime-
safety-security.com/imgs/Myths-and-Urban-Legends-over.gif',
'http://www.crime-safety-security.com/imgs/True-Crimes-over.gif',
'http://www.crime-safety-security.com/imgs/True-Crime-Stories-
over.gif', 'http://www.crime-safety-security.com/imgs/True-Crime-
Library-over.gif', 'http://www.crime-safety-security.com/imgs/Crimes-
of-Passion-over.gif', 'http://www.crime-safety-security.com/imgs/home-
security-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/outdoor-safety-overview-over.gif', 'http://www.crime-
safety-security.com/imgs/car-security-overview-over.gif',
'http://www.crime-safety-security.com/imgs/travel-security-overview-
over.gif', 'http://www.crime-safety-security.com/imgs/child-safety-
overview-over.gif', 'http://www.crime-safety-security.com/imgs/women-
safety-overview-over.gif', 'http://www.crime-safety-
security.com/imgs/workplace-safety-overview-over.gif',
'http://www.crime-safety-security.com/imgs/criminal-minds-intuition-
over.gif', 'http://www.crime-safety-security.com/imgs/criminal-minds-
overview-over.gif', 'http://www.crime-safety-security.com/imgs/victims-
options-overview-over.gif', 'http://www.crime-safety-

```

```

security.com/imgs/survival-options-overview-over.gif',
'http://www.crime-safety-security.com/imgs/stress-control-overview-
over.gif', 'http://www.crime-safety-security.com/imgs/fighting-options-
overview-over.gif', 'http://www.crime-safety-security.com/imgs/Verbal-
Self-Defense-over.gif', 'http://www.crime-safety-
security.com/imgs/Self-Defense-over.gif', 'http://www.crime-safety-
security.com/imgs/rape-escape-options-overview-over.gif',
'http://www.crime-safety-security.com/imgs/security-products-overview-
over.gif', 'http://www.crime-safety-security.com/imgs/security-
products-alarms-over.gif', 'http://www.crime-safety-
security.com/imgs/DIY-Home-Security-Systems-over.gif',
'http://www.crime-safety-security.com/imgs/security-products-simple-
electronic-over.gif', 'http://www.crime-safety-security.com/imgs/Door-
Security-Systems-over.gif', 'http://www.crime-safety-
security.com/imgs/Peepholes-over.gif', 'http://www.crime-safety-
security.com/imgs/Home-Intercom-System-over.gif', 'http://www.crime-
safety-security.com/imgs/Lock-Bumping-over.gif', 'http://www.crime-
safety-security.com/imgs/Sliding-Door-Security-over.gif',
'http://www.crime-safety-security.com/imgs/Outdoor-Security-Lighting-
over.gif', 'http://www.crime-safety-security.com/imgs/Pepper-Spray-
over.gif', 'http://www.crime-safety-security.com/imgs/Personal-
Security-Alarm-over.gif', 'http://www.crime-safety-
security.com/imgs/GPS-Child-Locator-over.gif', 'http://www.crime-
safety-security.com/imgs/Senior-Safety-Products-over.gif',
'http://www.crime-safety-security.com/imgs/crime-survivors-overview-
over.gif', 'http://www.crime-safety-security.com/imgs/newsletter-
archive-t-2-over.gif', 'http://www.crime-safety-
security.com/imgs/Identity-Theft-over.gif', 'http://www.crime-safety-
security.com/imgs/article-bank-t-2-over.gif', 'http://www.crime-safety-
security.com/imgs/about-michael-over.gif', 'http://www.crime-safety-
security.com/imgs/contact-us-over.gif', 'http://www.crime-safety-
security.com/imgs/share-this-site-over.gif', 'http://www.crime-safety-
security.com/imgs/privacy-policy-over.gif', 'http://www.crime-safety-
security.com/imgs/terms-of-service-over.gif')" vlink="Purple">
<table align="center" border="0" cellpadding="0" cellspacing="0"
width="725">
<tbody>
<tr align="left">
<td colspan="2" valign="top"></td>
</tr>
<tr>
<td bgcolor="#CCCCCC" valign="top" width="130">
<div id="Layer1" style="position:absolute; width:150px; z-index:1;
visibility: visible; top: 130px;">
<style type="text/css">
.navheader {
display: block;
width: 150px;
font-family: Arial;
font-size: 14px;
font-weight: bold;

color: #FFFFFF;
text-align: center;

```

```
border-top-width: 0px;
border-right-width: 0px;
border-bottom-width: 0px;
border-left-width: 0px;
background-color: #6699FF
}
</style>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('index','','http://www.crime-safety-
security.com/imgs/index-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image0','','http://www.crime-safety-
security.com/imgs/crime-blog-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image1','','http://www.crime-safety-
security.com/imgs/site-directory-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image2','','http://www.crime-safety-
security.com/imgs/index-sitemap-over.gif',1)"></a>
<br/>
<span class="navheader"><br/>FAQs</span>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image4','','http://www.crime-safety-
security.com/imgs/Stranger-Danger-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image5','','http://www.crime-safety-
security.com/imgs/Internet-Safety-for-Kids-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image6','','http://www.crime-safety-
security.com/imgs/Cyber-Bullying-over.gif',1)"></a>
<br/>
```

```
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image7','','http://www.crime-safety-
security.com/imgs/Stop-Bullying-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image8','','http://www.crime-safety-
security.com/imgs/School-Violence-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image9','','http://www.crime-safety-
security.com/imgs/Teen-Abuse-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image10','','http://www.crime-safety-
security.com/imgs/Cyber-Stalking-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image11','','http://www.crime-safety-
security.com/imgs/College-Security-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image12','','http://www.crime-safety-
security.com/imgs/Running-Safety-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image13','','http://www.crime-safety-
security.com/imgs/Street-Crime-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image14','','http://www.crime-safety-
security.com/imgs/Purse-Snatching-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image15','','http://www.crime-safety-
```

```
security.com/imgs/Parking-Lot-Safety-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image16','','http://www.crime-safety-
security.com/imgs/Driving-Safety-Tips-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image17','','http://www.crime-safety-
security.com/imgs/Apartment-Security-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image18','','http://www.crime-safety-
security.com/imgs/Burglary-Prevention-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image19','','http://www.crime-safety-
security.com/imgs/Camping-Safety-over.gif',1)"></a>
<br/>
<span class="navheader"><br/>MYTH BUSTERS</span>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image21','','http://www.crime-safety-
security.com/imgs/Myth-Busters-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image22','','http://www.crime-safety-
security.com/imgs/Urban-Myths-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image23','','http://www.crime-safety-
security.com/imgs/Free-Range-Kids-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image24','','http://www.crime-safety-
security.com/imgs/Myths-and-Urban-Legends-over.gif',1)"></a>
<br/>
<span class="navheader"><br/>TRUE CRIMES</span>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image26','','http://www.crime-safety-
security.com/imgs/True-Crimes-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image27','','http://www.crime-safety-
security.com/imgs/True-Crime-Stories-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image28','','http://www.crime-safety-
security.com/imgs/True-Crime-Library-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image29','','http://www.crime-safety-
security.com/imgs/Crimes-of-Passion-over.gif',1)"></a>
<br/>
<span class="navheader"><br/>AVOIDING DANGER</span>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image31','','http://www.crime-safety-
security.com/imgs/home-security-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image32','','http://www.crime-safety-
security.com/imgs/outdoor-safety-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image33','','http://www.crime-safety-
security.com/imgs/car-security-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image34','','http://www.crime-safety-
security.com/imgs/travel-security-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image35','','http://www.crime-safety-
security.com/imgs/child-safety-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image36','','http://www.crime-safety-
security.com/imgs/women-safety-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image37','','http://www.crime-safety-
security.com/imgs/workplace-safety-overview-over.gif',1)"></a>
<br/>
<span class="navheader"><br/> FACING DANGER</span>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image39','','http://www.crime-safety-
security.com/imgs/criminal-minds-intuition-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image40','','http://www.crime-safety-
security.com/imgs/criminal-minds-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image41','','http://www.crime-safety-
security.com/imgs/victims-options-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image42','','http://www.crime-safety-
security.com/imgs/survival-options-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image43','','http://www.crime-safety-
security.com/imgs/stress-control-overview-over.gif',1)"></a>
<br/>
<span class="navheader"><br/> ESCAPING DANGER</span>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image45','','http://www.crime-safety-
security.com/imgs/fighting-options-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image46','','http://www.crime-safety-
security.com/imgs/Verbal-Self-Defense-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image47','','http://www.crime-safety-
security.com/imgs/Self-Defense-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image48','','http://www.crime-safety-
security.com/imgs/rape-escape-options-overview-over.gif',1)"></a>
<br/>
<span class="navheader"><br/>SECURITY PRODUCTS</span>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image50','','http://www.crime-safety-
security.com/imgs/security-products-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image51','','http://www.crime-safety-
security.com/imgs/security-products-alarms-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image52','','http://www.crime-safety-
security.com/imgs/DIY-Home-Security-Systems-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image53','','http://www.crime-safety-
security.com/imgs/security-products-simple-electronic-
over.gif',1)"><img alt="Simple Electronics" border="0" name="Image53"
```



```
src="http://web.archive.org/web/20120213042846im_/http://www.crime-
safety-security.com/imgs/security-products-simple-electronic.gif"/></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image54','','http://www.crime-safety-
security.com/imgs/Door-Security-Systems-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image55','','http://www.crime-safety-
security.com/imgs/Peepholes-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image56','','http://www.crime-safety-
security.com/imgs/Home-Intercom-System-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image57','','http://www.crime-safety-
security.com/imgs/Lock-Bumping-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image58','','http://www.crime-safety-
security.com/imgs/Sliding-Door-Security-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image59','','http://www.crime-safety-
security.com/imgs/Outdoor-Security-Lighting-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image60','','http://www.crime-safety-
security.com/imgs/Pepper-Spray-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image61','','http://www.crime-safety-
security.com/imgs/Personal-Security-Alarm-over.gif',1)"></a>
```

```
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image62','','http://www.crime-safety-
security.com/imgs/GPS-Child-Locator-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image63','','http://www.crime-safety-
security.com/imgs/Senior-Safety-Products-over.gif',1)"></a>
<br/>
<span class="navheader"><br/> RESOURCES</span>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image65','','http://www.crime-safety-
security.com/imgs/crime-survivors-overview-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image66','','http://www.crime-safety-
security.com/imgs/newsletter-archive-t-2-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image67','','http://www.crime-safety-
security.com/imgs/Identity-Theft-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image68','','http://www.crime-safety-
security.com/imgs/article-bank-t-2-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image69','','http://www.crime-safety-
security.com/imgs/about-michael-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image70','','http://www.crime-safety-
security.com/imgs/contact-us-over.gif',1)"></a>
<br/>
```

```

<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image71','','http://www.crime-safety-
security.com/imgs/share-this-site-over.gif',1)"></a>
<br/>
<span class="navheader"><br/> fine print</span>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image73','','http://www.crime-safety-
security.com/imgs/privacy-policy-over.gif',1)"></a>
<br/>
<a onmouseout="MM_swapImgRestore()"
onmouseover="MM_swapImage('Image74','','http://www.crime-safety-
security.com/imgs/terms-of-service-over.gif',1)"></a>
<br/>
<br/>
<form accept-charset="utf-8" action="http://www.crime-safety-
security.com/cgi-bin/mailout/mailmgr.cgi" method="post">
<input name="list_id" type="hidden" value="11209"/>
<input name="action" type="hidden" value="subscribe"/>
<table align="" bgcolor="#ffffff" border="1" cellpadding="5"
cellspacing="0">
<tbody>
<tr>
<td align="center" valign="top"><b>Enter your E-mail
Address</b><br/><input name="email" size="12" type="text"/><br/>
<b>Enter your First Name (optional)</b><br/> <input name="name"
size="12" type="text"/><br/> <font size="1"><b>Then</b><br/> <input
name="SUBMIT" type="SUBMIT" value="Subscribe"/><br/> Don't worry --
your e-mail address is totally secure.<br/> I promise to use it
<b>only</b> to send you The Crime-Safety-Security Newsletter.</font>
</td>
</tr>
</tbody>
</table>
</form>
<br/>
<center>
<div id="addSiteTo">
<div class="questionMark">
[
<a onclick="javascript:window.open('http://www.crime-safety-
security.com/help/rss.html','help','resizable,status,scrollbars,width=6
00,height=500');return false;"><span style="font-weight:bold;font-
size:110%;">?</span></a>] Subscribe To This Site
</div>
<p style="margin-top:4px;"><a onclick="alert('Sorry, please right-click
on this button, and then copy the shortcut (the URL of this link).
Paste that URL into your RSS reader. If this message is confusing,
close this window and then please click on the question mark next to
'Subscribe to This Site&quot;'); return false;"

```

target="#new"></a><br/><a rel="nofollow" target="new"></a><br/><a rel="nofollow" target="new"></a><br/><a rel="nofollow" target="new"></a><br/><a rel="nofollow" target="new"></a></p></div></center></div> </td><td valign="top" width="595"><table align="center" border="0" cellpadding="10" cellspacing="0" width="500"><tbody><tr><td> <h1 style="text-align:center;">Child Safety Tips:<br/>Kidnapping Escape</h1> <p><br/>Kidnapping is the worst threat to Child Safety. Teach your child to:</p><p></p></td></tr><tr><td> <b>DO <u><i>ANYTHING</i></u> POSSIBLE TO ESCAPE FROM A KIDNAPPER!</b></td></tr><tr><td> <p></p><p></p><p>CHILD SAFETY DRILL: If a stranger in a car wants you to come closer, run as fast as you can in the opposite direction, and scream for someone to call 9-1-1.<br/><br/></p></td></tr><tr><td> <blockquote><i>Two men kidnapped 7-year-old Erica Pratt from a Philadelphia street in 2002. They locked her in the basement of an abandoned house and made ransom demands of her family. Erica gnawed through the duct tape binding her, kicked through a door panel, broke an outside window to call for help, and was freed with the help of kids nearby.<p></p></i><p><i>Rebecca Savarese was walking to school in Pittsfield MA on a wintry morning in 1993. A man exited his pickup truck parked at the curb of the busy intersection, then grabbed and pulled the 10-year-old toward his truck. She yelled and spun away, leaving him holding her backpack as she ran to safety. He dropped it on the sidewalk and casually drove away. Only one of many passersby noticed the kidnapping attempt and wrote down the truck's license plate number, leading to Louis Lent's arrest at his home (with cages concealed in the walls) â€" a suspected murderer of dozens of children.</i></p></td></tr><tr><td> </blockquote><p></p><p><b>Rebecca was his only target who'd been taught child safety classes â€" to defy an adult and fight to escape immediately</i></b>. Odds of survival are far better <i>on the spot</i> rather than at a secluded secondary crime scene where a

kidnapper can carry out his evil plans. As early as possible, through role-playing (and playing Hide & Seek), teach Child Safety to your children " how to escape from a kidnapper.

### STRANGER DANGER ESCAPE

Thrash, fight, bite, and scream, "Help! Police!" repeatedly, shed a jacket or backpack that is grabbed, drop any excess baggage slowing them down, *escape* to a populated area, and call the police. YELL! RUN! TELL! The kidnapper fears a public spectacle and may simply flee alone. Also, witnesses may intervene, or at least identify the kidnapper and/or vehicle.  
 If there's a gun, ignore it and run! A gun is used to *scare* " rarely if ever to shoot a child. (Besides, if he's willing to quickly kill a child on the spot, he'll slowly do worse harm at leisure before killing the child later at a secluded, secondary crime scene anyway.)  
 Pull the pin on their personal noisemaker alarm. See below.  
 Run in circles around an object such as a parked car.  
 Get under a car (belly up) and hold onto the underside so he can't drag them out. If he crawls under there after them, get out on the other side.  
 Pull a fire alarm.

### Child Safety Devices & Program

See all of child safety throughout Crime-Safety-Security.com, especially [Home Security](#).  
 [GPS Child Locator](#): a child tracking device. A variety of models are available. I *highly* recommend these if used with the utmost parental discretion.  
 [Personal Security Alarm](#): a.k.a. noisemaker or screamer. Most attackers won't chase a noisy target.  
 The [RadKids.org](#) superbly covers child self-defense (from bullies, molesters, kidnappers) as well as all-around child safety tips (for fires, traffic, getting lost, etc.) for ages 5-12. The instruction level increases for each age group. And it's a terrific bargain: pay the low fee once (which barely covers overhead costs) and your child can return again and again for free at any RadKids location nationwide.

### Child Safety Tips

<center>

<b>Windmilling</b>

</center><p></p>

<blockquote>

*The haunting videotape from Evie's Car Wash camera in Sarasota FL shows 11-year-old Carlie Brucia being led to her death by Joseph P. Smith in 2004 " the first time the world actually saw a monster kidnapping a child " pulling her by the wrist out of sight.*

</blockquote><p></p><p>It might have never happened had she not been outdoors unsupervised, or had she known the child safety technique for kids to get away from an adult by "windmilling" their arm when it's grabbed " that is, *suddenly swinging the whole, straight arm from the shoulder in a large circle to break his grip. Then the child should run screaming for help.*

*If snatched while on a bike: hang onto the bike with hands and legs intertwined around the bike to prevent being shoved into a car. Scream all the while.*

<center>

<b>IF THE CHILD IS *ALREADY* IN THE KIDNAPPER'S CAR</b>

</center><p></p><p>

<tab>

<b>CAUTION:</b> These escape maneuvers may injure the child or others. The parents must assume

*all* responsibility and decide if the benefit of child safety outweighs the risk. Practice these maneuvers in a parked vehicle with the motor turned

*off*.

*The main idea is to stop the kidnapper* " the sooner the better " from driving the child to a secluded location. The child must disrupt the kidnapper's ability to drive and/or cause the car to crash while it's moving at a ***slow*** speed. This will attract the attention of other people and give the child a chance to flee. Then:  
" *Immediately*, before he even begins to drive her away, she can thrust herself between the driver and steering wheel " hanging onto the steering wheel with all her might while blaring the horn. *Do this as soon as possible* " or whenever she gets the chance.  
" Grab the ignition key to turn off the engine " causing the car to suddenly slow and the steering to freeze.  
" Grab the steering wheel while he's in mid-turn.  
" Brace her back against the door and attack the kidnapper with the powerful *Defensive Ground Kicks* taught in [Fighting Strategies](#). He won't be able to drive while absorbing a rapid-fire barrage of such kicks.  
" Jump out the door whenever the car is not moving.  
" Scream "Help! Police!" whenever a window or door is opened.  
" If she's a back seat passenger, she may still be able to attack the driver by attacking his eyes or throat from behind at a critical time. *At a very slow speed, cause the car to crash!*  
To enhance child safety, teach children *Clinch Attacks* at [Fighting Strategies](#).  

### GIRL OUTSMARTS KIDNAPPER

*A burglar, Enrique Sosa Alvarez, kidnapped 9-year-old Jennette Tamayo from her San Jose CA home in 2003 and drove away with her in the back seat of his car. She felt panic when he spoke on his cellphone about killing her and thought, "Oh, my God! I have to find a way out." She stayed strong as she talked to him, saying that she was sick " so that he saw her as a person.*

*Spooked by intense media coverage and an Amber Alert, he dropped her off unharmed. She helped police find him by having memorized his cellphone number.*

**Safety Tips for Kids** " [Child Safety - Overview](#) " [GPS Child Locator](#): a child tracking device. " [Personal Security Alarm](#): a.k.a. screamer or noisemaker. " [Child - Molester Safety](#): the subtle warning signs. " [Child Safeguarding](#) from molesters, bullies, and more. " [Child - Internet Safety](#): the dangers & safeguards. " [Internet Safety for Kids](#) 10 things parents need to know FAQ. " [Cyber Bullying](#): how to stop it FAQ. " [Stop Bullying](#) in school FAQ. " [School Violence](#) prevention FAQ. " [Child - Outdoor Safety](#): staying out of harm's way. " [Free-Range Kids](#) vs Myth Busters " [Child Kidnapping](#): dangers lurking at the Mall. " [Child - Kidnapping Escape](#) from a monster. **(YOU'RE NOW ON THIS PAGE)** " [Stranger Danger](#) vs Stranger Safety FAQ " [911 Calls](#): how to do it right. " [Recap & Resources](#): a summary of this section.  
Go to [Stranger Danger vs Stranger Safety FAQ](#) " [Stop Bullying FAQ](#) " [Child Safety - Overview](#) " [www.Crime-Safety-Security.com HOME PAGE](#)

```

<!-- SB_START: sbitool_blocks.footer -->
<div class="page_footer_container">
<div class="page_footer_content">
<div class="liner">
<div class="footer_content">
    Certified by the Michigan Commission of Law Enforcement
Standards
    <br/>for Police Academies/General Public.
    <br/>
<br/>No Copying without Permission
    <br/>All Rights Reserved © Copyright 1990-2012
    <br/>Michael Edward Loftus Sr " Crime-Safety-
Security.com
    </div>
</div>
</div>
</div>
<!-- SB_END: sbitool_blocks.footer --> </td>
</tr>
</tbody>
</table> </td>
</tr>
</tbody>
</table>
</body>
</html>

```

## **Stylesheets:**

### **Login.css**

```

html,
body {
    height: 100%;
    margin: 0;
    font-weight: 300;
    font-family: -apple-system, BlinkMacSystemFont, "Segoe UI",
Roboto, Oxygen,
        Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-
serif;
}

.wrapper {
    height: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
}

.loginContainer {
    display: flex;
    flex-direction: column;
    gap: 1rem;
    min-width: 25rem;
    padding: 1rem 3rem;
    border: 1px solid #44444444;
    box-shadow: 0px 3px 2px 1px #44444444;
}

```

```

        border-radius: 8px;
    }

    .loginContainer span {
        text-align: center;
        font-size: 3rem;
        font-weight: 500;
        margin: 1rem 1rem 3rem;
    }

    .traditionalLoginContainer form {
        display: flex;
        flex-direction: column;
        align-items: center;
        justify-content: center;
    }

    .traditionalLoginContainer :is(input[type="text"],
input[type="password"], input[type="email"]) {
        margin: 0.3rem;
        padding: 0.3em 0.5em;
        border: 1px solid #44444444;
        border-radius: 5px;
        outline: none;
        min-width: 200px;
        font-size: 1.3rem;
    }

    .traditionalLoginContainer .loginButton {
        background-color: #0070f3;
        font-size: 1.6rem;
        padding: 0.2em 0.8em;
        color: white;
        margin: 0.4rem;
        border: none;
        border-radius: 5px;
        cursor: pointer;
        margin-top: 2rem;
    }

    .traditionalLoginContainer .loginButton:hover {
        background-color: #0071f3d6;
    }

    .hyperLink {
        text-decoration: none;
        text-align: center;
        font-size: 1.2rem;
        color: #0070f3;
        font-weight: 400;
    }

    @media screen and (max-width: 480px) {
        .loginContainer {
            border: none;
            box-shadow: none;
            min-width: fit-content;
            min-width: -moz-fit-content;

```



```
        min-width: -webkit-fill-available;
        padding: 1rem;
    }
}
```

## Index.css

```
body {
    height: 100%;
    margin: 0;
    font-weight: 300;
    font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto,
        Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
        sans-serif;
}

.wrapper {
    height: 90%;
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    text-align: center;
}

.details {
    display: flex;
    flex-direction: column;
    align-items: center;
    gap: 20px;
    padding: 1rem;
    border-radius: 5px;
    box-shadow: 0 0 8px 0px #44444444;
    max-width: 80%;
}

h1,
h2 {
    margin: 0;
}

.imageContainer {
    padding: 10px;
    height: 10rem;
    width: 10rem;
}

.dashboard {
    text-decoration: none;
    text-align: center;
    font-size: 1.2rem;
    color: #0070f3;
    font-weight: 400;
}
```

## Dashboard.css

```
html,
body {
  margin: 0;
  padding: 0;
  font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe
UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
sans-serif;
}

.wrapper {
  display: flex;
  flex-direction: column;
  height: 100vh;
  margin: 0 auto;
}

.header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 1rem;
  background-color: #f1f1f1;
}

.heading {
  font-size: 1.3rem;
}

.right {
  display: flex;
  align-items: center;
  gap: 0.5rem;
}

.actionCenter {
  display: flex;
  justify-content: flex-end;
  align-items: center;
  gap: 1rem;
  padding: 0.5rem 0;
}

.actionCenter .action {
  padding: 0.5rem 0.8rem;
  border: 1px solid #44444444;
  border-radius: 12px;
  margin-right: 0.5rem;
  cursor: pointer;
}

.actionCenter .action:hover {
  background-color: #0070f3;
  color: white;
}

.childCardContainer {
  display: flex;
}
```

```

        flex-wrap: wrap;
        padding: 0.5rem 1rem;
    }

    .childCardContainer .childCard {
        display: flex;
        flex-direction: column;
        border: 1px solid #44444444;
        border-radius: 12px;
        max-width: 300px;
        font-size: 1.4rem;
    }

    .childCardContainer .childCard .childCardHeader {
        display: flex;
        gap: 3rem;
        margin: 0.1rem 0.1rem 0.8rem;
        padding: 1rem 0.8rem 0;
    }

    .childCardContainer .childCard .actions {
        background-color: #0070f3;
        padding: 2rem 0.5rem 1rem;
        color: white;
        display: flex;
        justify-content: space-around;
        border-radius: 12px;
        border-top-left-radius: 0;
        border-top-right-radius: 0;
    }

    .childCardContainer .childCard .actions span {
        border: 1px solid #0070f3;
        background-color: white;
        color: #0070f3;
        padding: 0.3rem 0.9rem;
        border-radius: 12px;
        cursor: pointer;
    }

```