Assignment - 3

| STUDENT NAME | GOWSIKA P |
|---|---|
| TEAM ID | PNT2022TMID30883 |

**Question-1:**

Create a Bucket in IBM object storage.

**Solution:**



**Question-2:**

Upload an 5 image to IBM object storage and make it public. Write html code to displaying all the 5 image.

**Solution:**

```html
<!DOCTYPEhtml>
<htmllang="en">
<head>
<metacharset="UTF-8">
<metahttp-equiv="X-UA-Compatible"content="IE=edge">
<metaname="viewport"content="width=device-width, initial-scale=1.0">
<title>Bucket</title>
</head>
<body>
<imgsrc="https://s3.au-syd.cloud-objectstorage.appdomain.cloud/mybucket24/chat%20bot.jpg"><imgsrc="https://s3.au-syd.cloud-objectstorage.appdomain.cloud/mybucket24/chat%20bot%202.jpg">
```

```html
<img src="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot%203.png">
<img src="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot%204.png">
<img src="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot%205.png">
</body>
</html>
```



**Question-3:**

Upload a CSS page to the object storage and use the same page in your HTML code. Write html code to displaying all the 5 images.

**Solution:**
```html
<html>
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-
fit=no">
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/fontawesome/4.7.0/cs
s/fontawesome.min.css">
<link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/c
ss/bootstrap.min.css ">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/particlesjs/2
.2.3/particles.min.j s">
<link rel="stylesheet" href="https://s3.au-
syd.cloudobjectstorage.appdomain.cloud/mybucket24/style.cssxxxxxxxxxxxxxxx
xxxx x">
</head>


<body>
<div= "signup">
```

```html
<formaction="\result"method="post">
<h2>LOGIN</h2>
<divclass="form-group">
<divclass="input-group">
<spanclass="input-group-addon”><iclass="fafaenelope”></i></span>
<inputtype="email”name="email”class="formcontrol” placeholder="Email” required>
</div>
</div>
<divclass="form-group">
<divclass="input-group">
<spanclass="input-group-addon”><iclass = "fafaenelope”></i></span>
<inputtype="password”name="password”class="formcontrol” placeholder="password”
required>
</div>
</div>
<divclass="form-group">
<buttontype="submit”class = "btnbtn-primary btn-lgbtnblock ”>Login</button>
</div>
</body>
</html>
```



**Question-4:**

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as assignment.

**Solution:**



**Question-5:** Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Solution:

```
<!DOCTYPE html>

<html><head>

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Chatbot</title><link rel="stylesheet"

href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-

xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"

crossorigin="anonymous">

<link rel="stylesheet" href="{{url_for('static',filename='styles/login.css')}}" type="text/css">

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

<link

href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300&displ

ay=swap" rel="stylesheet">

</head>

<body style="background:rgba(128,0,128,0.2">

<h1 style="font-weight: bolder;

margin: 12%;

font-size: xxx-large;">Building Chatbot For Hospital</h1>

<script>window.watsonAssistantChatOptions = { integrationID: "cba0c163-9f9a42ce-b6e9-979ac6318cc0", // The
ID of this integration. region: "au-syd", // The region

your integration is hosted inserviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your
service instance. onLoad: function(instance) { instance.render(); }

 };

setTimeout(function(){

const t=document.createElement('script');

 t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +

(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
```

document.head.appendChild(t); }
);

<\body>

<\html>