Assignment - 3

STUDENT NAME	KEERTHANA V
TEAM ID	PNT2022TMID30883

Question-1:

Create a Bucket in IBM object storage.

Solution:

Question-2:

Upload an 5 image to IBM object storage and make it public. Write html code to displaying all the 5 image.

Solution:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Bucket</title>
</head>
<body>
    <img src="https://s3.au-syd.cloud-objectstorage.appdomain.cloud/mybucket24/chat%20bot.jpg">      <img src="https://s3.au-syd.cloud-objectstorage.appdomain.cloud/mybucket24/chat%20bot%202.jpg">
```

```html
    <img src="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot%203.png">
    <img src="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot%204.png">
    <img src="https://s3.au-syd.cloud-
objectstorage.appdomain.cloud/mybucket24/chat%20bot%205.png">
</body>
</html>
```


Question-3:

Upload a CSS page to the object storage and use the same page in your HTML code. Write html code to displaying all the 5 images.

Solution:

```html
<html>
    <head>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
        <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/fontawesome/4.7.0/css/fontawesome.min.css
">
        <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css
">
        <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/particlesjs/2.2.3/particles.min.j
s">
        <link rel="stylesheet" href="https://s3.au-
syd.cloudobjectstorage.appdomain.cloud/mybucket24/style.cssxxxxxxxxxxxxxxx
xxxx x">
    </head>
```

```html
    <body>
        < div = "signup" >
            <form action="\result" method="post">
            <h2>LOGIN</h2>
            <div class="form-group">
                <div class="input-group">
                <span class="input-group-addon"><i class = "fa
faenelope"></i></span>
                <input type="email" name="email" class="formcontrol"
placeholder="Email" required>
                </div>
            </div>
            <div class="form-group">
                <div class="input-group">
                <span class="input-group-addon"><i class = "fa faenelope">
</i></span>
                <input type="password" name="password" class="formcontrol"
placeholder="password" required>
                </div>
            </div>
            <div class="form-group">
                <button type="submit" class = "btn btn-primary btn-lg btnblock
">Login</button>
            </div>
    </body>
</html>
```

Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as assignment.

Solution:

Question-5: Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Solution:

```
<!DOCTYPE html>

<html><head>

 <meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Chatbot </title> <link rel="stylesheet"

href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-

xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"

crossorigin="anonymous">

<link rel="stylesheet" href="{{url_for('static',filename='styles/login.css')}}" type="text/css">

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

 <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>

<link

href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300&displ

ay=swap" rel="stylesheet">

 </head>

<body style="background:rgba(128,0,128,0.2">

<h1 style="font-weight: bolder;

margin: 12%;

 font-size: xxx-large;">Building Chatbot For Hospital</h1>

 <script> window.watsonAssistantChatOptions = { integrationID: "cba0c163-9f9a42ce-b6e9-979ac6318cc0", //
The ID of this integration. region: "au-syd", // The region

your integration is hosted in serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your
service instance. onLoad: function(instance) { instance.render(); }

 };
```

```
setTimeout(function(){

const t=document.createElement('script');

t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +

(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";

document.head.appendChild(t); }
);

<\body>

<\html>
```