PYTHON CODE

Date	13 November 2022
Team ID	PNT2022TMID51072
Project Name	Virtual Eye - Life Guard For Swimming
	Pools To Detect Active Drowning
Maximum Marks	8 Marks

```
# -*-
coding:
utf-8 -
*_
          """pythoncode.ipynb
          Automatically generated by Colaboratory.
          Original file is located at
              https://colab.research.google.com/drive/1gqbVQbV1MiAgD2AZjlTe9f0vE2FpUjRL
          ....
          import requests
          import progressbar as pb
          import os
          import cv2
          import numpy as np
          import time
          def download_file(url, file_name, dest_dir):
              if not os.path.exists(dest_dir):
                  os.makedirs(dest_dir)
              full_path_to_file = dest_dir + os.path.sep + file_name
              if os.path.exists(dest dir + os.path.sep + file name):
                  return full_path_to_file
              print("Downloading " + file_name + " from " + url)
              try:
                  r = requests.get(url, allow_redirects=True, stream=True)
              except:
                  print("Could not establish connection. Download failed")
                  return None
              file size = int(r.headers['Content-Length'])
              chunk size = 1024
              num_bars = round(file_size / chunk_size)
              bar = pb.ProgressBar(maxval=num bars).start()
              if r.status_code != requests.codes.ok:
```

```
print("Error occurred while downloading file")
        return None
    count = 0
    with open(full_path_to_file, 'wb') as file:
        for chunk in r.iter_content(chunk_size=chunk_size):
            file.write(chunk)
            bar.update(count)
            count +=1
    return full_path_to_file
initialize = True
net = None
dest_dir = os.path.expanduser('~') + os.path.sep + '.cvlib' + os.path.sep +
'object_detection' + os.path.sep + 'yolo' + os.path.sep + 'yolov3'
classes = None
#colors are BGR instead of RGB in python
COLORS = [0,0,255], [255,0,0]
def populate_class_labels():
    #we are using a pre existent classifier which is more reliable and more
efficient than one
    #we could make using only a laptop
    #The classifier should be downloaded automatically when you run this script
    class file name = 'yolov3 classes.txt'
    class_file_abs_path = dest_dir + os.path.sep + class_file_name
    url = 'https://github.com/Nico31415/Drowning-Detector/raw/master/yolov3.txt'
    if not os.path.exists(class_file_abs_path):
        download_file(url=url, file_name=class_file_name, dest_dir=dest_dir)
    f = open(class_file_abs_path, 'r')
    classes = [line.strip() for line in f.readlines()]
    return classes
def get output layers(net):
    #the number of output layers in a neural network is the number of possible
    #things the network can detect, such as a person, a dog, a tie, a phone...
    layer names = net.getLayerNames()
    output_layers = [layer_names[i[0] - 1] for i in
net.getUnconnectedOutLayers()]
    return output layers
def draw_bbox(img, bbox, labels, confidence, Drowning, write_conf=False):
    global COLORS
    global classes
    if classes is None:
        classes = populate_class_labels()
    for i, label in enumerate(labels):
        #if the person is drowning, the box will be drawn red instead of blue
        if label == 'person' and Drowning:
            color = COLORS[0]
```

```
label = 'DROWNING'
        else.
            color = COLORS[1]
        if write_conf:
            label += ' ' + str(format(confidence[i] * 100, '.2f')) + '%'
        #you only need to points (the opposite corners) to draw a rectangle.
These points
        #are stored in the variable bbox
        cv2.rectangle(img, (bbox[i][0],bbox[i][1]), (bbox[i][2],bbox[i][3]),
color, 2)
        cv2.putText(img, label, (bbox[i][0],bbox[i][1]-10),
cv2.FONT_HERSHEY_SIMPLEX, 0.5, color, 2)
    return img
def detect_common_objects(image, confidence=0.5, nms_thresh=0.3):
    Height, Width = image.shape[:2]
    scale = 0.00392
    global classes
    global dest_dir
    #all the weights and the neural network algorithm are already preconfigured
    #as we are using YOLO
    #this part of the script just downloads the YOLO files
    config_file_name = 'yolov3.cfg'
    config file abs path = dest dir + os.path.sep + config file name
    weights_file_name = 'yolov3.weights'
    weights_file_abs_path = dest_dir + os.path.sep + weights_file_name
    url = 'https://github.com/Nico31415/Drowning-Detector/raw/master/yolov3.cfg'
    if not os.path.exists(config_file_abs_path):
        download_file(url=url, file_name=config_file_name, dest_dir=dest_dir)
    url = 'https://pjreddie.com/media/files/yolov3.weights'
    if not os.path.exists(weights_file_abs_path):
        download file(url=url, file name=weights file name, dest dir=dest dir)
    global initialize
    global net
    if initialize:
        classes = populate class labels()
        net = cv2.dnn.readNet(weights_file_abs_path, config_file_abs_path)
        initialize = False
    blob = cv2.dnn.blobFromImage(image, scale, (416,416), (0,0,0), True,
crop=False)
    net.setInput(blob)
    outs = net.forward(get_output_layers(net))
    class_ids = []
    confidences = []
    boxes = []
    for out in outs:
        for detection in out:
```

```
scores = detection[5:]
            class_id = np.argmax(scores)
            max_conf = scores[class_id]
            if max_conf > confidence:
                center_x = int(detection[0] * Width)
                center_y = int(detection[1] * Height)
                w = int(detection[2] * Width)
                h = int(detection[3] * Height)
                x = center_x - w / 2
                y = center_y - h / 2
                class_ids.append(class_id)
                confidences.append(float(max_conf))
                boxes.append([x, y, w, h])
    indices = cv2.dnn.NMSBoxes(boxes, confidences, confidence, nms_thresh)
    bbox = []
    label = []
    conf = []
    for i in indices:
        i = i[0]
        box = boxes[i]
        x = box[0]
        y = box[1]
        w = box[2]
        h = box[3]
        bbox.append([round(x), round(y), round(x+w), round(y+h)])
        label.append(str(classes[class_ids[i]]))
        conf.append(confidences[i])
    return bbox, label, conf
#for PiCamera
#from picamera Import PiCamera
#camera = PiCamera
#camera.start preview()
# open webcam
webcam = cv2.VideoCapture(0)
if not webcam.isOpened():
    print("Could not open webcam")
    exit()
t0 = time.time() #gives time in seconds after 1970
#variable dcount stands for how many seconds the person has been standing still
for
centre0 = np.zeros(2)
isDrowning = False
#this loop happens approximately every 1 second, so if a person doesn't move,
#or moves very little for 10seconds, we can say they are drowning
#loop through frames
while webcam.isOpened():
```

```
# read frame from webcam
    status, frame = webcam.read()
    if not status:
        print("Could not read frame")
        exit()
    # apply object detection
    bbox, label, conf = cv.detect_common_objects(frame)
    #simplifying for only 1 person
    \#s = (len(bbox), 2)
    if(len(bbox)>0):
            bbox0 = bbox[0]
            #centre = np.zeros(s)
            centre = [0,0]
            #for i in range(0, len(bbox)):
                \#centre[i] = [(bbox[i][0]+bbox[i][2])/2,(bbox[i][1]+bbox[i][3])/2
]
            centre =[(bbox0[0]+bbox0[2])/2,(bbox0[1]+bbox0[3])/2]
            #make vertical and horizontal movement variables
            hmov = abs(centre[0]-centre0[0])
            vmov = abs(centre[1]-centre0[1])
            #there is still need to tweek the threshold
            #this threshold is for checking how much the centre has moved
            x=time.time()
            threshold = 10
            if(hmov>threshold or vmov>threshold):
                print(x-t0, 's')
                t0 = time.time()
                isDrowning = False
            else:
                print(x-t0, 's')
                if((time.time() - t0) > 10):
                    isDrowning = True
            #print('bounding box: ', bbox, 'label: ' label ,'confidence: '
conf[0], 'centre: ', centre)
            #print(bbox,label ,conf, centre)
            print('bbox: ', bbox, 'centre:', centre, 'centre0:', centre0)
            print('Is he drowning: ', isDrowning)
            centre0 = centre
            # draw bounding box over detected objects
    out = draw_bbox(frame, bbox, label, conf,isDrowning)
    #print('Seconds since last epoch: ', time.time()-t0)
    # display output
    cv2.imshow("Real-time object detection", out)
    # press "Q" to stop
    if cv2.waitKey(1) & 0xFF == ord('q'):
        break
```

release resources
webcam.release()
cv2.destroyAllWindows()