PROJECT DEVELOPMENT PHASE

SPRINT-1 SOURCE CODE

Date	01 November 2022
Team ID	PNT2022TMID30874
Project Name	Intelligent vehicle damage assessment & cost estimator for insurance companies.
Maximum Marks	8 Marks

Index.php

```php
<?php
  session_start();
  if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php");
    die();
  }

  include 'config.php';
  $msg = "";

  if (isset($_GET['verification'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['verification']}'")) > 0) {
      $query = mysqli_query($conn, "UPDATE users1 SET code='' WHERE
code='{$_GET['verification']}'");

      if ($query) {
        $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";
      }
    } else {
      header("Location: index.php");
    }
```

```php
    }

    if (isset($_POST['submit'])) {
        $email = mysqli_real_escape_string($conn, $_POST['email']);
        $password = mysqli_real_escape_string($conn, md5($_POST['password']));

        $sql = "SELECT * FROM users1 WHERE email='{$email}' AND password='{$password}'";
        $result = mysqli_query($conn, $sql);

        if (mysqli_num_rows($result) === 1) {
            $row = mysqli_fetch_assoc($result);

            if (empty($row['code'])) {
                $_SESSION['SESSION_EMAIL'] = $email;
                header("Location: welcome.php");
            } else {
                $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
            }
        } else {
            $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
        }
    }
?>

<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Login Form - Damage Detection</title>
    <!-- Meta tag Keywords -->
```

```html
<meta name="viewport" content="width=device-width, initial-scale=1">

<meta charset="UTF-8" />

<meta name="keywords"

    content="Login Form" />

<!-- //Meta tag Keywords -->


<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">


<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<!--//Style-CSS -->


<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>


</head>


<body>


<!-- form section start -->

<section class="w3l-mockup-form">

    <div class="container">

        <!-- /form -->

        <div class="workinghny-form-grid">

            <div class="main-mockup">

                <div class="alert-close">

                    <span class="fa fa-close"></span>

                </div>

                <div class="w3l_form align-self">

                    <div class="left_grid_info">
```

```html
                        <img src="images/bsi1.png" alt="">

                    </div>

                </div>

                <div class="content-wthree">

                    <h2>Login Now</h2>

                    <?php echo $msg; ?>

                    <form action="" method="post">

                        <input type="email" class="email" name="email" placeholder="Enter Your Email" required>

                        <input type="password" class="password" name="password" placeholder="Enter Your Password" style="margin-bottom: 2px;" required>

                        <p><a href="forgot-password.php" style="margin-bottom: 15px; display: block; text-align: right;">Forgot Password?</a></p>

                        <button name="submit" name="submit" class="btn" type="submit">Login</button>

                    </form>

                    <div class="social-icons">

                        <p>Create Account! <a href="register.php">Register</a>.</p>

                    </div>

                </div>

            </div>

        </div>

        <!-- //form -->

    </div>

</section>

<!-- //form section start -->


<script src="js/jquery.min.js"></script>

<script>

    $(document).ready(function (c) {

        $('.alert-close').on('click', function (c) {

            $('.main-mockup').fadeOut('slow', function (c) {
```

```
            $('.main-mockup').remove();

          });

        });

      });

    </script>


  </body>

</html>
```

logout.php

```php
<?php


    session_start();

    session_unset();

    session_destroy();

    header("Location: index.php");.php
```

Register.php

```php
<?php
    //Import PHPMailer classes into the global namespace
    //These must be at the top of your script, not inside a function
    use PHPMailer\PHPMailer\PHPMailer;
    use  PHPMailer\PHPMailer\SMTP;
    use PHPMailer\PHPMailer\Exception;

    session_start();
    if (isset($_SESSION['SESSION_EMAIL'])) {
      header("Location: welcome.php");
      die();
    }

    //Load Composer's autoloader
    require 'vendor/autoload.php';

    include 'config.php';
    $msg = "";
```

```php
    if (isset($_POST['submit'])) {
        $name = mysqli_real_escape_string($conn, $_POST['name']);
        $email = mysqli_real_escape_string($conn, $_POST['email']);
        $password = mysqli_real_escape_string($conn, md5($_POST['password']));
        $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
        $code = mysqli_real_escape_string($conn, md5(rand()));

        if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{$email}'")) >
0) {
            $msg = "<div class='alert alert-danger'>{$email} - This email address has been already
exists.</div>";
        } else {
            if ($password === $confirm_password) {
                $sql = "INSERT INTO users1 (name, email, password, code) VALUES ('{$name}', '{$email}',
'{$password}', '{$code}')";
                $result = mysqli_query($conn, $sql);

                if ($result) {
                    echo "<div style='display: none;'>";
                    //Create an instance; passing `true` enables exceptions
                    $mail = new PHPMailer(true);

                    try {
                        //Server settings
                        $mail->SMTPDebug = SMTP::DEBUG_SERVER;                    //Enable verbose debug
output
                        $mail->isSMTP();                                //Send using SMTP
                        $mail->Host       = 'smtp.gmail.com';               //Set the SMTP server to send through
                        $mail->SMTPAuth   = true;                       //Enable SMTP authentication
                        $mail->Username   = 'damagedetectionanalysis@gmail.com';           //SMTP username
                        $mail->Password   = 'sgmdgfpxacgtinlv';                 //SMTP password
                        $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;          //Enable implicit TLS
encryption
                        $mail->Port       = 465;                        //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

                        //Recipients
                        $mail->setFrom('damagedetectionanalysis@gmail.com');
                        $mail->addAddress($email);

                        //Content
                        $mail->isHTML(true);                            //Set email format to HTML
                        $mail->Subject = 'DAMAGE DETECTION';
                        $mail->Body    = 'Here is the verification link <b><a
href="http://localhost/login1/?verification='.$code.'"> Link </a></b>';

                        $mail->send();
                        echo 'Message has been sent';
                    } catch (Exception $e) {
                        echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
                    }
```

```php
            echo "</div>";
            $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
        } else {
            $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
        }
    } else {
        $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match</div>";
    }
    }
    }
?>
```

```html
<!DOCTYPE html>
<html lang="zxx">

<head>
    <title>Login Form - Damage Detection</title>
    <!-- Meta tag Keywords -->
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta charset="UTF-8" />
    <meta name="keywords"
        content="Login Form" />
    <!-- //Meta tag Keywords -->

    <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

    <!--/Style-CSS -->
    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
    <!--//Style-CSS -->

    <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

    <!-- form section start -->
    <section class="w3l-mockup-form">
        <div class="container">
            <!-- /form -->
            <div class="workinghny-form-grid">
                <div class="main-mockup">
                    <div class="alert-close">
                        <span class="fa fa-close"></span>
                    </div>
                    <div class="w3l_form align-self">
                        <div class="left_grid_info">
                            <img src="images/ss20.png" alt="">
                        </div>
```

```html
            </div>
            <div class="content-wthree">
                <h2>Register Now</h2>
                <?php echo $msg; ?>
                <form action="" method="post">
                    <input type="text" class="name" name="name" placeholder="Enter Your Name"
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
                    <input type="email" class="email" name="email" placeholder="Enter Your Email"
value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>
                    <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>
                    <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
                    <button name="submit" class="btn" type="submit">Register</button>
                </form>
                <div class="social-icons">
                    <p>Have an account! <a href="index.php">Login</a>.</p>
                </div>
            </div>
        </div>
    </div>
    <!-- //form -->
    </div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('.alert-close').on('click', function (c) {
            $('.main-mockup').fadeOut('slow', function (c) {
                $('.main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>
```

Welcome.php

```php
<?php
  session_start();
  if (!isset($_SESSION['SESSION_EMAIL'])) {

    header("Location: index.php");

    die();

  }


  include 'config.php';


  $query = mysqli_query($conn, "SELECT * FROM users1 WHERE
email='{$_SESSION['SESSION_EMAIL']}'");


  if (mysqli_num_rows($query) > 0) {

    $row = mysqli_fetch_assoc($query);


    echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";

  }
?>
```

Forgot password.php

```php
<?php

session_start();
if (isset($_SESSION['SESSION_EMAIL'])) {

  header("Location: welcome.php");

  die();

}


//Import PHPMailer classes into the global namespace

//These must be at the top of your script, not inside a function
```

```php
use PHPMailer\PHPMailer\PHPMailer;

use PHPMailer\PHPMailer\SMTP;

use PHPMailer\PHPMailer\Exception;


//Load Composer's autoloader

require 'vendor/autoload.php';


include 'config.php';

$msg = "";


if (isset($_POST['submit'])) {

    $email = mysqli_real_escape_string($conn, $_POST['email']);

    $code = mysqli_real_escape_string($conn, md5(rand()));


    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{$email}'")) >
0) {

        $query = mysqli_query($conn, "UPDATE users1 SET code='{$code}' WHERE email='{$email}'");


        if ($query) {

            echo "<div style='display: none;'>";

            //Create an instance; passing `true` enables exceptions

            $mail = new PHPMailer(true);


            try {

                //Server settings

                $mail->SMTPDebug = SMTP::DEBUG_SERVER;              //Enable verbose debug
output

                $mail->isSMTP();                            //Send using SMTP

                $mail->Host     = 'smtp.gmail.com';             //Set the SMTP server to send through

                $mail->SMTPAuth   = true;                  //Enable SMTP authentication

                $mail->Username   = 'damagedetectionanalysis@gmail.com';           //SMTP username
```

```php
        $mail->Password   = 'sgmdgfpxacgtinlv';                        //SMTP password

        $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;          //Enable implicit TLS
encryption

        $mail->Port       = 465;                         //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`


        //Recipients

        $mail->setFrom('damagedetectionanalysis@gmail.com');

        $mail->addAddress($email);


        //Content

        $mail->isHTML(true);                           //Set email format to HTML

        $mail->Subject = 'DAMAGE DETECTION';

        $mail->Body    = 'Here is the verification link <b><a href="http://localhost/login1/change-
password.php?reset='.$code.'">Reset-Password</a></b>';


        $mail->send();

        echo 'Message has been sent';

    } catch (Exception $e) {

        echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";

    }

    echo "</div>";

    $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

    }

  } else {

    $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";

  }

}


?>
```

```html
<!DOCTYPE html>

<html lang="zxx">


<head>

    <title>Login Form - Damage Detection</title>

    <!-- Meta tag Keywords -->

    <meta name="viewport" content="width=device-width, initial-scale=1">

    <meta charset="UTF-8" />

    <meta name="keywords"

        content="Login Form" />

    <!-- //Meta tag Keywords -->


    <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap" rel="stylesheet">


    <!--/Style-CSS -->

    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

    <!--//Style-CSS -->


    <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>


</head>


<body>


    <!-- form section start -->

    <section class="w3l-mockup-form">

        <div class="container">

            <!-- /form -->
```

```html
<div class="workinghny-form-grid">
  <div class="main-mockup">
    <div class="alert-close">
      <span class="fa fa-close"></span>
    </div>
    <div class="w3l_form align-self">
      <div class="left_grid_info">
        <img src="images/bsi1.png" alt="">
      </div>
    </div>
    <div class="content-wthree">
      <h2>Forgot Password</h2>
      <?php echo $msg; ?>
      <form action="" method="post">
        <input type="email" class="email" name="email" placeholder="Enter Your Email" required>
        <button name="submit" class="btn" type="submit">Send Reset Link</button>
      </form>
      <div class="social-icons">
        <p>Back to! <a href="index.php">Login</a>.</p>
      </div>
    </div>
  </div>
</div>
</section>
<!-- //form -->

<!-- //form section start -->

<script src="js/jquery.min.js"></script>
```

```
        <script>

            $(document).ready(function (c) {

                $('.alert-close').on('click', function (c) {

                    $('.main-mockup').fadeOut('slow', function (c) {

                        $('.main-mockup').remove();

                    });

                });

            });

        </script>


    </body>

</html>
```

Change Password

```php
<?php

$msg = "";

include 'config.php';

if (isset($_GET['reset'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['reset']}'")) > 0) {
        if (isset($_POST['submit'])) {
            $password = mysqli_real_escape_string($conn, md5($_POST['password']));
            $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));

            if ($password === $confirm_password) {
                $query = mysqli_query($conn, "UPDATE users1 SET password='{$password}', code='' WHERE
code='{$_GET['reset']}'");

                if ($query) {
                    header("Location: index.php");
                }
            } else {
                $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";
            }
        }
    } else {
        $msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
    }
```

```php
} else {
    header("Location: forgot-password.php");
}

?>
```

```html
<!DOCTYPE html>
<html lang="zxx">

<head>
   <title>DAMAGE DETECTION</title>
   <!-- Meta tag Keywords -->
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <meta charset="UTF-8" />
   <meta name="keywords"
      content="Login Form" />
   <!-- //Meta tag Keywords -->

   <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

   <!--/Style-CSS -->
   <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
   <!--//Style-CSS -->

   <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

   <!-- form section start -->
   <section class="w3l-mockup-form">
      <div class="container">
         <!-- /form -->
         <div class="workinghny-form-grid">
            <div class="main-mockup">
               <div class="alert-close">
                  <span class="fa fa-close"></span>
               </div>
               <div class="w3l_form align-self">
                  <div class="left_grid_info">
                     <img src="images/bsi1.png" alt="">
                  </div>
               </div>
               <div class="content-wthree">
                  <h2>Change Password</h2>
                  <?php echo $msg; ?>
                  <form action="" method="post">
                     <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>
```

```html
                    <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
                        <button name="submit" class="btn" type="submit">Change Password</button>
                </form>
                <div class="social-icons">
                    <p>Back to! <a href="index.php">Login</a>.</p>
                </div>
            </div>
        </div>
    </div>
    <!-- //form -->
    </div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('.alert-close').on('click', function (c) {
            $('.main-mockup').fadeOut('slow', function (c) {
                $('.main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>
```

Style.css

```css
html {
    scroll-behavior: smooth;
}

body,
html {
    margin: 0;
    padding: 0;
    font-family: 'Poppins', sans-serif;
}

* {
    box-sizing: border-box;
}

.d-grid {
    display: grid;
```

```css
}

.d-flex {
    display: flex;
    display: -webkit-flex;
}

.text-center {
    text-align: center;
}

.text-left {
    text-align: left;
}

.text-right {
    text-align: right;
}

button,
input,
select {
    -webkit-appearance: none;
    outline: none;
    font-family: 'Poppins', sans-serif;
}

button,
.btn,
select {
    cursor: pointer;
}

a {
    text-decoration: none;
}

img {
    max-width: 100%;
}

ul {
    margin: 0;
    padding: 0
}

h1,
h2,
h3,
h4,
h5,
```

```css
h6,
p {
  margin: 0;
  padding: 0
}

p {
  color: #666;
  font-size: 16px;
  line-height: 25px;
  opacity: .6;
}

.p-relative {
  position: relative;
}

.p-absolute {
  position: absolute;
}

.p-fixed {
  position: fixed;
}

.p-sticky {
  position: sticky;
}

.btn,
button,
.actionbg,
input {
  border-radius: 4px;
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  -o-border-radius: 4px;
  -ms-border-radius: 4px;
}

.btn:hover,
button:hover {
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}

/*-- wrapper start --*/
.wrapper {
```

```css
    width: 100%;
    padding-right: 15px;
    padding-left: 15px;
    margin-right: auto;
    margin-left: auto;
}

@media (min-width: 576px) {
  .wrapper {
      max-width: 540px;
  }
}

@media (min-width: 768px) {
  .wrapper {
      max-width: 720px;
  }
}

@media (min-width: 992px) {
  .wrapper {
      max-width: 960px;
  }
}

@media (min-width: 1200px) {
  .wrapper {
      max-width: 1140px;
  }
}

.wrapper-full {
    width: 100%;
    padding-right: 15px;
    padding-left: 15px;
    margin-right: auto;
    margin-left: auto;
}

/*-- //wrapper start --*/

/*-- form styling --*/
.w3l-mockup-form {
    position: relative;
    min-height: 100vh;
    z-index: 0;
    background: rgba(99, 194, 110, 0.1);
    padding: 40px 40px;
}

.container {
```

```css
    max-width: 890px;
    margin: 0 auto;
}

.w3l_form {
    padding: 0px;
    flex-basis: 50%;
    -webkit-flex-basis: 50%;
    background:#007ac1;
    padding: 100px 50px;
    border-top-left-radius: 8px;
    border-bottom-left-radius: 8px;
    display: flex;
    justify-content: center;
    align-items: center;
}

.content-wthree {
    flex-basis: 60%;
    -webkit-flex-basis: 60%;
    box-sizing: border-box;
    padding: 3em 3.5em;
    background: #fff;
    box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);
    border-top-right-radius: 8px;
    border-bottom-right-radius: 8px;
}

.w3l-workinghny-form .logo {
    text-align: center;
}

.w3l-mockup-form .main-mockup {
    position: relative;
    display: -webkit-box;
    display: -moz-box;
    display: -ms-flexbox;
    display: -webkit-flex;
    display: flex;
    margin: 40px 0;
}

.w3l-mockup-form .alert-close {
    cursor: pointer;
    height: 35px;
    width: 35px;
    line-height:  35px;
    position: absolute;
    right: -5px;
    top:              -5px;
    background: #005fc1;
```

```css
    border-radius: 50px;
    color: #fff;
    text-align: center;
}

.w3l-mockup-form form {
    margin-top: 30px;
    margin-bottom: 30px;
}

.social-icons {
    text-align: center;
}

.w3l-mockup-form h1 {
    text-align: center;
    font-size: 40px;
    font-weight: 500;
    color: #3b3663;
}

.w3l-mockup-form h2 {
    display: inline-block;
    font-size: 25px;
    line-height: 35px;
    margin-bottom: 5px;
    font-weight: 600;
    color: #3b3663;
}

.w3l-mockup-form input {
    outline: none;
    margin-bottom: 15px;
    font-size:  16px;
    color: #999;
    text-align: left;
    padding: 14px 20px;
    width: 100%;
    display: inline-block;
    box-sizing: border-box;
    border: none;
    outline:  none;
    background: transparent;
    border: 1px solid #e5e5e5;
    transition: 0.3s all ease;
}

.w3l-mockup-form input:focus {
    border-color: #005fc1;
}
```

```css
.w3l-mockup-form button {
   font-size: 18px;
   color: #fff;
   width: 100%;
   background:#0056c1;
   border: none;
   padding: 14px 15px;
   font-weight: 500;
   transition: .3s ease;
   -webkit-transition: .3s ease;
   -moz-transition: .3s ease;
   -ms-transition: .3s ease;
   -o-transition: .3s ease;
}

.w3l-mockup-form button:hover {
   background: #005fc1;
}

.w3l-mockup-form .social-icons ul li {
   list-style: none;
   display: inline-block;
}

.w3l-mockup-form .social-icons ul li a {
   padding: 8px;
}

.w3l-mockup-form .social-icons ul li a:hover {
   opacity: 0.8;
   transition: 0.5s ease;
   -webkit-transition: 0.5s ease;
   -o-transition: 0.5s ease;
   -ms-transition: 0.5s ease;
   -moz-transition: 0.5s ease;
}

.w3l-mockup-form .social-icons ul span.fa {
   color: #696687;
   font-size: 18px;
   opacity: .8;
}

.w3l-mockup-form .social-icons ul li a.facebook span {
   color: #3b5998;
}

.w3l-mockup-form .social-icons ul li a.twitter span {
   color: #007ac1;
}
```

```css
.w3l-mockup-form .social-icons ul li a.pinterest span {
    color: #e60023;
}


.copyright p {
    text-align: center;
    font-size: 17px;
    line-height: 26px;
    color: #607863;
    opacity: 1;
}

p.copy-footer-29 a {
    color: #517856;
}

p.copy-footer-29 a:hover {
    color: #005fc1;
    transition: 0.5s ease;
    -webkit-transition: 0.5s ease;
    -o-transition: 0.5s ease;
    -ms-transition: 0.5s ease;
    -moz-transition: 0.5s ease;
}

.alert {
    padding: 1rem;
    border-radius: 5px;
    color: white;
    margin: 1rem 0;
}

.alert-success {
    background-color: #007ac1;
}

.alert-danger {
    background-color: #fc5555;
}

.alert-info {
    background-color: #2E9AFE;
}

.alert-warning {
    background-color: #ff9966;
}

/*-- responsive design --*/
```

```css
@media (max-width:736px) {
  .w3l-mockup-form .main-mockup {
    flex-direction: column;
  }

  .w3l_form {
    order: 2;
    padding: 50px;
    border-radius: 0;
    border-bottom-left-radius: 8px;
    border-bottom-right-radius: 8px;
  }

  .content-wthree {
    order: 1;
    border-radius: 0;
    border-top-left-radius: 8px;
    border-top-right-radius: 8px;
  }
}

@media (max-width:568px) {
  .w3l-mockup-form h1 {
    font-size: 30px;
  }

  .w3l-mockup-form .main-mockup {
    margin: 30px 0;
  }

  .content-wthree {
    padding: 2.5em;
  }
}

@media (max-width: 415px) {
  .w3l-mockup-form {
    padding: 40px 30px;
  }

}

@media (max-width:384px) {
  .w3l-mockup-form {
    padding: 30px 15px;
  }

  .content-wthree {
    padding: 2em;
  }
}
```

```css
  .w3l-mockup-form h1 {
    font-size: 28px;
  }

  .w3l-mockup-form h2 {
    font-size: 22px;
    line-height: 32px;
  }

  .copyright p {
    font-size: 16px;
  }
}

/*-- //responsive design --*/
/*-- //form styling --*/
```

login.sql

```sql
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";

START TRANSACTION;

SET time_zone = "+00:00";




/*!40101 SET
@OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET
@OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET
@OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;



--

-- Database: `login1`

--
```

--

-- Table structure for table `users1`

--

CREATE TABLE `users1` (

 `id` int(11) NOT NULL,

 `name` varchar(255) NOT NULL,

 `email` varchar(255) NOT NULL,

 `password` varchar(255) NOT NULL,

 `code` text NOT NULL

) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--

-- Indexes for dumped tables

--

--

-- Indexes for table `users1`

--

ALTER TABLE `users1`

 ADD PRIMARY KEY (`id`);

--

-- AUTO_INCREMENT for dumped tables

--

--

```
-- AUTO_INCREMENT for table `users1`

--

ALTER TABLE `users1`

  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;

COMMIT;


/*!40101 SET
CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;

/*!40101 SET
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;

/*!40101 SET
COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```