

ASSIGNMENT - 4

DATE	17 October 2022
TEAM ID	PNT2022TMID10148
NAME	MONISH K
STUDENT ROLL NUMBER	720719106073
MAXIMUM MARKS	2 Marks

QUESTION :

Write code and connections in wokwi for ultrasonic sensor.

Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.

Upload document with wokwi share link and images of ibm cloud

WOKWI CODE AND IMPLEMENTATION LINK:

<https://wokwi.com/projects/346506498129527380>

← → ↻ <https://wokwi.com/projects/346506498129527380>

WOKWI

SAVE

SHARE



sketch.ino

diagram.json

libraries.txt

Library Manager

```
34 void setup()
35 {
36
37   Serial.begin(115200);
38   pinMode(trig, OUTPUT);
39   pinMode(echo, INPUT);
40   pinMode(LED, OUTPUT);
41   delay(10);
42
43   wificonnect();
44
45   mqttconnect();
46
47 }
48
49 void loop()// Recursive Function
50 {
51
52   delayMicroseconds(10);
53   digitalWrite(trig, LOW);
54   digitalWrite(trig, LOW);
55   digitalWrite(trig,HIGH);
56   float dur= pulseIn(echo,HIGH);
57   float dist = (dur* 0.0343)/2;
58   Serial.print ("Distance in cm : ");
59   Serial.println(dist);
60
61   PublishData(dist);
62
63   delay(1000);
64
65   if (!client.loop()) {
66
67     mqttconnect();
68   }
```

← → ↻ <https://wokwi.com/projects/346506498129527380>

WOKWI

SAVE

SHARE



sketch.ino

diagram.json

libraries.txt

Library Manager


```
67   mqttconnect();
68 }
69 }
70
71 void PublishData(float dist) {
72   mqttconnect();
73
74   String object;
75
76   if (dist<100)
77   {
78     digitalWrite(LED, HIGH);
79     Serial.println("object is near");
80     object = "ALERT! object is near";
81   }
82
83   else
84   {
85     digitalWrite(LED,LOW);
86     Serial.println("no object found");
87     object ="No object found";
88   }
89
90   String payload="{\"distance\":";
91   payload += dist;
92   payload += ", \"object\":\":";
93   payload += object;
94   payload += "\":";
95
96   Serial.print("Sending payload: ");
97   Serial.println(payload);
98
99   if (client.publish(publishTopic, (char*) payload.c_str()))
100   {
101     Serial.println("Publish ok"); // if it sucessfully upload
102   }
```

```
103   else {
104     Serial.println("Publish failed");
105   }
106 }
107
108 void mqttconnect() {
109   if (!client.connected()) {
110     Serial.print("Reconnecting client to ");
111     Serial.println(server);
112     while (!client.connect(clientId, authMethod, token)) {
113       Serial.print(".");
114       delay(500);
115     }
116     initManagedDevice();
117     Serial.println();
118   }
119 }
120
121
122
123 void wificonnect() //function definition for wificonnect
124 {
125   Serial.println();
126   Serial.print("Connecting to ");
127
128   WiFi.begin("Wokwi-GUEST", "", 6); //passing the wifi credentials to establish the connection
129   while (WiFi.status() != WL_CONNECTED) {
130     delay(500);
131     Serial.print(".");
132   }
133   Serial.println("");
134   Serial.println("WiFi connected");
135   Serial.println("IP address: ");
136   Serial.println(WiFi.localIP());
137 }
```

```
138
139 void initManagedDevice() {
140
141   if (client.subscribe(subscribetopic)) {
142     Serial.println(subscribetopic);
143     Serial.println("subscribe to cmd OK");
144   }
145   else {
146     Serial.println("subscribe to cmd FAILED");
147   }
148 }
149
150 void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
151 {
152   Serial.print("callback invoked for topic: ");
153   Serial.println(subscribetopic);
154   for (int i = 0; i < payloadLength; i++) {
155     //Serial.print((char)payload[i]);
156     // data3 += (char)payload[i];
157   }
158
159   // Serial.println("data: " + data3);
160   //if(data3=="lighton")
161   {
162     //Serial.println(data3);
163     digitalWrite(LED,HIGH);
164
165   }
166
167   //else
168   {
169     //Serial.println(data3);
170     digitalWrite(LED,LOW);
171   }
172 }
```

OUTPUT:

When the distance is less than 100 cms, send an “alert” message to IBM Watson IoT Platform.



The screenshot shows the Wokwi simulation environment. On the left, the sketch.ino file is open, displaying the following code:

```
1 #include <WiFi.h> //library for wifi
2 #include <PubSubClient.h> //library for Mqtt
3
4 void callback(char *topic, byte *payload, unsigned int payloadLength);
5
6 //-----credentials of IBM Accounts -----
7
8 #define ORG "te1vcf" //IBM ORGANIZATION ID
9 #define DEVICE_TYPE "weather_device" //Device type mentioned in ibm watson IOT Platform
10 #define DEVICE_ID "weather_today" //Device ID mentioned in ibm watson IOT Platform
11 #define TOKEN "oI@6UYk1fcQvAq39" //Token
12
13
14
15 float dist;
16
17 char server[] = ORG ".messaging.internetofthings.ibmcloud.com"; // Server Name
18 char publishTopic[] = "iot-2/evt/Data1/fmt/json"; // topic name and type of event perform
19 char subscribTopic[] = "iot-2/cmd/test/fmt/string"; // cmd REPRESENT command type AND CO
20 char authMethod[] = "use-token-auth"; // authentication method
21 char token[] = TOKEN;
22 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID; //client id
23
24 WiFiClient wificlient; // creating the instance for wificlient
25
26 PubSubClient client (server,1883, callback,wificlient); //calling the predefined client
27
28 int LED = 4;
29
30 int trig =5;
31
32 int echo= 18;
33
34 void setup()
35 {
```

On the right, the simulation window shows an ESP32 board connected to an Ultrasonic Distance Sensor. The sensor's distance is displayed as 42.33 cm. The console output shows the following messages:

```
object is near
Sending payload: {"distance":42.34,"object":"ALERT! object is near"}
Publish ok
Distance in cm : 42.33
object is near
Sending payload: {"distance":42.33,"object":"ALERT! object is near"}
Publish ok
```

Below the simulation, the IBM Watson IoT Platform dashboard is shown. The device 'weather_today' is listed as 'Connected'. The 'Recent Events' tab is selected, showing a list of events:

Event	Value	Format	Last Received
Data1	{"distance":42.34,"object":"ALERT! object is near"}	json	a few seconds ago
Data1	{"distance":42.34,"object":"ALERT! object is near"}	json	a few seconds ago
Data1	{"distance":42.33,"object":"ALERT! object is near"}	json	a few seconds ago
Data1	{"distance":42.33,"object":"ALERT! object is near"}	json	a few seconds ago
Data1	{"distance":42.34,"object":"ALERT! object is near"}	json	a few seconds ago

When the object is far(greater than 100 cms) , send “ no object found” to the IBM Watson IOT Platform.

```
1 #include <WiFi.h> //library for wifi
2 #include <PubSubClient.h> //library for Mqtt
3
4 void callback(char *topic, byte *payload, unsigned int payloadLength);
5
6 //-----credentials of IBM Accounts -----
7
8 #define ORG "te1vcf" //IBM ORGANIZATION ID
9 #define DEVICE_TYPE "weather_device" //Device type mentioned in ibm watson IOT Platform
10 #define DEVICE_ID "weather_today" //Device ID mentioned in ibm watson IOT Platform
11 #define TOKEN "o1@6UyKfCQvAq39" //Token
12
13
14
15 float dist;
16
17 char server[] = ORG ".messaging.internetofthings.ibmcloud.com"; // Server Name
18 char publishTopic[] = "iot-2/evt/Data1/fmt/json"; // topic name and type of event perform
19 char subscribetopic[] = "iot-2/cmd/test/fmt/String"; // cmd REPRESENT command type AND CO
20 char authMethod[] = "use-token-auth"; // authentication method
21 char token[] = TOKEN;
22 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID; //client id
23
24 WiFiClient wificlient; // creating the instance for wificlient
25
26 PubSubClient client(server,1883, callback,wificlient); //calling the predefined client
27
28 int LED = 4;
29
30 int trig =5;
31
32 int echo= 18;
33
34 void setup()
35 {
```

Simulation

Editing Ultrasonic Distance Sensor

Distance: 141cm

no object found

Sending payload: {"distance":142.19,"object":"No object found"}

Publish ok

Distance in cm : 142.19

no object found

Sending payload: {"distance":142.19,"object":"No object found"}

Publish ok

weather_today Connected weather_device Device Oct 7, 2022 11:22 AM

Identity Device Information Recent Events State Logs

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
Data1	{"distance":142.19,"object":"No object found"}	json	a few seconds ago
Data1	{"distance":142.19,"object":"No object found"}	json	a few seconds ago
Data1	{"distance":142.22,"object":"No object found"}	json	a few seconds ago