



PREPARE THE DATASETS

Team ID	PNT2022TMID33054
Project Name	Global Sales Data Analytics

DATA PREPARATION

1. First understand and load the data.







2. Since there is only single file, there need not be relationships or custom tables for the data.

The screenshot shows the IBM Cognos Analytics Data module interface. On the left, there's a sidebar with 'Data module' and a search bar. Below it, a list of data sources is shown, with 'Global_Superstore2.csv' selected. The main area displays a data grid with columns for 'Row ID', 'Order ID', 'Order Date', 'Ship Date', 'Ship Mode', and 'Customer ID'. The grid contains 10 rows of data.

Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
1	CA-2012-124891	2012-07-31	2012-07-31	Same Day	RH-19495
2	IN-2013-77878	2013-02-05	2013-02-07	Second Class	JR-16210
3	IN-2013-71249	2013-10-17	2013-10-18	First Class	CR-12730
4	ES-2013-1579342	2013-01-28	2013-01-30	First Class	KM-16375
5	SG-2013-4320	2013-11-05	2013-11-06	Same Day	RH-9495
6	IN-2013-42360	2013-06-28	2013-07-01	Second Class	JM-15655
7	IN-2011-81826	2011-11-07	2011-11-09	First Class	TS-21340
8	IN-2012-86369	2012-04-14	2012-04-18	Standard Class	MB-18085
9	CA-2014-135909	2014-10-14	2014-10-21	Standard Class	JW-15220
10	CA-2012-116638	2012-01-28	2012-01-29	Standard Class	TL-15085

3. To Prepare the data, we need to verify it is clean. There must be no null values. If there are null values, there will be empty data.




3. Once cleaned, the data is saved.

DATE CALCULATIONS AND NAVIGATION PATHS


Once you load the data, we need to Prepare the data.

- a. Prepare Calculations of Year, Month, Day fields and also the related Navigation path
- b. Create a Few more Calculations – Target Sales, Min Sales, Max Sales, Middle Range Sales.



Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID
32298	CA-2012-124891	2012-07-31	2012-07-31	Same Day	RH-19495
26341	IN-2013-77878	2013-02-05	2013-02-07	Second Class	JR-16210
25330	IN-2013-71249	2013-10-17	2013-10-18	First Class	CR-12730
13524	ES-2013-1579342	2013-01-28	2013-01-30	First Class	KM-16375
47221	SG-2013-4320	2013-11-05	2013-11-06	Same Day	RH-9495
22732	IN-2013-42360	2013-06-28	2013-07-01	Second Class	JM-15655
30570	IN-2011-81826	2011-11-07	2011-11-09	First Class	TS-21340
31192	IN-2012-86369	2012-04-14	2012-04-18	Standard Class	MB-18085
40155	CA-2014-135909	2014-10-14	2014-10-21	Standard Class	JW-15220
40936	CA-2012-116638	2012-01-28	2012-01-31	Second Class	JH-15985

1. Right click> calculation> type expression> validate> Set Name as ‘Order Year’



Create calculation

Name: Calculation name

Expression: 1 year(Order_Date)

Validate

Validation Results

The expression is valid.

Calculate after aggregation ☐


Cancel OK

2. Similarly, ‘OrderMonth’, ‘OrderDay’ and ‘All’
OrderYear -> Year (Order_Date)


OrderMonth -> Month (Order_Date)

OrderDay -> Day (Order_Date)


All -> All




3. Right click on create navigation path



4. Data format> Date/Time



5. Properties> Usage-> Attribute
 Aggregate-> Count Distinct
 Data Type-> Integer
 Represents-> Time, (Year, Month, Day Respectively)
 Display Options-> Show Members
 This way it becomes a Numerical data Type



6. Hence calculations for day, month and year are completed.

Once you load the data, we need to Prepare the data.

a. Prepare Calculations of Year, Month, Day fields and also the related Navigation path

b. Create a Few more Calculations – Target Sales, Min Sales, Max Sales, Middle Range Sales.


7. Similarly, calculations for Target sales, Min sales, Max Sales and Middle range sales are done

Min sales-> minimum (Sales)


Max sales, Target sales-> maximum (Sales)

Middle range sales-> average (Sales)

Minimum(Sales)



Maximum(Sales)



Middle Range (Sales)

