Exploratory Analysis of RainFall Data in India for Agriculture

A PROJECT REPORT

TEAM ID: PNT2022TMID33089

Submitted by

SAKTHIVEL.S(820419205049)
SURESH.M(820419205062)
ROHITH.B(820419205046)
MURUGAVASAN.J(820419205038)
MOHAMED YOUSUF.R(820419205036)

In partial fulfillment for the award of the degree

Of

BACHELOR OF TECHNOLOGY

IN

INFORMATION TECHNOLOGY

AT

ANJALAI AMMAL MAHALINGAM ENGINEERING COLLEGE

KOVILVENNI – 614403

NOV 2022

CONTENTS

1. INTRODUCTION

1.1. Project Overview

India is an agricultural country and secondary agro based market will be steady with a good monsoon. The economic growth of each year depends on the amount of duration of monsoon rain, bad monsoon can lead to destruction of some crops, which may result in scarcity of some agricultural products which in turn can cause food inflation, insecurity and public unrest. In our analysis we are trying to understand the behavior of rainfall in India over the years, by months and different subdivisions.

Agriculture is the backbone of the Indian economy. For agriculture, the most important thing is water source, i.e., rainfall. The prediction of the amount of rainfall gives alertness to farmers by knowing early they can protect their crops from rain. So, it is important to predict the rainfall accurately as much as possible. Exploration and analysis of data on rainfall over various regions of India and especially the regions where agricultural works have been done persistently in a wide range. With the help of analysis and the resultant data, future rainfall prediction for those regions using various machine learning techniques such as Logistic Regression, Linear Regression, Catboost Classifier etc.

PRE-REQUISTIES

Anaconda Installation:

Anaconda is a distribution of the Python and R programming languages for scientific computing that aims to simplify package management and deployment. The distribution includes datascience packages suitable for Windows, Linux, and macOS. Developed and maintained byAnaconda. Founded

in 2012 by Peter Wang and Travis Olyphant. As Anaconda, also known as Anaconda Distribution or Anaconda Individual Edition, the company's other products include hisAnaconda Team Edition and Anaconda Enterprise Edition, neither of which are free.

WAY TO INSTALL ANACONDA:
STEP 1: Download and Anaconda

STEP 2: Install the Anaconda

STEP 3: Click I Agree

STEP 4: Choose the Installation Location

STEP 5: Installing the Requiring packages

STEP 6: Setting up the base environment

STEP 7: Successfully Installed and check the Anaconda Navigator working or not

Python packages installation:

Step 1: Open the anaconda navigator in the start menu

Step 2: Open the CMD.exe prompt

Step 3: Install the NUMPY package

To enter the numpy package enter the command in the

CMD.exeCommand: **Pip install numpy**

Numpy:

This package is used to perform numerical computations. This package comes pre-installed with Anaconda. NumPy is used for manipulating arrays. NumPy stands for Numerical Python.

Step 4: Install the pandas package.

To enter the pandas package enter the command in the

CMD.exeCommand: **Pip install pandas**

Pandas:

Pandas is one of the most widely used Python libraries for data science. It provides powerful and easy-to-use structure and data analysis tools. This package comes pre- installed with Anaconda. An open source library built on top of the NumPy library. A Python package that provides various data structures and operations for working with numerical data and time series. Mainly, it's common for data to be imported and analyzed much easier. Pandas is fast, providing users with high performance and productivity.

Step 5: Install the Matplotlib package.

To enter the Matplotlib package enter the command in the

CMD.exeCommand: **Pip install Matplotlib**

Matplotlib:

Matplotlib is a comprehensive library for creating static, animated and interactive visualizations in Python. This package comes pre-installed with Anaconda. Matplotlib is a nice visualization library in Python for 2D plotting of arrays. Matplotlib is a cross-platform data visualization library based on NumPy arrays and designed to work with the wider SciPy stack. Introduced by John Hunter in 2002.

Step 6: Install the Scikit-learn package.

To enter the Scikit- learn package enter the command in the

CMD.exeCommand: **Pip install Scikit-learn**

Scikit-learn:

This is a machine learning library for the Python programming language. This package comes pre-installed with Anaconda. Scikit Learn in Python is primarily used to focus on modeling in Python. It was only focused on modeling, not loading data.

Step 7: Install the Flask package.

To enter the Flask package enter the command in

the CMD.exeCommand: **Pip install Flask**

Flask:

Flask is a lightweight WSGI web application framework Flask is a web application framework written in Python. It is developed by Armin Ronacher, who leads an internationalgroup of Python enthusiasts called Pocco. Flask is based on the WSGI toolkit tools and the Jinja2 template engine. Both are Pocco projects.

1.2 Purpose

The main aim of objective is to find the

- Rainfall Prediction is the application of science and technology to predict the amount of rainfall over a region.

- It is important to exactly determine the rainfall for effective use of water resources, crop productivity and pre-planning of water structures.

LITERATURE SURVEY

1.2. Existing Problem

Climate is important aspect of human life. So, the Prediction should accurate as much as possible. In this paper we try to deal with the prediction of the rainfall which is also a major aspect of human life, and which provide the major resource of human life which is Fresh Water. Fresh water is always a crucial resource of human survival – not only for the drinking purposes but also for farming, washing and many other purposes. Making a good prediction of climate is always a major task because of the climate change.

Now climate change is the biggest issue all over the world. Peoples are working on to detect the patterns in climate change as it affects the economy in production to infrastructure. So as in rainfall also making prediction of rainfall is a challenging task with a good accuracy rate. Making prediction on rainfall cannot be done by the traditional way, so scientist is using machine learning and deep learning to find out the pattern for rainfall prediction.

A bad rainfall prediction can affect the agriculture mostly framers as their whole crop is dependent on the rainfall and agriculture. It is always an important part of every economy. So, making an accurate prediction on the rainfall. There are number of techniques are used of machine learning, but

accuracy is always a matter of concern in prediction made in rainfall.

There are number of causes made by rainfall affecting the world ex. Drought, Flood, and intense summer heat etc. And it will also affect water resources around the world.

1.3. References

PROJECT TITLE	AUTHOR	OBJECTIVE/OUTCOME
Spatial analysis of Indian Summer monsoon Rainfall (Mar 26,2014)	Markan Ozad C.M.Kishtawal	Understanding the variability in rainfall, analysis of IndianSummer monsoon rainfall using Spatial resolution.
Climate impacts on Indian Agriculture. (16 June,2004)	K.Krish kumar na K.Rupa Kumar R.G.Ashrit N.R.Deshpande J.W.Hansen	Presents about the analysis of Crop-climate relationships for India, using historical predictions.
Exploratory data Analysis of Indian Rainfall Data	Anusha Gajinkar	This Study shows that, India has two monsoon rainfall season one is northwest monsoon and second one is southeast monsoon.

1.4. Problem Statement Definition

❖ Climate is a important aspect of human life. So, the Prediction should accurate as much as possible. In
this paper we try to deal with the prediction of the rainfall which is also a major aspect of human life
and which provide the major resource of human life which is Fresh Water. Fresh water is always a
crucial resource of human survival – not only for the drinking purposes but also for farming,

❖ Making a good prediction of climate is always a major task now a day because of the climate change.

❖ Now climate change is the biggest issue all over the world. Peoples are working on to detect the patterns

in climate change as it affects the economy in production to infrastructure. So as in rainfall also making prediction of rainfall is a challenging task with a good accuracy rate. Making prediction on

rainfall cannot be done by the traditional way, so scientist is using machine learning and deep learning to

find out the pattern for rainfall prediction.

❖ A bad rainfall prediction can affect the agriculture mostly framers as their whole crop is depend on

the rainfall and agriculture is always an important part of every economy. So, making an accurate prediction

of the rainfall.somewhat good

2. IDEATION AND PROPOSED SOLUTION

2.1. Empathy Map Canvas

2.2. Ideation and Brainstorming

2.3. Proposed Solution

S.No.	Parameter	Description
1.	Problem Statement	Climate is a important aspect of human life. So, the Prediction should accurate as much as possible. In this paper we try to deal with the prediction of the rainfall which is also a major aspect of human life and which provide the major resource of human life which is Fresh Water. • Now climate change is the biggest issue all over the world. Peoples are working on to detect the patterns in climate change as it affects the economy in production to infrastructure.
2.	Proposed Solution	Analyzing the previous 10 years data can give us a rough idea about Rainfall pattern. Using Data Science, we can predict the Rainfall up to some good extent.
3.	Uniqueness	• This application is useful for the beginners in agriculture. • Seed maturity selection features are available.
4.	Social Impact	• Different types of crops can be planted for good health. • Helps in producing healthy crops and good fields.
5.	Business Model	This comparative study is conducted concentrating on the following aspects: modeling inputs, Visualizing the data, modeling methods, and pre-processing techniques. The results provide a comparison of various evaluation metrics of these machine learning techniques and their reliability to predict rainfall by analyzing the weather data. We will be using classification algorithms such as Decision tree, Random forest, KNN, and xgboost
6.	Scalability	• When we predict rainfall correctly,it helps growth of crop and yielding will be better.

2.4. Proposed Solution Fit

1. CUSTOMER SEGMENT(S)

- Customers are the farmers in urban and rural areas.

6. CUSTOMER CONSTRAINTS

- Lack of awareness
- Financial situation
- Unaccustomed to modern farming practices.

5. AVAILABLE SOLUTIONS

- This project provides solution to farmers during the periods of heavy rainfall.
- Well planned drainage system
- Set upping a rain cover

2. JOBS-TO-BE-DONE / PROBLEMS

- Updates of the rainfall data
- Exploring the data
- Visualising the data.

The problems are,

- Wrong input
- Data latency
- Precision

9. PROBLEM ROOT CAUSE

- Improper water management.
- Poor resource management
- Unpredictable weather

7. BEHAVIOUR

- Seek Institutional aid
- Take on excessive debt
- Rely on uneducated guidance.

Focus on J&P, tap into BE, understand RC

3. __REQUIREMENT ANALYSIS__

3.1. Functional Requirements

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	Import necessary packages	Import necessary packages Importing packages like NumPy, pandas,seaborn, etc
FR-2	Download and load dataset	Download the dataset Load the Appropriate dataset
FR-3	Pre-processing of data	Making data suitable for building a good model
FR-4	Building Machine learning model	Choose the best algorithm. Check for the best optimised result.
FR-5	Train the data	Train the model using training data.
FR-6	Test the mode	Test the model for the best evaluation and analysing..

3.2. Non-Functional Requirements

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	The usability of the website is to make all users willbe satisfied with our requirements of the product. The user should reach the summarized text or resultwith one button press if possible
NFR-2	Security	The security of the project is to develop the website that prevents SQL injection attack, XSS attack and DOS attack
NFR-3	Reliability	The reliability of the system is to make sure the websitedoes not go offline. The users can be reach and use program at any time,so maintenance should not be big issue.
NFR-4	Performance	The performance of the website isto provide data to allusers without unnecessary delay and provide 24*7 availability.

NFR-5	**Availability**	The availability of the website is that the website will be active on
		The Internet and people will be able to browse to it.
NFR-6	**Scalability**	The scalability of the system is we have limited our project to Indian cities
		We have plans to scale it to continent's level in coming updates.

4. **PROJECT DESIGN**

4.1. Data Flow Diagrams

START

LOGIN

Sign in(new user)   Log in

Username

Password

Sign in

Username

Password

Log in

Vision

CROP YEILD PREDICTION

DISEASE DETECTION

Crop_details   Get_location(API)   Weather(API)

Input image

Send notice

filtering

enhancement

segmentation

Feature extraction

classifier

report

ML model

Predicts crop yeild

Disease prediction & suitable solutions

4.2. Solution and Technical Architecture

SOLUTION ARCHITECTURE

Predicti

Tran
Data

User
Interfa

ML
Algorithm

CSV
fil

pro
es

Eng
n

Model

EVALUATION

technic preproc

dat

Model

User

Inpu

Tes
Data

TECHNICAL ARCHITECTURE

S.No	Component	Description	Technology
1.	Website	User interacts with the prediction model through website to predict the rainfall data	HTML, CSS, JavaScript

2.	Cloud Database	The model is provided with data from IBM cloud database	IBM Cloud DB, ibm_db(python package)
3.	API	Used to extend the service to other applications	Flask Application
4.	JWT & Sessions	It is used for Handling JSON web tokens (signing, verifying, decoding)	PyJWT, Flask-Sessions
5.	Machine Learning Model	This model is developed to predict the rainfall using ML algorithms.	Sklearn, Algorithms - DT & MLR
6.	Data processing	Data is pre-processed and then used for prediction.	Pandas, Numpy, Matplotlib
7.	File Storage	File storage requirements	IBM Block Storage or Other Storage Service or Local Filesystem

4.3. User Stories

Customer Journey Map.   **Project Title:** Exploratory Analysis of RainFall Data in India for Agriculture.   **Team ID - PNT2022TMID33089.**

SCENARIO *Getting Rainfall Prediction for a particular place or region*	**Entice** How does someone initially become aware of this process?			**Enter** What do people experience as they begin the process?			**Engage** In the core moments in the process, what happens?			**Exit** What do people typically experience as the process finishes?			**Extend** What happens after the experience is over?	
Steps What does the person (or group) typically experience?	Faces the problem and begins to solve it on their own, with the help of family and friends	Explores diaital solutions involving mass media. apps.	Learns about rainfall predictor web apps from news and government agencies Begins rainfall prediction based on their instincts and experiences	Tries to get familiar with UI and available features Logins or registers with user credentials	Checks about app price and subscription if available	Enters random inputs in the app to check the predicted outouts	Chooses a specific region to get prediction results	Tries and tests all the features that are required for daily needs	Explores various visualizations available on the dashboard Executes the same things for other places or regions and checks the app efficiency	Logs out of the system	Gains trust by comparing actual and predicted results	Adapt themselves to the web app and recall the features or services available	Become dependent on the app or product in the long run
Interactions What interactions do they have at each step along the way? ■ **People:** Who do they see or talk to? ■ **Places:** Where are they? ■ **Things:** What digital touchpoints or physical objects would they use?	Explores blogs, social media and contacts connections	Uses smartphones and open the required web app or rainfall predictor		Seeks help from others on how to use	Reads out the user manual from the webpage on how to use the product		Interacts with UI which is available with simple language	Gets aware of all the controls and options present in each section (eg, profile, prediction, feedback)		Interacts with other users about the app features and results		Recommends to other farmers, plantation workers	Gives feedback based on the experiences
Goals & motivations At each step, what is a person's primary goal or motivation? ("Help me..." or "Help me avoid...")		Help me to get accurate rainfall prediction			Help me to get higher crop production and profits			Help me to get satisfied with the results with less bandwidth consumption			Help me to avoid data breach and inaccurate prediction			Help me to get future alerts and heavy rainfall warnings
Positive moments What steps does a typical person find enjoyable, productive, fun, motivating, delightful, or exciting?		User-friendly web application	Secured with User Authentication	Portable and usable in Mobile platforms	Easy to use and flexible for daily needs		Proper plannings & reliable decisions made from the predicted reults	Exciting visualisations of rainfalls in various regions of India		Relevant alerts and warnings	Regularly updated FAQs for users	Effective feedback and support	Reliable and 24/7 available
Negative moments What steps does a typical person find frustrating, confusing, angering, costly, or time-consuming?	Assurance and guarantee of the prediction			Concerns about data privacy			Network Disruption in rural places			The user's Mobile gets slowed or hanged		Ads consuming screen space and user time	
Areas of opportunity How might we make each step better? What ideas do we have? What have others suggested?	Increasing Model accuracy			Enhancing communication between the user and system			Integrating more interactive visualizations for better user insights	Addressing customer issues and complaints as soon as possible		Adding regional languages like Bengali, Tamil, Kannada along with English		Adding voice assistant support for impaired users	

6.1 Sprint Planning & Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Rainfall Prediction ML Model (Dataset)	USN-1	Weather Dataset Collection, Data preprocessing, Data Visualization.	5	High	J.Murugavasan , B.Rohith
Sprint-1		USN-2	Train Model using Different machine learning Algorithms	5	High	S.Sakthivel , M.Suresh
Sprint-1		USN-3	Test the model and give best	10	High	J.Murugavasan , R.Mohamed Yousuf
Sprint-2	Registration	USN-4	As a user, they can register for the application through Gmail. Password is set up.	5	Medium	S.Sakthivel , R.Mohamed Yousuf
Sprint-2	Login	USN-5	As a user, they can log into the application by entering email & password	5	Medium	B.Rohith , M.Suresh
Sprint-2		USN-6	Credentials should be used for multiple systems and verified	4	Medium	S.Sakthivel , J.Murugavasan
Sprint-2	Dashboard	USN-7	Attractive dashboard forecasting live weather	6	Low	R.Mohamed Yousuf , B.Rohith
Sprint-3	Rainfall Prediction	USN-8	User enter the location, temperature,	10	High	M.Suresh , R.Mohamed Yousuf

			humidity			
Sprint-3		USN-9	Predict the rainfall and display the result	10	High	J.Murugavasan , B.Rohith

6.2 Sprint Delivery Schedule

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date(Actual)
Sprint-1	20	6 Days	31Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-2	20	6 Days	05 Nov 2022	10 Nov 2022	20	10 Nov 2022
Sprint-3	20	6 Days	10 Nov 2022	15 Nov 2022	20	15 Nov 2022
Sprint-4	20	6 Days	15 Nov 2022	21 Nov 2022	20	21 Nov 2022

7.CODING AND SOLUTIONING

7.1Feature-1: Model Building

For this feature we have made use of Jupyter notebook which uses Python programming language. To use Jupyter Notebook install Anaconda, which is a desktop graphical user interface (GUI)

included in Anaconda® Distribution that allows you to launch applications and manage conda packages, environments, and channels without using command line interface (CLI) commands. Navigator can search for packages on Anaconda.org or in a local Anaconda Repository. It is available for Windows, macOS, and Linux. It provides all basic necessary python libraries which are needed for Data Analysis and Visualizations.

Below images are source code for this feature:

Exploratory Analysis of Rain Fall Data in India for Agriculture

Team ID: PNT2022TMID33089

Problem Definition

Climate is a important aspect of human life. So, the Prediction should accurate as much as possible. In this paper we try to deal with the prediction of the rainfall which is also a major aspect of human life and which provide the major resource of human life which is Fresh Water. Fresh water is always a crucial resource of human survival – not only for the drinking purposes but also for farming, Making a good prediction of climate is always a major task now a day because of the climate change. Now climate change is the biggest issue all over the world. Peoples are working on to detect the patterns in climate change as it affects the economy in production to infrastructure. So as in rainfall also making prediction of rainfall is a challenging task with a good accuracy rate. Making prediction on rainfall cannot be done by the traditional way, so scientist is using machine learning and deep learning to find out the pattern for rainfall prediction. A bad rainfall prediction can affect the agriculture mostly framers as their whole crop is depend on the rainfall and agriculture is always an important part of every economy. So, making an accurate prediction of the rainfall somewhat good.

Data Collection

For the Model we make use of WeatherAus dataset which was provided by the vendor.

IMPORT NECESSARY LIBRARIES

```
In [2]:  import pandas as pd
         import numpy as np
         import matplotlib.pyplot as plt
         import re
         import os
         import collections
         import seaborn as sns
         import plotly.express as px
         import warnings
         warnings.filterwarnings('ignore')
         !pip3 install openpyxl
```

```
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/
Requirement already satisfied: openpyxl in /usr/local/lib/python3.7/dist-packages (3.0.10)
Requirement already satisfied: et-xmlfile in /usr/local/lib/python3.7/dist-packages (from openpyxl) (1.1.0)
```

In the above image, we import all necessary libraries needed for data exploration, preprocessing, model building and saving it. The below image specifies the values present in the dataset.

2. Exploratory Data Analysis

```
In [2]:  df = pd.read_csv("weatherAUS.csv")
         pd.set_option("display.max_columns", None)
         df
```

Out[2]:

	Date	Location	MinTemp	MaxTemp	Rainfall	Evaporation	Sunshine	WindGustDir	WindGustSpeed	WindDir9am	WindDir3pm	WindSpeed9am	WindSp
0	01-12-2008	Albury	13.4	22.9	0.6	NaN	NaN	W	44.0	W	WNW	20.0	
1	02-12-2008	Albury	7.4	25.1	0.0	NaN	NaN	WNW	44.0	NNW	WSW	4.0	
2	03-12-2008	Albury	12.9	25.7	0.0	NaN	NaN	WSW	46.0	W	WSW	19.0	
3	04-12-2008	Albury	9.2	28.0	0.0	NaN	NaN	NE	24.0	SE	E	11.0	
4	05-12-2008	Albury	17.5	32.3	1.0	NaN	NaN	W	41.0	ENE	NW	7.0	
...	...	...	...	...	...	...	...	...	...	...	...	...	
145455	21-06-2017	Uluru	2.8	23.4	0.0	NaN	NaN	E	31.0	SE	ENE	13.0	
145456	22-06-2017	Uluru	3.6	25.3	0.0	NaN	NaN	NNW	22.0	SE	N	13.0	
145457	23-06-2017	Uluru	5.4	26.9	0.0	NaN	NaN	N	37.0	SE	WNW	9.0	
145458	24-06-2017	Uluru	7.8	27.0	0.0	NaN	NaN	SE	28.0	SSE	N	13.0	
145459	25-06-2017	Uluru	14.9	NaN	0.0	NaN	NaN	NaN	NaN	ESE	ESE	17.0	

145460 rows × 23 columns

The below image specifies types of features and its count along with number of missing values in the dataset.

```
In [3]: numerical_feature = [feature for feature in df.columns if df[feature].dtypes != 'O']
        discrete_feature=[feature for feature in numerical_feature if len(df[feature].unique())<25]
        continuous_feature = [feature for feature in numerical_feature if feature not in discrete_feature]
        categorical_feature = [feature for feature in df.columns if feature not in numerical_feature]
        print("Numerical Features Count {}".format(len(numerical_feature)))
        print("Discrete feature Count {}".format(len(discrete_feature)))
        print("Continuous feature Count {}".format(len(continuous_feature)))
        print("Categorical feature Count {}".format(len(categorical_feature)))

        Numerical Features Count 16
        Discrete feature Count 2
        Continuous feature Count 14
        Categorical feature Count 7

In [4]: # Handle Missing Values
        df.isnull().sum()*100/len(df)

Out[4]: Date              0.000000
        Location          0.000000
        MinTemp           1.020899
        MaxTemp           0.866905
        Rainfall          2.241853
        Evaporation      43.166506
        Sunshine         48.009762
        WindGustDir       7.098859
        WindGustSpeed     7.055548
        WindDir9am        7.263853
        WindDir3pm        2.906641
        WindSpeed9am      1.214767
        WindSpeed3pm      2.105046
        Humidity9am       1.824557
        Humidity3pm       3.098446
        Pressure9am      10.356799
        Pressure3pm      10.331363
        Cloud9am         38.421559
        Cloud3pm         40.807095
        Temp9am           1.214767
        Temp3pm           2.481094
        RainToday         2.241853
        RainTomorrow      2.245978
        dtype: float64
```

```
In [5]: print(numerical_feature)

        ['MinTemp', 'MaxTemp', 'Rainfall', 'Evaporation', 'Sunshine', 'WindGustSpeed', 'WindSpeed9am', 'WindSpeed3pm', 'Humidity9am',
         'Humidity3pm', 'Pressure9am', 'Pressure3pm', 'Cloud9am', 'Cloud3pm', 'Temp9am', 'Temp3pm']

In [6]: def randomsampleimputation(df, variable):
            df[variable]=df[variable]
            random_sample=df[variable].dropna().sample(df[variable].isnull().sum(),random_state=0)
            random_sample.index=df[df[variable].isnull()].index
            df.loc[df[variable].isnull(),variable]=random_sample

In [7]: randomsampleimputation(df, "Cloud9am")
        randomsampleimputation(df, "Cloud3pm")
        randomsampleimputation(df, "Evaporation")
        randomsampleimputation(df, "Sunshine")
```

The lines 6 is used to drop rows which have high count missing values.

```
In [9]: corrmat = df.corr(method = "spearman")
        plt.figure(figsize=(20,20))
        #plot heat map
        g=sns.heatmap(corrmat,annot=True)
```


The above code displays the correlation between the columns present in the dataset.

```
In [10]: for feature in continuous_feature:
             data=df.copy()
             sns.distplot(df[feature])
             plt.xlabel(feature)
             plt.ylabel("Count")
             plt.title(feature)
             plt.figure(figsize=(15,15))
             plt.show()
```


MinTemp

```
In [11]: for feature in continuous_feature:
             data=df.copy()
             sns.boxplot(data[feature])
             plt.title(feature)
             plt.figure(figsize=(15,15))
```


MinTemp

The above code shows the distance plot and box plot of continuous features.

```
In [12]: for feature in continuous_feature:
             if(df[feature].isnull().sum()*100/len(df))>0:
                 df[feature] = df[feature].fillna(df[feature].median())
```

```
In [13]: df.isnull().sum()*100/len(df)
```

```
Out[13]: Date            0.000000
         Location        0.000000
         MinTemp         0.000000
         MaxTemp         0.000000
         Rainfall        0.000000
         Evaporation     0.000000
         Sunshine        0.000000
         WindGustDir     7.098859
         WindGustSpeed   0.000000
         WindDir9am      7.263853
         WindDir3pm      2.906641
         WindSpeed9am    0.000000
         WindSpeed3pm    0.000000
         Humidity9am     0.000000
         Humidity3pm     0.000000
         Pressure9am     0.000000
         Pressure3pm     0.000000
         Cloud9am        0.000000
         Cloud3pm        0.000000
         Temp9am         0.000000
         Temp3pm         0.000000
         RainToday       2.241853
         RainTomorrow    2.245978
         dtype: float64
```

The above code removes null values from continuous features.

```
In [14]: discrete_feature
```

```
Out[14]: ['Cloud9am', 'Cloud3pm']
```

```
In [15]: def mode_nan(df,variable):
             mode=df[variable].value_counts().index[0]
             df[variable].fillna(mode,inplace=True)
         mode_nan(df,"Cloud9am")
         mode_nan(df,"Cloud3pm")
```

The above code removes null values by replacing it with Mode value.

```
In [16]: df["RainToday"] = pd.get_dummies(df["RainToday"], drop_first = True)
         df["RainTomorrow"] = pd.get_dummies(df["RainTomorrow"], drop_first = True)
         df
```

Out[16]:

	Date	Location	MinTemp	MaxTemp	Rainfall	Evaporation	Sunshine	WindGustDir	WindGustSpeed	WindDir9am	WindDir3pm	WindSpeed9am	WindS
0	01-12-2008	Albury	13.4	22.9	0.6	2.4	8.3	W	44.0	W	WNW	20.0	
1	02-12-2008	Albury	7.4	25.1	0.0	3.6	10.0	WNW	44.0	NNW	WSW	4.0	
2	03-12-2008	Albury	12.9	25.7	0.0	2.6	4.4	WSW	46.0	W	WSW	19.0	
3	04-12-2008	Albury	9.2	28.0	0.0	18.4	8.9	NE	24.0	SE	E	11.0	
4	05-12-2008	Albury	17.5	32.3	1.0	5.4	3.0	W	41.0	ENE	NW	7.0	
...	...	...	...	...	...	...	...	...	...	...	...	...	
145455	21-06-2017	Uluru	2.8	23.4	0.0	1.4	7.8	E	31.0	SE	ENE	13.0	
145456	22-06-2017	Uluru	3.6	25.3	0.0	7.6	13.5	NNW	22.0	SE	N	13.0	
145457	23-06-2017	Uluru	5.4	26.9	0.0	6.8	11.0	N	37.0	SE	WNW	9.0	
145458	24-06-2017	Uluru	7.8	27.0	0.0	2.6	13.2	SE	28.0	SSE	N	13.0	
145459	25-06-2017	Uluru	14.9	22.6	0.0	1.4	0.7	NaN	39.0	ESE	ESE	17.0	

145460 rows × 23 columns

The above code makes use of Label Encoding technique, which is used to convert labels into machine readable numeric values.

```
In [17]: for feature in categorical_feature:
             print(feature, (df.groupby([feature])["RainTomorrow"].mean().sort_values(ascending = False)).index)

         Date Index(['19-12-2007', '30-01-2008', '24-12-2007', '13-04-2008', '19-06-2008',
                '02-11-2007', '03-11-2007', '20-12-2007', '03-12-2007', '21-12-2007',
                ...
                '29-04-2008', '25-04-2008', '14-01-2008', '14-02-2008', '19-08-2008',
                '29-03-2008', '29-02-2008', '08-03-2008', '19-07-2008', '01-01-2008'],
               dtype='object', name='Date', length=3436)
         Location Index(['Portland', 'Walpole', 'Cairns', 'Dartmoor', 'NorfolkIsland',
                'MountGambier', 'Albany', 'Witchcliffe', 'CoffsHarbour', 'MountGinini',
                'NorahHead', 'Darwin', 'Sydney', 'SydneyAirport', 'Ballarat',
                'GoldCoast', 'Watsonia', 'Newcastle', 'Hobart', 'Wollongong',
                'Williamtown', 'Launceston', 'Brisbane', 'MelbourneAirport', 'Adelaide',
                'Sale', 'Albury', 'Perth', 'Melbourne', 'Nuriootpa', 'Penrith',
                'BadgerysCreek', 'PerthAirport', 'Tuggeranong', 'Richmond', 'Bendigo',
                'Canberra', 'WaggaWagga', 'Townsville', 'Katherine', 'PearceRAAF',
                'SalmonGums', 'Nhil', 'Moree', 'Cobar', 'Mildura', 'AliceSprings',
                'Uluru', 'Woomera'],
               dtype='object', name='Location')
         WindGustDir Index(['NNW', 'NW', 'WNW', 'N', 'W', 'WSW', 'NNE', 'S', 'SSW', 'SW', 'SSE',
                'NE', 'SE', 'ESE', 'ENE', 'E'],
               dtype='object', name='WindGustDir')
         WindDir9am Index(['NNW', 'N', 'NW', 'NNE', 'WNW', 'W', 'WSW', 'SW', 'SSW', 'NE', 'S',
                'SSE', 'ENE', 'SE', 'ESE', 'E'],
               dtype='object', name='WindDir9am')
         WindDir3pm Index(['NW', 'NNW', 'N', 'WNW', 'W', 'NNE', 'WSW', 'SSW', 'S', 'SW', 'SE',
                'NE', 'SSE', 'ENE', 'E', 'ESE'],
               dtype='object', name='WindDir3pm')
         RainToday UInt64Index([1, 0], dtype='uint64', name='RainToday')
         RainTomorrow UInt64Index([1, 0], dtype='uint64', name='RainTomorrow')
```

```
In [18]: windgustdir = {'NNW':0, 'NW':1, 'WNW':2, 'N':3, 'W':4, 'WSW':5, 'NNE':6, 'S':7, 'SSW':8, 'SW':9, 'SSE':10,
             'NE':11, 'SE':12, 'ESE':13, 'ENE':14, 'E':15}
         winddir9am = {'NNW':0, 'N':1, 'NW':2, 'NNE':3, 'WNW':4, 'W':5, 'WSW':6, 'SW':7, 'SSW':8, 'NE':9, 'S':10,
             'SSE':11, 'ENE':12, 'SE':13, 'ESE':14, 'E':15}
         winddir3pm = {'NW':0, 'NNW':1, 'N':2, 'WNW':3, 'W':4, 'NNE':5, 'WSW':6, 'SSW':7, 'S':8, 'SW':9, 'SE':10,
             'NE':11, 'SSE':12, 'ENE':13, 'E':14, 'ESE':15}
         df["WindGustDir"] = df["WindGustDir"].map(windgustdir)
         df["WindDir9am"] = df["WindDir9am"].map(winddir9am)
         df["WindDir3pm"] = df["WindDir3pm"].map(winddir3pm)
```

```
In [19]: df["WindGustDir"] = df["WindGustDir"].fillna(df["WindGustDir"].value_counts().index[0])
         df["WindDir9am"] = df["WindDir9am"].fillna(df["WindDir9am"].value_counts().index[0])
         df["WindDir3pm"] = df["WindDir3pm"].fillna(df["WindDir3pm"].value_counts().index[0])
```

The above image is used to remove the remaining null values.

```
In [33]: for feature in continuous_feature:
             data=df.copy()
             sns.boxplot(data[feature])
             plt.title(feature)
             plt.figure(figsize=(15,15))
```

MinTemp


```
In [34]: for feature in continuous_feature:
             print(feature)
```

MinTemp
MaxTemp
Rainfall
Evaporation
Sunshine
WindGustSpeed
WindSpeed9am
WindSpeed3pm
Humidity9am
Humidity3pm
Pressure9am
Pressure3pm
Temp9am
Temp3pm

The above image is used to find values which lies outside the Inter-Quartile Range of each continuous feature. After finding the lower and higher bound, we remove the outliers from each continuous feature.

```
In [59]: for feature in continuous_feature:
             data=df.copy()
             sns.boxplot(data[feature])
             plt.title(feature)
             plt.figure(figsize=(15,15))
```

MinTemp

The above image shows the boxplot of each continuous feature after removing the outliers.

3. Splitting Dataset into Independent and Dependent Variables

```
In [64]: X = df.drop(["RainTomorrow", "Date", "Date_month", "Date_day"], axis=1)
         Y = df["RainTomorrow"]
```

4. Feature Scaling

```
In [65]: scaler = RobustScaler()
         X_scaled = scaler.fit_transform(X)
```

We split the dataset into independent and dependent variables. Here we must predict 'RainTomorrow', hence it will be the dependent variable and Date columns are unnecessary columns hence we drop it. And all other columns are independent variables. Using RobustScaler, we perform feature scaling to normalize the independent variables such that the standard distribution results to zero and standard deviation to one. This also removes remaining outliers in the independent

variables.

5. Splitting The Data Into Train And Test

```
In [66]: X_train, X_test, y_train, y_test = train_test_split(X_scaled,Y, test_size =0.2, stratify = Y, random_state = 0)
```

```
In [67]: X_train.shape
         X_test.shape
```

```
Out[67]: (29092, 21)
```

```
In [68]: y_train.shape
         y_test.shape
```

```
Out[68]: (29092,)
```

Now using 'train_test_split', we split the variables into train and test variables for each variable.

6. Balancing the Data

```
In [69]: sm=SMOTE(random_state=0)
         X_train_res, y_train_res = sm.fit_resample(X_train, y_train)
         print("The number of classes before fit {}".format(Counter(y_train)))
         print("The number of classes after fit {}".format(Counter(y_train_res)))

         The number of classes before fit Counter({0: 90866, 1: 25502})
         The number of classes after fit Counter({0: 90866, 1: 90866})
```

SMOTE (Synthetic Minority Oversampling Technique) is used to increase the number of test cases in a balanced way to avoid overfit cases.

10. Model Evaluation

```
9]: import sklearn.metrics as metrics
```

```
Accuracy_score
```

```
0]: print(metrics.accuracy_score(y_train,p1))

0.9999472546020359
```

```
1]: print(metrics.accuracy_score(y_test,p2))

0.8567460177924681
```

The algorithm chosen here to build the model is CatBoostClassifier. CatBoost is based on gradient boosted decision trees. During training, a set of decision trees is built consecutively. Each successive tree is built with reduced loss compared to the previous trees. The number of trees is controlled by the starting parameters.

```
In [71]: y_pred = cat.predict(X_test)
         print(confusion_matrix(y_test,y_pred))
         print(accuracy_score(y_test,y_pred))
         print(classification_report(y_test,y_pred))

         [[21506  1211]
          [ 2792  3583]]
         0.8624020349236904
                       precision    recall  f1-score   support

                    0       0.89      0.95      0.91     22717
                    1       0.75      0.56      0.64      6375

             accuracy                           0.86     29092
            macro avg       0.82      0.75      0.78     29092
         weighted avg       0.85      0.86      0.85     29092
```

The above image shows the Confusion Matrix, Accuracy Score and Classification report.

```
In [72]: metrics.plot_roc_curve(cat, X_test, y_test)
         metrics.roc_auc_score(y_test, y_pred, average=None)

Out[72]: 0.7543655602136087
```

The above image shows the roc curve and roc accuracy score for the built model.

Hyperparameter Tuning

```
In [74]: from sklearn.model_selection import RandomizedSearchCV
         from scipy.stats import randint
         param_dist = { "learning_rate": np.linspace(0,0.2,5),"max_depth": randint(3, 10)}
         rscv = RandomizedSearchCV( CatBoostClassifier(), param_dist, scoring='accuracy', cv = 5)
         rscv.fit(X_train_res, y_train_res)
         print(rscv.best_params_)
         print(rscv.best_score_)
```

```
983:    learn: 0.1411624        total: 54.3s    remaining: 883ms
984:    learn: 0.1410823        total: 54.3s    remaining: 828ms
985:    learn: 0.1410310        total: 54.4s    remaining: 772ms
986:    learn: 0.1409701        total: 54.5s    remaining: 717ms
987:    learn: 0.1409060        total: 54.5s    remaining: 662ms
988:    learn: 0.1408196        total: 54.6s    remaining: 607ms
989:    learn: 0.1407667        total: 54.6s    remaining: 552ms
990:    learn: 0.1406785        total: 54.7s    remaining: 497ms
991:    learn: 0.1406161        total: 54.8s    remaining: 442ms
992:    learn: 0.1405794        total: 54.8s    remaining: 386ms
993:    learn: 0.1405091        total: 54.9s    remaining: 331ms
994:    learn: 0.1404368        total: 54.9s    remaining: 276ms
995:    learn: 0.1403839        total: 55s      remaining: 221ms
996:    learn: 0.1402899        total: 55.1s    remaining: 166ms
997:    learn: 0.1402249        total: 55.1s    remaining: 110ms
998:    learn: 0.1401474        total: 55.2s    remaining: 55.2ms
999:    learn: 0.1400710        total: 55.2s    remaining: 0us
{'learning_rate': 0.1, 'max_depth': 8}
0.8892227301457538
```

Cross Validation

```
In [73]: from sklearn.model_selection import cross_val_score
         accuracies = cross_val_score(estimator = CatBoostClassifier(), X = X_train_res, y = y_train_res, cv = 3)
         print("Accuracy:{:.2f} %".format(accuracies.mean()*100))
         print("Standard Deviation:{:.2f} %".format(accuracies.std()*100))
```

```
983:    learn: 0.2312273        total: 25.2s    remaining: 409ms
984:    learn: 0.2311698        total: 25.2s    remaining: 384ms
985:    learn: 0.2311267        total: 25.2s    remaining: 358ms
986:    learn: 0.2310880        total: 25.2s    remaining: 333ms
987:    learn: 0.2310416        total: 25.3s    remaining: 307ms
988:    learn: 0.2310012        total: 25.3s    remaining: 281ms
989:    learn: 0.2309517        total: 25.3s    remaining: 256ms
990:    learn: 0.2309123        total: 25.3s    remaining: 230ms
991:    learn: 0.2308675        total: 25.4s    remaining: 205ms
992:    learn: 0.2308233        total: 25.4s    remaining: 179ms
993:    learn: 0.2307680        total: 25.4s    remaining: 153ms
994:    learn: 0.2307091        total: 25.4s    remaining: 128ms
995:    learn: 0.2306458        total: 25.5s    remaining: 102ms
996:    learn: 0.2306044        total: 25.5s    remaining: 76.7ms
997:    learn: 0.2305532        total: 25.5s    remaining: 51.2ms
998:    learn: 0.2304996        total: 25.6s    remaining: 25.6ms
999:    learn: 0.2304346        total: 25.6s    remaining: 0us
Accuracy:83.11 %
Standard Deviation:17.73 %
```

The above image shows the Hyperparameter and Cross Validation score of the model.

Saving the built Models

```
In [76]: joblib.dump(rscv, "cat2.pkl")

Out[76]: ['cat2.pkl']
```

Finally save the model using joblib library.

4.4. Feature-2:

4.5. User Interface

4.6. Index.html:

```html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<title>Weather App using Flask in Python</title>
 <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css">
    <style>
    body {
 background-image: url('https://www.worldatlas.com/r/w768/upload/7e/2e/5a/untitled-
design-79.jpg');
  background-repeat: no-repeat;
 background-attachment: fixed;
 background-size: cover;

    }
</style>
</head>
<body>
    <div class="container">
      <br><br><br>
        <div class="row"><h2 style="color:Blue;">Weather Prediction App</h2></div>
        <br>
        <div class="row">
                <b style="color:Tomato;">Get weather details of any city around the
world.</b>
        </div>
```

```
<div class="row">
    {% block content %}
        <form action="{{ url_for("index")}}" method="post">
        <div class="form-group">
            <label style="color:Red;" for="Email">Email:</label><br>
        <input type="email" id="Email" name="Email" value="{{Email}}"
placeholder="Email" required><br>
            <label style="color:blue;"
for="cityName"><b>Password:</b></label><br>
            <input type="password" id="password" name="password"
value="{{password}}" placeholder="password" required><br>
            <label for="cityName"><b style="color:Yellow;">City
Name:</b></label><br>
            <input type="text" id="cityName" name="cityName"
value="{{cityName}}" placeholder="City Name" required><br>
                <br>
            <button class="submit">Find</button>
            {% if error is defined and error %}
                <br><br><span class="alert alert-danger">Error: Please enter
valid city name.</span></br>
            {% endif %}
            </div>
    {% endblock %}
    {% if data is defined and data %}
    <table class="table table-bordered">
        <thead>
            <tr>
                <th>Country Code</th>
                <th>Coordinate</th>
                <th>temperature</th>
                <th>Pressure</th>
                <th>Humidity</th>
            </tr>
        </thead>
        <tbody>
            <tr>
                <td class="bg-success">{{ data.sys.country }}</td>
```

```
                                        <td class="bg-info">{{data.coord.lon }}
{{data.coord.lat}}</td>

                                        <td class="bg-danger">{{data.main.temp }} k</td>
                                        <td class="bg-warning">{{data.main.pressure}}</td>
                                        <td class="bg-primary">{{data.main.humidity}}</td>
                            </tr>
                        </tbody>
                </table>
                {% endif %}
        </div>
    </div>
</body>
</html>
```

App.py

```python
from flask import Flask, request, render_template
import requests
from flask import Flask, request, render_template
import requests

app = Flask(_name_)


@app.route('/', methods=["GET", "POST"])
def index():
    weatherData = "
    error = 0
    cityName = "
    if request.method == "POST":
        cityName = request.form.get("cityName")
        if cityName:
            weatherApiKey = '3f5d38932ad9ae0caa0302a35fbc8496'
            url = "https://api.openweathermap.org/data/2.5/weather?q=" + cityName + "&appid=" +
weatherApiKey
            weatherData = requests.get(url).json()
        else:
            error = 1
    return render_template('index.html', data=weatherData, cityName=cityName, error=error)


if _name_ == "_main_":
    app.run()

app = Flask(_name_)


@app.route('/', methods=["GET", "POST"])
def index():
    weatherData = "
    error = 0
    cityName = "
    if request.method == "POST":
        cityName = request.form.get("cityName")
        if cityName:
            weatherApiKey = '3f5d38932ad9ae0caa0302a35fbc8496'
```

```
        url = "https://api.openweathermap.org/data/2.5/weather?q=" + cityName + "&appid=" +
weatherApiKey
        weatherData = requests.get(url).json()
    else:
        error = 1
  return render_template('index.html', data=weatherData, cityName=cityName, error=error)


if _name_ == "_main_":
  app.run()
```

TESTING

4.7. Test Cases

Test case ID	Feature Type	Component	Test Scenario	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Executed By
LoginPage_TC_001	UI	Home Page	Verify user is login by entering email,password,and confirming password.	1.Enter URL and click go 2.Enter the email id, password and confirm password. 3.click the login button.	https://rainfalldata.w3spaces.com	Login/ registering for the application	Working as expected	Pass	Mathusudhan
LoginPage_TC_002	UI	Home Page	Verify the can access the dashboard with the LinkedIn login.	1. Enter the URL and click enter 2.enter the valid mail id in the Email text box. 3.enter the valid password in the password text box. 4.click on tthe join now button in linked in.	https://rainfalldata.w3spaces.com/	Application should show below UI elements: a.email text box b.password text box c.join now button d.shows the dashboard page	Working as expected	pass	Vishnudev
LoginPage_TC_003	Functional	Home page	Verify user is able to log into application with Valid credentials and get the confirmation mail.	1.Enter URL and click go 2.Click on My Account dropdown button 3.Enter Valid username/email in Email text box 4.Enter valid password in password text box 5.Click on login and get mail.	Username: ibmmsec@gamil.com password: Testing123	Application should send the confirmation mail	Working as expected	Pass	Mohammedasath
Test case ID	Feature Type	Component	Test Scenario	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Executed By
LoginPage_TC_004	Functional	Login page	Verify user is able to log into application with Valid credentials	1.Enter URL(https://shopenzer.com/) and click go 2.Click on My Account dropdown button 3.Enter Valid username/email in Email text box 4.Enter valid password in password text box 5.Click on login button	Username: ibmmsec@gmail.com password: Testing123	User should navigate to tne home page.	Working as expected	Pass	Mohamed Abhuthahir Khan
LoginPage_TC_005	Functional	Login page	Verify user is able to log into application with InValid credentials	1.Enter URL(https://shopenzer.com/) and click go 2.Click on My Account dropdown button 3.Enter Valid username/email in Email text box 4.Enter Invalid password in password text box 5.Click on login button	Username: chalam@gmail.com password: Testing123678686786876876	Application should show 'Incorrect email or password ' validation message.	Working as expected	pass	Mathusudhan
LoginPage_TC_006	Functional	Login page	Verify user is able to log into application with InValid credentials	1.Enter URL(https://shopenzer.com/) and click go 2.Click on My Account dropdown button 3.Enter InValid username/email in Email text box 4.Enter Invalid password in password text box 5.Click on login button	Username: ibmmseec@gamil.com password: Testing654	Application should show 'Incorrect email or password ' validation message.	Working as expected	pass	Vishnudev

4.8. User Acceptance Testing

8.2.1. Defect Analysis

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	10	4	2	3	20
Duplicate	1	0	3	0	4
External	2	3	0	1	6
Fixed	11	2	4	20	37
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	1	2
Won't Fix	0	5	2	1	8
Totals	24	14	13	26	77

8.2.2. Testcase Analysis

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	7	0	0	7
Client Application	51	0	0	51
Security	2	0	0	2
Outsource Shipping	3	0	0	3
Exception Reporting	9	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2

5. **RESULTS**

5.1. Performance Metrics

9.1.1. Machine Learning

S.No.	Parameter	Values	Screenshot

1.	Metrics	**Classification Model:** Confusion Matrix - Accuracy Score - Classification Report -	```
			y_pred = cat.predict(X_test)
			print(confusion_matrix(y_test,y_pred))
			print(accuracy_score(y_test,y_pred))
			print(classification_report(y_test,y_pred))
			``
			
			[[21510 1207]
			 [2795 3580]]
			0.8624364086346762
			
			`             precision    recall  f1-score   support`
			
			`          0       0.89      0.95      0.91     22717`
			`          1       0.75      0.56      0.64      6375`
			
			`   accuracy                           0.86     29092`
			`  macro avg       0.82      0.75      0.78     29092`
			`weighted avg       0.85      0.86      0.85     29092`

2.	Tune the Model	Hyperparameter Tuning – Validation Method -	{'learning_rate': 0.1, 'max_depth': 8} 0.8892227301457538 Accuracy:83.11 % Standard Deviation:17.73 %

9.1.2. Artificial Intelligence

S.No.	Parameter	Values	Screenshot
1.	Model Summary	-	```metrics.plot_roc_curve(cat, X_test, y_test)``` ```metrics.roc_auc_score(y_test, y_pred, average=None)``` 0.7542183058899486
2.	Accuracy	Training Accuracy - Validation Accuracy -	

6. ADVANTAGES AND DISADVANTAGES

6.1. Advantages

- Farmers can know when to plant or harvest their crops
- People can choose where and when to take their holidays to take advantages of good weather
- Surfers known when large waves are expected
- Regions can be evacuated if hurricanes or floods are expected
- Aircraft and shipping rely heavily on accurate weather forecasting
- It will help the farmers to take precautionary steps
- Technological solutions to improve their production

6.2. Disadvantages

- Weather is extremely difficult to forecast correctly
- It is expensive to monitor so many variables from so many sources
- The computers needed to perform the millions of calculations necessary are expensive
- The weather forecasters get blamed if the weather is different from the forecast
- Leading to poor growth and overall health of crop
- Limited Foods Access

7. CONCLUSION

The weather prediction has become one of the most essential entities now a days. To improve the risk management systems and to know the weather in coming days in an automatic and in scientific way, many models have been

emerging to assist in weather Prediction. In this paper, we have seen building a Weather Prediction Web Application from scratch by making use of 6 different ML algorithms namely CatBoost Classifier, RandomForset Classifier, Logistic Regression, GaussianNB, KNN and XGB Classifier. In the result section, the results from the all the six models and its results such as Accuracy, Error rate, mean absolute error, Root mean squared error, Relative squared error, Root relative squared error and time taken to build the model are tabulated. The results show that the CatBoost Classifier and XGB Classifier has output the results of high accuracy than all the other classifiers that were used. When coming to the time taken to build the model, The CatBoost Classifier outperforms all the other classifiers in solving the Problem under scrutiny.

8. **FUTURE SCOPE**

In upcoming future updates, the WEATHER FORECASTING application will

have additional features such as:

- Live Location tracking

- News on Live Disasters

- Weather Forecast for next one week

- Will deploy as android app

- Help in predicting which crop will be best suited according to weather conditions

13.APPENDIX

1.1.   Source Code

13.1.1. Ipynb file Link: RAINFALL PREDICTION

13.1.2. UI Link: FILE

1.2.   Links

13.2.1. GITHUB

13.2.2. DEMO VIDEO