Assignment Date: 01 November 2022

Student Name: Pavithra T

Student Roll Number: 611219106056

Maximum Marks: 2 Marks

## ▼ 1. Download the dataset <u>link</u>

• Label - Ham or Spam

• Message - Message

```
import warnings
warnings.filterwarnings("ignore")
```

## → 2. Importing Required Library

```
import re
import nltk
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from nltk.stem import WordNetLemmatizer
from nltk.corpus import stopwords
from wordcloud import WordCloud,STOPWORDS,ImageColorGenerator
```

## → 3. Read dataset and do Preprocessing

```
df = pd.read_csv("/content/spam.csv",encoding='ISO-8859-1')

df = df.iloc[:,:2]

df.columns=['label','message']

df.head()
```

label message

**0** ham Go until jurong point, crazy.. Available only ...

1 ham Ok lar... Joking wif u oni...


df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 5572 entries, 0 to 5571
Data columns (total 2 columns):
# Column Non-Null Count Dtype
--- 0 label 5572 non-null object
1 message 5572 non-null object
dtypes: object(2)

ms1 = pd.Series((df.loc[df['label']=='ham','message']).tolist()).astype(str)
wordcloud = WordCloud(stopwords=STOPWORDS,width=800,height=600,background\_color='black').g
plt.figure(figsize=(20,10))
plt.imshow(wordcloud)
plt.axis('off')

(-0.5, 799.5, 599.5, -0.5)

memory usage: 87.2+ KB



```
ms2 = pd.Series((df.loc[df['label']=='spam','message']).tolist()).astype(str)
wordcloud = WordCloud(stopwords=STOPWORDS,width=1000,height=400,background_color='black').
plt.figure(figsize=(20,10))
plt.imshow(wordcloud)
plt.axis('off')
```

(-0.5, 999.5, 399.5, -0.5)

```
Chatland line our cash contact

Thank now weekly weekly was a contact of the permit of
```

```
from nltk.stem.wordnet import WordNetLemmatizer
lemmatizer = WordNetLemmatizer()
corpus = []
import nltk
from nltk.corpus import stopwords
nltk.download('all')
for i in range(len(df)):
    review = re.sub('[^a-zA-Z]',' ',df['message'][i])
   review = review.lower()
    review = review.split()
   review = [lemmatizer.lemmatize(i) for i in review if not i in set(stopwords.words('eng
    review = ' '.join(review)
   corpus.append(review)
     [nltk_data]
                    | Downloading package senseval to /root/nltk_data...
                        Unzipping corpora/senseval.zip.
     [nltk_data]
     [nltk_data]
                    | Downloading package sentence_polarity to
     [nltk data]
                          /root/nltk data...
     [nltk_data]
                        Unzipping corpora/sentence_polarity.zip.
```

```
[nltk_data]
                 Downloading package sentiwordnet to
[nltk_data]
                     /root/nltk_data...
                   Unzipping corpora/sentiwordnet.zip.
[nltk_data]
                 Downloading package shakespeare to /root/nltk_data...
[nltk_data]
                   Unzipping corpora/shakespeare.zip.
[nltk_data]
                 Downloading package sinica_treebank to
[nltk_data]
[nltk_data]
                     /root/nltk_data...
[nltk_data]
                   Unzipping corpora/sinica_treebank.zip.
                 Downloading package smultron to /root/nltk_data...
[nltk_data]
[nltk_data]
                   Unzipping corpora/smultron.zip.
[nltk_data]
                 Downloading package snowball_data to
[nltk_data]
                     /root/nltk_data...
                 Downloading package spanish_grammars to
[nltk_data]
                     /root/nltk_data...
[nltk_data]
                   Unzipping grammars/spanish_grammars.zip.
[nltk_data]
[nltk_data]
                 Downloading package state_union to /root/nltk_data...
[nltk data]
                   Unzipping corpora/state_union.zip.
[nltk_data]
                 Downloading package stopwords to /root/nltk_data...
[nltk_data]
                   Unzipping corpora/stopwords.zip.
[nltk_data]
                 Downloading package subjectivity to
                     /root/nltk_data...
[nltk_data]
[nltk_data]
                   Unzipping corpora/subjectivity.zip.
                 Downloading package swadesh to /root/nltk_data...
[nltk_data]
[nltk_data]
                   Unzipping corpora/swadesh.zip.
[nltk_data]
                 Downloading package switchboard to /root/nltk_data...
[nltk_data]
                   Unzipping corpora/switchboard.zip.
[nltk_data]
                 Downloading package tagsets to /root/nltk_data...
[nltk_data]
                   Unzipping help/tagsets.zip.
                 Downloading package timit to /root/nltk_data...
[nltk_data]
[nltk_data]
                   Unzipping corpora/timit.zip.
[nltk_data]
                 Downloading package toolbox to /root/nltk_data...
                   Unzipping corpora/toolbox.zip.
[nltk_data]
                 Downloading package treebank to /root/nltk_data...
[nltk_data]
[nltk_data]
                   Unzipping corpora/treebank.zip.
                 Downloading package twitter_samples to
[nltk_data]
[nltk_data]
                     /root/nltk_data...
[nltk_data]
                   Unzipping corpora/twitter_samples.zip.
[nltk_data]
                 Downloading package udhr to /root/nltk_data...
[nltk_data]
                   Unzipping corpora/udhr.zip.
                 Downloading package udhr2 to /root/nltk_data...
[nltk_data]
[nltk_data]
                   Unzipping corpora/udhr2.zip.
[nltk data]
                 Downloading package unicode_samples to
[nltk_data]
                     /root/nltk_data...
[nltk_data]
                   Unzipping corpora/unicode_samples.zip.
                 Downloading package universal_tagset to
[nltk_data]
[nltk_data]
                     /root/nltk_data...
[nltk_data]
                   Unzipping taggers/universal_tagset.zip.
[nltk data]
                 Downloading package universal_treebanks_v20 to
[nltk_data]
                     /root/nltk_data...
[nltk_data]
                 Downloading package vader_lexicon to
[nltk_data]
                     /root/nltk_data...
                 Downloading package verbnet to /root/nltk_data...
[nltk_data]
[nltk data]
                   Unzipping corpora/verbnet.zip.
                 Downloading nackage wonhoot? to /noot/nltk data
[n]+L da+a]
```

### → 4. Create Model

```
from keras.preprocessing.text import Tokenizer
from keras preprocessing.sequence import pad sequences
from keras.layers import Dense, Dropout, LSTM, Embedding
from keras.models import Sequential,load_model
token = Tokenizer()
token.fit_on_texts(corpus)
text_to_seq = token.texts_to_sequences(corpus)
max_length_sequence = max([len(i) for i in text_to_seq])
padded_seq = pad_sequences(text_to_seq, maxlen=max_length_sequence, padding="pre")
padded_seq
     array([[ 0, 0, 0, ..., 16, 3551, 70], [ 0, 0, ..., 359, 1, 1610], [ 0, 0, 0, ..., 218, 29, 293],
             [ 0, 0, 0, ..., 7042, 1095, 3547],
               0, 0, 0, ..., 842, 1, 10],
0, 0, 0, ..., 2198, 347, 152]], dtype=int32)
from sklearn.preprocessing import LabelEncoder
le = LabelEncoder()
y = le.fit_transform(df['label'])
from sklearn.model_selection import train_test_split
X_train,X_test,y_train,y_test = train_test_split(padded_seq,y,test_size=0.25,random_state=
X_train.shape
     (4179, 77)
```

## → 5. Add Layers

```
TOT_SIZE = len(token.word_index) + 1
model = Sequential()
#IP Layer
model.add(Embedding(TOT_SIZE,32,input_length=max_length_sequence))
model.add(LSTM(units=50, activation = 'relu',return_sequences=True))
model.add(Dropout(0.2))
#Layer2
model.add(LSTM(units=60, activation = 'relu'))
model.add(Dropout(0.3))
#output layer
model.add(Dense(units=1, activation='sigmoid'))
WARNING:tensorflow:Layer lstm will not use cuDNN kernels since it doesn't meet the c
```

#### model.summary()

Model: "sequential"

Layer (type)	Output Shape	Param #
embedding (Embedding)	(None, 77, 32)	225408
lstm (LSTM)	(None, 77, 50)	16600
dropout (Dropout)	(None, 77, 50)	0
lstm_1 (LSTM)	(None, 60)	26640
dropout_1 (Dropout)	(None, 60)	0
dense (Dense)	(None, 1)	61

\_\_\_\_\_

Total params: 268,709 Trainable params: 268,709 Non-trainable params: 0

# → 6 Compile the model

model.compile(optimizer='adam', loss='binary\_crossentropy',metrics=['accuracy'])

### → 7 Fit the model

model.fit(X\_train, y\_train,validation\_data=(X\_test,y\_test), epochs=10)

```
Epoch 1/10
Epoch 2/10
Epoch 3/10
Epoch 4/10
Epoch 5/10
Epoch 6/10
Epoch 7/10
Epoch 8/10
```

### ▼ 8. Save the Model

```
from pickle import dump,load
tfid = 'tfid.sav'
lstm = 'lstm.sav'

dump(token,open(tfid,'wb'))
model.save('nlp.h5')
```

### → 9. Test the Model

```
def preprocess(raw_mess):
    review = re.sub('[^a-zA-Z]',' ',raw_mess)
   review = review.lower()
   review = review.split()
    review = [lemmatizer.lemmatize(i) for i in review if not i in set(stopwords.words('eng
    review = ' '.join(review)
    return review
def predict(mess):
   vect = load(open(tfid,'rb'))
   classifier = load_model('nlp.h5')
    clean = preprocess(mess)
   text_to_seq = token.texts_to_sequences([mess])
    padded_seq = pad_sequences(text_to_seq, maxlen=77, padding="pre")
   pred = classifier.predict(padded_seq)
    return pred
msg = input("Enter a message: ")
predi = predict(msg)
if predi >= 0.6:
   print("It is a spam")
else:
   print("Not a spam")
```

4

Colab paid products - Cancel contracts here