

## Assignment-4

Assignment Date	29 October 2022
Student Name	Sekar K A
Student Roll Number	610519104090
Maximum Marks	2 Marks

### Question:

#### 1. Pull an Image from docker hub and run it in docker playground.

```
Windows PowerShell
PS C:\Users\RISHI> docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
docker_with_flask_inventory	latest	5d844c12d2ef	18 hours ago	933MB
rishiragur/flask-docker	latest	5d844c12d2ef	18 hours ago	933MB
jp.icr.io/do-fs/docker_with_flask_inventory	latest	5d844c12d2ef	18 hours ago	933MB
jp.icr.io/do-fs/docker_with_flask_inventory	latest	5d844c12d2ef	18 hours ago	933MB
hubproxy.docker.internal:5000/docker/desktop-kubernetes	kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian	09d7e10bc2e4	6 weeks ago	363MB
k8s.gcr.io/kube-apiserver	v1.25.2	97801f839490	7 weeks ago	128MB
k8s.gcr.io/kube-scheduler	v1.25.2	ca0ea1ee3cfd	7 weeks ago	50.6MB
k8s.gcr.io/kube-controller-manager	v1.25.2	dbfceb93c69b	7 weeks ago	117MB
k8s.gcr.io/kube-proxy	v1.25.2	1c7d8c51823b	7 weeks ago	61.7MB
kubernetesui/dashboard	v2.6.1	783e2b6d87ed	2 months ago	246MB
k8s.gcr.io/pause	3.8	4873874c08ef	4 months ago	711kB
k8s.gcr.io/etcd	3.5.4-0	a8a176a5d5d6	5 months ago	300MB
kubernetesui/metrics-scraper	v1.0.8	115053965e86	5 months ago	43.8MB
k8s.gcr.io/coredns	v1.9.3	5185b96f0bec	5 months ago	48.8MB
docker/getting-started	latest	cb90f98fd791	7 months ago	28.3MB
docker/desktop-vpnkit-controller	v2.0	8c2c38aa676e	18 months ago	21MB
docker/desktop-storage-provisioner	v2.0	99f89471f470	18 months ago	41.9MB

```
PS C:\Users\RISHI>
```

Docker Desktop

Upgrade plan

Containers

Images

Volumes

Dev Environments

Extensions

Add Extensions

Images on disk

Last refresh: about 6 hours ago

17 Images

961.57 MB total size

318.32 MB / 961.57 MB in use

Clean up

Images

Give feedback

LOCAL

REMOTE REPOSITORIES

DOCKER WITH FLASK INVENTORY	IMAGE	IMAGE ID	ABOUT 14 HOURS AGO	332.72 MB
hubproxy.docker.internal:500...	kubernetes-v1.25.2-cni-v...	09d7e1dbc2c4	about 2 months ago	363.32 MB
jp.icr.io/do-fs/docker_with_flas...	latest	5d844c12d2ef	about 14 hours ago	932.79 MB
jp.icr.io/do-fs/docker_with_flas...	latest	5d844c12d2ef	about 14 hours ago	932.79 MB
k8s.gcr.io/coredns	v1.9.3	5185b96f0bec	6 months ago	48.8 MB
k8s.gcr.io/etcd	3.5.4-0	a8a176a5d5d6	5 months ago	299.52 MB
k8s.gcr.io/kube-apiserver	v1.25.2	97801f839490	about 2 months ago	127.73 MB
k8s.gcr.io/kube-controller-ma...	v1.25.2	dbfceb93c69b	about 2 months ago	117.1 MB
k8s.gcr.io/kube-proxy	v1.25.2	1c7d8c51823b	about 2 months ago	61.69 MB
k8s.gcr.io/kube-scheduler	v1.25.2	ca0ea1ee3cfd	about 2 months ago	50.58 MB
k8s.gcr.io/pause	3.8	4873874c08ef	5 months ago	711.18 KB
kubernetesui/dashboard	v2.6.1	783e2b6d87ed	3 months ago	245.72 MB
kubernetesui/metrics-scraper	v1.0.8	115053965e86	5 months ago	43.82 MB
rishiragur/flask-docker	latest	5d844c12d2ef	about 14 hours ago	932.79 MB

RAM 3.53GB

CPU 3.60%

Connected to Hub

v4.13.1

Docker Desktop

Upgrade plan

Images

Volumes

Dev Environments

Extensions

Add Extensions

Images

Give feedback

LOCAL

REMOTE REPOSITORIES

DOCKER WITH FLASK INVENTORY	IMAGE	IMAGE ID	ABOUT 14 HOURS AGO	332.72 MB
hubproxy.docker.internal:500...	kubernetes-v1.25.2-cni-v...	09d7e1dbc2c4	about 2 months ago	363.32 MB
jp.icr.io/do-fs/docker_with_flas...	latest	5d844c12d2ef	about 14 hours ago	932.79 MB
jp.icr.io/do-fs/docker_with_flas...	latest	5d844c12d2ef	about 14 hours ago	932.79 MB
k8s.gcr.io/coredns	v1.9.3	5185b96f0bec	6 months ago	48.8 MB
k8s.gcr.io/etcd	3.5.4-0	a8a176a5d5d6	5 months ago	299.52 MB
k8s.gcr.io/kube-apiserver	v1.25.2	97801f839490	about 2 months ago	127.73 MB
k8s.gcr.io/kube-controller-ma...	v1.25.2	dbfceb93c69b	about 2 months ago	117.1 MB
k8s.gcr.io/kube-proxy	v1.25.2	1c7d8c51823b	about 2 months ago	61.69 MB
k8s.gcr.io/kube-scheduler	v1.25.2	ca0ea1ee3cfd	about 2 months ago	50.58 MB
k8s.gcr.io/pause	3.8	4873874c08ef	5 months ago	711.18 KB
kubernetesui/dashboard	v2.6.1	783e2b6d87ed	3 months ago	245.72 MB
kubernetesui/metrics-scraper	v1.0.8	115053965e86	5 months ago	43.82 MB
rishiragur/flask-docker	latest	5d844c12d2ef	about 14 hours ago	932.79 MB

RAM 3.52GB


CPU 2.68%

Connected to Hub

v4.13.1

latest: digest: sha256:a6b2608ddd954c79c05fabd2ada6970008c4a8970eca1833ad685099139fc8f6 size: 3051

## 2. Create a docker file for the job portal application and deploy it in Docker desktop application.



# Deploy in docker application

```
C:\Users\RISHI\Desktop\Assignment-4\assignment4>docker build -t docker_with_flask_inventory .
[+] Building 115.0s (10/10) FINISHED
-> [internal] load build definition from Dockerfile
0.0s
-> => transferring dockerfile: 32B
0.0s
-> [internal] load .dockerignore
0.0s
-> [internal] load metadata for docker.io/library/python:3.10.7
1.2s
-> [1/5] FROM docker.io/library/python:3.10.7@sha256:53e577204d362233ee92aeb5119449271f5eb24f99c61464efe9167ddbc8640f
109.0s
-> => resolve docker.io/library/python:3.10.7@sha256:53e577204d362233ee92aeb5119449271f5eb24f99c61464efe9167ddbc8640f
0.0s
-> => sha256:da84e66c3a7ca695cd8ac439270ff19b019a5e22ba7cae5ba410a8584a13b107 8.53kB / 8.53kB
0.0s
-> => sha256:f606d8928ed378229f2460b94b504cca239fb906efc57acbd9f340bd298d5ddf 55.05MB / 55.05MB
73.0s
-> => sha256:47db815c6a4547dc224b75222193cb1851cf529d2cbdf26f854b9bbf97099b98 5.16MB / 5.16MB
3.8s
-> => sha256:53e577204d362233ee92aeb5119449271f5eb24f99c61464efe9167ddbc8640f 2.36kB / 2.36kB
0.0s
-> => sha256:d400cf9859b681d6180d9c8b52291b13alced9f9c190f2a047220307fed1a5c 2.22kB / 2.22kB
0.0s
-> => sha256:bf48494000001a037b72870d2a6a2536f9da8bc5d1ceddd72d79f451fe7a60e 10.88MB / 10.88MB
10.3s
-> => sha256:a57277a256d36a93ab0777949771b120c5ddee75ea2a2d90444f930b6b2ef1 54.58MB / 54.58MB
34.3s
-> => sha256:8f7d0525895528f8b73153451e112bbd8e1854549bd1e0e6fdac0ba2ee98172 196.85MB / 196.85MB
180.3s
-> => sha256:7110f04115aed7232ed9e59b07db7cf7337c91f950dc25428baa3e522064187 6.29MB / 6.29MB
0.0s
-> => sha256:c4b413c6a4894499e2ee7df958d411ccfcc899dcccffe61de71cbb433e4e76143 20.05MB / 20.05MB
59.3s
-> => sha256:22311b72a3cb993d70dc2f9440feb89ca571ae931b080d975c81f4270ca909b8 231B / 231B
60.6s
-> => sha256:8dcbf38b6fa1182030e006f135471f3726cef064f6fc90ebdf80f450efad79 3.04MB / 3.04MB
64.3s
-> => extracting sha256:f606d8928ed378229f2460b94b504cca239fb906efc57acbd9f340bd298d5ddf
2.3s
-> => extracting sha256:47db815c6a4547dc224b75222193cb1851cf529d2cbdf26f854b9bbf97099b98
0.3s
-> => extracting sha256:bf48494000001a037b72870d2a6a2536f9da8bc5d1ceddd72d79f451fe7a60e
0.4s
-> => extracting sha256:a57277a256d36a93ab0777949771b120c5ddee75ea2a2d90444f930b6b2ef1
3.0s
-> => extracting sha256:8f7d0525895528f8b73153451e112bbd8e1854549bd1e0e6fdac0ba2ee98172
6.8s
-> => extracting sha256:7110f04115aed7232ed9e59b07db7cf7337c91f950dc25428baa3e522064187
0.4s
-> => extracting sha256:c4b413c6a4894499e2ee7df958d411ccfcc899dcccffe61de71cbb433e4e76143
0.8s
-> => extracting sha256:22311b72a3cb993d70dc2f9440feb89ca571ae931b080d975c81f4270ca909b8
0.0s
-> => extracting sha256:8dcbf38b6fa1182030e006f135471f3726cef064f6fc90ebdf80f450efad79
0.2s
-> [internal] load build context
0.0s
-> => transferring context: 190B
0.0s
-> [2/5] WORKDIR /app
0.3s
-> [3/5] COPY requirements.txt ./
0.0s
-> [4/5] RUN pip install -r requirements.txt
4.1s
-> [5/5] COPY . .
0.0s
-> exporting to image
0.0s
-> => exporting layers
0.1s
-> => writing image sha256:5d844c12d2eff9ba170fc15034f0c9c00efbed528ea42cb6a351f21377d4cc6bd
0.0s
-> => naming to docker.io/library/docker_with_flask_inventory
0.0s

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them

C:\Users\RISHI\Desktop\Assignment-4\assignment4>
```

# Running in docker desktop

```
File Edit Selection View Go Run Terminal Help app.py - assignment4 - Visual Studio Code

EXPLORER
ASSIGNMENT4
  _pycache_
  app.py
  dockerfile
  requirements.txt

app.py
1 from flask import Flask
2 from markupsafe import escape
3
4 app = Flask(__name__)
5
6 @app.route("/")
7 def index():
8     return "<p> Inventory Management System <br> Hello Guys <p>"
9
10 @app.route("/<name>")
11 def hello(name):
12     return f"hello,{escape(name)}!"
13
14 if __name__ == "__main__":
15     app.run(host="0.0.0.0",port=5000)]

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL JUPYTER
Python + - - -

Install the latest PowerShell for new features and improvements! https://aka.ms/psWindows

PS C:\Users\RISHI\Desktop\Assignment-4\assignment4> & C:\Users\RISHI\AppData\Local\Programs\Python\Python310\python.exe c:/Users/RISHI/Desktop/Assignment-4/assignment4/app.py
* Serving Flask app 'app'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on all addresses (0.0.0.0)
* Running on http://127.0.0.1:5000
* Running on http://192.168.101.5:5000
Press CTRL+C to quit

Ln 15, Col 38 Spaces: 4 UTF-8 CRLF Python 3.10.7 64-bit Go Live
```


### 3. Create a IBM container registry and deploy hello world app or job portal app.

```
Windows PowerShell
Email> 610519104082@smartinternz.com

Password>
Authenticating...
OK

Targeted account Rishi Ragul R's Account (68a0040c508e44ffa939bddb1044d350)

API endpoint:      https://cloud.ibm.com
Region:            jp-tok
User:              610519104082@smartinternz.com
Account:           Rishi Ragul R's Account (68a0040c508e44ffa939bddb1044d350)
Resource group:    No resource group targeted, use 'C:\Program Files\IBM\Cloud\bin\ibmcloud.exe target -g RESOURCE_GROUP'
CF API endpoint:
Org:
Space:
PS C:\Users\RISHI> docker images
REPOSITORY                                TAG                                IMAGE ID            CREATED             SIZE
docker_with_flask_inventory               latest                           5d844c12d2ef        13 hours ago       933MB
rishiragulr/flask-docker                 latest                           5d844c12d2ef        13 hours ago       933MB
jp.icr.io/do-fs/docker_with_flask_inventory latest                           5d844c12d2ef        13 hours ago       933MB
hubproxy.docker.internal:5000/docker/desktop-kubernetes kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian 09d7e1dbc2c4        6 weeks ago        363MB
k8s.gcr.io/kube-apiserver                 v1.25.2                         97801f839490        7 weeks ago        120MB
k8s.gcr.io/kube-controller-manager        v1.25.2                         dbfceb93c69b        7 weeks ago        117MB
k8s.gcr.io/kube-scheduler                 v1.25.2                         ca8ea1ee3cfd        7 weeks ago        58.6MB
k8s.gcr.io/kube-proxy                     v1.25.2                         1c7d8c51823b        7 weeks ago        61.7MB
kubernetesui/dashboard                   v2.6.1                         783e2b6d87ed        2 months ago       246MB
k8s.gcr.io/pause                          3.8                             4873874c08ef        4 months ago       711kB
k8s.gcr.io/etcd                           3.5.4-0                         a8a176a5d5d6        5 months ago       300MB
kubernetesui/metrics-scraper             v1.0.8                         115053965e86        5 months ago       43.8MB
k8s.gcr.io/coredns                       v1.9.3                         5185b96f0bec        5 months ago       48.8MB
docker/getting-started                   latest                           cb90f98fd791        7 months ago       28.8MB
docker/desktop-vpnkit-controller         v2.0                             8c2c38aa676e        18 months ago       21MB
docker/desktop-storage-provisioner       v2.0                             99f89471f470        18 months ago       41.9MB
PS C:\Users\RISHI> docker tag docker_with_flask_inventory jp.icr.io/do-fs/docker_with_flask_inventory
PS C:\Users\RISHI> docker push jp.icr.io/do-fs/docker_with_flask_inventory
Using default tag: latest
The push refers to repository [jp.icr.io/do-fs/docker_with_flask_inventory]
d39020a385be: Preparing
7143fba1c510: Preparing
f36426436017: Preparing
b9c0c0fe120b: Preparing
cf399b0e408ea: Preparing
793b071cc999: Waiting
4172a9e6f9e6: Waiting
0c7da9a72c8: Waiting
75ba02937496: Waiting
288cf3a46e32: Waiting
186da837555d: Waiting
955c9335e041: Waiting
8e079fee2186: Waiting
```




## Deploy hello world or job portal

```
Windows PowerShell
PS C:\Users\RISHI> ibmcloud cr login
Logging 'docker' in to 'jp.icr.io'...
Logged in to 'jp.icr.io'.

PS C:\Users\RISHI> docker tag docker_with_flask_inventory jp.icr.io/do-fs/dcoker_with_flask_inventory
PS C:\Users\RISHI> docker push jp.icr.io/do-fs/docker_with_flask_inventory:latest
The push refers to repository [jp.icr.io/do-fs/docker_with_flask_inventory]
d39020a385be: Pushed
7143fba1c510: Pushed
#36426436017: Pushed
b9c0c0fe7120: Pushed
ef399be408ea: Pushed
793b971ccb99: Pushed
4172a9e6f9e6: Pushed
0c7da9a72c8: Pushed
75ba02937496: Pushed
288cf3a46e32: Pushed
186da83755d5: Pushed
955c9335e041: Pushed
8e079fee2186: Pushed
latest: digest: sha256:a6b2608ddd954c79c05fabd2ada6970008c4a8970eca1833ad685099139fc8f6 size: 3051
PS C:\Users\RISHI> docker images
REPOSITORY                                TAG                                IMAGE ID                    CREATED                    SIZE
docker_with_flask_inventory               latest                             5d844c12d2ef               18 hours ago              933MB
rishiragulr/flask-docker                  latest                             5d844c12d2ef               18 hours ago              933MB
jp.icr.io/do-fs/dcoker_with_flask_inventory latest                             5d844c12d2ef               18 hours ago              933MB
jp.icr.io/do-fs/docker_with_flask_inventory latest                             5d844c12d2ef               18 hours ago              933MB
hubproxy.docker.internal:5000/docker/desktop-kubernetes kubernet...v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian 09d7e1dbc2c4               6 weeks ago               363MB
k8s.gcr.io/kube-apiserver                  v1.25.2                           97801f839490               7 weeks ago               128MB
k8s.gcr.io/kube-scheduler                  v1.25.2                           ca0ea1ee3cfd               7 weeks ago               50.6MB
k8s.gcr.io/kube-controller-manager         v1.25.2                           dbfceb93c69b               7 weeks ago               117MB
k8s.gcr.io/kube-proxy                      v1.25.2                           1c7d0851823b               7 weeks ago               61.7MB
kubernetesui/dashboard                    v2.6.1                             783e2b6d87ed               2 months ago              246MB
k8s.gcr.io/pause                           3.8                               4873874c08ef               4 months ago              711kB
k8s.gcr.io/etcd                            3.5.4-0                           a8a176a5d5d6               5 months ago              300MB
kubernetesui/metrics-scraper               v1.0.8                             115053965e86               5 months ago              43.8MB
k8s.gcr.io/coredns                         v1.9.3                             5185b96f0bec               5 months ago              48.8MB
docker/getting-started                     latest                             cb90f98fd791               7 months ago              28.8MB
docker/desktop-vpnkit-controller            v2.0                               8c2c38aa676e               18 months ago             21MB
docker/desktop-storage-provisioner         v2.0                               99f89471f470               18 months ago             41.9MB
PS C:\Users\RISHI>
```

**4. Create a Kubernetes cluster in IBM cloud and deploy hello world image or job portal image and also expose the same app to run in node port.**

## Creating a Kubernetes cluster in IBM cloud



The screenshot shows the IBM Cloud Kubernetes Dashboard for a cluster named 'mycluster-free'. The 'Worker nodes' tab is selected, displaying a table with one worker node. The node is named '0000007d', has a status of 'Normal', and is part of the 'default' worker pool in the 'Milan 01' zone. It has a private IP of 10.144.214.101 and a public IP of 169.51.205.202. The version is 1.24.7\_1543.

Name	Status	Worker pool	Zone	Private IP	Public IP	Version
0000007d	Normal	default	Milan 01	10.144.214.101	169.51.205.202	1.24.7_1543

**Expose the same app to run in noteport**

```
Command Prompt
C:\Users\RISHI>cd C:\Users\RISHI\Desktop\Assignment-4\assignment4
C:\Users\RISHI\Desktop\Assignment-4\assignment4>kubectl apply -f kubernetes/deployment.yaml
error: the path "kubernetes/deployment.yaml" does not exist
C:\Users\RISHI\Desktop\Assignment-4\assignment4>ibmcloud ks cluster config --cluster cd1tlpof0uv2a9hfiubg
The configuration for cd1tlpof0uv2a9hfiubg was downloaded successfully.
Added context for cd1tlpof0uv2a9hfiubg to the current kubeconfig file.
You can now execute 'kubectl' commands against your cluster. For example, run 'kubectl get nodes'.
If you are accessing the cluster for the first time, 'kubectl' commands might fail for a few seconds while RBAC synchronizes.
C:\Users\RISHI\Desktop\Assignment-4\assignment4>kubectl apply -f kubernetes/flask_deployment.yaml
error: the path "kubernetes/flask_deployment.yaml" does not exist
C:\Users\RISHI\Desktop\Assignment-4\assignment4>kubectl apply -f kubernetes/flask_deployment.yaml
deployment.apps/flask-app created
C:\Users\RISHI\Desktop\Assignment-4\assignment4>kubectl_
```



IBM

CAD-B1-

t20 work

you shou

how to c

Kubernete

mycluste

Inbox (3)

ibm clou

mycluste

mycluste

+

eu-de.containers.cloud.ibm.com/kubeproxy/clusters/cdltpof0uv2a9hfiubg/service/#/workloads?namespace=default

IBM

IBM Cloud

Loading...

SendGrid

Groww

Kubernetes Dashbo...

Docker Hub

kubernetes

default

Search

+

🔔

👤

Workloads

Workloads

Cron Jobs

Daemon Sets

Deployments

Jobs

Pods

Replica Sets

Replication Controllers

Stateful Sets

Service

Ingresses

Ingress Classes

Services

Config and Storage

Config Maps

Persistent Volume Claims

Secrets

Storage Classes

Workload Status

Failed: 1

Failed: 5

Failed: 1

Deployments

Pods

Replica Sets

Deployments

Name	Images	Labels	Pods	Created ↑
flask-app	Show all	-	0 / 5	4 minutes ago

Pods

IBM

CAD-B1-

t20 work

you shou

how to c

Kubernete

mycluste

Inbox (3)

ibm clou

mycluste

mycluste

+

eu-de.containers.cloud.ibm.com/kubeproxy/clusters/cdltpof0uv2a9hfiubg/service/#/pod?namespace=default

IBM

IBM Cloud

Loading...

SendGrid

Groww

Kubernetes Dashbo...

Docker Hub

kubernetes

default

Search

+

🔔

👤

Workloads > Pods

Workloads

Cron Jobs

Daemon Sets

Deployments

Jobs

Pods

Replica Sets

Replication Controllers

Stateful Sets

Service

Ingresses

Ingress Classes

Services

Config and Storage

Config Maps

Persistent Volume Claims

Secrets

Storage Classes

Pods

Name	Images	Labels	Node	Status	Restarts	CPU Usage (cores)	Memory Usage (bytes)	Created ↑
flask-app-5c85fdb465-fqx8b	Show all	Show all	10.144.214.101	ErrImageNev 0	-	-	-	5 minutes ago
flask-app-5c85fdb465-gvv9x	Show all	Show all	10.144.214.101	ErrImageNev 0	-	-	-	5 minutes ago
flask-app-5c85fdb465-wmrb6	Show all	Show all	10.144.214.101	ErrImageNev 0	-	-	-	5 minutes ago
flask-app-5c85fdb465-xqf5h	Show all	Show all	10.144.214.101	ErrImageNev 0	-	-	-	5 minutes ago
flask-app-5c85fdb465-zqpb9	Show all	Show all	10.144.214.101	ErrImageNev 0	-	-	-	5 minutes ago