SPRINT-1

DATE	28 October 2022
Team ID	PNT2022TMID00855
Project Name	Plasma Donor Application

The following user stories are implemented in this sprint.

- USN-1: As a user, I can register for the application by entering my email, password, and confirming my password.
- USN-2: As a user, I can log into the application using my registered email & password.

CODE:

Index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
<style>
*{
  margin: 0;
  padding: 0;
.main{
  width: 100%;
  background: linear-gradient(to top, rgba(0,0,0,0.5)50%,rgba(0,0,0,0.5)50%), url(register.jpg);
  background-position: center;
  background-size: cover;
  height: 100vh;
}
.navbar{
  width: 1200px;
  height: 70px;KK
  margin: auto;
```

```
}
.icon\{
  width: 100px;
  float: left;
  height: 70px;
}
.menu{
  width: 400px;
  float: left;
  height: 60px;
}
ul{
  float: left;
  display: flex;
  justify-content: center;
  align-items: center;
}
ul li{
  list-style: none;
  margin-left: 62px;
  margin-top: 27px;
  font-size: 15px;
}
ul li a{
  text-decoration: none;
  color: #fff;
  font-family: Arial;
```

```
font-weight: bold;
  transition: 0.4s ease-in-out;
ul li a:hover{
  color: #ff7200;
}
.btn{
  width: 100px;
  height: 40px;
  background: #ff7200;
  border: 2px solid #ff7200;
  margin-top: 13px;
  color: #fff;
  font-size: 15px;
  border-bottom-right-radius: 5px;
  border-bottom-right-radius: 5px;
  transition: 0.2s ease;
  cursor: pointer;
}
.btn:hover{
  color: #000;
}
.btn:focus{
  outline: none;
}
```

```
.srch:focus{
  outline: none;
}
.content{
  width: 1200px;
  height: auto;
  margin: auto;
  color: #fff;
  position: relative;
.content .par{
  padding-left: 25px;
  padding-bottom: 25px;
  font-family: Arial;
  letter-spacing: 1.2px;
  line-height: 30px;
.content h1{
  font-family: 'Times New Roman';
  font-size: 50px;
  padding-left: 20px;
  margin-top: 9%;
  letter-spacing: 2px;
}
.content .cn{
  width: 160px;
  height: 40px;
```

```
background: #ff7200;
  border: none;
  margin-bottom: 10px;
  margin-left: 20px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  transition: .4s ease;
.content .cn a{
  text-decoration: none;
  color: #000;
  transition: .3s ease;
}
.content span{
  color: #ff7200;
  font-size: 65px
}
.form{
  width: 250px;
  height: 200px;
  background: linear-gradient(to top, rgba(0,0,0,0.8)50\%, rgba(0,0,0,0.8)50\%);
  position: absolute;
  top: -20px;
  left: 870px;
  transform: translate(0%,-5%);
  border-radius: 10px;
```

```
padding: 25px;
.form h2{
  width: 220px;
  font-family: sans-serif;
  text-align: center;
  color: #ff7200;
  font-size: 22px;
  background-color: #fff;
  border-radius: 10px;
  margin: 2px;
  padding: 8px;
.form input{
  width: 240px;
  height: 35px;
  background: transparent;
  border-bottom: 1px solid #ff7200;
  border-top: none;
  border-right: none;
  border-left: none;
  color: #fff;
  font-size: 15px;
  letter-spacing: 1px;
  margin-top: 30px;
  font-family: sans-serif;
}
```

```
.form input:focus{
  outline: none;
::placeholder{
  color: #fff;
  font-family: Arial;
}
.btnn\{\\
  width: 240px;
  height: 40px;
  background: #ff7200;
  border: none;
  margin-top: 30px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  color: #fff;
  transition: 0.4s ease;
}
.btnn:hover{
  background: #fff;
  color: #ff7200;
}
.btnn a{
  text-decoration: none;
  color: rgba(22, 21, 21, 0.801);
  font-weight: bold;
```

```
.form .link{
  font-family: Arial, Helvetica, sans-serif;
  font-size: 17px;
  padding-top: 20px;
  text-align: center;
}
.form .link a{
  text-decoration: none;
  color: #ff7200;
}
.liw{
  padding-top: 15px;
  padding-bottom: 10px;
  text-align: center;
}
.icons a{
  text-decoration: none;
  color: #fff;
.icons ion-icon{
  color: #fff;
  font-size: 30px;
  padding-left: 14px;
  padding-top: 5px;
  transition: 0.3s ease;
}
```

```
.icons ion-icon:hover{
  color: #ff7200;
  <title>Index form</title>
  <link rel="stylesheet" href="style.css">
</style>
</head>
<body>
  <div class="main">
    <div class="navbar">
      <div class="menu">
         ul>
           <a href="#">HOME</a>
           <a href="#">ABOUT</a>
           <a href="#">CONTACT</a>
         </div>
       </div>
    <div class="content">
      <h1>PLASMA DONOR <br>><span>WEB APPLICATION</span> <br>></h1>
      During COVID 19 crisis there requirement for plasma increased
drastically as there were no <br/> <br/> there were no <br/> <br/> 
              vaccinations found in order to treat the infected patients. In such situation it was
very difficult <br>
               to find the plasma donor, check whether the donor was infected previously and
was recovered, <br/>br>and which donor is eligible to donate plasma was a challenging task.
               <div class="form">
               DONOR LOGIN
```

```
<a href="{{'login'}}">Login</a>
               Don't have an account<br>
                  <a href="{{'register'}}">Sign up </a> here</a>
                  </div>,.
</div>
</div>
</div>
</div>
<script src="https://unpkg.com/ionicons@5.4.0/dist/ionicons.js"></script>
</body>
</html>
Register.html:
<Html>
<head>
  <title>Registration form</title>
</head>
<center>
  <h1 class="word">DONOR REGISTRATION</h1>
</center>
<style>
  body {
    background-image: url(register.jpg);
    background-repeat: no-repeat;
    background-position: right;
```

```
}
   </style>
 <br>
<body>
   <form action="{{ url_for('register') }}" method="post">
    <label> Username:</label>
    <input type="text" name="username" size="15" /> <br> <br>>
    <label>Age:*</label>
    <input type="age" name="age" /> <br> <br>>
    <label>
      Blood Group*:
    </label>
    <input type="bloodgroup" name="bloodgroup" />
    <br>>
    <br>
    <label lastdonatedate>Last Donate Date:*</label>
    <input type="lastdonatedate" name="lastdonatedate" /> <br> <br>
    <label>
      Gender *:
    </label>
    <input type="gender" name="gender">
    <br>
    <br>>
    <label>
      Phone *:
    </label>
```

```
<!--<input type="text" name="countrycode" value="+91" size="2" />-->
     <input type="text" name="phone" size="10" /> <br> <br>>
     Address<br>
     <textarea name="address" cols="80" rows="5" value="address">
</textarea>
     <br>> <br>>
    Email *:
    <input type="email" id="email" name="email" /> <br>
     <br>> <br>>
    Password:
     <input type="password" id="password" name="password"> <br>
     <br>> <br>>
    Confirm Password:
     <input type="password" name="confirmpassword"> <br> <br>
     <label> Height*:</label>
     <input type="height" name="height" placeholder="Please write your height in
centimetres"><br><br><br><br><br><br/>
     <label> Weight*:</label>
    <input type="weight" name="weight" placeholder="Please write your weight in
centimetres">
    <br>><br>>
     <footer>* Required field</footer><br><br>
     <button>
     <input type="submit" value="REGISTER" />
  </button>
  </form>
</body>
</html>
```

Login.html:

```
<Html>
<head>
  <title>Registration form</title>
</head>
<center>
  <h1 class="word">DONOR REGISTRATION</h1>
</center>
<style>
body {
    background-image: url(register.jpg);
    background-repeat: no-repeat;
    background-position: right;
}
   </style>
  <br>>
<body>
    <form action="{{ url_for('register') }}" method="post">
<label> Username:</label>
    <input type="text" name="username" size="15" /> <br> <br>>
    <label>Age:*</label>
    <input type="age" name="age" /> <br> <br>>
    <label>
       Blood Group*:
    </label>
    <input type="bloodgroup" name="bloodgroup" />
    <br>
```

```
<br>
    <label lastdonatedate>Last Donate Date:*</label>
    <input type="lastdonatedate" name="lastdonatedate" /> <br> <br>
    <label>
       Gender *:
    </label>
    <input type="gender" name="gender">
    <br>
    <br>
    <label>
      Phone *:
    </label>
    <!--<input type="text" name="countrycode" value="+91" size="2" />-->
    <input type="text" name="phone" size="10" /> <br> <br>>
    Address<br>
    <textarea name="address" cols="80" rows="5" value="address">
</textarea>
    <br>> <br>>
    Email *:
    <input type="email" id="email" name="email" /> <br>
    <br>> <br>>
    Password:
    <input type="password" id="password" name="password"> <br>
    <br>> <br>>
    Confirm Password:
    <input type="password" name="confirmpassword"> <br> <br>
    <label> Height*:</label>
```

```
<input type="height" name="height" placeholder="Please write your height in</pre>
centimetres"><br><br>
    <label> Weight*:</label>
    <input type="weight" name="weight" placeholder="Please write your weight in
centimetres">
    <br>><br>>
    <footer>* Required field</footer><br><br>
    <button>
    <input type="submit" value="REGISTER" />
  </button>
  </form>
</body>
</html>
app.py:
from turtle import st
from flask import Flask, render_template, request, redirect, url_for, session
from markupsafe import escape
import ibm_db
conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=125f9f61-9715-46f9-9399-
c8177b21803b.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=30426;SECURITY=SS
L;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=nzt49281;PWD=fY040mbueWafbI0c","
,")
app = Flask(__name___)
@app.route('/')
def home():
 return render_template('index.html')
@app.route('/reg',methods = ['POST', 'GET'])
def reg():
 if request.method == 'POST':
```

```
username = request.form['username']
  password = request.form['password']
  email = request.form['email']
  blood=request.form['blood-group']
  gender=request.form['gender']
  age=request.form['age']
  address=request.form['address']
  phone=request.form['mobile']
  insert_sql = "INSERT INTO register VALUES (?,?,?,?,?,?,?)"
  prep_stmt = ibm_db.prepare(conn, insert_sql)
  ibm_db.bind_param(prep_stmt, 1, username)
  ibm_db.bind_param(prep_stmt, 3, password)
  ibm_db.bind_param(prep_stmt, 2, email)
  ibm_db.bind_param(prep_stmt, 4, blood)
  ibm_db.bind_param(prep_stmt, 5, gender)
  ibm_db.bind_param(prep_stmt, 6, age)
  ibm_db.bind_param(prep_stmt, 7, address)
  ibm_db.bind_param(prep_stmt, 8, phone)
  ibm_db.execute(prep_stmt)
 return render_template('index.html',msg="saved successfully")
@app.route('/login',methods = ['POST', 'GET'])
def login():
 if request.method == 'POST':
  username = request.form['username']
  password = request.form['password']
```

```
sql ="SELECT * FROM registration WHERE username=? and password=?";
stmt =ibm_db.prepare(conn,sql)
ibm_db.bind_param(stmt,1,username)
ibm_db.bind_param(stmt,2,password)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
if account:
    bg=account['blood-group']
    return render_template('dash.html', msg="welcome to our platform where you can track your expenses")
    else:
        return render_template('index.html',msg="Incorrect Email and Password")
return render_template('dash.html')


if __name__ == "__main__":
app.run(debug=True)
```

SCREENSHOTS:

Index page:



Login page



Register page

