
Assignment -2


IBM CLOUD DB2

Student Name	Neha S
Student Roll Number	710719205031
Maximum Marks	2 Marks

Questions:


1. Create User table with user with email, username, roll number, password.







2. Perform UPDATE, DELETE Queries with user table.


UPDATE TABLE:-





DELETE TABLE:-





3. Connect python code to db2.

NOTE:- Question 4 contains Question 3 answer

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

Answers

```
App.py
from flask import Flask, render_template, request, redirect, url_for, session import
ibm_db
import re

app = Flask( name )

app.secret_key = 'a'

conn = ibm_db.connect( "DATABASE=bludb; HOSTNAME=fbd88901-ebdb-4a4f-a32e
9822b9fb237b.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud; PORT=32731; USERNA M
E=dtp46044; PASSWORD=95soX0sZGhb4ToUj; SECURITY=SSL; SSLSERVERCERTIFICATE=DigiCe
r tGlobalRootCA.crt; ", "", "")
```

```
@app.route("/", methods=['GET', 'POST']) def register():
msg = ''
if request.method == 'POST':
username = request.form['username'] email = request.form['email'] password =
request.form['password']
sql = "SELECT * FROM users WHERE username =?" stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username) ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt) print(account)
if account:
msg = 'Account already exists !'
elif not re.match(r'[^0]+@[^0]+\.[^0]+', email): msg = 'Invalid email address !'
elif not re.match(r'[A-Za-z0-9]+', username):
msg = 'name must contain only characters and numbers
!' else:
insert_sql = "INSERT INTO users VALUES (?, ?, ?)" prep_stmt = ibm_db.prepare(conn,
insert_sql) ibm_db.bind_param(prep_stmt, 1, username) ibm_db.bind_param(prep_stmt, 2,
email) ibm_db.bind_param(prep_stmt, 3, password) ibm_db.execute(prep_stmt)
msg = 'You have successfully registered !'
elif request.method == 'POST':
msg = 'Please fill out the form !'
return render_template('register.html', msg=msg)
@app.route('/login', methods=['GET', 'POST']) def login():
global userid msg = ''
if request.method == 'POST':
username = request.form['username'] password = request.form['password']
ibm_db.bind_param(stmt, 1, username) ibm_db.bind_param(stmt, 2, password)
ibm db.execute(stmt)
account = ibm_db.fetch_assoc(stmt) print(account)
if account:
session['loggedin'] = True session['id'] = account['USERNAME'] userid =
account['USERNAME']
session['username'] = account['USERNAME'] msg = 'Logged in successfully !'
msg = 'Logged in successfully !'
return render_template('dashboard.html', msg=msg) else:
msg = 'Incorrect username / password !'
return render_template('login.html', msg=msg)
if
             == ' main ':
    name
# app.run(debug=True)
Register.html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Smart
Fashion register</title>
<!-- bootstrap css cdn -->
<link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.cs s "
integrity="sha384- JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z "
```


```
crossorigin="anonymous">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font</pre>
awesome/4.7.0/css/font-awesome.css">
<!-- css stylesheet -->
<link rel="stylesheet" href="/static/css/style.css">
<!-- font styles cdn -->
<link rel="preconnect" href="https://fonts.gstatic.com">
<link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap "</pre>
rel="stylesheet">
<link href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap "</pre>
rel="stylesheet">
</head>
<body>
<!-- bootstrap navbar -->
<!-- navbar ends -->
<!-- Login form -->
<div class="login text-center mt-5">
<form action="/" method="post">
<h2 class="form-text-h2"> Register Form </h2>
<div class="msg">{{ msg }}</div>
<input type="text" class="form-control" name="username"</pre>
placeholder="Enter Your Username" id="username"
required>
<input type="email" class="form-control" name="email"</pre>
placeholder="Enter Your Email ID" id="email" required>
<input type="password" class="form-control"</pre>
name="password" placeholder="Enter Your Password" id="password" required>
<button type="submit" id="button" class="btn btn-primary"> Register </button>
<div class="note mt-3 text-center">
<!--Register form -->
 already have an account ? please login <a
href="/login">login! </a> 
</div>
</form>
</div>
</body>
</html>
Login.html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<!-- favicon -->
<!-- <li>k rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
<!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon">
-->
<link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon</pre>
32x32.png">
<!-- bootstrap css cdn -->
<link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.cs s "
integrity="sha384- JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z "
```

```
crossorigin="anonymous">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font</pre>
awesome/4.7.0/css/font-awesome.css">
<!-- css stylesheet -->
<link rel="stylesheet" href="/static/css/style2.css">
<!-- font styles cdn -->
<link rel="preconnect" href="https://fonts.gstatic.com">
<link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap "</pre>
rel="stylesheet">
<link href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap "</pre>
rel="stylesheet">
</head>
<body>
<div class="login text-center mt-5">
<form action="/login" method="post">
<h2 class="form-text-h2"> Login Form </h2>
<div class="form-group mb-3">
<label class="label" for="username">Username</label>
<input type="text" class="form-control"</pre>
placeholder="Username" name="username" required>
</div>
<div class="form-group mb-3">
<label class="label" for="password">Password</label>
<input type="password" class="form-control"</pre>
placeholder="Password" name="password" required>
</div>
</button>
<button type="submit" id="button" class="btn btn-primary"> Login
<div class="note mt-3 text-center">
<!--Register form -->
 Don't have an account yet? Click here to <a
href="/">register! </a> 
</div>
</form>
</div>
</body>
</html>
Style.css
* {
margin: 0; padding: 0;
body {
background-color: aqua
!important; display: flex; flex-direction: column; align-items: center; justify-content:
center;
}
form {
display: flex;
```


```
flex-direction: column; align-items: center; justify-content: center; background-color:
white; width: 40%;
height: 450px; border-radius: 50px;
margin: 100px; gap: 25px;
}
h2 {
font-size: large; font-weight: bolder;
input {
width: 80% !important;
div {
display: flex;
align-items: center;
width: 90%;
.form-text-vk {
font-size: small; padding-bottom: 10px;
.form-text-h2 {
}
```

Output:

Register form:



Login Page:-



P 7 10 0 m 0 H 0 H 10 0 11 H 4

Data Base Table :-

