## Assignment -2

Student Name	Rohan V
Student Roll Number	710719205041

## Question-1:

Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page.


```
#app.py from flask import Flask, render_template
app = Flask(__name___,template_folder='template')
@app.route("/login") def
hello_world():
  return render_template('login.html')
@app.route("/index") def
hello():
  return render_template ('bootstrap.html')
@app.route("/home") def
home():
  return "hello,world!" @app.route("/about")
def about():
  return "hello about homepage"
#Login.html
{% extends 'bootstrap.html' %}
{% block head %}
   <title>login page</title>
{% endblock %}
{% block body %}
<form action="action_page.php" style="border:1px solid #ccc">
  <div class="container">
```


```
<h1>Sign Up</h1>
   Fill in this form to create an account.
   <hr>
   <label for="email"><b>Email</b></label>
   <input type="text" placeholder="Enter Email Id" name="email" required>
   <label for="psw"><b>Password</b></label>
   <input type="password" placeholder="Enter Password" name="psw" required>
   <label for="psw-repeat"><b>Retype Password</b></label>
   <input type="password" placeholder="Retype Password" name="psw-repeat" required>
   <label>
    <input type="checkbox" checked="checked" name="remember" style="margin-bottom:15px">
Remember me
   </label>
   By creating an account you agree to our <a href="#" style="color:dodgerblue">Terms &
Privacy</a>.
   <div class="clearfix">
    <button type="button" class="cancelbtn">Cancel</button>
    <button type="submit" class="signupbtn">Sign Up</button>
   </div>
  </div>
</form>
{% endblock %}
#login.css
* {box-sizing: border-box}
/* Full-width input fields */
input[type=text], input[type=password] {
width: 100%;
padding: 15px;
margin: 5px 0 22px 0;
```


```
display: inline-block;
border: none;
background: #f1f1f1;
}
input[type=text]:focus, input[type=password]:focus {
background-color: #ddd;
 outline: none;
}
hr { border: 1px solid
#f1f1f1; margin-bottom:
25px;
}
/* Set a style for all buttons */
button { background-color:
#04AA6D; color: white;
padding: 14px 20px;
margin: 8px 0;
 border: none;
 cursor: pointer;
width: 100%;
 opacity: 0.9;
}
button:hover {
 opacity:1;
}
/* Extra styles for the cancel button */
```

```
.cancelbtn { padding: 14px
20px;
background-color: #f44336;
}
/* Float cancel and signup buttons and add an equal width */
.cancelbtn, .signupbtn {
 float: left;
 width: 50%;
}
/* Add padding to container elements */
.container {
padding: 16px;
}
/* Clear floats */
.clearfix::after {
content: "";
clear: both;
display: table;
}
/* Change styles for cancel button and signup button on extra small screens */
@media screen and (max-width: 300px) {
 .cancelbtn, .signupbtn {
width: 100%;
 }
}
```


```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content=
    "width=device-width, initial-scale=1">
  <link rel="stylesheet" type="text/css"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css">
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"></script>
{% block head %} {% endblock %}
</head>
<body>
  <div class="container">
    {% block body %} {% endblock %}
  </div>
</body>
</html>
```







## hello, world!



## hello about homepage



