

Team ID: PNT2022TMID27560

Project Title: Safety Gadget for child safety monitoring and notification

Delivery Plan Sprint - 4

FIREOAUTH:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" href="/css/fireoauth.css">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.css">
<link rel="shortcut icon" href="https://raw.githubusercontent.com/ArunAlex-
pd/firepwa/main/favicon.ico?token=GHSAT0AAAAAABR46HVJ5M5L3QGFRZRQXOI
SYUJUWAA"
type="image/x-icon">
<style>
html,
body {
height: 100%;
margin: 0;
font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen,
Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;font-weight: 300;
}
a {
text-decoration: none;
color: #007bff;
font-weight: 500;
```

```
font-size: 1.2rem;
}
h3 {
font-size: 1.4rem;
}
h3, h4 {
margin: 0;
padding: 0.3rem 0;
}
.wrapper {
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
height: 100%;
text-align: center;
}
oneClickSignin {
padding: 0.5rem;
border: 1px solid #44444444;
border-radius: 5px;
box-shadow: 0 0 3px 0px #44444444;opacity: 0.2;
pointer-events: none;
}
qrcode {
opacity: 0.1;
}
.learnAboutFire {
padding-top: 1.25em;
}
.qrHolder {
display: none;
margin-top: 3rem;
```

```

}
.qrContainer {
align-items: center;
display: flex;
justify-content: center;
padding: 8px;
margin: 2rem auto;
box-shadow: 0 0px 6px 1px rgb(0 0 0 / 16%);
border: 1px solid #44444444;
border-radius: 6px;
width: 200px;
height: 200px;
}
</style>
<title>Fire OAuth</title><script>
if (window.location.hostname !== "localhost") {
if (location.protocol !== "https:") {
location.replace(`https:${location.href.substring(
location.protocol.length
)})`
)
}
}
</script>
</head>
<body>
<div class="wrapper">
<h3 class="pageTitle">Login with Fire ??</h3>
<div class="qrAuthorize">
<h4 class="subTitle">Scan QR from your Fire OAuth App??</h4>
<div class="qrContainer">
<canvas id="qr-code" class="qrcode"></canvas>
</div>

```

```
</div>
<div class="oneClickSignin">
<h4>Have Fire PWA on this device?</h4>
<a target="_blank" id="authorizeOverLink"
href="https://firepwa.netlify.app/authorize?sessionId"
rel="noopener">Click to Authorize ?? </a>
</div>
<div class="learnAboutFire"><a target="_blank"
href="https://fireoauth.netlify.app" rel="noopener">Learn More about Fire
??</a>
</div>
</div>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.js"></s
cript>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/qrious/4.0.2/qrious.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.2.0/socket.io.js"></script>
<script>
const FIRE_API_KEY = "635b790a3bcc6b59c4b772d0"
const FIRE_ENDPOINT = "https://fire.adaptable.app/api/apis/generate"
const CHANNEL_NAME = "fireOAuthChannel"
const broadcastingChannel = new BroadcastChannel(CHANNEL_NAME)
const FIRE_SERVER_SOCKET_ENDPOINT = "https://fire.adaptable.app"
let socket = io(FIRE_SERVER_SOCKET_ENDPOINT)
let qr
let qrcode = document.querySelector(".qrcode")
let oneClickSignin = document.querySelector(".oneClickSignin")
let pageTitle = document.querySelector(".pageTitle")
let subTitle = document.querySelector(".subTitle")
function setOpacity(opacity) {
oneClickSignin.style.opacity = opacity
```

```

oneClickSignin.style.pointerEvents = opacity === "1" ? "auto" : "none"
qrcode.style.opacity = opacity
}
async function getSessionID() {
let response
try {
response = await fetch(`${FIRE_ENDPOINT}/${FIRE_API_KEY}`, {method: "GET",
headers: {
"Content-Type": "application/json",
}
})
} catch (error) {
console.log(error)
return null
}
let data = await response.json()
let { sessionId, chatRoomId } = data
return { sessionId, chatRoomId }
}
function generateQR(value) {
(qr = new QRious({
element: document.getElementById("qr-code"),
size: 200,
level: 'M',
value: value,
}))
}
function changeHREF ({sessionId, chatRoomId}) {
let firePwaUrlHostname = "https://firepwa.netlify.app"
let originURL = encodeURIComponent(window.location.origin)
let url =
`${firePwaUrlHostname}/authorize.html?sessionId=${sessionId}&chatRoomId=${c
hatRoomId}&url=${o

```

```

riginURL}`
let a = document.getElementById("authorizeOverLink")a.href = url
}
async function fire() {
NProgress.set(0.4)
let { sessionId, chatRoomId } = await getSessionID()
if(sessionId === undefined || chatRoomId === undefined || sessionId === null ||
chatRoomId === null)
{
pageTitle.innerHTML = "Something went wrong ???"
subTitle.innerHTML = "Please try again later ????"
return
}
setOpacity("1")
NProgress.done()
let data = {
sessionId,
url: encodeURIComponent(window.location.origin)
}
data = JSON.stringify(data)
generateQR(data)
changeHREF({sessionId, chatRoomId})
socket.emit("join room", sessionId)
}
fire()
socket.on("trusted token", (token) => {
let data = {}
data.success = true
data.token = token
broadcastingChannel.postMessage(data)
window.close()
})
</script>
</body>

```

</html>

DASHBOARD:

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link rel="stylesheet" href="/css/dashboard.css">

<title>Dashboard</title>

<script src="/localforage.js"></script>

</head>

<body>

<div class="wrapper">

<div class="header">

Dashboard

Hello User

</div>

<div class="actionCenter">

<div class="action">

Create Child Card

</div>

<div class="action">

Log out

</div>

</div>

```
<div class="childCardContainer">
  <div class="childCard">
    <div class="childCardHeader">
      <span>Child Name</span>
      <span>Age 12</span>
    </div>
    <div class="actions">
      <span>View</span>
      <span>GeoFence</span>
    </div>
  </div>
</div>
</div>
</div>
</div>
<script>
  async function main() {
    let userData = await localforage.getItem('userData')
    if(userData == null) {window.location.href = "/login"
    }
    document.querySelector(".username").innerHTML = `Hello ${userData.firstName}`
    document.querySelector(".profilePic").src = userData.profilePic
  }
  main()
  document.querySelector(".logout").addEventListener("click", async () => {
    await localforage.setItem('userData', null)
    window.location.href = "/login"
  })
</script>
</body>
</html>
```