



Assignment-3


Date	10 November 2022
Team ID	PNT2022TMID31448
Project Name	Personal Expense Tracker
Batch No	B3 – 3M5E

1. Create a Bucket in IBM object storage.



2. Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.





```
<!DOCTYPE html>
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8" />
```

```
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
  <title>Five Basic Elements</title>
```

```
<body>
```

```
  <h1 style="background-color:powderblue;">Five Elements of Nature</h1>
```

```
  <h2>They are</h2>
```

```
  <h3>
```

```
    *Fire <br>
```

```
    *Air <br>
```

```
    *Water <br>
```

```
    *Land <br>
```

```
    *Ether <br>
```

```
  </h3>
```

```
  <h1 style="color: Grey">Images From IBM Cloud</h1>
```

```
  
```

```
  
```

```
  
```


```
  
```

```
  
```


```
</body>
```

```
</head>
```

```
</html>
```



3. Upload a css page to the object storage and use the same page in your HTML code.




4.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" /> <meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

```
<title>Ibm Cloud</title>
<link rel="stylesheet" href="https://cloud-object-storage-9q-cos-standard-
ohh.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css ">
<body> <h1> Accesing Css page in this Html page</h1> <p>Click here to access the CSS
file present in IBM cloud storage <a href="https://assignment-images.s3.jp-tok.cloud-object-
storage.appdomain.cloud/style.css">Click Here</a></p> </body>
</head>
</html>
```

OUTPUT



AFTER CLICKING CLICK HERE BUTTON



4. Design a chatbot using IBM Watson assistant for hospital.


Web URL for Assistant:

```
<script>
window.watsonAssistantChatOptions = {
  integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your service
  instance.
  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
const t=document.createElement('script');
t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
document.head.appendChild(t); });
</script>
```





5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Building Chatbot For Hospital



Building Chatbot For Hospital





Html code:

<!DOCTYPE html>

```

<html><head>
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Chatbot </title>
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
integrity="sha384-
xOoIHfLEh07PJGoPkJv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
<link rel="stylesheet" href="{ {url_for('static',filename='styles.css')}} " type="text/css">
<link rel="preconnect" href="https://fonts.googleapis.com"> <link rel="preconnect"
href="https://fonts.gstatic.com" crossorigin>
<script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>
<link
href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300
&display=swap" rel="stylesheet"></head>
<body style="background:rgba(128,0,128,0.2)"> <h1 style="font-weight: bolder; margin:
12%; font-size: xxx-large;">Building Chatbot For Hospital</h1>
<script> window.watsonAssistantChatOptions = { integrationID: "cba0c163-9f9a-42ce-b6e9-
979ac6318cc0", // The ID of this integration. region: "au-syd", // The region your integration
is hosted in. serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of
your service instance. onLoad: function(instance) { instance.render(); } };
setTimeout(function(){ const t=document.createElement('script'); t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js"; document.head.appendChild(t); });
</script>
</body>
</html>

```