PROJECT DEVELOPMENT DELIVERY OF SPRINT-1

TEAM ID	PNT2022TMID31441
PROJECT NAME	SMART SOLUTION FOR RAILWAYS

SPRINT-1

#include <LiquidCrystal.h>
LiquidCrystal 1cd(5,6,8,9,10,11);
int red1ed = 2; int green1ed = 3;
int buzzer = 4; int sensor = A0; int
sensorThresh = 400;

```
void setup()
{
pinMode(red1ed, OUTPUT);
pinMode(green1ed,OUTPUT);
pinMode(buzzer,OUTPUT);
pinMode(sensor,INPUT); serial.begin(9600);
1cd.begin(16,2);
}
Void loop()
{
  int analogValue = analogRead(sensor);
  Serial.print(analogvalue);
  if(analogValue>sensorThresh)
  {
```

```
digitalWrite(red1ed,HIGH);
  digit1Weite(green1ed,LOW);
  tone(buzzer,1000,10000);
 1cd.clear();
 1cd.setCursor(0,1);
 1cd.print("RAILWAYS"); delay(1000);
 1cd.clear();
 1cd.setCursor(0,1);
 1cd.print("SMART SOLUTION");
  delay(1000);
}
else
```

```
digitalWrite(greenlad,HIGH);
  digitalWrite(red1ed,LOW);
  noTone(buzzer); 1cd.clear();
  1cd.setCursor(0,0);
  1cd.print("SAFE");
  delay(1000);
  1cd.clear();
  1cd.setCursor(0,1);
  1cd.print("ALL CLEAR"); delay(1000);
}
```