## DELIVERY OF SPRINT 1

TEAM ID	PNT2022TMID17659
PROJECT NAME	Smart Waste Management System for metropolitan cities

## **Sprint 1**

```
import time
import sys
import ibmiotf.application
import ibmiotf.device
import random
#Provide your IBM Watson Device Credentials
organization = "1hdx6w"
deviceType = "sprint_1"
deviceId = "12345678"
authMethod = "token"
authToken = "12345678"
# Initialize GPIO
def myCommandCallback(cmd):
  print("Command received: %s" % cmd.data['command'])
  status=cmd.data['command']
  if status=="smart bin opened":
    print ("The Smart Bin is Open now")
  else:
    print ("The Smart Bin is Close now")
#print(cmd)
try:
  deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method": authMethod,
"auth-token": authToken}
  deviceCli = ibmiotf.device.Client(deviceOptions)
except Exception as e:
  print("Caught exception connecting device: %s" % str(e))
  sys.exit()
# Connect and send a datapoint "hello" with value "world" into the cloud as an event of type "greeting" 10
deviceCli.connect()
while True:
    distance=random.randint(0,200)
    weight=random.randint(0,10)
    data = { 'distance' : distance, 'weight': weight }
    def myOnPublishCallback():
      print ("Published Data to IOT Watson: \n Distance= %s cm\n" % distance, " Weight = %s Kg\n" %
weight)
    success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0, on_publish=myOnPublishCallback)
    if not success:
      print("Not connected to IoTF")
       time.sleep(10)
```

deviceCli.commandCallback = myCommandCallback
# Disconnect the device and application from the cloud
deviceCli.disconnect()

```
sprint_1.py - C:/Users/Admin/Desktop/sprint_1.py (3.7.0)
                                                                                                                                                                                                                                                                       File Edit Format Run Options Window Help
   import time
import sys
import ibmiotf.application
import ibmiotf.device
 import random

Provide your IBM Watson Device Credentials
organization - "Indx6w"
deviceType = "aprint 1"
deviceIG = "12345678"
authKethod = "token"
authKoken - "token"
authKoken - "12345678"
i Initialize GPTO
der myCommandcallback(cmd):
    print("Command received: %s" % cmd.data['command'])
    status=cmd.data['command']
    if status="manart bin opened":
    print ("The Smart bin is Open now")
      ort random
       print ("The Smart Bin is Open now")
clse :
  else :
    print ("The Smart Bin is Close now")

*print(cmd)
        deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method": authMethod, "auth-token": authIoken)
deviceCli = ibmiotf.device.Client(deviceOptions)
prit Exception as e:
print("Caught exception connecting device: %s" % str(e))
        sys.exit()
  $ Connect and send a datapoint "hello" with value "world" into the cloud as an event of type "greeting" 10 times deviceCli.connect()
    distance=random.randint(0,200)
             weight-random.randint(0,10)
             data = { 'distance' : distance, 'weight': weight }
            def myOnPublishCallback():
    print ("Published Data to IOT Watson: \n Distance" %s cm\n" % distance, " Weight = %s Kg\n" % weight)
success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0, on_publish-myOnFublishCallback)
                    print ("Not
                                          mnected to IoTF")
                    time.sleep(10)
  deviceCii.commendCallback - myCommandCallback

‡ Disconnect the device and application from the cloud

deviceCii.disconnect()
                                                                                                                                                                                                                                                                              Lr: 23 Col: 52
   · 严健 al (4)
```





