

Exercises

Answer the questions or complete the tasks outlined in bold below, use the specific method described if applicable.

Team ID: PNT2022TMID11384

Team Members:

Vasanth S - 910619104096

Vimal kumar B - 910619104101

Sivadharun S - 910619104079

Sriram S – 910619104086

What is 7 to the power of 4?

In [1]:

```
x=pow(7,4)
print(x)
2401
```

Split this string:

```
s = "Hi there Sam!"
```

into a list.

In [2]:

```
s = "Hi there Sam!"
```

In [3]:

```
x = s.split()
print(x)
['Hi', 'there', 'Sam!']
```

Given the variables:

```
planet = "Earth"
```

```
diameter = 12742
```

Use .format() to print the following string:

The diameter of Earth is 12742 kilometers.

In [4]:

```
planet = "Earth"
diameter = 12742
```

In [5]

:

```
print("The diameter of {0} is {1} kilometers.".format(planet,diameter))
The diameter of Earth is 12742 kilometers.
```

Given this nested list, use indexing to grab the word "hello"

In [6]:

```
lst = [1,2,[3,4],[5,[100,200,['hello']],23,11],1,7]
```

In [7]:

```
print(lst[3][1][2][0])
hello
```

Given this nest dictionary grab the word "hello". Be prepared, this will be annoying/tricky

In [8]:

```
d =
{'k1':[1,2,3,{'tricky':['oh','man','inception',{'target':[1,2,3,'hello']}]}
]}
```

In [9]:

```
print(d['k1'][3]['tricky'][3]['target'][3])
hello
```

What is the main difference between a tuple and a list?

In [10]:

```
#lists are mutable
#tuples are immutable
#example code given below
```

In [11]:

```
#list - mutable    list =
[0,1,2,3,4,5]      print("original
list",list)        list[2]=7
print("changed list",list)
original list [0, 1, 2, 3, 4, 5]
changed list [0, 1, 7, 3, 4, 5]
```

In [12]:

```
#tuple - immutable
tuple1 = (0,1,2,3,4,5)
#tuple1[0] = 7
#on removing the comment in the previous line, it will throw an type
error    print(tuple1)
(0, 1, 2, 3, 4, 5)
```

Create a function that grabs the email website domain from a string in the form:

user@domain.com

So for example, passing "user@domain.com" would return: domain.com

In [13]:

```
def getDomain(email):  
    return email.split('@')[-1]
```

In [14]:

```
getDomain("user@domain.com")
```

Out[14]:

```
'domain.com'
```

Create a basic function that returns True if the word 'dog' is contained in the input string. Don't worry about edge cases like a punctuation being attached to the word dog, but do account for capitalization.

In [15]:

```
def containsDog(str):  
    return "dog" in str.lower().split()
```

In [16]:

```
containsDog("The dog was playing in the garden")
```

Out[16]:

```
True
```

Create a function that counts the number of times the word "dog" occurs in a string. Again ignore edge cases.

In [17]:

```
def DogCount(str):  
    count=0  
    for word in str.lower().split():  
        if word=='dog':  
            count+=1  
    return count
```

In [18]:

```
DogCount("The black dog , white dog and the other dog were having a  
race")
```

Out[18]:

```
3
```

Problem

You are driving a little too fast, and a police officer stops you. Write a function to return one of 3 possible results: "No ticket", "Small ticket", or "Big Ticket". If your speed is 60 or less, the

result is "No Ticket". If speed is between 61 and 80 inclusive, the result is "Small Ticket". If speed is 81 or more, the result is "Big Ticket". Unless it is your birthday (encoded as a boolean value in the parameters of the function) -- on your birthday, your speed can be 5 higher in all cases.

In [19]:

```
def caught_speeding(speed, is_birthday):
    if
is_birthday:
        speeding = speed - 5
    else:
        speeding = speed
        if speeding > 80:
    return 'Big Ticket'
elif speeding > 60:
    return 'Small Ticket'
else:
    return 'No
Ticket'
```

In [20]:

```
caught_speeding(90, True)
```

Out[20]:

```
'Big Ticket'
```

In [21]:

```
caught_speeding(65, False)
```

Out[21]:

```
'Small Ticket'
```

Create an employee list with basic salary values(at least 5 values for 5 employees) and using a for loop retrieve each employee salary and calculate total salary expenditure.

In [26]:

```
invi_emp = int(input('Enter total number of employees:'))
total_emp = 0
for num in range(invi_emp):
    basic=float(input("Enter Basic Salary for each employee:"))
    da=float(basic*0.25)      hra=float(basic*0.15)
    pf=float((basic+da)*0.12)  ta=float(basic*0.075)
    netpay=float(basic+da+hra+ta)  grosspay=float(netpay-pf)
    total_emp += grosspay
    print("Total salary of all employee",total_emp)

Enter total number of employees:3
Enter Basic Salary for each employee:50000
Enter Basic Salary for each employee:25000
Enter Basic Salary for each employee:10000
Total salary of all employee 112625.0
```

Create two dictionaries in Python:

First one to contain fields as Empid, Empname, Basicpay

Second dictionary to contain fields as DeptName, DeptId.

Combine both dictionaries.

In [27]:

```
dict1 = {'EmpId':1,'EmpName':'emp1','BasicPay':1000}
dict2 = {'DeptName':'IT','DeptId':101}          dict3 =
{**dict1,**dict2}          print(dict3)
{'EmpId': 1, 'EmpName': 'emp1', 'BasicPay': 1000, 'DeptName': 'IT', '
DeptId': 101}
```