Assignment – 3

Python Programming

| Assignment Date | 03/10/2022 |
|---------------------|--------------|
| Student Name | Peter John D |
| Student Roll Number | 110519106011 |
| Maximum Mark | 2 Mark |

Problem Statement: Build CNN Model for Classification Of Flowers

1.Download the dataset

```
In []:

### dataset
| unzip Flowers-Dataset.zip

Archive: Flowers-Dataset.zip

inflating: flowers/daisy/100000576_f5288e070_n.jpg
inflating: flowers/daisy/10140303196_b88d3d6cec.jpg
inflating: flowers/daisy/10127637680_2.pg
inflating: flowers/daisy/10172637680_2.pg
inflating: flowers/daisy/10172637680_2.pg
inflating: flowers/daisy/10172637680_2.pg
inflating: flowers/daisy/1017636503_2.pdedad75_n.jpg
inflating: flowers/daisy/1017636503_2.pdedad75_n.jpg
inflating: flowers/daisy/1017636503_2.pf
inflating: flowers/daisy/1017636503_2.pf
inflating: flowers/daisy/10309722094_20fe078807_n.jpg
inflating: flowers/daisy/10309722094_20fe078807_n.jpg
inflating: flowers/daisy/10309722094_20fe078807_n.jpg
inflating: flowers/daisy/10337754174_22ec998077_m.jpg
inflating: flowers/daisy/1033775044_206970457_m.jpg
inflating: flowers/daisy/1033778044_206970457_m.jpg
inflating: flowers/daisy/10466290860_cr2a23532.jpg
inflating: flowers/daisy/10466290860_cr2a23532.jpg
inflating: flowers/daisy/10466290860_cr2a23532.jpg
inflating: flowers/daisy/105588156254_4221156900.jpg
inflating: flowers/daisy/1055881586524_2021156900.jpg
inflating: flowers/daisy/10712722853_5632165004_jpg
inflating: flowers/daisy/1071272285_563525.pd
inflating: flowers/daisy/1071272285_563525.pd
inflating: flowers/daisy/108993718086_203222c91_jpg
inflating: flowers/daisy/10899378086_203222c91_jpg
inflating: flowers/daisy/10899378086_2033222c91_jpg
inflating: flowers/daisy/108232724496_cb50596808_jpg
inflating: flowers/daisy/108232724496_cb50596808_jpg
inflating: flowers/daisy/108232724496_cb50596808_jpg
inflating: flowers/daisy/108232724496_cb50596808_jpg
```

2. Image Augmentation

3.Create a model



Add layers (Convolution, MaxPooling, Flatten, Dense-(HiddenLayers), Output)


```
In []:
    model.add(Convolution2D(32, (3,3), activation = "relu", input_shape = (64,64,3) ))
    model.add(MaxPooling2D(pool_size = (2,2)))
    model.add(Dense(300, activation = "relu"))
    model.add(Dense(300, activation = "relu")) #multiple dense layers
    model.add(Dense(5, activation = "relu")) #multiple dense layers
    model.add(Dense(5, activation = "softmax")) #multiple dense layers

In []:
    num_classes = len(class_names)

model = Sequential([
    data_augmentation,
    layers.Rescaling(1./255, input_shape=(img_height, img_width, 3)),
    layers.Rescaling(1./255, input_shape=(img_height, img_width, 3)),
    layers.MaxPooling2D(3, apadding='same', activation='relu'),
    layers.MaxPooling2D(),
    layers.Conv2D(32, 3, padding='same', activation='relu'),
    layers.MaxPooling2D(),
    layers.MaxPooling2D(),
    layers.MaxPooling2D(),
    layers.Platten(),
    layers.Dense(128, activation='relu'),
    layers.Dense(128, activation='relu'),
    layers.Dense(128, activation='relu'),
    layers.Dense(num_classes)
])
```

Compile The Model

```
model.compile(loss = "categorical_crossentropy", metrics = ["accuracy"], optimizer = "adam")
len(x_train)
Out[ ]: 44
history = model.fit(
train_ds,
validation_data=val_ds,
epochs=epochs)
        epochs=10
history = model.fit(
       In [ ]: acc = history.history['accuracy']
    val_acc = history.history['val_accuracy']
          loss = history.history['loss']
val_loss = history.history['val_loss']
         epochs range = range(epochs)
         plt.figure(figsize=(8, 8))
plt.subplot(1, 2, 1)
plt.plot(epochs_range, acc, label='Training Accuracy')
plt.plot(epochs_range, val_acc, label='Validation Accuracy')
plt.legen(loc='loser right')
plt.title('Training and Validation Accuracy')
         plt.subplot(1, 2, 2)
plt.plot(epochs_range, loss, label='Training Loss')
plt.plot(epochs_range, val_loss, label='Validation Loss')
plt.legend(loc='upper right')
plt.title('Training and Validation Loss')
plt.show()
             Training and Validation Accuracy
                                            Training and Validation Loss
                                       1.3
```



Fit The Model

```
In [ ]: model.fit(x_train, epochs = 15, steps_per_epoch = len(x_train))
   Epoch 1/15
   Epoch 1/15
44/44 [------
Epoch 2/15
44/44 [------
Epoch 3/15
44/44 [------
Epoch 4/15
44/44 [------
Epoch 5/15
44/44 [------
Epoch 6/15
       -----1 - 29s 648ms/step - loss: 1.0351 - accuracy: 0.5939
        44/44 [====
Epoch 7/15
44/44 [====
Epoch 8/15
       Epoch 10/15
   Epoch 12/15
44/44 [====
Epoch 13/15
       44/44 [====
   Epoch 14/15
44/44 [=====
        Epoch 15/15
```

Save The Model

```
In [ ]: model.save("flowers.h1")

In [ ]: model.save("flowers.m5")#another model to show the accuracy
```

Test The Model

```
In [ ]:
          from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
In [ ]: model = load_model("/content/flowers.h1")
In [ ]: #Testing with a random rose image from Google
          img = image.load_img("/content/rose.gif", target_size = (64,64) )
          img
Out[ ]:
In [ ]:     x = image.img_to_array(img)
     x.ndim
Out[ ]: 3
          x = np.expand_dims(x,axis = 0)
          x.ndim
Out[]: 4
In [ ]:
          pred = model.predict(x)
Out[ ]: array([[0., 0., 1., 0., 0.]], dtype=float32)
In [ ]: labels = ['daisy','dandelion','roses','sunflowers','tulips']
In [ ]: labels[np.argmax(pred)]
Out[]: 'roses'
```