PROJECT DEVELOPMENT PHASE


SPRINT-1

Team Id	PNT2022TMID44544
Project Title	Skill/Job Recommender Application
Date	19-11-2022

Home.html

```
<html>
    <head>
       <title>implement3</title>
        <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JOBPORTAL | HOME</title>
    <meta charset="UTF-8">
       <!-- favicon -->
        <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
       <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
       <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-32x32.png">
       <!-- bootstrap css cdn -->
       <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
       <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.css">
       <!-- css stylesheet -->
       <link rel="stylesheet" href="{{url_for('static',filename='css/style.css') }}">
       <!-- font styles cdn -->
       <link rel="preconnect" href="https://fonts.gstatic.com">
       link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
        <link href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600 HYPERLINK</pre>
"https://fonts.googleapis.com/css2?family=Alegreya%3Awght%40600&display=swap"& HYPERLINK
"https://fonts.googleapis.com/css2?family=Alegreya%3Awght%40600&display=swap"display=swap"
rel="stylesheet">
   </head>
            <h1 style="font-size: 4rem; color: #2ecc71">SKILL AND JOB RECOMMENDER</h1>
    </center>
       <link rel="stylesheet" href="style.css">
        <center>
       <style>
```


```
body {
  background-image:
  url('img4.jpg');background-
  repeat: no-repeat; background-
  attachment: fixed; background-
  size: cover;
}
```



Login.html

```
<!DOCTYPE html>
 <html lang="en">
 <head>
                <meta charset="UTF-8">
                <meta http-equiv="X-UA-Compatible" content="IE=edge">
                <meta name="viewport" content="width=device-width, initial-scale=1.0">
                <title>JOBPORTAL | LOGIN</title>
                <link rel="stylesheet" href="style.css">
                                <!-- favicon -->
                                <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-icon"> -
                               <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
                                <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-</pre>
                               32x32.png">
                               <!-- bootstrap css cdn -->
                                <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">hr
 " integrity="sha384-
```


```
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
        <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.css">
        <!-- css stylesheet -->
        <link rel="stylesheet" href="{{url_for('static',filename='css/style.css') }}">
        <!-- font styles cdn -->
        <link rel="preconnect" href="https://fonts.gstatic.com">
        klink
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
        <link href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600</pre>
"https://fonts.googleapis.com/css2?family=Alegreya%3Awght%40600&display=swap"&
"https://fonts.googleapis.com/css2?family=Alegreya%3Awght%40600&display=swap"display=sw
ap"rel="stylesheet">
</head>
<style>
    body {
      url('img12.jpg');background-
      repeat: no-repeat; background-
      attachment: fixed; background-
      size: cover;
    </style>
<body>
    <!-- bootstrap navbar -->
    <div class="logo mt-3 text-center">
        <a class="main-logo-img mt-5" href="#"><img src="iv.png" height="150px"</pre>
        width="150px">
            <!-- <a class="navbar-brand" href="index.html">JobPortal</a> -->
          </a>
    </div>
      <!-- navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">
        <h2> Login Form </h2>
        <form action="/login" method="post">
            <input type="text" name="username" placeholder="Enter Your</pre>
 Username"id="username" required></br></br>
```



Registration page

```
<!DOCTYPE html>
<html lang="en">
<head>
           <meta charset="UTF-8">
           <meta http-equiv="X-UA-Compatible" content="IE=edge">
           <meta name="viewport" content="width=device-width, initial-scale=1.0">
            <title>JOBPORTAL | LOGIN</title>
           <link rel="stylesheet" href="style.css">
                       <!-- favicon -->
                       <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-icon"> -
                       <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
                       <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-</pre>
                      32x32.png">
                       <!-- bootstrap css cdn -->
                       <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap.min.css">href="https://stackpath.bootstrapcdn.com/bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.bootstrap.min.css">href="https://stackpath.b
" integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
                       <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.css">
                       <!-- css stylesheet -->
                       <link rel="stylesheet" href="{{url_for('static',filename='css/style.css') }}">
                       <!-- font styles cdn -->
                       <link rel="preconnect" href="https://fonts.gstatic.com">
```

```
k
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
        <link href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600</pre>
HYPERLINK
"https://fonts.googleapis.com/css2?family=Alegreya%3Awght%40600&display=swap"&
HYPERLINK
"https://fonts.googleapis.com/css2?family=Alegreya%3Awght%40600&display=swap"display=sw
ap"rel="stylesheet">
</head>
<style>
   body {
      background-image:
      url('img11.jpg');background-
      repeat: no-repeat; background-
      attachment: fixed; background-
      size: cover;
    </style>
<body>
    <!-- bootstrap navbar -->
    <div class="logo mt-3 text-center">
        <a class="main-logo-img mt-5" href="#"><img src="iv.png" height="150px"</pre>
        width="150px">
            <!-- <a class="navbar-brand" href="index.html">JobPortal</a> -->
          </a>
    </div>
      <!-- navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">
        <h2> Register Form </h2>
        <form action="/register" method="post">
            <!-- <input type="text" placeholder="fullname" id="fullname"> </br></br> -->
```



App.py

```
from unicodedata import name
from flask import Flask, render_template, request, redirect, url_for,
sessionimport ibm_db
import re
app = Flask(__name___)
app.secret_key='a'
ibm db.connect("DATABASE=bludb; HOSTNAME=98538591-7217-4024-
8baa776ffad1.c3n41cmd0nqnrk39u98g.databases.appdomain.cloud;PORT=30875;PROTOCOL=TCPIP;SECURI
=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=fxm42113;PWD=XHzCZLrUPYhyRiHW;",
('/')def
    return render template('/home.html')
@app.route('/registertemp',methods=["POST","GET"
])def registertemp():
    return render_template("register.html")
@app.route('/uploaddata', methods
=['GET','POST'])def register():
    msg = ''
    if request.method == 'POST':
```

```
firstname =
        request.form['firstname']
        request.form['lastname']
        request.form['username'] email =
        request.form['email'] password =
        request.form['password'] address
        = request.form['address']
        stmt = ibm db.prepare(conn, 'SELECT * FROM userss WHERE username
        = ?')ibm_db.bind_param(stmt, 1, username)
        ibm db.execute(stmt)
        ibm_db.fetch_assoc(stmt)if
            msg = 'Account already exists !'
        elif not re.match(r'[^@]+@[^@]+\.[^@]+',
            email):msg = 'Invalid email address !'
        elif not re.match(r'^[A-Za-z0-9_.-]*$', username):
            msg = 'name must contain only characters and
        numbers !'else:
            prep stmt = ibm db.prepare(conn,'INSERT INTO userss(firstname, lastname,
username,email, password, address) VALUES(?, ?, ?, ?, ?)')
            ibm_db.bind_param(prep_stmt, 1, firstname)
            ibm_db.bind_param(prep_stmt, 2, lastname)
            ibm db.bind param(prep stmt, 3, username)
            ibm db.bind param(prep stmt, 4, email)
            ibm db.bind param(prep stmt, 5, password)
            ibm db.bind param(prep stmt, 6,
            address)ibm db.execute(prep stmt)
            msg = 'Dear % s You have successfully
        registered!'%(username) return render template('register.html',a
        = msg,indicator="success")
    else:
        msg = 'Please fill the form!'
    return render_template('register.html',a = msg, indicator='failure')
@app.route('/login', methods=["POST", "GET"
])def login():
    return render template("login.html")
@app.route('/logindata',methods=["POST","GET"
])def logindata():
    global
    msg = ''
    if request.method == 'POST' and 'username' in request.form and 'password' in
        request.form:username = request.form['username']
        password = request.form['password']
        stmt = ibm db.prepare(conn,'SELECT * FROM userss WHERE username = ? AND password
        = ?')ibm db.bind param(stmt,1,username)
        ibm_db.bind_param(stmt,2,password)
        ibm db.execute(stmt)
```

```
ibm db.fetch tuple(stmt)if
            session['id'] = account[0]
            userid = account[0]
            session['username'] =
            account[1]
            return
        redirect(url for('dashboard'))else:
            msg = 'Incorrect username / password !'
            return render_template('login.html', b = msg, indicator="failure")
@app.route('/home
')def
   if 'id' in session:
        uid = session['id']
        stmt = ibm_db.prepare(conn, 'SELECT * FROM userss WHERE id
        = ?')ibm_db.bind_param(stmt, 1, uid)
        ibm db.execute(stmt)
        ibm db.fetch tuple(stmt)
        session['username']
        return render_template('user dashboard.html', name = username)
@app.route('/profile',methods=["POST","GE
T"])def profile():
    if 'id' in session:
        uid = session['id']
        stmt = ibm_db.prepare(conn, 'SELECT * FROM userss WHERE id
        = ?')ibm_db.bind_param(stmt, 1, uid)
        ibm_db.execute(stmt)
        acc =
        ibm db.fetch tuple(stmt)
        return
render_template('userprofile.html',fullname=acc[1]+acc[2],username=acc[3],email=acc[4],addre
=acc[6])
    return render_template('userprofile.html')
@app.route('/index',methods=["POST","GET"
])def complaint():
    if request.method ==
        "POST":if 'id' in
            msg = ''
            'id']
            selectcategory =
            request.form['selectcategory']date =
            request.form['dt']
            phone = request.form['phone']
```

```
request.form['additional']state =
            request.form['state']
            email = request.form['email']
            complaint = request.form.get('complaint')
            stmt = ibm_db.prepare(conn,"SELECT * FROM userss WHERE id
            = ?")ibm_db.bind_param(stmt, 1, uid)
            ibm_db.execute(stmt)
            ibm_db.fetch_assoc(stmt)
            prep stmt = ibm db.prepare(conn,'INSERT INTO complaintdetails(uid,
selectcategory, dt , phone, additional, state, email, complaint, status) VALUES (?, ?, ?,
?, ?, ?, ?, ?, ?)')
            ibm db.bind param(prep stmt, 1, uid)
            ibm_db.bind_param(prep_stmt, 2, selectcategory)
            ibm_db.bind_param(prep_stmt, 3, date)
            ibm_db.bind_param(prep_stmt, 4, phone)
            ibm db.bind param(prep stmt, 5, additional)
            ibm_db.bind_param(prep_stmt, 6, state)
            ibm db.bind param(prep stmt, 7, email)
            ibm_db.bind_param(prep_stmt, 8, complaint)
            ibm_db.bind_param(prep_stmt, 9,
            'pending')ibm_db.execute(prep_stmt)
            msg = 'You have successfully registered your
            complaint'return render_template('index.html',a =
            msg)
    return
render template('index.html')
@app.route('/view',methods=["POST","GE
T"])def view():
    if 'uid' in
        session['uid']
        stmt = ibm_db.prepare(conn, 'SELECT * FROM complaintdetails WHERE uid
        = ?')ibm db.bind param(stmt, 1, uid)
        ibm db.execute(stmt)
        acc = ibm db.fetch tuple(stmt)
        return
    render_template('comphistory.html')return
    render_template('comphistory.html')
@app.route('/comphistory',methods=['POST','GE
T'])def compview():
    if 'id' in
        stmt = ibm db.prepare(conn, 'SELECT * FROM complaintdetails WHERE id
        = ?')ibm db.bind param(stmt, 1, uid)
        ibm db.execute(stmt)
        comp = ibm db.fetch assoc(stmt)
        return render_template('usercomphist.html',complaints = comp)
@app.route('/admi
n')def admin():
    return render template('admin.html')
```

```
@app.route('/adminpa
ge')def adminpage():
    return render_template('admin dashboard.html')
@app.route('/adminlog', methods=["POST", "GET"
])def adminlog():
    msg = ''
    email = request.form['email']
    request.form['password']
    stmt = ibm_db.prepare(conn, 'SELECT * FROM admininfo WHERE email = ? and password = ?')
    ibm db.bind param(stmt,1, email)
    ibm_db.bind_param(stmt,2,
    password)ibm db.execute(stmt)
    ibm_db.fetch_assoc(stmt)
    if(logged):
        msg = 'successfully loggedin'
        return render_template("admin
    dashboard.html",a=msg)else:
        return render_template("admin.html", a="Incorrect
email/password")@app.route('/loggout')
def loggout():
    if 'id ' in session:
        session.pop('id',None)
        session.pop('email', None)
        session.pop('password',None)
    return
redirect(url_for('home'))
@app.route('/logout')
def logout():
    session.pop('loggedin',
    None) session.pop('id',
    None)
    session.pop('username',
    None) return
    redirect(url_for('login'))
@app.route('/agent', methods=["POST", "GET"
])def agent():
    return render template('agent.html')
@app.route('/agentdata',methods=["POST","GET"
])def agentdata():
    msg = ''
    request.form['username']
    request.form['password']
    stmt = ibm db.prepare(conn,'INSERT INTO agentinfo(username, password) VALUES (?,
    ?)')ibm db.bind param(stmt, 1, username)
    ibm db.bind param(stmt, 2,
    password)ibm_db.execute(stmt)
```

```
msg = 'Agent has been created successfully'
return render_template('agent.html',a =
    msg)

if__name__ == '__main__':
    app.debug=True
    app.run(host='0.0.0.0',port=8
    080)
```