### **ASSIGNMENT 4**

# **WOKWI PROGRAM**

ASSIGNMNET DATE	23 OCTOBER 2022		
STUDENT NAME	SATHYA PRIYA B		
STUDENT ROLL NUMBER	110519106021		
MAXIMUM NUMBER	2 MARKS		
TEAM ID	PNT2022TMID36201		

#### **CODE:**

```
#include <WiFi.h>
#include < PubSubClient.h >
void callback(char* subscribetopic,byte* payload, unsigned int payloadLength);
#define ORG "r1nl13"
#define DEVICE_TYPE "SathyaPriya"
#define DEVICE_ID "2609"
#define TOKEN "i5QqQIPGeqAES5iqgy"
String data3;
char server[]= ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[]="iot-2/evt/SathyaPriya/fmt/json";
char subscribeTopic[]="iot-2/cmd/test/fmt/String";
char authMethod[]="use-token-auth";
char token[]=TOKEN;
char clientID[]="d:"ORG":"DEVICE_TYPE":"DEVICE_ID;
```

```
WiFiClient wifiClient;
PubSubClient client(server,1883,callback,wifiClient);
#define ECHO PIN 12
#define TRIG_PIN 13
#define led 14
void setup() {
// put your setup code here, to run once:
 Serial.begin(115200);
 pinMode(led, OUTPUT);
 pinMode(TRIG_PIN, OUTPUT);
 pinMode(ECHO_PIN, INPUT);
 wificonnect();
 mqttconnect();
float readDistanceCM() {
 digitalWrite(TRIG_PIN, LOW);
 delayMicroseconds(2);
 digitalWrite(TRIG PIN, HIGH);
 delayMicroseconds(10);
 digitalWrite(TRIG_PIN, LOW);
 int duration=random(1,200);
```

```
//Serial.println(duration);
 //duration = pulseIn(ECHO_PIN, HIGH);
 return duration;
 //Serial.println(duration);
}
void loop() {
 float distance = readDistanceCM();
 //Serial.println(distance);
 bool is Nearby = distance < 100;
 digitalWrite(led, isNearby);
 Serial.print("Measured distance: ");
 Serial.println(distance);
 if(distance<100){
  PublishData2(distance);
 }else{
  PublishData1(distance);
 }
 //PublishData(distance);
```

```
delay(1000);
 if(!client.loop()){
  mqttconnect();
 }
 //delay(2000);
}
void PublishData1(float dist){
 mqttconnect();
 String payload= "{\"distance\":";
 payload += dist;
 payload+="}";
 Serial.print("Sending payload:");
 Serial.println(payload);
 if(client.publish(publishTopic,(char*)payload.c_str())){
  Serial.println("publish ok");
 } else{
  Serial.println("publish failed");
 }
}
void PublishData2(float dist){
 mqttconnect();
```


```
String payload= "{\"ALERT\":";
 payload += dist;
 payload+="}";
 Serial.print("Sending payload:");
 Serial.println(payload);
 if(client.publish(publishTopic,(char*)payload.c_str())){
  Serial.println("publish ok");
 } else{
  Serial.println("publish failed");
 }
}
void mqttconnect(){
 if(!client.connected()){
  Serial.print("Reconnecting to");
  Serial.println(server);
  while(!!!client.connect(clientID, authMethod, token)){
   Serial.print(".");
   delay(500);
  }
  initManagedDevice();
  Serial.println();
 }
```

```
}
void wificonnect(){
 Serial.println();
 Serial.print("Connecting to");
 WiFi.begin("Wokwi-GUEST","",6);
 while(WiFi.status()!=WL_CONNECTED){
  delay(500);
  Serial.print(".");
 }
 Serial.println("");
 Serial.println("WIFI CONNECTED");
 Serial.println("IP address:");
 Serial.println(WiFi.localIP());
}
void initManagedDevice(){
 if(client.subscribe(subscribeTopic)){
  Serial.println((subscribeTopic));
  Serial.println("subscribe to cmd ok");
 }else{
  Serial.println("subscribe to cmd failed");
 }
```

```
}
```

```
void callback(char* subscribeTopic, byte* payload, unsigned int payloadLength){
 Serial.print("callback invoked for topic:");
 Serial.println(subscribeTopic);
 for(int i=0; i<payloadLength; i++){</pre>
  data3 += (char)payload[i];
 }
 Serial.println("data:"+ data3);
 if(data3=="lighton"){
  Serial.println(data3);
  digitalWrite(led,HIGH);
 }else{
  Serial.println(data3);
  digitalWrite(led,LOW);
 data3="";
}
```

#### **OUTPUT:**





## **IBM CLOUD OUTPUT:**

