
Date	November 16,2022
Team Id	PNT2022TMID13948
Project Name	Natural Disaster Intensity and Analysis using Artificial Intelligence
Marks	20

Image Preprocessing:

• Import the Image Data generator Library□

Image data augmentation is a technique that can be used to artificially expand the size of a training dataset by creating modified versions of images in the dataset.

The Keras deep learning neural network library provides the capability to fit models using image data augmentation via the Image Data Generator class .Let us import the Image Data Generator class from Keras.



• Configure image Data Generator class□

Image Data Generator class is instantiated and the configuration for the types of data augmentation

There are five main types of data augmentation techniques for image data; specifically:


Image shifts via the width shift range and height shift range arguments.

The image flips via the horizontal flip and vertical flip arguments.

Image rotations via the rotation range argument

Image brightness via the brightness range argument.

An instance of the Image Data Generator class can be constructed for train and test.




 \square Apply Image Data Generator Functionality to Trainset and Test set \square

Let us apply Image Data Generator functionality to Trainset and Test set by using the following code

For Training set using flow from directory function.

This function will return batches of images from the subdirectories Cyclone, Earthquake, Flood, Wildfire together with labels 0 to 3{Cyclone: 0, Earthquake: 1, Flood: 2, Wildfire: 3}



```
inviating: dataset/rain_set/cyclone/213.jpg
inflating: dataset/rain_set/cyclone/213.jpg
inflating: dataset/rain_set/cyclone/213.jpg
inflating: dataset/rain_set/cyclone/213.jpg
inflating: dataset/rain_set/cyclone/220.jpg
inflating: dataset/rain_set/cyclone/220.jpg
inflating: dataset/rain_set/cyclone/221.jpg
inflating: dataset/rain_set/cyclone/221.jpg
inflating: dataset/rain_set/cyclone/221.jpg
inflating: dataset/rain_set/cyclone/222.jpg
inflating: dataset/rain_set/cyclone/225.jpg
inflating: dataset/rain_set/cyclone/225.jpg
inflating: dataset/rain_set/cyclone/226.jpg
inflating: dataset/rain_set/cyclone/226.jpg
inflating: dataset/rain_set/cyclone/226.jpg
inflating: dataset/rain_set/cyclone/230.jpg
inflating: dataset/rain_set/cyclone/250.jpg
inflating: dataset/rai
```

inflating: dataset/train_set/Flood/44.jpg
inflating: dataset/train_set/Flood/44.jpg
inflating: dataset/train_set/Flood/41.jpg
inflating: dataset/train_set/Flood/41.jpg
inflating: dataset/train_set/Flood/42.jpg
inflating: dataset/train_set/Flood/43.jpg
inflating: dataset/train_set/Flood/43.jpg
inflating: dataset/train_set/Flood/43.jpg
inflating: dataset/train_set/Flood/43.jpg
inflating: dataset/train_set/Flood/43.jpg
inflating: dataset/train_set/Flood/43.jpg
inflating: dataset/train_set/Flood/53.jpg
inflating: dataset/train_set/Flood/63.jpg
inflating: dataset/train_set/Flood/73.jpg
inflating: dataset/train_set/F

Apply ImageDataGenerator Functionality To Trainset And Testset

```
In [19]: #Performing data augmentation to train data

x_train = train_datagen.flow_from_directory('/content/drive/MyDrive/dataset/dataset/train_set', target_size = (64,64), batch_size = 5, color_mode = 'r

#performing data augmentation to test data

x_test = test_datagen.flow_from_directory('/content/drive/MyDrive/dataset/dataset/test_set', target_size = (64,64), batch_size = 5, color_mode = 'rgb'

Found 742 images belonging to 4 classes.

Found 198 images belonging to 4 classes.
```