

ASSIGNMENT – 3

Assignment Date	8 November 2022
Student Name	Poongodi S
Student Roll no	731719104017
Maximum Marks	2 Marks

1.Create a Bucket in IBM object storage.

IBM Cloud Search resources and products... Catalog Manage Poongodi S's Account

Cloud Object Storage

Storage instances

cfss-object-store

Buckets

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan

Buckets


Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Search

Create bucket +

Name	Public access ⓘ	Location ⓘ	Storage class	Created
jrb-bucket2	Yes	eu-gb	Smart Tier	2022-11-05 1:20 AM

2.Upload an 5 Images to IBM object storage and make it public.
Write HTML code to displaying all the 5 Images.



3.Upload a CSS page to the object storage and use the same page in your HTML code.


CSS code

```
# style.css > ...  
1  img{  
2    text-align: center;  
3    height:250px;  
4    width:250px;  
5  }  
6
```

HTML code

```
image.html • image.html - assistant - Visual Studio Code
File Edit Selection View Go Run Terminal Help
image.html > html
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Bucket Image</title>
5     <link rel="stylesheet" href="style.css">
6   </head>
7   <body>
8     <h1>Images</h1>
9     
10    
11    
12    
13    
14  </body>
15 </html>
17
```

Output



4.Design a Chatbot using IBM Watson assistant for Smart Fashion Recommender.

Code:

```
index.html
index.html > html > body > center
1  <!DOCTYPE html>
2  <html>
3      <head>
4          <title>Smart Fashion Recommender</title>
5          <link rel="stylesheet" href="smart.css">
6      </head>
7      <body>
8          <center><h1>Smart Fashion Recommender!!</h1></center>
9      <script>
10         window.watsonAssistantChatOptions = {
11             integrationID: "9723935e-af4e-4761-9f12-d9f622ef3d7b", // The ID of this integration.
12             region: "au-syd", // The region your integration is hosted in.
13             serviceInstanceID: "d71d1185-3e04-4bda-9739-9214783a8462", // The ID of your service instance.
14             onLoad: function(instance) { instance.render(); }
15         };
16         setTimeout(function(){
17             const t=document.createElement('script');
18             t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'lat
19             document.head.appendChild(t);
20         });
21     </script>
22 </body>
23 </html>
24
25
```

CSS code

```
# smart.css > h1
1
2  h1{
3      font-family: cursive;
4      font-size: 20;
5  }
6  body {
7      background-image: url("sorry.jpg");
8      background-color: #cccccc;
9      background-repeat: no-repeat;
10     background-size: 1370px;
11 }
```

Waston Assistant Chatbot Output

