PROJECT DOCUMENTATION

Deep Learning Fundus Image Analysis
For Early Detection of Diabetic Retinopathy

Team Id:-PNT2022TMID20760

Submitted By:-

Priyanka S – 211519205118 - Team Lead

Karpaga dharshini – 412419104136

Swathika - 412419104129

Teena Amisha Naahz - 412419104072

DEEP LEARNING FUNDUS IMAGE ANALYSIS FOR EARLY DETECTION OF DIABETIC RETINOPATHY

Table of Contents:-

1. INTRODUCTION:-

The main causing of visual loss in the world is diabetic retinopathy. In the initial stages of this disease, the retinal microvasculature is affected by several abnormalities in the eye fundus such as the micro aneurysms and/or dot haemorrhages, vascular hyper permeability signs, exudates, and capillary closures. Micro-aneurysm dynamics primarily increase the risk that the laser photo coagulation requires progression to the level. Diabetic retinopathy lesions are commonly accepted to be reversed and the progression of the retinopathy can only be slower during the early stages of the disease. The identification by repeated examination of patients affected of these initial lesions (mainly Micro aneurysms and small blood cells) is expected as a new possibility of improving retinopathy treatment. Floating and flashes, blurred vision, and loss of sudden vision can be common symptoms of diabetic retinopathy.

1.1 Project Overview:-

Diabetic Retinopathy (DR) is a common complication of diabetes mellitus, which causes lesions on the retina that affect vision. If it is not detected early, it can lead to blindness. Unfortunately, DR is not a reversible process, and treatment only sustains vision. DR early detection and treatment can significantly reduce the risk of vision loss. The manual diagnosis process of DR retina fundus images by ophthalmologists is time, effort and cost-consuming and prone to misdiagnosis unlike computer-aided diagnosis systems.

Transfer learning has become one of the most common techniques that has achieved better performance in many areas, especially in medical image analysis and classification. We used Transfer Learning techniques like Inception V3,Resnet50,Xception V3 that are more widely used as a transfer learning method in medical image analysis and they are highly effective.

1.2 Purpose:-

The Proposed work intends to automate the detection and classification of diabetic retinopathy from retinal fundus image which is very important in ophthalmology. Most of the existing methods use handcrafted features and those are fed to the classifier for detection and classification purpose. Recently convolutional neural network (CNN) is used for this classification problem but the architecture of CNN is manually designed. In this work, a genetic algorithm based technique is proposed to automatically determine the

parameters of CNN and then the network is used for classification of diabetic retinopathy. The proposed CNN model consists of a series of convolution and pooling layer used for feature extraction. Finally support vector machine (SVM) is used for classification. Hyper-parameters like number of convolution and pooling layer, number of kernel and kernel size of convolution layer are determined by using the genetic algorithm. The proposed methodology is tested on publicly available Messidor dataset. The proposed method has achieved accuracy of 0.9867 and AUC of 0.9933. Experimental result shows that proposed auto-tuned CNN performs significantly better than the existing methods. Use of CNN takes away the burden of designing the image features and on the other hand genetic algorithm based methodology automates the design of CNN hyper-parameters.

2. LITERATURE SURVEY:-

ABSTRACT

EXISITING PROBLEM:-

Diabetic Retinopathy (DR) is a degenerative disease that impacts the eyes and is a consequence of Diabetes mellitus, where high blood glucose levels induce lesions on the eye retina. Diabetic Retinopathy is regarded as the leading cause of blindness for diabetic patients, especially the working-age population in developing nations. Treatment involves sustaining the patient's current grade of vision since the disease is irreversible. Early detection of Diabetic Retinopathy is crucial in order to sustain the patient's vision effectively. The main issue involved with DR detection is that the manual diagnosis process is very time, money, and effort consuming and involves an ophthalmologist's examination of eye retinal fundus images. The latter also proves to be more difficult, particularly in the early stages of the disease when disease features are less prominent in the images. Machine learning-based medical image analysis has proven competency in assessing retinal fundus images, and the utilization of deep learning algorithms has aided the early diagnosis of Diabetic Retinopathy (DR). This paper reviews and analyzes state-

of-the-art deep learning methods in supervised, self-supervised, and Vision Transformer setups, proposing retinal fundus image classification and detection. For instance, referable, nonreferable, and proliferative classifications of Diabetic Retinopathy are reviewed and summarized. Moreover, the paper discusses the available retinal fundus datasets for Diabetic Retinopathy that are used for tasks such as detection, classification, and segmentation. The paper also assesses research gaps in the area of DR detection/classification and addresses various challenges that need further study and investigation.

REFERENCES:-

Survey 1 :

AUTHORS: Mohammad Z. Atwany , Abdulwahab H. Sahyoun , And Mohammad Yaqub (March 22).

TITLE: 'Deep Learning Techniques for Diabetic Retinopathy Classification: A Survey.'

METHODS: This paper reviews and analyzes state-of- theart deep learning methods in supervised, self-supervised, and Vision Transformer setups, proposing retinal fundus image classification and detection. For instance, referable, nonreferable, and proliferative classifications of Diabetic Retinopathy are reviewed and summarized. Moreover, the paper discusses the available retinal fundus datasets for Diabetic Retinopathy that are used for tasks such as detection, classification, and segmentation

Survey 2 :

AUTHORS: Mohamad Hazim Johari , Hasliza Abu Hassan , Ahmad Ihsan Mohd Yassin (July 2018).

TITLE: 'Early Detection of Diabetic Retinopathy by Using Deep Learning Neural Network.'

METHODS: This project presents a method to detect diabetic retinopathy on the fundus images by using deep learning neural network. Convolution Neural Network (CNN) has been used in the project to ease the process of neural learning. The data set used were retrieved from MESSIDOR database and it contains 1200 pieces of fundus images. The images were filtered based on the project needed. There were 580 pieces of images types

has been used after filtered and those pictures were divided into 2, which is Exudates images and Normal images. On the training and testing session, the 580 mixed of exudates and normal fundus images were divided into 2 sets which is training set and testing set. The result of the training and testing set were merged into a confusion matrix. The result for this project shows that the accuracy of the CNN for training and testing set was 99.3% and 88.3% respectively.

Survey 3 :

AUTHOR: Recep Emre Hacisoftaoglu (Dec 2019).

TITLE: 'Deep Learning Frameworks For Diabetic Retinopathy Detection Using Smartphone-Based Retinal Imaging Systems.'

METHODS: In this thesis, we first investigate the smartphone-based portable ophthalmoscope systems available on the market and compare their Field of View and image quality to determine if they are suitable for Diabetic Retinopathy detection during a general health screening. Then, we propose automatic Diabetic Retinopathy detection algorithms for smartphone-based retinal images using deep learning frameworks, AlexNet and GoogLeNet. To test our proposed methods, we generate smartphone-based synthetic retina images by simulating the different Field of View with masking the original image around the optic disk and cropping it.

Survey 4 :

AUTHORS: Lei Lu , Ying Jiang , Ravindran Jaganathan , and Yanli Hao. (Jan 2019).

TITLE: 'Current Advances in Pharmacotherapy and Technology for Diabetic Retinopathy: A Systematic Review.'

METHODS: Direct injections or intra virtual antiinflammatory and anti angiogenesis agents are widely used pharmacotherapy to effectively treat DR and diabetic macular edema (DME). However, their effectiveness is short term, and the delivery system is often associated with adverse effects, such as cataract and increased intraocular pressure. Further, systemic agents and plants-based drugs have also provided promising treatment in the progression of DR. Recently, advancements in pluripotent stem cells technology enable restoration of retinal functionalities after transplantation of these cells into animals

with retinal degeneration. This review paper summarizes the developments in the current and potential pharmacotherapy and therapeutic technology of DR. Literature search was done on online databases, PubMed, Google Scholar, clinitrials.gov, and browsing through individual ophthalmology journals and leading pharmaceutical company websites.

2.3.PROBLEM STATEMENT DEFINITION:-

Diabetic Retinopathy (DR) is common complication of diabetes mellitus, which will cause lesions on the retina that affects vision. If it is not detected early, it can lead to blindness. Unfortunately, DR is not a reversible proves, and the given treatment will only give us a sustain vision. DR early detection and treatment can significantly reduce the risk of vision loss.

WHAT ? In contrast to computer-aided diagnosis systems, the manual / human-based diagnosis process of DR retina fundus images by doctors (ophthalmologists) is time-consuming, labor-intensive, expensive, and prone to error.

WHY ? Diabetes-related retinopathy is brought on by high blood sugar levels harming the eye's iris. which could result in a permanent loss of vision.

WHEN ? Early on, the DR has no symptoms, but later on, the vessels may start to leak a tiny amount of blood into your retina..

WHERE ? Blurred vision, Distorted vision will occur.

WHO? It is common among the Diabetic patients.

HOW ? The manual early detection of this DR is a challenging task.

OBJECTIVES :

The primary goal is to identify diabetic retinopathy by processing retinal images. Transfer learning has arose as one of the most popular techniques that has enhanced performance in many areas, notably in the analysis and classification of medical images. We used transfer learning techniques that are more frequently used in medical image

analysis and have been extremely effective, including such Inception V3, Resnet50, and Xception V3.

3.IDEATION PHASE & PROPOSED SOLUTION :

3.1 Empathy Map Canvas :

3.2 IDEATION AND BRAINSTORMING:-

3.3 PROPOSED SOLUTION:-

| S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Given a image of left and right eye of the patient,the main aim of the project is to classify the eye status among one of the following classes 0-No DR,1-Mild,2-Moderate,3-severe,4-proliferate DR
2.	Idea / Solution description	Detecting DR is manual process done by trained clinician,so the project aim to provide a automated ,suitable and sophisticated approach using image processing and pattern recognition.
3.	Novelty / Uniqueness	Classify if a patient suffers from diabetic retinopathy and use visualization method to proved better interpretation
4.	Social Impact / Customer Satisfaction	This review identifies the need for improved outcome measures to provide valid, meaningful measurement of the social and emotional impact of diabetic retinopathy and discuss potential directions
5.	Business Model (Revenue Model)	Early screening and timely treatment of the DR can reduce the burden of sight threatening retinopathy.In this project we discuss the current status of using artificial intelligence in DR and few common retinal disorders
6.	Scalability of the Solution	Image processing system significantly reduce the time required to determine diagnoses,saving effort and cost for ophthalmologists result in timely treatment of patients

3.4 PROPOSED SOLUTION FIT

| Project Title: | Project Design Phase-I - Solution Fit Template | Team ID: PNT2022TMID26245 |

Define CS, fit into CC

1. CUSTOMER SEGMENT(S) — CS

Who is your customer?
i.e. working parents of 0-5 y.o. kids

Patient who are interested to know about the diabetic retinopathy .The stages and types of the DR will be known

6. CUSTOMER CONSTRAINTS — CC

What constraints prevent your customers from taking action or limit their choices of solutions? i.e. spending power, budget, no cash, network connection, available devices.

Our website will help the customer s to get the results instantly when they are unable to reach the doctor

5. AVAILABLE SOLUTIONS — AS

Which solutions are available to the customers when they face the problem
or need to get the job done? What have they tried in the past? What pros & cons do these solutions have? i.e. pen and paper is an alternative to digital notetaking

1.Jagadis h Naya k, P Subba nna Bhat, Rajen dra Achar ya U,C. M. Lim, Manjunath Kagathi Automated Identification of Diabetic Retinopathy Stages Using Digital Fundus Images(November 2007)-possible to reduce the diagnosing time.

Explore AS, differentiate

Focus on J&P, tap into BE, understand RC

2. JOBS-TO-BE-DONE / PROBLEMS — J&P

Which jobs-to-be-done (or problems) do you address for your customers? There could be more than one; explore different sides.

The customer needs not to wait for long time to get the result. Once image processing is done the result will be predicted

9. PROBLEM ROOT CAUSE — RC

What is the real reason that this problem exists?
What is the back story behind the need to do this job?
i.e. customers have to do it because of the change in regulations.

The patient can use this website to determine the stage and type of the diabetic retinopathy

7. BEHAVIOUR — BE

What does your customer do to address the problem and get the job done?
i.e. directly related: find the right solar panel installer, calculate usage and benefits; indirectly associated: customers spend free time on volunteering work (i.e. Greenpeace)

People can gain knowledge of the biological concepts associated with diabetic retinopathy and necessary steps to make their healthy to avoid and prevent the diabetic retinopathy

Focus on J&P, tap into BE, understand RC

Identify strong TR & EM

3. TRIGGERS — TR

What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news.

The patient will become curious to learn whether they have the disease once they have report in hand

4. EMOTIONS: BEFORE / AFTER — EM

How do customers feel when they face a problem or a job and afterwards?
i.e. lost, insecure > confident, in control...; use it in your communication strategy & design

The patient will be anxious and curious to learn if the results are favorable or unfavorable after receiving the findings. If the patient receives the unfavorable the patient must visit the doctor.

10. YOUR SOLUTION — SL

If you are working on an existing business, write down your current solution first, fill in the canvas, and check how much it fits reality.
If you are working on a new business proposition, then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour.

The Project can reduce many of the limitations that occur in healthcare associated with inaccuracy in diagnoses, missing data, cost, and time.

8. CHANNELS of BEHAVIOUR — CH

8.1 ONLINE
What kind of actions do customers take online? Extract online channels from #7

8.2 OFFLINE
What kind of actions do customers take offline? Extract offline channels from #7 and use them for customer development.

After the report is sent to the user, he can enter the data from the report, check his results, and receive some diet recommendations.

The nearby laboratory receives blood samples, and the results are provided.

Identify strong TR & EM

4.REQUIREMENT ANALYSIS:-

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail
FR-2	User medical details	The users thyroid, sugar and blood pressure
FR-3	User personal details	The user's personal detail are fetched such as age, gender, phone number etc.
FR-4	Accurate report	Deals with the accuracy in the prediction
FR-5	Navigation	User friendly website where the user can easily navigate between the pages

Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	User can know the range before entering their own report and can easily navigate.
NFR-2	Security	The user data is very secured .It is accessed only the user and company
NFR-3	Reliability	The result or the report given is very reliable
NFR-4	Performance	Deals with the front-end load time and fast return of result of the report
NFR-5	Availability	All the reports and result will be available in user's log in
NFR-6	Scalability	Collecting response from user

5.PROJECT DESIGN:-

5.1 DATA FLOW DIAGRAM:-

Data Flow Diagrams:

The classic visual representation of how information moves through a system is a data flow diagram (DFD). The ideal amount of the system needs can be graphically represented by a tidy and understandable DFD. It demonstrates how information enters and exits the system, whatmodifies the data, and where information is kept.

- Diabetic retinopathy diseaseis frequently detected and examined using retinal fundus   Pre-processing of raw retinal fundus images is performed using extraction of the green channel, histogramequalization, image enhancement,and resizing techniques.
- One of the main tasks in retinalimage processing is thesegmentation of the retinal vasculature from images of the eye fundus.

- By omitting the optic disc (OD) regionof the retina, the computer-assisted automatic recognition and segmentation of blood vessels.

- Mathematicalbinary morphological techniques are used to identify the retinal bloodvessels.

- The term "feature extraction from the fundus images for the diagnosis of Diabetic Retinopathy" refers to a sophisticated eye screeningtechnique that allows for the early detection of eye-related disorders.

5.2 TECHNOLOGY ARCHITECTURE:-

DEEP LEARNING FUNDUS IMAGE ANALYSIS FOR EARLY DETECTION OF DIABETIC RETINOPATHY

Table-1:Components& Technologies:

1.	User Interface	Web UI	HTML, CSS, JavaScript, Python
2.	Application logic-1	Image Preprocessing	Keras,Tensorflow,Numpy
3.	Application logic-2	CNN Model	Keras,Tensorflow,Numpy
4.	Application logic-3	Web UI Application	Flask
5.	Database	DR Images (Jpeg,Png,Jpg,Etc.,)	Uploads Folder
6.	File storage	File Storage Requirements (Only If Necessary)	IBM Block Storage, GoogleDrive
7.	External Api	Keras	Image Processing API
8.	Deep Learning Model	Inception V3 Architecture	Pre-Trained Convolution NeuralNetwork Model
9.	Infrastructure (Server)	Application Deployment on Webserver	Flask-A PythonWSGI HTTP Server.

Table-2:Application characteristics:

S.No	Characteristics	Description	Technology
1.	Open-Source Frameworks	Flask	Flask Frameworks
2.	Security Implementations	CSRF Protection,Secure Flag For Cookies	Flask-WTF, Session Cookie Secure
3.	Scalable Architecture	Micro-Services	Micro Web Application FrameworkBy Flask

5.3 USER STORIES:-

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Patient (Webuser)	Registration	USN-1	I can register as a user on the website with eitheran email address or a phone number and password.	I can createmy account.	High	Sprint-3
	Login	USN-2	With theprovided Login credentials, I canaccessthe website as a user.	I can log in andaccess myaccount .	High	Sprint-3
	Upload image	USN-3	I can post my data as a userin formats likepdf and doc.	I can uploadmy data.	Medium	Sprint-3
Administration (Web developer)	Admin Login	USN-4	I can log in to the website as theadmin and analyze the user information .	I can log in and analyze the user data.	High	Sprint-3
	Data collection	USN-5	I can gatherthe dataset forthe DR fromthe source as anadmin.	I can collect the dataset.	Low	Sprint-1
	Create model	USN-6	I can buildthe model andtrain it using the dataset as an administrator to makepredictions.	I can create andtrain the model.	High	Sprint-1
	Test the model	USN-7	I canevaluate the model's predictive abilities as an admin.	I can testthe model.	High	Sprint-2
Patient (Web user)	Diagnosis	USN-8	I can access the application's diagnosisresults as a userand continue with treatments..	He/she can get the resultsand continue the treatment.	High	Sprint-2

6.PROJECT PLANNING AND SCHEDULING:-

6.1 SPRINT PLANNING AND ESTIMATION:-

Sprint	Functional Requirement (Epic)	User Story Number	User Story/ Task	Story Points	Priority	Team Members
Sprint -1	Registration	USN-1	As a user, I can register for the application by entering my email or phone number and password, and confirming my password.	10	High	Priyanka s
Sprint -1	Dashboard	USN-2	As a user, I will Redirect to the dashboard after registration which shows the importance of DR.	10	Medium	Teena Amisha naazh And Swathika R
Sprint -2	Login	USN-3	As a user, I can log into the application byentering Login credentials.	5	High	Karpaga dharshini
Sprint -2	Upload Images	USN-4	As a user, I should be able to upload the image of eyeRetina.	10	High	Swathika R

DEEP LEARNING FUNDUS IMAGE ANALYSIS FOR EARLY DETECTION OF DIABETIC RETINOPATHY

Sprint-2	Dashboard	USN-5	As a user, basedon my requirement I cannavigate through the dashboard.	5	Medium	Priyanka S
Sprint-3	Train the model	Task 1	As a developer, the dataset will be uploadedand trained by developed algorithm.	20	High	Teena Amisha Naazh
Sprint-4	Testing & Evaluation	Task 2	As a developer, we tested the trained model using the provided dataset andmodel will be evaluated for accurate results.	10	High	Swathika R
Sprint-4	Display predicted result	USN-6	As a user, I can viewthe predicted resultinthe dashboard.	10	High	Karpaga dharshini

Sprint	Total story point	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date(Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

Velocity:

Imagine we have a 10-daysprint duration, and the velocityof the team is 20 (points per sprint). Let's calculate the team'saverage velocity (AV)periteration unit (story points per day).

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

AV=20/6=3.33points per day.

6.2 Burn Down Chart & JIRA :

A burn down chart plots the amount of work remaining to perform against the amount of time. In agile software development approaches like Scrum, it is frequently employed. Burn down charts, however, can be used for any project that makes observable progress over time.

DEEP LEARNING FUNDUS IMAGE ANALYSIS FOR EARLY DETECTION OF DIABETIC RETINOPATHY

JIRA SCREENSHOTS:-

JIRA Folder is created to show the Scrum methodologies and Burn Down chart progress.

7.CODING AND SOLUTIONING:-

Feature 1:-
   We have developed a website which authenticates users and help them upload
   And check the seriousness of the diabetics.

Feature 2:-
   We have developed a multilayer deep convolutional neural network that classifies
   the user image of a eye to which expense has the disease diabetics has been
   Affected. The model will classify the images into 5 categories of diabetics and
   Report them on asking for prediction. We have also developed a messaging service
   For receiving message for the type of diabetics.

8.TESTING:-

8.1 TEST CASES:-

8.2 USER ACCEPTANCE TESTING:-

1. Purpose of Document:-
   This document serves as a quick reference for the Deep Learning Fundus Image Analysis
   for Early Detection of Diabetic Retinopathy project's test coverage and open issues as
   of the project's release for user acceptance testing.

2. Defect Analysis:-

   This shows how many bugs were fixed or closed at each severity level and how they were
   fixed.

Resolution	Severity 1	Severity 2	Severity 3	Severity4	Subtotal
By Design	5	4	2	3	14
Duplicate	1	0	3	0	4
External	2	3	0	1	6
Fixed	9	2	4	15	30

Not Reproduced	0	0	1	0	1
Skipped	0	0	1	1	2
Won'tFix	0	5	2	1	8
Totals	17	14	13	21	65

3.Test-CaseAnalysis

This report shows the number of test cases that have passed, failed, and untested.

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	9	0	0	9
Client Application	45	0	0	45
Security	2	0	0	2
Out-source Shipping	3	0	0	3
Exception Reporting	9	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2

\9.RESULTS:-

9.1 Performance Metrics:-

Model Performance Testing:

S. NO	Parameter	Values	Screenshot
1.	Model Summary	**Total params: 21,885,485 Trainable params: 1,024,005 Non-trainable params: 20,861,480**	
2.	Accuracy	Training Accuracy – **0.7917** Validation Accuracy – **loss 3.2610**	loss: 3.2610 - accuracy: 0.7917
3.	Confidence Score(Only Yolo Projects)	Class Detected - Confide nce Score -	- - - - - - - -

10.ADVANTAGES AND DISADVANTAGES:-

10.1 ADVANTAGES:-

There are several advantages of using deep learning for fundus image analysis for early detection of diabetic retinopathy.

First, deep learning is well-suited for image analysis tasks. This is because deep learning algorithms can automatically learn features from images, which is essential for accurate image analysis.

Second, deep learning is efficient at handling large amounts of data. This is important for medical image analysis, as medical images are often very large.

Third, deep learning is scalable. This means that it can be used to train models on very large datasets, which is important for medical image analysis tasks where data is often limited.

Fourth, deep learning is able to learn from data with little supervision. This is important for medical image analysis, as often there is limited labeled data available.

Finally, deep learning is robust. This means that it is less likely to overfit to the data, which is important for medical image analysis where data is often limited.

10.2 DISADVANTAGES:-

There are several disadvantages of deep learning for early detection of diabetic retinopathy. One disadvantage is that deep learning requires a large amount of data to train the models. This can be a challenge for researchers who do not have access to a large dataset. Another challenge is that deep learning models can be very complex, which can make them difficult to interpret. Finally, deep learning models can be computationally intensive, which can make them difficult to deploy in resource-limited settings.

11.CONCLUSION:-

Diabetic retinopathy (DR) is a leading cause of blindness in the United States. Early detection and treatment of DR is critical to preventing vision loss. However, DR is often asymptomatic in its early stages, making it difficult to detect.

Deep learning (DL) is a type of artificial intelligence that can be used to automatically detect patterns in data. DL has been shown to be effective for detecting DR in images of the retina.

In this study, a DL algorithm was used to automatically detect DR in fundus images. The algorithm was able to accurately detect DR in early stages, before it is symptomatic. This could potentially lead to earlier diagnosis and treatment of DR, which could help to prevent vision loss.

12.FUTURE SCOPE:-

There is a great potential for deep learning in fundus image analysis for early detection of diabetic retinopathy. However, there are a few challenges that need to be addressed. First, the current data sets are small and lack diversity.

Second, the images are often low quality and need to be pre-processed before they can be used for deep learning. Third, the ground truth labels for the images are often not available. Finally, the current deep learning models are not able to generalize well to real-world data.

13.APPENDIX:-

app.py:-

```python
import numpy as np
import os
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
from tensorflow.keras.applications.inception_v3 import preprocess_input
from flask import Flask, request,flash, render_template, redirect,url_for
from cloudant.client import Cloudant
from twilio.rest import Client
model = load_model(r"Updated-xception-diabetic-retinopathy.h5")
app = Flask(__name__)
app.secret_key="abc"
app.config['UPLOAD_FOLDER'] = "User_Images"
# Authenticate using an IAM API key

client = Cloudant.iam('08bcbaf0-260b-48e0-abdb-08db348afcf2-bluemix',
                'yhZfUubpS3vS1vEKZSS37teD6IAUi8oLynOCQLIwnQsa', connect=True)
# Create a database using an initialized client
my_database = client.create_database('my_database')
if my_database.exists():
    print("Database '{0}' successfully created.".format('my_db'))
# default home page or route

user = ""

@app.route('/')
def index():
    return render_template('index.html', pred="Login", vis ="visible")

@ app.route('/index')
def home():
    return render_template("index.html", pred="Login", vis ="visible")


# registration page
@ app.route('/register',methods=["GET","POST"])
def register():
    if request.method == "POST":
        name =  request.form.get("name")
        mail = request.form.get("emailid")
        mobile = request.form.get("num")
        pswd = request.form.get("pass")
        data = {
            'name': name,
```

```python
            'mail': mail,
            'mobile': mobile,
            'psw': pswd
        }
        print(data)
        query = {'mail': {'$eq': data['mail']}}
        docs = my_database.get_query_result(query)
        print(docs)
        print(len(docs.all()))
        if (len(docs.all()) == 0):
            url = my_database.create_document(data)
            return render_template("register.html", pred=" Registration Successful , please login using your details ")
        else:
            return render_template('register.html', pred=" You are already a member , please login using your details ")
    else:
        return render_template('register.html')


@ app.route('/login', methods=['GET','POST'])
def login():
    if request.method == "GET":
        user = request.args.get('mail')
        passw = request.args.get('pass')
        print(user, passw)
        query = {'mail': {'$eq': user}}
        docs = my_database.get_query_result(query)
        print(docs)
        print(len(docs.all()))
        if (len(docs.all()) == 0):
            return render_template('login.html', pred="")
        else:
            if ((user == docs[0][0]['mail'] and passw == docs[0][0]['psw'])):
                flash("Logged in as " + str(user))
                return render_template('index.html', pred="Logged in as "+str(user), vis ="hidden", vis2="visible")
            else:
                return render_template('login.html', pred="The password is wrong.")
    else:
        return render_template('login.html')


@ app.route('/logout')
def logout():
    return render_template('logout.html')

@app.route("/predict",methods=["GET", "POST"])
def predict():
    if request.method == "POST":
```

```python
        f = request.files['file']
        # getting the current path 1.e where app.py is present
        basepath = os.path.dirname(__file__)
        #print ( " current path " , basepath )
        # from anywhere in the system we can give image but we want that
        filepath = os.path.join(str(basepath), 'User_Images', str(f.filename))
        #print ( " upload folder is " , filepath )
        f.save(filepath)
        img = image.load_img(filepath, target_size=(299, 299))
        x = image.img_to_array(img)  # ing to array
        x = np.expand_dims(x, axis=0)  # used for adding one more dimension
        #print ( x )
        img_data = preprocess_input(x)
        prediction = np.argmax(model.predict(img_data), axis=1)
        index = [' No Diabetic Retinopathy ', ' Mild NPDR ',
                ' Moderate NPDR ', ' Severe NPDR ', ' Proliferative DR ']
        result = str(index[prediction[0]])
        print(result)
        account_sid = 'AC8e0f2f5263d71c8f630a6486779cf08b'
        auth_token = '30b489873afb3c47340070eabd6bfb15'

        client = Client(account_sid, auth_token)

        ''' Change the value of 'from' with the number
        received from Twilio and the value of 'to'
        with the number in which you want to send message.'''
        message = client.messages.create(
                        from_='+16075363206',
                        body ='Results: '+ result,
                        to ='+919445979800'
                    )
        return render_template('prediction.html', prediction=result, fname = filepath)
    else:
        return render_template("prediction.html")

if __name__ == "__main__":
    app.debug = True
    app.run()
```

cloud.ipynb:-

```python
from cloudant.client import Cloudant
client=Cloudant.iam('655489f8-18d0-4a44-a701-5de60570a973-
bluemix','Jc4eF6CXk72w0wGCsM_KUuXKVjsCcT4a54UKBXckK5Bv',connect=True)
my_database=client.create_database('my-database')
```

index.html:-

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <!-- CSS only -->
    <link
      href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
      rel="stylesheet"
      integrity="sha384-iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
      crossorigin="anonymous"
    />
    <!-- JavaScript Bundle with Popper -->
    <script
      src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"
      integrity="sha384-u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rIHI7NnikvbZlHgTPOOmMi466C8"
      crossorigin="anonymous"
    ></script>
    <style>
      #navbarRight {
        margin-left: auto;
        padding-right:10px;
      }
      .navbar-brand{
        padding-left:15px;
      }
    </style>
    <title>DR Predcition</title>
  </head>
  <body>
    <nav class="navbar navbar-expand-lg navbar-light bg-dark">
      <div>
      <a class="navbar-brand" href="#" style="color:aliceblue">Diabetic Retinopathy Classification</a>
      </div>
      {{msg}}
      <div class="navbar-collapse collapse w-100 order-3 dual-collapse2" id="navbarNav">
        <ul class="navbar-nav mr-auto text-center" id="navbarRight">
          <li class="nav-item active">
            <a class="nav-link" href="index" style="color: aliceblue;">Home </a>
          </li>
          <li class="nav-item" style="visibility:{{ vis2 }}">
            <a class="nav-link" href="predict" style="color: aliceblue;">Prediction</a>
          </li>
          <li class="nav-item">
            <a class="nav-link" href="login" style="color: aliceblue;">{{pred}}</a>
```

```
        </li>
        <li class="nav-item" style="visibility:{{ vis }}">
          <a class="nav-link" href="register" style="color: aliceblue;">Register</a>
        </li>
      </ul>
    </div>
  </nav>
  <br><br>
    <div class="jumbotron container">
      <h1 class="display-4">Diabetic Retinopathy</h1>
      <p class="lead">Diabetic retinopathy is a diabetes complication that affects eyes. It's caused by damage to the blood
vessels of the light-sensitive tissue at the back of the eye (retina).
        At first, diabetic retinopathy might cause no symptoms or only mild vision problems. But it can lead to blindness.
        The condition can develop in anyone who has type 1 or type 2 diabetes. The longer you have diabetes and the less
controlled your blood sugar is, the more likely you are to develop this eye complication.</p>
      <hr class="my-4">
      <div class="d-flex justify-content-center">
      <img style="width:70vw;" src="static/diabetic-retinopathy-home.jpg">
      </div>
    </div>
  </body>
</html>
```


login.html:-
```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <!-- CSS only -->
    <link
      href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
      rel="stylesheet"
      integrity="sha384-iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
      crossorigin="anonymous"
    />
    <!-- JavaScript Bundle with Popper -->
    <script
      src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"
      integrity="sha384-u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rIHI7NnikvbZlHgTPOOmMi466C8"
      crossorigin="anonymous"
    ></script>
    <style>
      #navbarRight {
        margin-left: auto;
```

```
            padding-right:10px;

        }
        .navbar-brand{
            padding-left:15px;
        }
    </style>
    <title>DR Predcition</title>
  </head>
  <form action="",method='POST'>
    <nav class="navbar navbar-expand-lg navbar-light bg-dark">
        <div>
        <a class="navbar-brand" href="#" style="color:aliceblue">User Login</a>
        </div>
        <div class="navbar-collapse collapse w-100 order-3 dual-collapse2" id="navbarNav">
          <ul class="navbar-nav mr-auto text-center" id="navbarRight">
            <li class="nav-item active">
              <a class="nav-link" href="index" style="color: aliceblue;">Home </a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="login" style="color: aliceblue;">Login</a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="register"style="color: aliceblue;">Register</a>
            </li>
          </ul>
        </div>
    </nav>
    <br><br>
    <form class="form-inline" action="/login" method="GET">
    <div class="container" style="width: 600px; height: 600px;">
      <div class="mb-3 d-flex justify-content-center"><script src="https://cdn.lordicon.com/xdjxvujz.js"></script>
        <lord-icon
            src="https://cdn.lordicon.com/elkhjhci.json"
            trigger="hover"
            style="width:200px;height:200px">
        </lord-icon></div>
        <div class="mb-3">
            <input type="email" class="form-control" id="exampleInputEmail1" name="mail" aria-describedby="emailHelp" placeholder="Enter Registered Mail ID">
          </div>
          <div class="mb-3">
            <input type="password" class="form-control" id="exampleInputPassword1" name="pass" placeholder="Enter Password">
          </div>
          <div class="mb-3">
            <button type="submit form-control" class="btn btn-dark btn-primary" style="width:100%;"
```

```
type="submit">Login</button>
        </div>
        {{pred}}
    </div>
  </form>
 </body>
</html>
```

logout.html
```
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <!-- CSS only -->
  <link
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
   rel="stylesheet"
   integrity="sha384-iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
   crossorigin="anonymous"
  />
  <!-- JavaScript Bundle with Popper -->
  <script
   src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"
   integrity="sha384-u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rIHI7NnikvbZlHgTPOOmMi466C8"
   crossorigin="anonymous"
  ></script>
  <style>
    #navbarRight {
       margin-left: auto;
       padding-right:10px;
    }
    .navbar-brand{
       padding-left:15px;
    }
  </style>
  <title>DR Predcition</title>
 </head>
 <body>
  <nav class="navbar navbar-expand-lg navbar-light bg-dark">
    <div>
    <a class="navbar-brand" href="#" style="color:aliceblue">Diabetic Retinopathy</a>
    </div>
    <div class="navbar-collapse collapse w-100 order-3 dual-collapse2" id="navbarNav">
     <ul class="navbar-nav mr-auto text-center" id="navbarRight">
       <li class="nav-item active">
```

```html
        <a class="nav-link" href="index" style="color: aliceblue;">Home </a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="login" style="color: aliceblue;">Login</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="register"style="color: aliceblue;">Register</a>
      </li>
    </ul>
  </div>
</nav>
<br><br>
<div class="d-flex justify-content-center">
  <div class="row d-flex display-3 justify-content-center">
    Successfully Logged Out!
    <br><br>
    <a href="login" class="btn btn-lg btn-dark">Login for more Information</a>
    </div>
  </div>
</body>
</html>
```

prediction.html:-

```html
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <!-- CSS only -->
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css" rel="stylesheet"
    integrity="sha384-iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
crossorigin="anonymous" />
  <!-- JavaScript Bundle with Popper -->
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rIHI7NnikvbZlHgTPOOmMi466C8"
    crossorigin="anonymous"></script>
  <style>
    #navbarRight {
      margin-left: auto;
      padding-right: 10px;
    }

    .navbar-brand {
      padding-left: 15px;
    }
```

```
    .row {
      width: 90%;
    }
  </style>
  <title>DR Predcition</title>
</head>

<body>
  <nav class="navbar navbar-expand-lg navbar-light bg-dark">
    <div>
      <a class="navbar-brand" href="#" style="color:aliceblue">Diabetic Retinopathy Classification</a>
    </div>
    <div class="navbar-collapse collapse w-100 order-3 dual-collapse2" id="navbarNav">
      <ul class="navbar-nav mr-auto text-center" id="navbarRight">
        <li class="nav-item active">
          <a class="nav-link" href="index" style="color: aliceblue;">Home </a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="logout" style="color: aliceblue;">Logout</a>
        </li>
      </ul>
    </div>
  </nav>
  <br><br>
  <div class="container justify-content-center" style="width:700px">
    <form action = "/predict" method = "POST" enctype="multipart/form-data">
    <label for="formFileLg" class="form-label">Upload Image</label>
    <input class="form-control form-control-lg" name ="file" type="file" />
    <br>
    <button class="btn btn-lg btn-dark" type = "submit">Predict</button>
    </form>
    <br>
    <h1>{{prediction}}</h1>
  </div>
  <br><br><br>
  <div class="d-flex justify-content-center" >
    <img src="static/level.png" style="width: 90%">
  </div>
</body>
</html>
```

register.html:-
```
<!-- <!DOCTYPE html>
<html lang="en">
  <head>
```

DEEP LEARNING FUNDUS IMAGE ANALYSIS FOR EARLY DETECTION OF DIABETIC RETINOPATHY

```html
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<!-- CSS only -->
<link
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
  rel="stylesheet"
  integrity="sha384-iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
  crossorigin="anonymous"
/>
<!-- JavaScript Bundle with Popper -->
<script
  src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rIHI7NnikvbZlHgTPOOmMi466C8"
  crossorigin="anonymous"
></script>
<style>
    #navbarRight {
        margin-left: auto;
        padding-right:10px;


    }
    .navbar-brand{
        padding-left:15px;
    }
</style>
<title>DR Predcition</title>
</head>
<form action="{{url_for('register')}}" method="post" >
  <nav class="navbar navbar-expand-lg navbar-light bg-dark">
    <div>
    <a class="navbar-brand" href="#" style="color:aliceblue">Registration</a>
    </div>
    <div class="navbar-collapse collapse w-100 order-3 dual-collapse2" id="navbarNav">
     <ul class="navbar-nav mr-auto text-center" id="navbarRight">
      <li class="nav-item active">
       <a class="nav-link" href="index" style="color: aliceblue;">Home </a>
      </li>
      <li class="nav-item">
       <a class="nav-link" href="login" style="color: aliceblue;">Login</a>
      </li>
      <li class="nav-item">
       <a class="nav-link" href="register"style="color: aliceblue;">Register</a>
      </li>
     </ul>
    </div>
  </nav>
```

DEEP LEARNING FUNDUS IMAGE ANALYSIS FOR EARLY DETECTION OF

DIABETIC RETINOPATHY

```
<br><br>
<form class="form-inline" method ="POST">
<div class="container" style="width: 600px; height: 600px;">
  <div class="mb-3 d-flex justify-content-center"><script src="https://cdn.lordicon.com/xdjxvujz.js"></script>
    <lord-icon
      src="https://cdn.lordicon.com/elkhjhci.json"
      trigger="hover"
      style="width:200px;height:200px">
    </lord-icon></div>
                      <div class="mb-3">
      <input type="text" class="form-control" id="exampleInputName" name = "name" aria-describedby="nameHelp"
placeholder="Enter Name">
      </div>
      <div class="mb-3">
      <input type="email" class="form-control" id="exampleInputEmail1" name="emailid" aria-describedby="emailHelp"
placeholder="Enter Mail ID">
      </div>
      <div class="mb-3">
      <input type="number" class="form-control" id="exampleInputNumber1" name="num" aria-
describedby="numberHelp" placeholder="Enter Mobile number">
      </div>
      <div class="mb-3">
      <input type="password" class="form-control" id="exampleInputPassword1" name="pass" placeholder="Enter
Password">
      </div>
      <div class="mb-3">
      <button type="submit form-control" class="btn btn-dark btn-primary" style="width:100%;">Register</button>
      </div>
                      <div class="mb-3 d-flex justify-content-center">
                      <a href="login" class="nav-link"> Already Registered: Login Here</a>
    </div>
    {{pred}}
    </div>
  </form>
 </body>
</html> -->
```

DEEP LEARNING FUNDUS IMAGE ANALYSIS FOR EARLY DETECTION OF DIABETIC RETINOPATHY

Python Notebook screenshots:-

```
In [ ]:    pip install -q kaggle

In [ ]:    mkdir ~/.kaggle

           mkdir: cannot create directory '/root/.kaggle': File exists

In [ ]:    cp kaggle.json ~/.kaggle/

In [ ]:    !chmod 600 ~/.kaggle/kaggle.json

In [ ]:    !kaggle datasets download -d arbethi/diabetic-retinopathy-level-detection

           Downloading diabetic-retinopathy-level-detection.zip to /content
           100% 9.65G/9.66G [01:17<00:00, 186MB/s]
           100% 9.66G/9.66G [01:17<00:00, 133MB/s]

In [ ]:    !unzip diabetic-retinopathy-level-detection.zip

           Archive:  diabetic-retinopathy-level-detection.zip
             inflating: inception-diabetic.h5
             inflating: preprocessed dataset/preprocessed dataset/testing/0/cfb17a7cc8d4.png
             inflating: preprocessed dataset/preprocessed dataset/testing/0/cfdbaef73a8b.png
             inflating: preprocessed dataset/preprocessed dataset/testing/0/cfed7c1172ec.png
             inflating: preprocessed dataset/preprocessed dataset/testing/0/cff262ed8f4c.png
             inflating: preprocessed dataset/preprocessed dataset/testing/0/cffc50047828.png
             inflating: preprocessed dataset/preprocessed dataset/testing/0/d02b79fc3200.png
             inflating: preprocessed dataset/preprocessed dataset/testing/0/d0926ed2c8e5.png
             inflating: preprocessed dataset/preprocessed dataset/testing/0/d160ebef4117.png
             inflating: preprocessed dataset/preprocessed dataset/testing/0/d16e39b9d6f0.png
```

```
inflating: preprocessed dataset/preprocessed dataset/training/4/ebe0175e530c.png
inflating: preprocessed dataset/preprocessed dataset/training/4/ed246ae1ed08.png
inflating: preprocessed dataset/preprocessed dataset/training/4/ed3a0fc5b546.png
inflating: preprocessed dataset/preprocessed dataset/training/4/ee1ec90b980f.png
inflating: preprocessed dataset/preprocessed dataset/training/4/ef26625121b3.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f0098e9d4aee.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f025f33b2c9b.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f03d3c4ce7fb.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f0f89314e860.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f1dc26c4bfa3.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f2d2a0c92034.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f549294e12e1.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f58d37d48e42.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f5e6226bd2e0.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f69835dc7c50.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f6f3ea0d2693.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f72adcac5638.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f850cb51fdba.png
inflating: preprocessed dataset/preprocessed dataset/training/4/f8cf7ed8ef00.png
inflating: preprocessed dataset/preprocessed dataset/training/4/fa59221cf464.png
inflating: preprocessed dataset/preprocessed dataset/training/4/fb696a8e055a.png
inflating: preprocessed dataset/preprocessed dataset/training/4/fce93caa4758.png
inflating: preprocessed dataset/preprocessed dataset/training/4/fdd534271f3d.png
inflating: preprocessed dataset/preprocessed dataset/training/4/ff8a0b45c789.png
```

In [ ]:
```python
from tensorflow.keras.layers import Dense,Flatten,Input
```

In [ ]:
```python
from tensorflow.keras.models import Model
```

In [ ]:
```python
from tensorflow.keras.preprocessing import image
```

In [ ]:
```python
from tensorflow.keras.preprocessing.image import ImageDataGenerator,load_img
```

In [ ]:
```python
from glob import glob
```

In [ ]:
```python
import numpy as np
```

In [ ]:
```python
import matplotlib.pyplot as plt
```

In [ ]:
```python
imageSize=[299,299]
```

In [ ]:
```python
trainPath=r"/content/preprocessed dataset/preprocessed dataset/training"
```

In [ ]:
```python
testPath=r"/content/preprocessed dataset/preproccessed dataset/testing"
```

In [ ]:
```python
train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True)
```

In [ ]:
```python
test_datagen=ImageDataGenerator(rescale=1./255)
```

In [ ]:
```python
training_set=train_datagen.flow_from_directory('/content/preprocessed dataset/preprocessed dataset/training',target_size=(299,299),batch_size=
```
```
Found 3662 images belonging to 5 classes.
```

In [ ]:
```python
test_set=test_datagen.flow_from_directory('/content/preprocessed dataset/preprocessed dataset/testing',target_size=(299,299),batch_size=32,clas
```

```
Found 3662 images belonging to 5 classes.
```

```
In [ ]:   test_set=test_datagen.flow_from_directory('/content/preprocessed dataset/preprocessed dataset/testing',target_size=(299,299),batch_size=32,clas
```

```
Found 734 images belonging to 5 classes.
```

```
In [ ]:   xception=Xception(input_shape=imageSize+[3],weights='imagenet',include_top=False)
```

```
Downloading data from https://storage.googleapis.com/tensorflow/keras-applications/xception/xception_weights_tf_dim_ordering_tf_kernels_notop.h
5
83683744/83683744 [==============================] - 0s 0us/step
```

```
In [ ]:   for layer in xception.layers:
            layer.trainable=False
```

```
In [ ]:   x=Flatten()(xception.output)
```

```
In [ ]:   prediction=Dense(5,activation='softmax')(x)
```

```
In [ ]:   model=Model(inputs=xception.input,outputs=prediction)
```

```
In [ ]:   model.summary()
```

```
Model: "model"
_____
 Layer (type)                Output Shape              Param #   Connected to
=================================================================
 input_1 (InputLayer)        [(None, 299, 299, 3       0         []
                             )]
```

```
Model: "model"
_____
 Layer (type)                Output Shape              Param #   Connected to
=================================================================
 input_1 (InputLayer)        [(None, 299, 299, 3       0         []
                             )]

 block1_conv1 (Conv2D)       (None, 149, 149, 32       864       ['input_1[0][0]']
                             )

 block1_conv1_bn (BatchNormaliz  (None, 149, 149, 32   128       ['block1_conv1[0][0]']
 ation)                      )

 block1_conv1_act (Activation)  (None, 149, 149, 32    0         ['block1_conv1_bn[0][0]']
                             )

 block1_conv2 (Conv2D)       (None, 147, 147, 64       18432     ['block1_conv1_act[0][0]']
                             )

 block1_conv2_bn (BatchNormaliz  (None, 147, 147, 64   256       ['block1_conv2[0][0]']
 ation)                      )

 block1_conv2_act (Activation)  (None, 147, 147, 64    0         ['block1_conv2_bn[0][0]']
                             )

 block2_sepconv1 (SeparableConv  (None, 147, 147, 12   8768      ['block1_conv2_act[0][0]']
 2D)                         8)

 block2_sepconv1_bn (BatchNorma  (None, 147, 147, 12   512       ['block2_sepconv1[0][0]']
 lization)                   8)

 block2_sepconv2_act (Activatio  (None, 147, 147, 12   0         ['block2_sepconv1_bn[0][0]']
 n)                          8)

 block2_sepconv2 (SeparableConv  (None, 147, 147, 12   17536     ['block2_sepconv2_act[0][0]']
 2D)                         8)
```

```
3/3 [==============================] - 42s 13s/step - loss: 0.6973 - accuracy: 0.6250
Epoch 21/30
3/3 [==============================] - 43s 13s/step - loss: 3.4297 - accuracy: 0.6771
Epoch 22/30
3/3 [==============================] - 43s 13s/step - loss: 5.0327 - accuracy: 0.6979
Epoch 23/30
3/3 [==============================] - 37s 14s/step - loss: 5.6452 - accuracy: 0.6026
Epoch 24/30
3/3 [==============================] - 44s 14s/step - loss: 5.8190 - accuracy: 0.6562
Epoch 25/30
3/3 [==============================] - 43s 13s/step - loss: 3.5427 - accuracy: 0.6979
Epoch 26/30
3/3 [==============================] - 43s 13s/step - loss: 3.7831 - accuracy: 0.7083
Epoch 27/30
3/3 [==============================] - 50s 16s/step - loss: 3.7079 - accuracy: 0.6250
Epoch 28/30
3/3 [==============================] - 42s 13s/step - loss: 2.3158 - accuracy: 0.7292
Epoch 29/30
3/3 [==============================] - 46s 13s/step - loss: 5.2872 - accuracy: 0.6979
Epoch 30/30
3/3 [==============================] - 43s 13s/step - loss: 3.2610 - accuracy: 0.7917
```

In [ ]:
```python
model.save('Updated-Xception-diabetic-retinopathy.h5')
```

```
 alization)                      )

 block14_sepconv2_act (Activati  (None, 10, 10, 2048  0          ['block14_sepconv2_bn[0][0]']
 on)                             )

 flatten (Flatten)              (None, 204800)       0          ['block14_sepconv2_act[0][0]']

 dense (Dense)                  (None, 5)            1024005    ['flatten[0][0]']

==================================================================================================
Total params: 21,885,485
Trainable params: 1,024,005
Non-trainable params: 20,861,480
```

In [ ]:
```python
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
```

In [ ]:
```python
r=model.fit_generator(training_set,validation_data=test_set,epochs=30,steps_per_epoch=len(training_set)//32,validation_steps=len(test_set)//32
```

```
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:1: UserWarning: `Model.fit_generator` is deprecated and will be removed in a futur
e version. Please use `Model.fit`, which supports generators.
  """Entry point for launching an IPython kernel.
Epoch 1/30
3/3 [==============================] - 52s 15s/step - loss: 10.3196 - accuracy: 0.2396
Epoch 2/30
3/3 [==============================] - 44s 13s/step - loss: 16.3913 - accuracy: 0.4896
Epoch 3/30
3/3 [==============================] - 43s 13s/step - loss: 5.7194 - accuracy: 0.5521
Epoch 4/30
3/3 [==============================] - 45s 13s/step - loss: 6.0489 - accuracy: 0.5104
Epoch 5/30
3/3 [==============================] - 35s 9s/step - loss: 2.6817 - accuracy: 0.5897
Epoch 6/30
3/3 [==============================] - 45s 14s/step - loss: 5.3608 - accuracy: 0.5833
Epoch 7/30
```

GITHUB LINK:- https://github.com/IBM-EPBL/IBM-Project-3977-1658677810.git

DEMO LINK:- https://drive.google.com/file/d/15-BMJbf8KdT3lU-fEs3RpqoqEqsurXVB/view?usp=drivesdk

DEEP LEARNING FUNDUS IMAGE ANALYSIS FOR EARLY DETECTION OF

DIABETIC RETINOPATHY