


Create a cloud object storage device


TEAM ID	PNT2022TMID33628
TITLE	IOT based smart crop protection for agricultural system

Step:1 Utilize your account information to log into ibm cloud account.


Step2: access the resource list



Step 3:Then if you scroll down you observe object storage and click on it.




Step 4 : We need to establish a bucket to store the image. Clicking on it will display a few options for creating buckets. Selecting a custom bucket will open as seen below. Enter the information requested, then click the Create Bucket button.



Step 5 : Then you get observe bucket is created successfully. And to store the images drag and drop files shown in below picture.

Step 6: Now you can see observe configuration settings as shown.



Step 9: Here you can see the endpoints which is used for programming.

Step 10: The important part is service credentials for programming integrity

Inbox (10,550) - thiyag

IBM

Sprint-3.pdf

Cloud Object Storage

Cloudant Dashboard

IBM-EPBL/IBM-Proje

+

cloud.ibm.com/objectstorage/crn%3Av1%3Abluemix%3Apublic%3Acloud-object-storage%3Aglobal%3Aa%2Facd3983b8d3e4ba6a33caaaeeca61588%3A6bdfa91d...

Suggested SitesProfit_and_loss_1 ~...Balaji's space - Goo...IBM-Project-39819-...

IBM Cloud

Search resources and products...

CatalogManageThiyagarajan R's Account

Cloud Object Storage

Storage instances

Cloud Object Storage-ga

Buckets

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan

Select resiliency

Select location

Cross Regionap-geo

	public	Private	Direct
ap-geo	s3.ap.cloud-object-storag e.appdomain.cloud	s3.private.ap.cloud-object-sto rage.appdomain.cloud	s3.direct.ap.cloud-object-sto rage.appdomain.cloud
Tokyo	s3.tok.ap.cloud-object-sto rage.appdomain.cloud	s3.private.tok.ap.cloud-object -storage.appdomain.cloud	s3.direct.tok.ap.cloud-object -storage.appdomain.cloud
Seoul	s3.seo.ap.cloud-object-sto rage.appdomain.cloud	s3.private.seo.ap.cloud-object -storage.appdomain.cloud	s3.direct.seo.ap.cloud-object -storage.appdomain.cloud
Hong Kong	s3.hkg.ap.cloud-object-sto rage.appdomain.cloud	s3.private.hkg.ap.cloud-object -storage.appdomain.cloud	s3.direct.hkg.ap.cloud-object -storage.appdomain.cloud

https://cloud.ibm.com/objectstorage/crn%3Av1%3Abluemix%3Apublic%3Acloud-object-storage%3Aglobal%3Aa%2Facd3983b8d3e4ba6a33caaaeeca61588%3A6bdfa91d-2392-44b0-acbd-018dc846329c%3A%3A?panel=endpoint

database in clouda....pdfShow all

Type here to search25°C Partly cloudyENG22:5617-11-2022

Inbox (10,550) - thiyag

IBM

Sprint-3.pdf

Cloud Object Storage

Cloudant Dashboard

IBM-EPBL/IBM-Proje

+

cloud.ibm.com/objectstorage/crn%3Av1%3Abluemix%3Apublic%3Acloud-object-storage%3Aglobal%3Aa%2Facd3983b8d3e4ba6a33caaaeeca61588%3A6bdfa91d...

Suggested SitesProfit_and_loss_1 ~...Balaji's space - Goo...IBM-Project-39819-...

IBM Cloud

Search resources and products...

CatalogManageThiyagarajan R's Account

Cloud Object Storage

Storage instances

Cloud Object Storage-ga

Buckets

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan

Service credentials

You can generate a new set of credentials for cases where you want to manually connect an app or external consumer to an IBM Cloud service. [Learn more](#)

Search credentials...

New credential

Key name	Date created
----------	--------------


No service credentials

Credentials are provided in JSON format. The JSON snippet lists credentials, such as the API key and secret, as well as connection information for the service.

https://cloud.ibm.com/objectstorage/crn%3Av1%3Abluemix%3Apublic%3Acloud-object-storage%3Aglobal%3Aa%2Facd3983b8d3e4ba6a33caaaeeca61588%3A6bdfa91d-2392-44b0-acbd-018dc846329c%3A%3A?panel=credentials

database in clouda....pdfShow all

Type here to search25°C Partly cloudyENG22:5617-11-2022



Now click on create credential then you get this the figure below and remember those for programming.