1.unzip dataset

```
from google.colab import drive
drive.mount('/content/gdrive')
     Mounted at /content/gdrive
!unzip gdrive/MyDrive/Flowers-Dataset.zip
Importing the libraries
import warnings
warnings.filterwarnings("ignore")
import numpy as np
import matplotlib.pyplot as plt
import pandas as pd
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense, Activation, Dropout, Conv2D, Flatten, MaxPool2D, Reshape
from tensorflow.keras.applications.resnet50 import ResNet50
from tensorflow.keras.applications.resnet50 import preprocess input
from tensorflow.keras.preprocessing import image
from tensorflow.keras.preprocessing.image import ImageDataGenerator,load img,img to array
from tensorflow.keras.callbacks import EarlyStopping, ReduceLROnPlateau
2.Image Augumentation
path = 'flowers/'
train_data_gen = ImageDataGenerator(rescale = 1./255,
                             shear_range = 0.2,
                             zoom range = 0.2,
                             horizontal_flip = True,
                             validation split = 0.30)
test data gen = ImageDataGenerator(rescale = 1./255, validation split = 0.30)
training set = train data gen.flow from directory(path,
                                                  target_size=(64,64),
                                                  batch size=100,
                                                  class_mode='categorical',
                                                  shuffle=True,
```

color_mode='rgb',
subset = 'training')

```
testing_set = test_data_gen.flow_from_directory(path,
                                                  target_size=(64,64),
                                                  batch size=100,
                                                  class_mode='categorical',
                                                  shuffle=True,
                                                  color mode='rgb',
                                                  subset = 'validation')
     Found 3024 images belonging to 5 classes.
     Found 1293 images belonging to 5 classes.
3. Creating the Model
model = Sequential()
4. Adding the Layers (Convolution, MaxPooling, Flatten, Dense-(Hidden Layers), Output)
#convolution and Pooling layer 1
model.add(Conv2D(filters=48,kernel size=3,activation='relu',input shape=(64,64,3)))
model.add(MaxPool2D(pool size=2,strides=2))
model.add(Dropout(0.2))
#convolution and Pooling layer 2
model.add(Conv2D(filters=32,kernel size=3,activation='relu'))
model.add(MaxPool2D(pool size=2,strides=2))
model.add(Dropout(0.2))
#Flattening the images
model.add(Flatten())
#Fully Connected layers
model.add(Dense(64,activation='relu'))
model.add(Dropout(0.2))
model.add(Dense(5,activation='softmax'))
model.summary()
     Model: "sequential"
```

Layer (type)	Output Shape	Param #
=======================================	=======================================	========
conv2d (Conv2D)	(None, 62, 62, 48)	1344
<pre>max_pooling2d (MaxPooling2D)</pre>	(None, 31, 31, 48)	0
dropout (Dropout)	(None, 31, 31, 48)	0

```
conv2d_1 (Conv2D)
                         (None, 29, 29, 32)
                                                13856
 max_pooling2d_1 (MaxPooling (None, 14, 14, 32)
                                                0
 2D)
 dropout 1 (Dropout)
                         (None, 14, 14, 32)
 flatten (Flatten)
                         (None, 6272)
 dense (Dense)
                         (None, 64)
                                                401472
 dropout_2 (Dropout)
                         (None, 64)
 dense_1 (Dense)
                         (None, 5)
                                                325
______
Total params: 416,997
Trainable params: 416,997
Non-trainable params: 0
```

5. Compiling the Model

```
model.compile(loss='categorical crossentropy',optimizer='adam',metrics=['accuracy'])
```

6.Fit the Model

Training the Model

```
result = model.fit(x=training_set, validation_data=testing_set, epochs=50)
```

```
Epoch 5/50
Epoch 6/50
Epoch 7/50
Epoch 8/50
Epoch 9/50
Epoch 10/50
Epoch 11/50
Epoch 12/50
Epoch 13/50
Epoch 14/50
Epoch 15/50
Epoch 16/50
Epoch 17/50
Epoch 18/50
Epoch 19/50
Epoch 20/50
Epoch 21/50
Epoch 22/50
Epoch 23/50
Epoch 24/50
Epoch 25/50
Epoch 26/50
Epoch 27/50
Epoch 28/50
Epoch 29/50
```

Checking Loss and Accuracy using Plot

#plot the loss

```
plt.plot(result.history['loss'], label='train loss')
plt.plot(result.history['val_loss'], label='val loss')
plt.legend()
plt.show()

# plot the accuracy
plt.plot(result.history['accuracy'], label='train acc')
plt.plot(result.history['val_accuracy'], label='val acc')
plt.legend()
plt.show()
```

7.Save the Model

```
model.save('flower.h5')
```

8. Testing the Model

```
training_set.class_indices
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
```

```
classes = ['Daisy','Dandelion','Rose','Sunflower','Tulip']
def testing(img):
    img = image.load_img(img,target_size=(64,64))
    x = image.img_to_array(img)
    x = np.expand_dims(x,axis=0)
    pred = np.argmax(model.predict(x))
    return print("Predicted class as:",classes[pred])

def img_show(img):
    img1 = image.load_img(img,target_size=(64,64))
    plt.imshow(img1)

#test1
img_show('/content/flowers/daisy/8008629838_c62bb2b016_n.jpg')
testing('/content/flowers/daisy/8008629838_c62bb2b016_n.jpg')
```

#test2

```
img_show('/content/flowers/dandelion/8327657321_2cbceec396_n.jpg')
testing('/content/flowers/dandelion/8327657321_2cbceec396_n.jpg')
```

```
#test3
img_show('/content/flowers/rose/5335945309_852d018a27_n.jpg')
testing('/content/flowers/rose/5335945309_852d018a27_n.jpg')
#test4
img show('/content/flowers/sunflower/7270375648 79f0caef42 n.jpg')
testing('/content/flowers/sunflower/7270375648_79f0caef42_n.jpg')
#test5
img_show('/content/flowers/tulip/8713397358_0505cc0176_n.jpg')
```

testing('/content/flowers/tulip/8713397358_0505cc0176_n.jpg')

Colab paid products - Cancel contracts here