
Assignment -3

Question-1:

Create a Bucket in IBM object storage.

Solution:



Question-2:

Upload an 5 images to IBM object storage and make it public. Write html code to displaying all the 5 images.

Solution:



Question-3:

Upload a CSS page to the object storage and use the same page in your HTML code. Write html code to displaying all the 5 images.

Solution:

```
<div class="signup">
             <form action="\result" method="post">
             <h2>LOGIN</h2>
            <div class="form-group">
                 <div class="input-group">
                     <span class="input-group-addon"><i class="fa fa-</pre>
envelope"></i></span>
                     <input type="email" name="email" class=" form-</pre>
control"placeholder="Email" required>
                 </div>
            </div>
            <div class="form-group">
                 <div class="input-group">
                     <span class="input-group-addon"><i class="fa fa-</pre>
lock"></i></span>
                     <input type="password" name="password" class=" form-</pre>
control"placeholder="password" required>
                 </div>
            </div>
            <div class="form-group">
                 <button type="submit" class="btn btn-primary btn-lg btn-</pre>
block">Login</button>
            </div>
        </form>
        </div>
    </body>
```



Design a Chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Solution:

https://web-

chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F% 2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-f8e994d6-a0d7-422f-a9f3-852a308d5f26%3A%3A9313e8ba-e53d-470d-8fb1-7db9327ba407&integrationID=4eb80521-2d5d-4e2b-ac4b-5124347d8655®ion=au-syd&serviceInstanceID=f8e994d6-a0d7-422f-a9f3-852a308d5f26

Question-5:


Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.


Solution:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
  <script> window.watsonAssistantChatOptions = { integrationID: "d5aae4c6-7146-
    488c-8235-4a7abe46526d", // The ID of this
      region: "au-syd", // The region your integration is hosted in.
      serviceInstanceID: "f8e994d6-a0d7-422f-a9f3-852a308d5f26", // The ID of
your service instance.
      onLoad: function(instance) { instance.render(); }
    }; setTimeout(function(){ const
    t=document.createElement('script');
    t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | 'latest') +
"/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
```

}); </script>

</body>





Submitted By:

Varun Krishna K B Shinu Mon S B Ram kishore J Srijanani C B