ADDING EXPENDITURES

PROGRAM:

```html
<!doctype html>
<html lang="en">
<head>
<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Bootstrap CSS -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">

<title>AddExpense</title>
</head>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
MrcW6ZMFYlzcLA8NI+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

<div class="container-fluid" >
<div class="row flex-nowrap">
<div class="col-auto col-md-3 col-xl-2 px-sm-2 px-0" style="background-color:
white">
<div class="d-flex flex-column align-items-center align-items-sm-start px-3 pt-2
min-vh-100" style="color:black">

<p class="d-flex align-items-center pb-3 mb-md-0 me-md-auto text-white text-
decoration-none">

<span class="fs-5 d-none d-sm-inline" style="color:black; font-weight:

bold;">Personal Expense Tracker</span>


</p>

<ul class="nav nav-pills flex-column mb-sm-auto mb-0 align-items-center align-
items-sm-start" id="menu">

<li class="nav-item mt-2">
```

```html
<a href="dashboard.html" class="nav-link align-middle px-0"

style="color:black;">

<span class="ms-1 d-none d-sm-inline">Home</span>

</a>
</li>
<li class="nav-item mt-2" style="background-color:#00AD83; height: 50px;

width: 150px; border-radius: 5px;" >

<a href="addexpense.html" class="nav-link px-0 align-middle"

style="color:black;">

<span class="ms-1 d-none d-sm-inline">Add Expense</span>

</a>
</li>
<li class="nav-item mt-2">
<a href="modifyexpense.html" class="nav-link px-0 align-middle"

style="color:black;">

<span class="ms-1 d-none d-sm-inline">Modify Expense</span>

</a>
</li>
<li class="nav-item mt-2">
<a href="analysis.html" class="nav-link px-0 align-middle"

style="color:black;">

<span class="ms-1 d-none d-sm-inline">View Analysis</span>
</a>
</li>
<li class="nav-item mt-2">
<a href="rewards.html" class="nav-link px-0 align-middle"

style="color:black;">

<span class="ms-1 d-none d-sm-inline">Rewards & Goals</span>
</a>
```

```html
</li>
</ul>
</div>
</div>
<div class="col py-3" style="background-color:black">
<h3 style="color:white; text-align: center;">Add expense</h3>
<div class="container mt-3" style="width: 600px;">
<div class="card shadow-lg bg-white rounded">
<div class="card-header" style="text-align: center;">
<span style="display:inline-flex"><h4>Expense Made</h4>

</div>
<div class="card-body">
<form>
<div class="mb-3">
<label for="amountspent" class="form-label">Amount Spent:

</label>

<input type="number" class="form-control" name="amountspent"

id="amountspent">

</div>
<div class="mb-3">
<label for="expensecategory" class="form-label">Expense Category:

</label>

<input type="text" class="form-control" name="expensecategory"

id="expensecategory"></input>
</div>
<div class="mb-3">
<label for="date" class="form-label">Date of Expense: </label>
<input type="date" class="form-control" name="date"

id="date"></input>
</div>

</label>

<div class="mb-3">
<label for="description" class="form-label">Description of Expense:
```

```
<input type="text" class="form-control" name="description"

id="description"></input>
</div>
</form>
</div>
<div class="card-footer text-muted" style="text-align:center">

<button type="submit" style="background-color:#00AD83; border-
color:#00AD83; border-radius:5px;">Submit Expense</button>

</div>
</div>
</div>
</div>
</div>
</div>

</html>
```

OUTPUT: