ASSIGNMENT – 4

WOKWI SIMULATION

Assignment Date	12th November 2022
Student Name	Akshaya I
Student Roll Number	960219106017
Maximum Marks	2 Marks

Question-1:

Write a code and make a connection in WOKWI for ultrasonic sensor. Whenever distance is less than 100, send "alert" to IBM cloud and display in device recent events.

Program:


```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient wifiClient;
String data3;
#define ORG "19boyr"
#define DEVICE_TYPE "aksdevice"
#define DEVICE_ID "9602"
#define TOKEN "960217"
#define speed 0.034
#define led 14
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/Akshaya/fmt/json";
char topic[] = "iot-2/cmd/led/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
```

```
char clientId[] = "d:" ORG ":" DEVICE TYPE ":" DEVICE ID;
PubSubClient client(server, 1883, wifiClient);
const int trigpin=5;
const int echopin=18;
String command;
String data="";
long duration;
float dist;
void setup()
Serial.begin(115200);
pinMode(led, OUTPUT);
pinMode(trigpin, OUTPUT);
pinMode(echopin, INPUT);
wifiConnect();
mqttConnect();
void loop() {
bool is Nearby = dist < 100;
digitalWrite(led, isNearby);
publishData();
delay(500);
if (!client.loop()) {
mqttConnect();
void wifiConnect() {
Serial.print("Connecting to "); Serial.print("Wifi");
WiFi.begin("Wokwi-GUEST", "", 6);
while (WiFi.status() != WL CONNECTED) {
delay(500);
Serial.print(".");
```


```
Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
}
void mqttConnect() {
if (!client.connected()) {
Serial.print("Reconnecting MQTT client to "); Serial.println(server);
while (!client.connect(clientId, authMethod, token)) {
Serial.print(".");
delay(500);
initManagedDevice();
Serial.println();
void initManagedDevice() {
if (client.subscribe(topic)) {
 // Serial.println(client.subscribe(topic));
Serial.println("IBM subscribe to cmd OK");
} else {
Serial.println("subscribe to cmd FAILED");
void publishData()
digitalWrite(trigpin,LOW);
digitalWrite(trigpin,HIGH);
delayMicroseconds(10);
digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
if(dist<100){
String payload = "{\"Alert Distance\":";
payload += dist;
payload += "}";
```

```
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c str())) {
Serial.println("Publish OK");
}
if(dist>100){
String payload = "{\"Distance\":";
payload += dist;
payload += "}";
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if(client.publish(publishTopic, (char*) payload.c_str())) {
Serial.println("Publish OK");
}else {
Serial.println("Publish FAILED");
}
}
}
OUTPUT:
```


WOKWI SIMULATION



When Distance > 100:



When Distance < 100:



IBM CLOUD OUTPUT:

