

Assignment -4
WOWKI SIMULATION

Assignment Date	5th NOVEMBER 2022
Student Name	Anusha A
Student Roll Number	960219106027
Maximum Marks.	2 Marks

Question-1:

Write a code and make a connection in WOKWI for ultrasonic sensor. Whenever distance is less than 100 , send “alert” to IBM cloud and display in device recent events.

PROGRAM

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient wifiClient;
String data3;
#define ORG "xyiwao "
#define DEVICE_TYPE "anusha31may"
#define DEVICE_ID "thirtyone05"
#define TOKEN "Wezy0C4DG&-pIt@AP1"
#define speed 0.034
#define led 14
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/Anusha/fmt/json";
char topic[] = "iot-2/cmd/led/fmt/String";
char authMethod[] = "use-token-auth";

char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);

const int trigpin=5;
const int echopin=18;
String command;
String data="";

long duration;
float dist;
```

```
void setup()
{
  Serial.begin(115200);
  pinMode(led, OUTPUT);
  pinMode(trigpin, OUTPUT);
  pinMode(echopin, INPUT);
  wifiConnect();
  mqttConnect();
}

void loop() {
  bool isNearby = dist < 100;
  digitalWrite(led, isNearby);

  publishData();
  delay(500);

  if (!client.loop()) {
    mqttConnect();
  }
}

void wifiConnect() {
  Serial.print("Connecting to "); Serial.print("Wifi");
  WiFi.begin("Wokwi-GUEST", "", 6);
  while (WiFi.status() != WL_CONNECTED) {
    delay(500);
    Serial.print(".");
  }
  Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
}

void mqttConnect() {
  if (!client.connected()) {
    Serial.print("Reconnecting MQTT client to "); Serial.println(server);
    while (!client.connect(clientId, authMethod, token)) {
      Serial.print(".");
      delay(500);
    }
    initManagedDevice();
    Serial.println();
  }
}

void initManagedDevice() {
  if (client.subscribe(topic)) {
```

```

        // Serial.println(client.subscribe(topic));
        Serial.println("IBM subscribe to cmd OK");
    } else {
        Serial.println("subscribe to cmd FAILED");
    }
}

void publishData()
{
    digitalWrite(trigpin,LOW);
    digitalWrite(trigpin,HIGH);
    delayMicroseconds(10);
    digitalWrite(trigpin,LOW);
    duration=pulseIn(echopin,HIGH);
    dist=duration*speed/2;
    if(dist<100){
        String payload = "{ \"Alert Distance\": ";
        payload += dist;
        payload += " }";

        Serial.print("\n");
        Serial.print("Sending payload: ");
        Serial.println(payload);
        if (client.publish(publishTopic, (char*) payload.c_str())) {
            Serial.println("Publish OK");
        }
    }

    if(dist>100){
        String payload = "{ \"Distance\": ";
        payload += dist;
        payload += " }";

        Serial.print("\n");
        Serial.print("Sending payload: ");
        Serial.println(payload);
        if(client.publish(publishTopic, (char*) payload.c_str())) {
            Serial.println("Publish OK");
        }
    }
    else {
        Serial.println("Publish FAILED");
    }
}

}

}

```

OUTPUT:

WOKWI SIMULATION

WOKWI

SAVE SHARE

sketch.ino diagram.json libraries.txt Library Manager

```
79 String payload = "{\\\"Alert Distance\\\":}";
80 payload += dist;
81 payload += "}";
82 Serial.print("\\n");
83 Serial.print("Sending payload: ");
84 Serial.println(payload);
85 if (client.publish(publishTopic, (char*) payload.c_str())) {
86   Serial.println("Publish OK");
87 }
88
89 }
90
91 if(dist>100){
92   String payload = "{\\\"Distance\\\":}";
93   payload += dist;
94   payload += "}";
95   Serial.print("\\n");
96   Serial.print("Sending payload: ");
97   Serial.println(payload);
98   if(client.publish(publishTopic, (char*) payload.c_str())) {
99     Serial.println("Publish OK");
100   }else {
101     Serial.println("Publish FAILED");
102   }
103 }
104
105 }
106
107 }
```

Simulation

01:18.187 88%

HC-SR04

ESP32

Publish OK

Sending payload: {"Alert Distance":72.96}

Publish OK

Sending payload: {"Alert Distance":72.96}

Publish OK

When distance<100:

Docs

Simulation

00:09.626 81%

HC-SR04

ESP32

Publish OK


Sending payload: {"Alert Distance":33.97}

Publish OK

Sending payload: {"Alert Distance":33.97}

Publish OK

When distance>100:



IBM CLOUD OUTPUT

Browse Action Device Types Interfaces Add Device

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
Anusha	{"AlertDevice":72.96}	json	a few seconds ago
Anusha	{"AlertDevice":72.98}	json	a few seconds ago
Anusha	{"AlertDevice":72.96}	json	a few seconds ago
Anusha	{"AlertDevice":72.95}	json	a few seconds ago
Anusha	{"AlertDevice":72.98}	json	a few seconds ago

Items per page 50 | 1-1 of 1 item1 of 1 page < 1 >

WOKWI LINK:

<https://wowki.com/projects/347478433291305554>