

Create Node - RED Service

Student name	Akshaya S V
Student Roll number	962219106014

The screenshot displays the IBM Cloud Developer console interface. The browser address bar shows the URL: `cloud.ibm.com/developer/appservice/apps/277d9ae7-c2c7-41db-affd-df68e70b50e4`. The page title is "Node RED UJQRT 2022-11-16".

Details

App URL	You must deploy your app first
Source	Download code
Resource group	Default
Deployment target	You must deploy your app first
Created	11/16/2022

Services

Cloudant

[Open dashboard](#) [Documentation](#) [API reference](#)

[Connect existing services](#) [Create service](#)

Deployment Automation

Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

[Deploy your app](#)

Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.
5. If you make any changes to your app, be sure to deploy it again.

IBM Cloud

Node RED UJQRT 2022-11-16

Details

App URL: You must deploy your app first

Source: Download code

Resource group: Default

Deployment target: You must deploy your app first

Created: 11/16/2022

Services

Cloudant

Open dashboard Documentation API reference

Credentials

Connect existing services Create service

Deployment Automation

Name: NodeREDUJQRT2022-11-16

Location: Dallas

Tool integrations

Delivery Pipelines

Name: pr-pipeline

Status: No stages detected

Name: ci-pipeline

Status: In progress

Getting started quickly

Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.
5. If you make any changes to your app, be sure to deploy it again.

Welcome to your new Node-RED instance on IBM Cloud

We know you're eager to start wiring up your flows, but first there are a couple of tasks you should do:

- Secure your Node-RED editor
- Learn how to install additional nodes

Inbox (36) - akshayasundaraj17... IBM App Development Node-RED on IBM Cloud

Node-RED

Flow-based programming for the Internet of Things

Node-RED is a programming tool for wiring together hardware devices, APIs and online services in new and interesting ways.

This instance is running as an IBM Cloud application, giving it access to the wide range of services available on the platform.

More information about Node-RED, including documentation, can be found at nodered.org.

[Go to your Node-RED flow editor](#)

[Learn how to customise Node-RED](#)

Customising your instance of Node-RED

This instance of Node-RED is enough to get you started creating flows.

You may want to customise it for your needs, for example replacing this introduction page with your own, adding http authentication to the flow editor or adding new nodes to the palette.

Inbox (36) - akshayasundaraj17... IBM App Development Node-RED : 159.122.175.132

Node-RED

Flow 1

inject

debug

complete

catch

status

link in

link call

link out

comment

function

switch

change

range

Hello Node-RED!

msg.payload

Flow 1

Flow "25525671c794f8b7"

Your flow configuration nodes are listed in the sidebar panel. It can be accessed from the menu or with `ctrl-g`