

# CREATE AND CONFIGURE IBM CLOUD SERVICES

## CREATE NODE-RED SERVICES

STUDENT NAME	Akshaya S V
STUDENT ROLL NUMBER	201924
TEAM ID	PNT2022TMID34718

The screenshot displays the IBM Cloud Developer console interface. The browser address bar shows the URL: `cloud.ibm.com/developer/appservice/apps/d0906755-c506-4aee-ae43-aa8fe8ebbb26`. The page title is "Node RED ZPFSY 2022-11-15".

**Details:**

- App URL: You must deploy your app first
- Source: Download code (button)
- Resource group: Default
- Deployment target: You must deploy your app first
- Created: 11/15/2022

**Services:**

- Cloudant: Open dashboard, Documentation, API reference, Credentials (dropdown)
- Buttons: Connect existing services, Create service

**Deployment Automation:**

- Name: NodeREDZPFSY2022-11-15
- Location: Dallas
- Tool integrations: (icons for various tools)

**Delivery Pipelines:**

- Name: pr-pipeline, Status: No stages detected
- Name: ci-pipeline, Status: No stages detected

**Getting started quickly:**

- Configuring your app: To connect services and DevOps toolchains to your app:
- 1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
- 2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
- 3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
- 4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.
- 5. If you make any changes to your app, be sure to redeploy it again.

The bottom of the screen shows the Windows taskbar with the search bar, taskbar icons, and system tray showing 25°C Cloudy, 11:45 PM, and 15-11-2022.