SOURCE CODE

TEAM ID: PNT2022TMID44577 PROJECT TITLE: IoT BASED SMART CROP PROTECTION SYSTEM FOR AGRICULTURE

PYTHON SOURCE CODE:

```
import time import sys
import ibmiotf.application
import ibmiotf.device import
random

#Provide your IBM Watson Device Credentials
organization = "c5ah4g"
deviceType = "App-1"
deviceId = "13"
authMethod = "use-token-auth"
authToken = "12345678"



# Initialize GPIO def myCommandCallback(cmd):
print("Command received: %s" % cmd.data['command'])
status=cmd.data['command']     if status=="lighton":
print ("led is on")
   elif status == "lightoff":
      print ("led is off")
else :
      print ("please send proper command")
```

```
try:    deviceOptions = {"org": organization, "type": deviceType,
"id": deviceId, "auth-method": authMethod, "auth-token":
authToken}          deviceCli = ibmiotf.device.Client(deviceOptions)
        #.....

except Exception as e:
        print("Caught exception connecting device: %s" % str(e))
sys.exit()

# Connect and send a datapoint "hello" with value "world" into the cloud as
an event of type "greeting" 10 times deviceCli.connect()

while True:
    #Get Sensor Data from DHT11

    temp=random.randint(90,110)
    Humid=random.randint(60,100)
    Moist=random.randint(20,100)
    Animal_dect=random.randint(1,20)

    data = { 'temp' : temp, 'Humid': Humid, 'Moist' : Moist, 'Animal_dect' :
Animal_dect }
    #print data       def
myOnPublishCallback():
        print ("Published Temperature = %s C" % temp, "Humidity = %s
```

%%" % Humid, "to IBM Watson", "Published Moisture= %s" % Moist, "Published Animal detection = " , Animal_dect)

success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0, on_publish=myOnPublishCallback) if not success: print("Not connected to IoTF") time.sleep(10)

deviceCli.commandCallback = myCommandCallback

Disconnect the device and application from the cloud

deviceCli.disconnect()

NODE-RED SOURCE CODE:

TEMPERATURE:

msg.payload=msg.payload.”temp”

return msg; HUMIDITY:

msg.payload=msg.payload.”Humid”

return msg; MOISTURE:

msg.payload=msg.payload.”Moist”

return msg;

ANIMAL DETECTION:

msg.payload=msg.payload.”Animal_dect” return

msg;