


Steps followed:

Create Node-RED Service

Team ID :- PNT2022TMID36667



- Navigated to the App creation page
- Entered project details and clicked on create

IBM Cloud

Search resources and offerings...

Catalog Docs Support Manage

Examples: env:dev, version-1

Platform

☒ Node.js

Service details

Cloudant

Region

London

Resource group

Default

Pricing plan

Lite


Pricing details

Terms

Creating app...

Clicking on the “Deploy your App” Button


Deployment Automation




Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

Deploy your app





- Setting up the environment and deploying the app
Successfully deployed the app

Delivery Pipelines

Name	ci-pipeline ↗
Status	✓ Success ↗
Last input	Last commit by IBM Cloud DevOps Services (7 minutes ago) Clone from zip ↗

Welcome to your new Node-RED instance on IBM Cloud

We know you're eager to start wiring up your flows, but first there are a couple of tasks you should do:

- Secure your Node-RED editor
- Learn how to install additional nodes

- Welcomed by the instance editor
- Setting up credentials



☐ Secure your editor so only authorised users can access it

☒ *Not recommended:* Allow anyone to access the editor and make changes

Your editor will not be secured. Anyone with the URL will be able to access your flows, data and bound services.

☒ Tick this box to confirm you want your editor to be insecure

Dragged and dropped components into the editor



- Editing some values of the properties
- Successfully deployed the app



Result: Successfully created a NodeRED service on IBM Cloud