ASSIGNMENT-4

CUSTOMER SEGMENTATION ANALYSIS

Importing the libraries

import pandas as pd

import numpy as np

import matplotlib.pyplot as plt

import seaborn as sns

Loading the dataset: Input:

df = pd.read_csv('Mall_Customers.csv')
df

Output:

| | Custome | erID Ge | ender | Age / | Annual Income (k\$) | Spending Score (1-100) | | |
|-----|-------------------------|---------|-------|-------|---------------------|------------------------|--|--|
| 0 | 1 | Male | 19 | 15 | 39 | | | |
| 1 | 2 | Male | 21 | 15 | 81 | | | |
| 2 | 3 | Female | 20 | 16 | 6 | | | |
| 3 | 4 | Female | 23 | 16 | 77 | | | |
| 4 | 5 | Female | 31 | 17 | 40 | | | |
| 195 | 196 | Female | 35 | 120 | 79 | | | |
| 196 | 197 | Female | 45 | 126 | 28 | | | |
| 197 | 198 | Male | 32 | 126 | 74 | | | |
| 198 | 199 | Male | 32 | 137 | 18 | | | |
| 199 | 200 | Male | 30 | 137 | 83 | | | |
| 200 | $rows \times 5$ columns | | | | | | | |

Encoding Categorical Columns

Input:

Output:


| | Customerl | D G | ender Ag | e Annu | al Income (k | \$) Spending Sco | re (1-100) Cluster |
|-----|-----------|-----|----------|--------|--------------|------------------|--------------------|
| 0 | 1 1 | 19 | 15.00 | 39 | 2 | | |
| 1 | 2 1 | 21 | 15.00 | 81 | 2 | | |
| 2 | 3 0 | 20 | 16.00 | 6 | 2 | | |
| 3 | 4 0 | 23 | 16.00 | 77 | 2 | | |
| 4 | 5 0 | 31 | 17.00 | 40 | 2 | | |
| ••• | | | | | | | |
| 195 | 196 | 0 | 35 | 120.00 | 79 3 | | |
| 196 | 197 | 0 | 45 | 126.00 | 28 1 | | |
| 197 | 198 | 1 | 32 | 126.00 | 74 3 | | |
| 198 | 199 | 1 | 32 | 60.55 | 18 1 | | |
| 199 | 200 | 1 | 30 | 60.55 | 83 3 | | |

 $200 \text{ rows} \times 6 \text{ columns}$

Visualizations Univariate Analysis

Input: plt.hist(df['Age'])


```
(array([31., 19., 34., 29., 16., 26., 15., 10., 6., 14.]),
array([18., 23.2, 28.4, 33.6, 38.8, 44., 49.2, 54.4, 59.6, 64.8, 70.]),
```



Input:

```
plt.hist(df['Annual Income (k$)'])
```

Output:




Input:

plt.hist(df['Spending Score (1-100)']) Output:

```
(array([16., 20., 10., 17., 35., 37., 11., 24., 14., 16.]),
array([1., 10.8, 20.6, 30.4, 40.2, 50., 59.8, 69.6, 79.4, 89.2, 99.]),
```

100


Input: sns.countplot(df['Gender'])



Bi-Variate Analysis

Input:


sns.scatterplot(df['Annual Income (k\$)'], df['Spending Score (1-100)']) **Output:**



Input:

sns.barplot(df['Gender'], df['Age'])

Output:




Input: sns.heatmap(df.corr(), annot = True) Output:



Multi-variate Analysis

Input: sns.pairplot(df)

output:



Descriptive Statistics

Input: df.info()

Output:

RangeIndex: 200 entries, 0 to 199 Data

columns (total 5 columns):

| # | Column | Non-Null Count Dtype | |
|---|------------|----------------------|--|
| | | | |
| 0 | CustomerID | 200 non-null int64 | |
| 1 | Gender | 200 non-null int64 | |
| 2 | Age | 200 non-null int64 | |
| _ | _ | | |

3 Annual Income (k\$) 200 non-null int64 4 Spending Score (1-100) 200 non-null int64 dtypes: int64(5) memory usage: 7.9 KB

Input: df.describe()

Output:

| | CustomerID | Gender | Age | Annual Income (k\$) | Spending Score (1-100) |
|-------|------------|------------|------------|---------------------|------------------------|
| | CustomerID | Gender | Age | Annual Income (k\$) | Spending Score (1-100) |
| count | 200.000000 | 200.000000 | 200.000000 | 200.000000 | 200.000000 |
| mean | 100.500000 | 0.440000 | 38.850000 | 60.560000 | 50.200000 |
| std | 57.879185 | 0.497633 | 13.969007 | 26.264721 | 25.823522 |
| min | 1.000000 | 0.000000 | 18.000000 | 15.000000 | 1.000000 |
| 25% | 50.750000 | 0.000000 | 28.750000 | 41.500000 | 34.750000 |
| 50% | 100.500000 | 0.000000 | 36.000000 | 61.500000 | 50.000000 |
| 75% | 150.250000 | 1.000000 | 49.000000 | 78.000000 | 73.000000 |
| max | 200.000000 | 1.000000 | 70.000000 | 137.000000 | 99.000000 |

Input:

df.skew()

Output:

| Custome | | 0.000000 | | | |
|---------|----------|----------|----------|--|--|
| Gender | 0.243578 | | | | |
| Age | | | 0.485569 | | |
| Annual | Income | (k\$) | 0.321843 | | |

Spending Score (1-100) -0.047220 dtype:

float64

Input:

df.kurt()

Output:

CustomerID -1.200000 Gender -1.960375 Age -0.671573 Annual Income (k\$) -0.098487

Spending Score (1-100) -0.826629 dtype:

float64

Input:

df.corr()

Output:

| | CustomerID | Gender | Age | Annual Income (k\$) | Spending Score (1-100) |
|--|------------|-----------|-----------|---------------------|------------------------|
| CustomerID | 1.000000 | 0.057400 | -0.026763 | 0.977548 | 0.013835 |
| Gender | 0.057400 | 1.000000 | 0.060867 | 0.056410 | -0.058109 |
| Age | -0.026763 | 0.060867 | 1.000000 | -0.012398 | -0.327227 |
| Annual Income (k\$) | 0.977548 | 0.056410 | -0.012398 | 1.000000 | 0.009903 |
| Spending Score (1-100) Input: df.var() | 0.013835 | -0.058109 | -0.327227 | 0.009903 | 1.000000 |

Output:

3350.000000 CustomerID Gender 0.247638 Age 195.133166
Annual Income (k\$) 689.835578
Spending Score (1-100) 666.854271 dtype:

float64

Input: df.std()

Output:

CustomerID 57.879185 Gender 0.497633 13.969007 Annual Income (k\$) 26.264721 Spending Score (1-100) 25.823522 dtype:

float64

Checking for missing values

```
Input:
```

```
df.isna().sum()
```

Output:

0 CustomerID Gender 0 0 Annual Income (k\$)

Spending Score (1-100) 0 dtype:

int64

Input:

df.isna().sum().sum()

Output:

0 **Input:**

df.duplicated().sum()

Output:

Finding & Handling Ouliers

Input:

```
quantile = df.quantile(q = [0.25, 0.75])
quantile Output:
```

| | CustomerID | Gender | Age | Annual Income (k\$) | Spending Score (1-100) |
|------|------------|--------|-------|---------------------|------------------------|
| 0.25 | 50.75 | 0.0 | 28.75 | 41.5 | 34.75 |
| 0.75 | 150.25 | 1.0 | 49.00 | 78.0 | 73.00 |

Input:

IQR = quantile.iloc[1] - quantile.iloc[0]

IQR Output:

CustomerID 99.50 Gender 1.00 20.25 Annual Income (k\$) 36.50 Spending Score (1-100) 38.25 dtype:

float64

Input:


```
upper = quantile.iloc[1] + (1.5 *IQR) upper
```

| CustomerID | 299.500 |
|------------|---------|
| Gender | 2.500 |


| Age | 79.375 |
|------------------------------------|-----------------|
| Annual Income (k\$) | 132.750 |
| Spending Score (1-100) | 130.375 |
| | |
| dtype: float64 Input: | |
| <pre>lower = quantile.iloc[(</pre> |)] - (1.5* IQR) |
| lower Output: | |
| CustomerID | -98.500 |
| Gender | -1.500 |
| Age | -1.625 |
| - | -13.250 |
| | |
| Spending Score (1-100) | |
| dtype: float64 Input: | df.mean() |
| Output: | |
| CustomerID | 100.50 |
| Gender | 0.44 |
| Age | 38.85 |
| Annual Income (k\$) | 60.56 |
| Spending Score (1-100) | |
| | 30.20 |
| dtype: float64 Input: | |
| df['Annual Income (k\$) | '].max() |
| Output: | |
| _ | |

137


Input:
sns.boxplot(df['CustomerID'])




Input: sns.boxplot(df['Gender']) Output:




Input: sns.boxplot(df['Age']) Output:




Input: sns.boxplot(df['Annual Income (k\$)']) Output:



Input: $df['Annual Income (k$)'] = np.where(df['Annual Income (k$)'] > 132.750, \\ 60.55, df['Annual Income (k$)']) sns.boxplot(df['Annual Income (k$)'])$





Input: df['Annual Income (k\$)'].max() Output: 126.0

Input: sns.boxplot(df['Spending Score (1-

100)']) **Output:**

Scaling the data

Input:

```
from sklearn.preprocessing import StandardScaler
ss = StandardScaler().fit_transform(df) ss
```

```
[-1.5155634, -0.88640526, 1.37433211, -1.58880894, -1.36651894],
[-1.49824268, -0.88640526, -1.06573534, -1.58880894, 1.04041783],
[-1.48092195, 1.12815215, -0.13276838, -1.58880894, -1.44416206],
[-1.46360123, 1.12815215, -1.20926872, -1.58880894, 1.11806095],
[-1.4462805, -0.88640526, -0.27630176, -1.5488846, -0.59008772],
[-1.42895978, 1.12815215, -1.3528021, -1.5488846, 0.61338066],
[-1.41163905, 1.12815215, 0.94373197, -1.46903593, -0.82301709],
[-1.39431833, -0.88640526, -0.27630176, -1.46903593, 1.8556706],
 [-1.3769976 \ , \quad 1.12815215, \quad -0.27630176, \quad -1.42911159, \quad -0.59008772] \ , 
[-1.35967688, 1.12815215, -0.99396865, -1.42911159, 0.88513158],
[-1.34235616, -0.88640526, 0.51313183, -1.38918726, -1.75473454],
[-1.32503543, 1.12815215, -0.56336851, -1.38918726, 0.88513158],
[-1.30771471, -0.88640526, 1.08726535, -1.26941425, -1.4053405],
[-1.29039398, 1.12815215, -0.70690189, -1.26941425, 1.23452563],
[-1.27307326, -0.88640526, 0.44136514, -1.26941425, -0.7065524],
[-1.25575253, 1.12815215, -0.27630176, -1.26941425, 0.41927286],
[-1.23843181, -0.88640526, 0.08253169, -1.22948991, -0.74537397],
[-1.22111108, -0.88640526, -1.13750203, -1.22948991, 1.42863343], [-1.20379036, 1.12815215, 1.51786549, -1.18956557, -1.7935561],
[-1.18646963, -0.88640526, -1.28103541, -1.18956557, 0.88513158],
[-1.16914891, 1.12815215, 1.01549866, -1.06979256, -1.7935561],
[-1.15182818, 1.12815215, -1.49633548, -1.06979256, 1.62274124],
[-1.13450746, -0.88640526, 0.7284319, -1.06979256, -1.4053405],
[-1.11718674, -0.88640526, -1.28103541, -1.06979256, 1.19570407],
[-1.09986601, -0.88640526, 0.22606507, -1.02986823, -1.28887582],
[-1.08254529, -0.88640526, -0.6351352, -1.02986823, 0.88513158],
[-1.06522456, -0.88640526, -0.20453507, -0.91009522, -0.93948177],
\hbox{\tt [-1.04790384, -0.88640526, -1.3528021 , -0.91009522, 0.96277471],}
[-1.03058311, -0.88640526, 1.87669894, -0.87017088, -0.59008772],
[-1.01326239, 1.12815215, -1.06573534, -0.87017088, 1.62274124],
[-0.99594166, 1.12815215, 0.65666521, -0.83024654, -0.55126616],
[-0.97862094, -0.88640526, -0.56336851, -0.83024654, 0.41927286],
 [-0.96130021, \ -0.88640526, \ \ 0.7284319 \ , \ -0.83024654, \ -0.86183865], 
[-0.94397949, -0.88640526, -1.06573534, -0.83024654, 0.5745591],
[-0.92665877, -0.88640526, 0.80019859, -0.79032221, 0.18634349],
[-0.90933804, -0.88640526, -0.85043527, -0.79032221, -0.12422899],
[-0.89201732, -0.88640526, -0.70690189, -0.79032221, -0.3183368],
[-0.87469659, -0.88640526, -0.56336851, -0.79032221, -0.3183368],
 \hbox{ $[-0.85737587, -0.88640526, 0.7284319, -0.71047353, 0.06987881],} 
[-0.84005514, 1.12815215, -0.41983513, -0.71047353, 0.38045129],
[-0.82273442, -0.88640526, -0.56336851, -0.6705492, 0.14752193],
[-0.80541369, 1.12815215, 1.4460988, -0.6705492, 0.38045129],
[-0.78809297, -0.88640526, 0.80019859, -0.6705492, -0.20187212],
[-0.77077224, 1.12815215, 0.58489852, -0.6705492, -0.35715836],
[-0.75345152, -0.88640526, 0.87196528, -0.63062486, -0.00776431],
[-0.73613079, 1.12815215, 2.16376569, -0.63062486, -0.16305055],
[-0.71881007, -0.88640526, -0.85043527, -0.55077619, 0.03105725],
[-0.70148935, 1.12815215, 1.01549866, -0.55077619, -0.16305055],
[-0.68416862, 1.12815215, 2.23553238, -0.55077619, 0.22516505],
[-0.6668479 , 1.12815215, -1.42456879, -0.55077619, 0.18634349],
[-0.64952717, -0.88640526, 2.02023231, -0.51085185, 0.06987881],
[-0.63220645, -0.88640526, 1.08726535, -0.51085185, 0.34162973],
[-0.61488572, 1.12815215, 1.73316556, -0.47092751, 0.03105725],
[-0.597565 , 1.12815215, -1.49633548, -0.47092751, 0.34162973],
[-0.58024427, -0.88640526, 0.29783176, -0.47092751, -0.00776431],
[-0.56292355, -0.88640526, 2.091999, -0.47092751, -0.08540743],
[-0.54560282, 1.12815215, -1.42456879, -0.47092751, 0.34162973],
[-0.5282821, -0.88640526, -0.49160182, -0.47092751, -0.12422899],
[-0.51096138, 1.12815215, 2.23553238, -0.43100318, 0.18634349],
```

```
[-0.49364065, -0.88640526, 0.58489852, -0.43100318, -0.3183368],
      [-0.47631993, -0.88640526, 1.51786549, -0.39107884, -0.04658587],
      [-0.4589992 , -0.88640526, 1.51786549, -0.39107884, 0.22516505],
      [-0.44167848, 1.12815215, 1.4460988, -0.23138149, -0.12422899],
      [-0.42435775, 1.12815215, -0.92220196, -0.23138149, 0.14752193],
      [-0.40703703, -0.88640526, 0.44136514, -0.23138149, 0.10870037],
      [-0.3897163, 1.12815215, 0.08253169, -0.23138149, -0.08540743],
      [-0.37239558, -0.88640526, -1.13750203, -0.23138149, 0.06987881],
       [-0.35507485, \ -0.88640526, \ \ 0.7284319 \ , \ -0.23138149, \ -0.3183368 \ ] \, , \\
      [-0.33775413, 1.12815215, 1.30256542, -0.23138149, 0.03105725],
      [-0.3204334, 1.12815215, -0.06100169, -0.23138149, 0.18634349],
      [-0.30311268, 1.12815215, 2.02023231, -0.23138149, -0.35715836],
       [-0.28579196, \ -0.88640526, \ \ 0.51313183, \ -0.23138149, \ -0.24069368], 
      [-0.26847123, -0.88640526, -1.28103541, -0.23138149, 0.26398661],
      [-0.25115051, 1.12815215, 0.65666521, -0.23138149, -0.16305055],
      [-0.23382978, -0.88640526, 1.15903204, -0.11160848, 0.30280817],
      [-0.21650906, -0.88640526, -1.20926872, -0.11160848, 0.18634349],
      [-0.19918833, -0.88640526, -0.34806844, -0.07168415, 0.38045129],
      [-0.18186761, -0.88640526, 0.80019859, -0.07168415, -0.16305055],
      [-0.16454688, -0.88640526, 2.091999, -0.03175981, 0.18634349],
      [-0.14722616, 1.12815215, -1.49633548, -0.03175981, -0.35715836],
      [-0.12990543, 1.12815215, 0.65666521, 0.00816453, -0.04658587],
      [-0.11258471, -0.88640526, 0.08253169, 0.00816453, -0.39597992],
      [-0.09526399, -0.88640526, -0.49160182, 0.00816453, -0.3183368],
[-0.07794326, 1.12815215, -1.06573534, 0.00816453, 0.06987881], [-
0.06062254, -0.88640526, 0.58489852, 0.00816453, -0.12422899],
0.04330181, -0.88640526, -0.85043527, 0.00816453, -0.00776431],
      [-0.02598109, 1.12815215, 0.65666521, 0.04808886, -0.3183368],
      [-0.00866036, 1.12815215, -1.3528021, 0.04808886, -0.04658587],
      [0.00866036, -0.88640526, -1.13750203, 0.0880132, -0.35715836],
      [\ 0.02598109,\ -0.88640526,\ 0.7284319,\ 0.0880132,\ -0.08540743],
       [ 0.04330181, 1.12815215, 2.02023231, 0.0880132, 0.34162973],
   [ 0.06062254, 1.12815215, -0.92220196, 0.0880132 , 0.18634349],
        \hbox{\tt [ 0.07794326, 1.12815215, 0.7284319, 0.0880132, 0.22516505], } 
       [\ 0.09526399,\ -0.88640526,\ -1.28103541,\ 0.0880132\ ,\ -0.3183368\ ],
        \hbox{\tt [ 0.11258471, -0.88640526, 1.94846562, 0.12793754, -0.00776431], } 
       [0.12990543, 1.12815215, 1.08726535, 0.12793754, -0.16305055],
       [0.14722616, 1.12815215, 2.091999, 0.12793754, -0.27951524],
      [ 0.16454688, 1.12815215, 1.94846562, 0.12793754, -0.08540743],
      [ 0.18186761, 1.12815215, 1.87669894, 0.12793754, 0.06987881],
      [0.19918833, -0.88640526, -1.42456879, 0.12793754, 0.14752193],
      [0.21650906, -0.88640526, -0.06100169, 0.16786187, -0.3183368],
      [0.23382978, 1.12815215, -1.42456879, 0.16786187, -0.16305055],
       \hbox{\tt [ 0.25115051, -0.88640526, -1.49633548, 0.20778621, -0.08540743], } 
      [0.26847123, -0.88640526, -1.42456879, 0.20778621, -0.00776431],
      [0.28579196, -0.88640526, 1.73316556, 0.20778621, -0.27951524],
      [0.30311268, -0.88640526, 0.7284319, 0.20778621, 0.34162973],
      [\ 0.3204334\ ,\ -0.88640526,\ 0.87196528,\ 0.28763488,\ -0.27951524],
      [ 0.33775413, -0.88640526, 0.80019859, 0.28763488, 0.26398661],
      [0.35507485, 1.12815215, -0.85043527, 0.28763488, 0.22516505],
      [0.37239558, -0.88640526, -0.06100169, 0.28763488, -0.39597992],
      [ 0.3897163 , -0.88640526, 0.08253169, 0.36748356, 0.30280817],
      [ 0.40703703, 1.12815215, 0.010765 , 0.36748356, 1.58391968],
      [\ 0.42435775,\ -0.88640526,\ -1.13750203,\ 0.40740789,\ -0.82301709],
      [0.44167848, -0.88640526, -0.56336851, 0.40740789, 1.04041783],
      [ 0.4589992 , 1.12815215, 0.29783176, 0.44733223, -0.59008772],
      [0.47631993, 1.12815215, 0.08253169, 0.44733223, 1.73920592],
      [0.49364065, 1.12815215, 1.4460988, 0.44733223, -1.52180518],
      [ 0.51096138, 1.12815215, -0.06100169, 0.44733223, 0.96277471],
```

```
[ 0.5282821 , 1.12815215, 0.58489852, 0.44733223, -1.5994483 ],
      [0.54560282, 1.12815215, 0.010765, 0.44733223, 0.96277471],
      [0.56292355, -0.88640526, -0.99396865, 0.48725657, -0.62890928],
      [0.58024427, -0.88640526, -0.56336851, 0.48725657, 0.80748846],
      [0.597565, 1.12815215, -1.3528021, 0.5271809, -1.75473454],
      [ 0.61488572, -0.88640526, -0.70690189,  0.5271809 ,  1.46745499],
      [ 0.63220645, -0.88640526, 0.36959845, 0.5271809 , -1.67709142],
       \hbox{\tt [ 0.64952717, 1.12815215, -0.49160182, 0.5271809, 0.88513158], } \\
      [ 0.6668479 , 1.12815215, -1.42456879, 0.56710524, -1.56062674],
      [0.68416862, -0.88640526, -0.27630176, 0.56710524, 0.84631002],
      [0.70148935, -0.88640526, 1.30256542, 0.60702958, -1.75473454],
      [ 0.71881007, 1.12815215, -0.49160182, 0.60702958, 1.6615628 ],
      [0.73613079, -0.88640526, -0.77866858, 0.64695391, -0.39597992],
      [ 0.75345152, -0.88640526, -0.49160182, 0.64695391, 1.42863343],
      [0.77077224, 1.12815215, -0.99396865, 0.68687825, -1.48298362],
      [ 0.78809297, 1.12815215, -0.77866858, 0.68687825, 1.81684904],
      [ 0.80541369, 1.12815215, 0.65666521, 0.68687825, -0.55126616],
      [ 0.82273442, -0.88640526, -0.49160182, 0.68687825, 0.92395314],
      [0.84005514, -0.88640526, -0.34806844, 0.72680259, -1.09476801],
      [ 0.85737587, 1.12815215, -0.34806844, 0.72680259, 1.54509812],
      [ 0.87469659, 1.12815215, 0.29783176, 0.72680259, -1.28887582],
      [ 0.89201732, 1.12815215, 0.010765 , 0.72680259, 1.46745499],
[0.90933804, -0.88640526, 0.36959845, 0.72680259, -1.17241113],
                                                                  [
0.92665877, -0.88640526, -0.06100169, 0.72680259, 1.00159627],
                                                                     Γ
0.94397949, -0.88640526, 0.58489852, 0.72680259, -1.32769738],
      [0.96130021, -0.88640526, -0.85043527, 0.72680259, 1.50627656],
       [0.97862094, 1.12815215, -0.13276838, 0.72680259, -1.91002079],
   [0.99594166, -0.88640526, -0.6351352, 0.72680259, 1.07923939],
   [1.01326239, 1.12815215, -0.34806844, 0.72680259, -1.91002079],
       [ 1.03058311, -0.88640526, -0.6351352 , 0.72680259, 0.88513158],
   [ 1.04790384, -0.88640526, 1.23079873, 0.76672692, -0.59008772],
       [1.06522456, -0.88640526, -0.70690189, 0.76672692, 1.27334719],
       [ 1.08254529, 1.12815215, -1.42456879, 0.8465756 , -1.75473454],
       [\ 1.09986601,\ -0.88640526,\ -0.56336851,\ 0.8465756\ ,\ 1.6615628\ ],
        \hbox{\tt [ 1.11718674, 1.12815215, 0.80019859, 1.00627294, -0.93948177],} 
       [ 1.13450746, -0.88640526, -0.20453507, 1.00627294, 0.96277471],
       [ 1.16914891, -0.88640526, -0.41983513, 1.04619728, 1.73920592],
      [ 1.18646963, -0.88640526, -0.20453507, 1.08612162, -0.90066021],
      [ 1.20379036, 1.12815215, -0.49160182, 1.08612162, 0.49691598],
      [ 1.22111108, 1.12815215, 0.08253169, 1.08612162, -1.44416206],
      [ 1.23843181, 1.12815215, -0.77866858, 1.08612162, 0.96277471],
      [ 1.25575253, 1.12815215, -0.20453507, 1.08612162, -1.56062674],
      [ 1.27307326, 1.12815215, -0.20453507, 1.08612162, 1.62274124],
       \hbox{\tt [1.29039398, -0.88640526, 0.94373197, 1.12604595, -1.44416206],} 
      [1.30771471, -0.88640526, -0.6351352, 1.12604595, 1.38981187],
      [ 1.32503543, 1.12815215, 1.37433211, 1.12604595, -1.36651894],
      [ 1.34235616, 1.12815215, -0.85043527, 1.12604595, 0.72984534],
      [ 1.35967688, 1.12815215, 1.4460988 , 1.32566764, -1.4053405 ],
      [ 1.3769976 , 1.12815215, -0.27630176,
                                             1.32566764, 1.54509812],
      [ 1.39431833, -0.88640526, -0.13276838, 1.48536498, -0.7065524 ],
      [1.41163905, -0.88640526, -0.49160182, 1.48536498, 1.38981187],
      [ 1.42895978, 1.12815215, 0.51313183, 1.52528932, -1.36651894],
      [ 1.4462805 , -0.88640526, -0.70690189, 1.52528932, 1.46745499],
      [ 1.46360123, -0.88640526, 0.15429838, 1.56521366, -0.43480148],
      [ 1.48092195, 1.12815215, -0.6351352 , 1.56521366, 1.81684904],
      [ 1.49824268, -0.88640526, 1.08726535, 1.64506233, -1.01712489],
      [ 1.5155634 , 1.12815215, -0.77866858, 1.64506233, 0.69102378],
      [ 1.53288413, -0.88640526, 0.15429838, 1.724911 , -1.28887582],
```

```
[ 1.55020485, -0.88640526, -0.20453507, 1.724911 , 1.35099031], [ 1.56752558, -0.88640526, -0.34806844, 1.724911 , -1.05594645], [ 1.5848463 , -0.88640526, -0.49160182, 1.724911 , 0.72984534], [ 1.60216702, 1.12815215, -0.41983513, 2.12415437, -1.63826986], [ 1.61948775, -0.88640526, -0.06100169, 2.12415437, 1.58391968], [ 1.63680847, -0.88640526, 0.58489852, 2.40362473, -1.32769738], [ 1.6541292 , -0.88640526, -0.27630176, 2.40362473, 1.11806095], [ 1.67144992, -0.88640526, 0.44136514, 2.64317075, -0.86183865], [ 1.68877065, 1.12815215, -0.49160182, 2.64317075, 0.92395314], [ 1.70609137, 1.12815215, -0.49160182, 0.03012291, -1.25005425],
```

Clustering Algorithm

Input:


```
from sklearn.cluster import KMeans
TWSS = [] k = list(range(2,9)) for
i in k:
   kmeans = KMeans(n_clusters = i , init = 'k-means++')
kmeans.fit(df)
  TWSS.append(kmeans.inertia_)
```

TWSS Output:

[381507.64738523855, 268062.55433747417, 191550.08627670942, 153777.55391034693, 119166.15727643928, 101239.32626154403, 85744.90139221892]

Input: plt.plot(k,TWSS,

'ro--') Output:



```
model = KMeans(n_clusters = 4)
Input: model.fit(df) Output:
```

KMeans(n clusters=4)

Input: mb =
pd.Series(model.labels_) df['Cluster'] = mb df

Output:

| | CustomerID | Gender | Age Annual Inco | | al Incom | e (k\$) | Spending S | Score (1-10 | 0) | Cluster |
|-----|------------|--------|-----------------|------|-----------|------------------|------------|-------------|----|---------|
| | | | | 0 | | 1 1 | 19 | 15.00 | 39 | 2 |
| | | | | 1 | | 2 1 | 21 | 15.00 | 81 | 2 |
| | CustomerID | Gender | Age | Annu | ial Incom | e (k\$) | Spending | Score (1-10 | 0) | Cluster |
| | | | | 2 | | 3 0 | 20 | 16.00 | 6 | 2 |
| | | | | 3 | | 4 0 | 23 | 16.00 | 77 | 2 |
| | | | | 4 | | 5 0 | 31 | 17.00 | 40 | 2 |
| | | | | | | | | | | ··· |
| 195 | 196 | 0 | 3 | 5 | 120.00 | 79 | 3 | | | |
| 196 | 197 | 0 | 4 | .5 | 126.00 | 28 | 1 | | | |
| 197 | 198 | 1 | 3 | 2 | 126.00 | 74 | 3 | | | |
| 198 | 199 | 1 | 3 | 2 | 60.55 | 18 | 1 | | | |
| 199 | 200 | 1 | 3 | 0 | 60.55 | 83 | 3 | | | |

 $200 \text{ rows} \times 6 \text{ columns}$