Date	01 November 2022
TeamID	PNT2022TMID54475
ProjectName	IOT based saftey gadget child monitoring and notification
MaximumMarks	8Marks

## **INDEX.PHP**

```
<?php
  session_start(); if
(isset($_SESSION['SESSION_EMAIL'])) {
header("Location: welcome.php");
die();
 }
  include 'config.php';
  $msg = "";
  if (isset($_GET['verification'])) {
(mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
code='{$_GET['verification']}'")) > 0) {
      $query = mysqli_query($conn, "UPDATE users SET code=" WHERE
code='{$_GET['verification']}'");
      if ($query) {
        $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";
      }
    } else {
      header("Location: index.php");
    }
  }
  if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $sql = "SELECT * FROM users WHERE email='{$email}' AND password='{$password}'";
    $result = mysqli_query($conn, $sql);
    if (mysqli_num_rows($result) === 1) {
$row = mysqli_fetch_assoc($result);
```

```
if (empty($row['code'])) {
        $_SESSION['SESSION_EMAIL'] = $email;
        header("Location: welcome.php");
      } else {
        $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
      }
    } else {
      $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
    }
  } ?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Child Safety</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" /> <meta
name="keywords"
content="Login Form" /> <!--
//Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//StyleCSS</pre>
-->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
      <div class="workinghny-form-grid">
        <div class="main-mockup">
          <div class="alert-close">
             <span class="fa fa-close"></span>
          </div>
          <div class="w3l_form align-self">
             <div class="left grid info">
               <img src="login1.jpeg" alt="">
```

```
</div>
           </div>
           <div class="content-wthree">
             <h2>Login Now</h2>
             <?php echo $msg; ?>
             <form action="" method="post">
               <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
               <input type="password" class="password" name="password" placeholder="Enter
Your Password" style="margin-bottom: 2px;" required>
               <a href="forgot-password.php" style="margin-bottom: 15px; display: block;</p>
textalign: right;">Forgot Password?</a>
               <button name="submit" name="submit" class="btn" type="submit">Login</button>
             </form>
             <div class="social-icons">
               Create Account! <a href="register.php">Register</a>.
             </div>
           </div>
         </div>
      </div>
       <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
       $('.alert-close').on('click', function (c) {
         $('.main-mockup').fadeOut('slow', function (c) {
           $('.main-mockup').remove();
         });
      });
    });
  </script>
</body>
</html>
```

## **REGISTER.PHP**

```
//Import PHPMailer classes into the global namespace
  //These must be at the top of your script, not inside a function use
PHPMailer\PHPMailer; use
PHPMailer\PHPMailer\SMTP; use
PHPMailer\PHPMailer\Exception;
  session_start(); if
(isset($_SESSION['SESSION_EMAIL'])) {
                                         header("Location:
welcome.php");
    die();
  }
  //Load Composer's autoloader
require 'vendor/autoload.php';
  include 'config.php';
  $msg = "";
  if (isset($_POST['submit'])) {
    $name = mysqli_real_escape_string($conn, $_POST['name']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
$code = mysqli_real_escape_string($conn, md5(rand()));
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{$email}'")) >
0)
      $msg = "<div class='alert alert-danger'>{$email} - This email address has been already
exists.</div>";
    } else {
      if ($password === $confirm_password) {
```

```
$sql = "INSERT INTO users (name, email, password, code) VALUES ('{$name}', '{$email}',
'{$password}', '{$code}')";
        $result = mysqli_query($conn, $sql);
        if ($result) {
                             echo "<div style='display:
none;'>";
          //Create an instance; passing `true` enables exceptions
$mail = new PHPMailer(true);
           try
{
            //Server settings
            $mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                                  //Enable verbose debug
output
            $mail->isSMTP();
                                                   //Send using SMTP
            $mail->Host = 'smtp.gmail.com';
                                                        //Set the SMTP server to send through
            $mail->SMTPAuth = true;
                                                       //Enable SMTP authentication
            $mail->Username = 'childsafetymonitoring@gmail.com
           //SMTP username
            $mail->Password = 'bdzqxzgumybikbel';
                                                                   //SMTP password
            $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                       //Enable implicit TLS
encryption
            mail - Port = 465;
                                                   //TCP port to connect to; use 587 if you have
set `SMTPSecure = PHPMailer::ENCRYPTION STARTTLS`
            //Recipients
            $mail->setFrom('childsafetymonitoring@gmail.com');
$mail>addAddress($email);
            //Content
            $mail->isHTML(true);
                                                  //Set email format to HTML
            $mail->Subject = 'childsafetymonitoring@gmail.com register form';
            $mail->Body = 'click here to login <b><a
href="http://localhost/login/?verification='.$code.'">
http://localhost/login/?verification='.$code.'</a></b>';
```

```
$mail->send();
echo 'Message has been sent';
          } catch (Exception $e) {
                                    echo "Message could not be sent.
Mailer Error: {$mail->ErrorInfo}";
          }
          echo "</div>";
          $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
        } else {
          $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
        }
      } else {
        $msg = "<div class='alert alert-danger'>Password and Confirm Password do not
match</div>";
      }
    }
  }
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Child Safety</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" /> <meta
name="keywords"
content="Login Form" />
  <!-- //Meta tag Keywords -->
  <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"</pre>
```

rel="stylesheet">

```
<!--/Style-CSS -->
  link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//StyleCSS</pre>
-->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
      <div class="workinghny-form-grid">
        <div class="main-mockup">
          <div class="alert-close">
             <span class="fa fa-close"></span>
          </div>
          <div class="w3l_form align-self">
             <div class="left_grid_info">
               <img src="reg1.jpeg" alt="">
             </div>
          </div>
           <div class="content-wthree">
             <h2>Register Now</h2>
             <?php echo $msg; ?>
             <form action="" method="post">
               <input type="text" class="name" name="name" placeholder="Enter Your Name"
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
```

```
<input type="email" class="email" name="email" placeholder="Enter Your Email"
value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>
               <input type="password" class="password" name="password" placeholder="Enter
Your Password" required>
               <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
               <button name="submit" class="btn" type="submit">Register</button>
             </form>
             <div class="social-icons">
               Have an account! <a href="index.php">Login</a>.
             </div>
          </div>
        </div>
      </div>
      <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
      $('.alert-close').on('click', function (c) {
        $('.main-mockup').fadeOut('slow', function (c) {
          $('.main-mockup').remove();
        });
      });
    });
  </script>
</body>
</html>
```

## **WELCOME.PHP**

```
<?php
 session_start();
                                       if
(!isset($_SESSION['SESSION_EMAIL'])) {
                                          header("Location:
index.php");
    die();
  }
  include 'config.php';
  $query = mysqli_query($conn, "SELECT * FROM users WHERE
email='{$_SESSION['SESSION_EMAIL']}'");
  if (mysqli_num_rows($query) > 0) {
    $row = mysqli_fetch_assoc($query);
    echo "Welcome". $row['name']. " <a href='logout.php'>Logout</a>";
  }
?>
FORGET PWD.PHP
<?php
session_start(); if
(isset($_SESSION['SESSION_EMAIL'])) {    header("Location:
welcome.php");
  die();
}
```

```
//Import PHPMailer classes into the global namespace //These
must be at the top of your script, not inside a function use
PHPMailer\PHPMailer; use
PHPMailer\PHPMailer\SMTP; use
PHPMailer\PHPMailer\Exception;
//Load Composer's autoloader require
'vendor/autoload.php';
include 'config.php';
$msg = "";
if (isset($_POST['submit'])) {
  $email = mysqli_real_escape_string($conn, $_POST['email']);
  $code = mysqli_real_escape_string($conn, md5(rand()));
  if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE email='{$email}'")) > 0) {
    $query = mysqli_query($conn, "UPDATE users SET code='{$code}' WHERE email='{$email}'");
                         echo "<div style='display:
    if ($query) {
none;'>";
      //Create an instance; passing `true` enables exceptions
      $mail = new PHPMailer(true);
       try
{
        //Server settings
        $mail->SMTPDebug = SMTP::DEBUG SERVER;
                                                             //Enable verbose debug output
        $mail->isSMTP();
                                              //Send using SMTP
        $mail->Host = 'smtp.gmail.com';
                                                    //Set the SMTP server to send through
        $mail->SMTPAuth = true;
                                                  //Enable SMTP authentication
        $mail->Username = 'childsafetymonitoring@gmail.com';
                                                                        //SMTP username
        $mail->Password = 'bdzqxzgumybikbel';
                                                              //SMTP password
```

```
$mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                   //Enable implicit TLS
encryption
        $mail->Port
                       = 465;
                                                //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION STARTTLS`
        //Recipients
        $mail->setFrom('childsafetymonitoring@gmail.com');
                                                                    $mail-
>addAddress($email);
        //Content
        $mail->isHTML(true);
                                              //Set email format to HTML
        $mail->Subject = 'smartroadsafety247 reset password';
        $mail->Body = 'reset link <b><a
href="http://localhost/login/changepassword.php?reset='.$code.'">http://localhost/login/changepas
sword.php?reset='.$code.'</a></b>';
        $mail->send();
                               echo
'Message has been sent';
      } catch (Exception $e) {
                              echo "Message could not be sent.
Mailer Error: {$mail->ErrorInfo}";
      }
      echo "</div>";
      $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
    }
  } else {
    $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";
  }
}
?>
<!DOCTYPE html>
<html lang="zxx">
```

```
<head>
  <title>Child Safety</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8" /> <meta
name="keywords"
content="Login Form" />
  <!-- //Meta tag Keywords -->
  <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"</pre>
rel="stylesheet">
  <!--/Style-CSS -->
  <link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//StyleCSS</pre>
-->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
      <div class="workinghny-form-grid">
        <div class="main-mockup">
           <div class="alert-close">
             <span class="fa fa-close"></span>
           </div>
```

```
<div class="w3l_form align-self">
            <div class="left_grid_info">
               <img src="fog1.jpeg" alt="">
             </div>
          </div>
          <div class="content-wthree">
            <h2>Forgot Password</h2>
             <?php echo $msg; ?>
             <form action="" method="post">
               <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>
               <button name="submit" class="btn" type="submit">Send Reset Link</button>
             </form>
             <div class="social-icons">
               Back to! <a href="index.php">Login</a>.
             </div>
          </div>
        </div>
      </div>
      <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
      $('.alert-close').on('click', function (c) {
        $('.main-mockup').fadeOut('slow', function (c) {
          $('.main-mockup').remove();
        });
```

```
});
    });
  </script>
</body>
</html>
LOGOUT.PHP
<?php
session_start(); session_unset();
session_destroy();
header("Location: index.php");
STYLE.CSS
html {     scroll-behavior:
smooth;
}
```

```
body, html { margin: 0;
padding: 0; font-family:
'Poppins', sans-serif;
}
* { box-sizing: border-
box;
}
.d-grid {
display: grid;
}
.d-flex { display: flex;
display: -webkit-flex;
}
.text-center { textalign:
center;
}
.text-left { textalign:
left;
}
.text-right { textalign:
right;
}
webkit-appearance: none;
```

```
outline: none; font-family:
'Poppins', sans-serif;
button,
.btn, select {
cursor:
pointer;
}
a {
  text-decoration: none;
}
img { max-width:
100%;
}
ul {
margin: 0;
padding: 0
}
h1, h2,
h3, h4,
h5, h6,
p {
margin: 0;
padding: 0
}
```

```
p { color: #666; font-
size: 16px; line-height:
25px; opacity: .6;
}
.p-relative {
position: relative;
}
.p-absolute {
position: absolute;
}
.p-fixed {
position: fixed;
}
.p-sticky { position:
sticky;
}
.btn, button,
.actionbg, input {
borderradius:
4рх;
  -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  -o-border-radius: 4px;
  -ms-border-radius: 4px;
}
```

.btn:hover, button:hover

```
{
 transition: 0.5s ease;
 -webkit-transition: 0.5s ease;
 -o-transition: 0.5s ease;
 -ms-transition: 0.5s ease;
 -moz-transition: 0.5s ease; /*-- wrapper start --
*/.wrapper { width: 100%; padding-
right: 15px; padding-
left: 15px; margin-right:
auto; margin-left: auto;
}
@media (min-width: 576px) {
 .wrapper {
                max-
width: 540px;
 }
}
@media (min-width: 768px) {
 .wrapper {
                max-
width: 720px;
 }
}
@media (min-width: 992px) {
 .wrapper {
                max-
width: 960px;
 }
}
@media (min-width: 1200px) {
 .wrapper {
                max-
```

```
width: 1140px;
  }
}
.wrapper-full {
width: 100%;
padding-right: 15px;
padding-left: 15px;
margin-right: auto;
margin-left: auto;
}
/*-- //wrapper start --*/
/*-- form styling --*/ .w3l-mockup-form
{
  position: relative; min-
height: 100vh;
  z-index: 0;
  background: rgba(99, 194, 110, 0.1);
padding: 40px 40px;
}
.container {
maxwidth: 890px;
margin: 0 auto;
}
.w3l_form { padding: 0px; flex-
basis: 50%; -webkit-flexbasis:
50%; background: #d9719e;
padding: 100px 50px; border-top-
```

```
left-radius: 8px;
                  border-bottom-
left-radius: 8px;
  display: flex; justify-content:
center; alignitems: center;
.content-wthree { flex-basis: 60%; -webkit-
flex-basis: 60%; boxsizing: border-box;
padding: 3em 3.5em; background: #fff; box-
shadow: 2px 9px 49px 17px rgba(0, 0, 0, 0.1);
border-top-right-radius:
      border-bottom-right-radius: 8px;
8px;
}
.w3l-workinghny-form .logo { text-
align: center;
}
.w3l-mockup-form .main-mockup {
  position: relative;
display: -webkit-box;
display: -moz-box;
display: -ms-flexbox;
display: -webkit-flex;
display: flex;
margin: 40px 0;
}
.w3l-mockup-form .alert-close {
  cursor: pointer; height: 35px;
  width: 35px; line-height:
  35px;
          position: absolute;
right: -5px; top: 5px;
}
```

background: #d9719e;

borderradius: 50px;

color: #fff; text-

align: center;

```
}
.w3l-mockup-form form { margin-
top: 30px; marginbottom: 30px;
}
.social-icons { textalign:
center;
}
.w3l-mockup-form h1 {
  text-align: center; font-
size: 40px; fontweight: 500;
color:
#3b3663;
}
.w3l-mockup-form h2 {
  display: inline-block;
font-size: 25px;
lineheight: 35px;
marginbottom: 5px;
fontweight: 600; color:
#3b3663;
}
.w3l-mockup-form input {
  outline: none; margin-
bottom: 15px;
  font-size: 16px;
color: #999;
textalign: left;
padding: 14px 20px;
width: 100%; display:
inline-block; box-
```

```
sizing: border-box;
border: none;
outline: none;
background:
transparent; border:
1px solid #e5e5e5;
transition: 0.3s all
ease;
}
.w3l-mockup-form input:focus { bordercolor:
#00c16e;
}
.w3I-mockup-form button {
  font-size: 18px;
color: #fff;
width: 100%;
background: #00c16e;
border: none; padding:
14px 15px; fontweight:
500; transition: .3s
ease;
  -webkit-transition: .3s ease;
  -moz-transition: .3s ease;
  -ms-transition: .3s ease;
  -o-transition: .3s ease;
}
.w3l-mockup-form button:hover {
background: #4ca356;
}
```

```
.w3l-mockup-form .social-icons ul li { list-
style: none;
display: inline-block;
.w3l-mockup-form .social-icons ul li a {
padding: 8px;
}
.w3l-mockup-form .social-icons ul li a:hover {
  opacity: 0.8;
transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
.w3l-mockup-form .social-icons ul span.fa {
color: #696687; font-size: 18px; opacity:
.8;
}
.w3l-mockup-form .social-icons ul li a.facebook span {
color:
  #3b5998;
}
.w3l-mockup-form .social-icons ul li a.twitter span {
color: #1da1f2;
}
.w3l-mockup-form .social-icons ul li a.pinterest span {
```

color: #e60023;

```
.copyright p { textalign:
center; fontsize: 17px;
lineheight: 26px; color:
#607863; opacity: 1;
}
p.copy-footer-29 a {
color: #517856;
}
p.copy-footer-29 a:hover {
color: #00c16e; transition:
0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
.alert {
  padding: 1rem; border-
  radius: 5px; color: white;
  margin: 1rem 0;
}
.alert-success { backgroundcolor:
#42ba96;
```

```
.alert-danger { backgroundcolor:
#fc5555;
}
.alert-info { background-
color: #2E9AFE; .alert-
warning { backgroundcolor:
#ff9966;
}
/*-- responsive design --*/
@media (max-width:736px) { .w3l-mockupform
.main-mockup {
    flex-direction: column;
  }
  .w3l_form {
                 order: 2;
padding: 50px;
border-radius: 0;
                    borderbottom-left-radius:
8px;
        borderbottom-right-radius: 8px;
  }
  .content-wthree {
                 border-radius:
    order: 1;
0;
      border-top-left-radius:
         border-top-right-radius:
8px;
8px;
 }
}
@media (max-width:568px) { .w3l-mockup-
```

```
form h1 {
    font-size: 30px;
 }
  . w3l-mockup-form \ .main-mockup \ \{
    margin: 30px 0;
 }
  .content-wthree {
padding: 2.5em;
 }
}
@media (max-width: 415px) {
.w3l-mockup-form {
                        padding:
40px 30px;
  }
}
@media (max-width:384px) {
.w3l-mockup-form {
                        padding:
30px 15px;
  }
  . content\text{-}wthree \, \{
    padding: 2em;
  }
  .w3l-mockup-form h1 {
    font-size: 28px;
  }
```

```
.w3l-mockup-form h2 {
   font-size: 22px; line-
height: 32px;
}
.copyright p { fontsize:
```

16px;

```
}

/*-- //responsive design --*/
/*-- //form styling --*/
```