

# PERSONAL EXPENSE TRACKER APPLICATION



# A PROJECT REPORT Submitted by

R.SRIDEVI (814619104018)

K.BHARATHI (814619104003)

S.LAVANYA (814619104012)

M.SUBASREE (814619104302)

In partial fulfilment for the award of the

degree

of

**BACHELOR OF ENGINEERING** 

IN

COMPUTER SCIENCE AND ENGINEERING

TRICHY ENGINEERING COLLEGE, TRICHY

**ANNA UNIVERSITY: CHENNAI 600 025** 

**NOVEMBER 2022** 

#### TABLE OF CONTENTS

### 1. INTRODUCTION

- 1. Project Overview
- 2. Purpose

### 2. LITERATURE SURVEY

- 1. Existing problem
- 2. References
- 3. Problem Statement Definition

### 3. IDEATION & PROPOSED SOLUTION

- 1. Empathy Map Canvas
- 2. Ideation & Brainstorming
- 3. Proposed Solution
- 4. Problem Solution fit

### 4. REQUIREMENT ANALYSIS

- 1. Functional requirement
- 2. Non-Functional requirements

#### 5. PROJECT DESIGN

- 1. Data Flow Diagrams
- 2. Solution & Technical Architecture
- 3. User Stories

### 6. PROJECT PLANNING & SCHEDULING

- 1. Sprint Planning & Estimation
- 2. Sprint Delivery Schedule

# 7. CODING & SOLUTIONING (Explain the features added in the project along with code)

- 1. Feature 1
- 2. Feature 2
- 3. Database Schema (if Applicable)

### 8. TESTING

- 1. Test Cases
- 2. User Acceptance Testing

### 9. RESULTS

1. Performance Metrics

### 10. ADVANTAGES & DISADVANTAGES

### 11. CONCLUSION

# 12. FUTURE SCOPE

## 13. APPENDIX

Source Code GitHub & Project Demo Link

### 1.Introduction

## 1.1 Project Overview

Personal finance entails all the financial decisions and activities that a Finance app makes your life easier by helping you to manage your finances efficiently. A personal finance app will not only help you with budgeting and accounting but also give you helpful insights about money management.

Personal finance applications will ask users to add their expenses and based on their expenses wallet balance will be updated which will be visible to the user. Also, users can get an analysis of their expenditure in graphical forms. They have an option to set a limit for the amount to be used for that particular month if the limit is exceeded the user will be notified with an email alert.

### 1.2 Purpose

The personal expense tracker application is to read latest authenticated financial news. Personal finance applications will ask users to add their expenses and based on their expenses wallet balance will be updated which will be visible to the user. Also, users can get an analysis of their expenditure in graphical forms. They have an option to set a limit for the amount to be used for that particular month if the limit is exceeded the user will be notified with an email alert.

- To view stock market.
- Offers in popular categories.
- Suggest you with the best investment options.
- Keep track of your money lent or borrowed.
- •Keep track of all your daily transactions.

### **Literature Survey**

### 2.1 Existing System

Expense Manager is a multi-purpose finance related android application intended to run on android devices. The android application can be run on all android devices above android version 5.0. It is designed efficiently to give you the best suggestions for finance planning. The application size is less than 10 MB. It doesn't need any high end hardware specification. It can easily run on low end devices. The features of the app are designed in a way to help you for better finance management planning so that you can keep track of , analyse and optimize your budget or spending's. In this application we are also going to collect user's data with authenticated permissions and analyse and study their pattern expenses in certain category or by distinct kinds of spending that can be used for studying market trends. These analysis patterns can be derived using some data mining techniques such as clustering, classification and association.

In this world of growing technologies everything is digitalized. With large number of money transaction it is difficult for user to keep track of all your transaction. The main aim of this paper is to manage personal and group expenses. Not many applications provide a variety of features within a single application.


We develop an android application that keeps record of user personal his/her personal contribution towards group expenses, top investment options, view stock market, read authenticated news and grab the best ongoing offers in the market in popular categories.

### 2.2 PROPOSED SYSTEM

In proposed system the personal expense tracker application is to read latest authenticated financial news. Personal finance applications will ask users to add their expenses and based on their expenses wallet balance will be updated which will be visible to the user.

Also, users can get an analysis of their expenditure in graphical forms. They have an option to set a limit for the amount to be used for that particular month if the limit is exceeded the user will be notified with an email alert.

- To view stock market.
- Offers in popular categories.
- Suggest you with the best investment options.
- Keep track of your money lent or borrowed.
  - □ Keep track of all your daily transactions.



### 2.2 Reference

- 1. Andtek.T (2012).Just Expenses: Expense Tracker. Retrieved October 20, 2012, fromGooglePlay:https://play.google.com/store/apps/details?id=com.andtek.just.expense
- 2. Carvalho L. A and Basso C.(2014). Telecom Expense Management for Large Organizations; A Practical Guide. iUniverse LLC Bloomington, IN 47403.
- **3.** Kim, A. (2013). Coin Keeper.International Journal of Engineering Research & Technology (IJERT) Vol. 2 Issue 3, 032013.
- 4. Brownlow M. (2012). Smartphone statistics and market share. Email-Marketing-Reports, Retrieved from; <a href="http://www.email-marketing-reports.com/wireless-mobile/smartphonestatistics.htm">http://www.email-marketing-reports.com/wireless-mobile/smartphonestatistics.htm</a>,
- 5. Turpin M. (2017). Retrieved from; <a href="http://www.aberdeen.com/research/10255/10255-rr-travel-expense-procurement-po/content.aspx">http://www.aberdeen.com/research/10255/10255-rr-travel-expense-procurement-po/content.aspx</a>.
- 6. Peijiang, H.(2010). Expense Manager. Retrieved June 20, 2010, from http://tiny4.org/app/App\_by\_tinyfool/Tiny4Money.html: Vol.
- 7. Peijiang, H. (2012). Daily Expense Tracker (income and cash-flowLite). Retrieved August 20, 2012, from <a href="http://tiny4.org/app/App\_by\_tinyfool/Tiny4Money">http://tiny4.org/app/App\_by\_tinyfool/Tiny4Money</a>.
- 8. WildJ. (2010). Fundamental Accounting Principles (18th edition.). New York: McGraw-Hill Companies. pp. 630–633. ISBN 0-07-299653-6. Vol 18.

### 2.3Problem StatementDefinition


TITLE	AUTHOR/YEAR	MERIT	DEMERIT
Expense Manager	Peijiang/2010	This system provides budget alert in form of notifications to caution users whenever their spending limits are	This system is limited to having facility for keeping expense reports of the users that have not passed a year.

		exceeded.	
Expense Tracker	Andtek/2012	This system provides the users with the facility to save their daily expenses.	It does not provide the customization option for currencies.
Daily Expense Tracker	Peijiang (2012)	This application provides graphical layout wherever possible, for instance, using symbol for cash instead of written format.	It could not provide monthly, yearly and graphical reports which the users of the system had complained about.
Coin Keeper	Kim /2013	This system provides budget alert in form of notifications to caution users whenever their spending limits are exceeded.	It could not provide monthly, yearly and graphical reports which the users of the system had complained about.
Daily Expense Manager	Kim/2015	It has a features that help users to track their daily, weekly and monthly spending without having to spend much time on the application.	It did not provide synchronozation with web server

### **Problem Statement Definition**

Create a problem statement to understand your customer's point of view. The Customer Problem Statement template helps you focus on what matters to create experiences people will love.

A well-articulated customer problem statement allows you and your team to find the ideal solution for the challenges your customers face. Throughout the process, you'll also be able to empathize with your customers, which helps you better understand how they perceive your product or service.



### **Problem Statement 1:**



### **Problem Statement 2:**




**Problem** Which I'm trying I am But Because (Customer) Statement makes me to feel (PS) PS-1 get how handling a person not its takes a curious much of my lot of time about my using notes is tracking become to make expenses money more notes expenses was app difficult PS-2 user using i don't want its take a It takes a lot get my of trouble expense expenses to enter the time to to get new tracking with data in enter the comparision manually insights data app to know about how to save my income.


n

## **IDEATION & PROPOSED SOLUTION**

# 3.1 Empathy Map Canvas:








## 3.2 Ideation& Brainstorming


### Step-1: Team Gathering, Collaboration and Select the Problem Statement


It is a good habit for a person torecord daily expenses and earning but due to unawareness and lack of proper applications to suit their privacy, lacking decision making capacity people are using traditional notekeeping methods to do so. Due to lack of a complete tracking system, there is a constantoverload to rely on the daily entry of the expenditure and total estimation till the end of themonth. Personal finance applications will ask users to add their expenses and based on their expenses wallet balance will be updated which will be visible to the user. Also, users can get an analysis of their expenditure in graphical forms. They have an option to set a limit for the amount to be used for that particular month if the limit is exceeded the user will be notified with an email alert.

Step-2: Brainstorm, Idea Listing and Grouping




**Steps 3:Idea Listing and Grouping** 





**Step-4: Idea Prioritization** 




# 3.3 Proposed Solution

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	People who are not having time to overview their expenses and not aware of their daily expenses.
2.	Idea / Solution description	Unwanted expenses can be reduced and saving your income by having a correct analysis of your expenditure and income. Taking notes to

		calculate expenses lead to error that error can be reduced.
3.	Novelty / Uniqueness	Ratio of graphical representation of your expenses, categorize your each spendings, alert through mail.
4.	Social Impact / Customer Satisfaction	User friendly interface, better handling of day to day expenses
5.	Business Model (Revenue Model)	Achieve your business goals by using web application to get a better financial progress that perfectly suits into your business.
6.	Scalability of the Solution	Tracking your expenses accurately, access this resourses at anywhere and anytime, providing your history of expenses.

### 3.4Problem Solution fit



This project is being created as a web application for the benefit of the user. Because they have a web application, they can generate expenditures right away. Decode uses manual way of taking notes to enter their expenses in their past. We believe that this challenge can be solved with a practical design and a practical web application. An application of this type may monitor expenses, provide a thorough view with an intuitive user interface, and have sufficient intelligence to show the history of their\_spending.

#### 8. CHANNELS of BEHAVIOUR

 $\sim$ L

TR

ΕМ

What actions do customers often take online? Yes, Intuit, the parent company of Mint, employs cutting-edge security and technology to safeguard the financial and personal information of its users. Security methods include software and hardware encryption as well as multi-factor authentication.

What actions do customers often take offline?

Personal finance is the most practical and <u>affordable to</u> use this spending tracker. Data may be <u>utilised</u> offline and exported as a CSV file.

use this spending tracker. Data may be utilized offline and exported as a CSV file.

7. BEHAVIOUR

RE

User have to use the expense tracker application login with account basis to keep track of their expenses to overcome from spending time to enter the expenses manually. User have to acces, the network connections while their spending expenses in order to get alert mail.

3. TRIGGERS

What triggers customers to act?

While viewing youtube promos and watching advertises during playing games and getting recommendations from their friends neighbours.

4. EMOTIONS: BEFORE / AFTER

Refore user was curious about their expenss

could not regularly stick to their budgets, missed the prior spending data, some manual calculation errors.

After: Users identify and eliminate unnecessary spending tendencies in their financial lives. They also believed that consistently keeping track of their costs would improve money management 10. YOUR SOLUTION

This online application was created to better serve the needs of its users, who can now use their mobile devices to quickly calculate their out-of-pocket expenses whenever they need to. This makes utilising this information inappropriate. There are still issues in places where there is no guarantee that the data will be compatible, where there is a potential that important inputs will be overlooked, and where there may be human mistakes. Such a programme can monitor spending, give a thorough overview with an easy-to-use interface, and have enough intelligence to show the history of spending while identifying the programme.

Identify strong TR & EM

# **4.REQUIREMENT ANALYSIS**

# **4.1Functional Requirements:**

FR NO		
	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Form for collecting details
FR-2	Login	Enter username and password
FR-3	Account Credentials	If the user choose the automate method, then user have to enter the account credentials accurately.
FR-4	Calendar	Personal expense tracker application must allow user to add the data to their expenses.
FR-5	Expense Tracker	This application should graphically represent the expense in the form of report.
FR-6	Report generation	Graphical representation of report must be generated.
FR-7	Category	This application allow users to add categories of their expense


# **4.2Non-Functional requirements**

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Helps to keep an accurate record of your income and expenses.
NFR-2	Security	Budget tracking apps are considered very safe from those who commit cyber crimes
NFR-3	Reliability	Each data record is stored on a well built efficient database schema. There is no risk of data loss
NFR-4	Performance	The types of expense are categories along with an option. Throughput of the system is increased due to light weight database support.
NFR-5	Availability	the application must have a 100% up-time.
NFR-6	Scalability	The ability to appropriately handle increasing demands.


## 5. PROJECT DESIGN

# 5.1 **Data Flow Diagrams**

### DATA FLOW DIAGRAM:



# 5.2 Solution& Technical Architecture



# Application Characteristics **5.1 User Stories**

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	
		USN-3	As a user, I can register for the application through Facebook and social media	I can register & access the dashboard with Facebook Login	Low	
	Login	USN-4	As a user, I can log into the application by entering email & password	I can access the application	High	
	Dashboard	USN-5	As a user I can enter my income and expenditure details.	I can view my daily expenses	High	
Customer Care Executive		USN – 6	As a customer care executive, I can solve the log in issues and other issues of the application.	I can provide support or solution at any time 24*7	Medium	
Administrator	Application	USN – 7	As an administrator I can upgrade or update the application.	I can fix the bug which arises for the customers and users of the application	Medium	
		USN-8	As a adminstrator,add or remove user	I can store the details in Database (IBM DB2).	High	

# CHAPTER 6 PROJECT PLANNING & SCHEDULING

# **6.1 Sprint Planning & Estimation**

TITLE	DESCRIPTION	DATE
Ideation	List the by organizing the brainstorm and prioritize the top 3 ideas based on the feasibility & importance.	19 SEPTEMBER 2022
Literature Survey & Information Gathering	Literature survey on the selected project & gathering information by referring the, technical papers, research publications etc.	16 OCTOBER 2022
Problem Solution Fit	Prepare problem - solution fit document	19 OCTOBER 2022
Proposed Solution  Solution Architecture	Prepare the proposed solution document, which includes the novelty, feasibility of idea, business model, social impact, scalability of solution, etc.  Prepare solution	19 OCTOBER 2022 17 OCTOBER 2022
	architecture document	
<b>Customer Journey</b>	Prepare the customer journey maps to	10 OCTOBER 2022

	1	,
	understand the user interactions & experiences with the application (entry to exit).	
<b>Functional Requirement</b>	Prepare the functional requirement document.	9 OCTOBER 2022
Data Flow Diagrams	Draw the data flow diagrams and submit for review.	10 OCTOBER 2022
Technology Architecture	Prepare the technology architecture diagram	29 OCTOBER 2022
Prepare Milestone & Activity List	Prepare the milestones & activity list of the project	29 OCTOBER 2022
Project Development - Delivery of Sprint-1, 2, 3 & 4	Develop & submit the developed code by testing it.	IN PROGRESS

# **6.2 Sprint Delivery Schedule**

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	8	High	Sridevi,lavanya
Sprint-1	Login	USN-2	As a user, I can log into the application by entering email & password	8	High	Bharathi,Subasree
Sprint-1	Validating user	USN-3	Checking whether new user or existing user of the application	4	Medium	Sridevi,Lavanya
Sprint-2	Add Expense	USN-4	As a user, I can add the day-to-day expense to the application	8	High	Bharathi,Subasree
Sprint-2	Edit and Delete Expense	USN-5	As a user, I can edit and delete the previously created expense	8	High	Sridevi,Subasree
Sprint-2	Creating time- based filters in history.	USN-6	As a user, I can see the time-based history of expenses.	4	Medium	Lavanya,Bharathi
	•					
Sprint-3	Integrating with pie charts for analysis	USN-7	As a user, I can view diagrammatic representation of expenses	8	High	Sridevi,Bharathi
Sprint-3	Enabling limit feature	USN-8	As a user, I can set monthly limit to expenses	4	Medium	Lavanya,Subasree
Sprint-3	Sending Email Alerts	USN-9	As a user, I will receive a mail if I cross a limit	8	High	Sridevi,Lavanya
Sprint-4	Testing	USN-9	Testing the application with various tools	10	High	Bharathi,Subasree
Sprint-4	Deployment	USN-9	Deployment of the application	10	High	Sridevi,Lavanya

# Project Tracker, Velocity & Burndown Chart:

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022

Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022

### **Velocity:**

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day).

$$AV = \frac{sprint duration}{velocity} = \frac{20}{10} = 2$$
  
AV = 20/6 = 3.33

### **Burndown Chart:**

A burn down chart is a graphical representation of work left to do versus time. It is often used in agile software development methodologies such as Scrum. However, burn down charts can be applied to any project containing measurable progress over time.

https://www.visual-paradigm.com/scrum/scrum-burndown-chart/ https://www.atlassian.com/agile/tutorials/burndown-charts

### **Reference:**

https://www.atlassian.com/agile/project-management

https://www.atlassian.com/agile/tutorials/how-to-do-scrum-with-jira-software

https://www.atlassian.com/agile/tutorials/epics https://www.atlassian.com/agile/tutorials/sprints

https://www.atlassian.com/agile/project-management/estimation

https://www.atlassian.com/agile/tutorials/burndown-charts

# CHAPTER 7 CODING & SOLUTIONING

### 7.1 Feature1

```
import re
import ibm db
import ibm_db_dbi
from flask_mail import Mail, Message
from flask import (Flask, flash, redirect, render_template, request, session,
                   url for)
import pandas as pd
import smtplib
from email.mime.multipart import MIMEMultipart
from email.mime.text import MIMEText
from email.mime.base import MIMEBase
app = Flask(__name__)
mail = Mail(app)
app.secret_key = 'a'
app.config['MAIL_SERVER']='smtp.gmail.com'
app.config['MAIL PORT'] = 465
app.config['MAIL_USERNAME'] = 'sridevi032002@gmail.com'
app.config['MAIL_PASSWORD'] = 'srichlmdevi9236'
app.config['MAIL_USE_TLS'] = False
app.config['MAIL_USE_SSL'] = True
conn=ibm_db.connect("DATABASE=bludb;HOSTNAME=ba99a9e6-d59e-4883-8fc0-
d6a8c9f7a08f.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=31321;SECURITY=S
SL;SSLServerCertificate=Certificate.crt;UID=fqd68289;PWD=Pt7Lr9FUjtzoM73p",'','')
connection=ibm_db_dbi.Connection(conn)
#homepage
@app.route("/home")
def home():
    return render_template("homepage.html")
@app.route("/")
def add():
    return render_template("home.html")
```

```
#signup or reg
@app.route("/signup")
def signup():
    return render template("signup.html")
@app.route('/register', methods =['GET', 'POST'])
def register():
    global userid
    global email
    msg = ''
    if request.method == 'POST' :
        username = request.form['username']
        email = request.form['email']
        password = request.form['password']
        sql="SELECT * FROM data WHERE username=?"
        stmt = ibm db.prepare(conn,sql)
        ibm db.bind param(stmt,1,username)
        ibm db.execute(stmt)
        account = ibm db.fetch assoc(stmt)
        if account:
            msg = 'Account already exists !'
        elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
            msg = 'Invalid email address !'
        elif not re.match(r'[A-Za-z0-9]+', username):
                    msg = 'name must contain only characters and numbers !'
        else:
            insert sql = "INSERT INTO Data VALUES (?, ?, ?)"
            stmt = ibm db.prepare(conn,insert sql)
            ibm_db.bind_param(stmt, 1, username)
            ibm_db.bind_param(stmt, 2, email)
            ibm_db.bind_param(stmt, 3, password)
            ibm db.execute(stmt)
            msg = 'You have successfully registered !'
    return render template('signup.html', msg = msg)
#login
@app.route("/signin")
def signin():
   return render template("login.html")
@app.route('/login',methods =['GET', 'POST'])
```

```
def login():
    global userid
    global useremail
    msg = ''
    if request.method == 'POST' :
        username = request.form['username']
        password = request.form['password']
        stmt = ibm_db.prepare(conn, 'SELECT * FROM Data WHERE username= ?AND
password = ?')
        ibm_db.bind_param(stmt,1,username)
        ibm db.bind param(stmt,2,password)
        ibm db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print (account)
        if account:
            session['loggedin']=True
            session['id']=account['USERNAME']
            userid=account['USERNAME']=account['USERNAME']
            useremail=account["EMAIL"]
            msg='logged in successfully'
            return redirect('/home')
        else:
            msg ='Incorrect username / password !'
    return render template('login.html', msg = msg)
@app.route('/base')
def base():
   uid = session['id']
    return render_template('base.html',name=uid)
#add
@app.route("/add")
def adding():
    return render template('add.html')
@app.route('/addexpense',methods=['GET', 'POST'])
def addexpense():
    global id
    uid=session['id']
    if request.method == 'POST':
        date = request.form['date']
        time=request.form['time']
        expensename = request.form['expensename']
        amount = request.form['amount']
        paymode = request.form['paymode']
```

```
category = request.form['category']
        uid=session['id']
        print(id)
        sql = "INSERT INTO
expenses(userid,date,time,expensename,amount,paymode,category) VALUES(?,?,?,?,
?, ?, ?)"
        stmt = ibm db.prepare(conn, sql)
        ibm_db.bind_param(stmt,1,session['id'])
        ibm db.bind param(stmt,2,date)
        ibm_db.bind_param(stmt,3,time)
        ibm db.bind param(stmt,4,expensename)
        ibm db.bind param(stmt,5,amount)
        ibm_db.bind_param(stmt,6,paymode)
        ibm db.bind param(stmt,7,category)
        ibm db.execute(stmt)
        print(date+""+ time + " " + expensename + " " + amount + " " + paymode +
 " + category)
    return redirect("/display")
#display
@app.route('/display')
def graph():
    param = "SELECT * FROM expenses ORDER BY date DESC "
    dataframe=pd.read_sql(param,connection)
    print(dataframe)
    dic=dataframe.to dict('dict')
    print(dic)
    select="SELECT * FROM expenses "
    cur = connection.cursor()
    cur.execute(select)
    row=cur.fetchall()
    print(row)
    texpense = []
    userid= []
    date = []
    time = []
    expense_name = []
    amount = []
    paymode = []
    cat = []
    for i in row:
        userid.append(i[0])
       date.append(i[1])
```

```
time.append(i[2])
       expense name.append(i[3])
       amount.append(i[4])
       paymode.append(i[5])
       cat.append(i[6])
   texpense.append([userid, date, time, expense_name, amount, paymode, cat])
   print(texpense)
   dataframe=pd.read_sql(select,connection)
   print(dataframe)
   dic=dataframe.to_dict('dict')
   total=0
   for ele in range(0,len(amount)):
       total=total+amount[ele]
   print(total)
   return render_template('display.html', total = total
,tables=[dataframe.to_html(classes='data')], titles=dataframe.columns.values)
```

### 7.2 FEATURE 2

```
#limit
@app.route("/limit" )
def limit():
       return render_template("limit.html")
@app.route("/limitnum" , methods = ['GET','POST' ])
def limitnum():
    global userid
    if request.method == "POST":
        number= request.form['number']
        sql = "INSERT INTO limit(userid,limit) VALUES(?,?)"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt,1,session['id'])
        ibm_db.bind_param(stmt,2,number)
        ibm_db.execute(stmt)
    return redirect('/base')
#today
```

```
@app.route("/today")
def today():
    select="SELECT * FROM expenses WHERE DATE(date) = DATE(current date) ORDER
BY date DESC"
    cur = connection.cursor()
    cur.execute(select)
    row=cur.fetchall()
    print(row)
    texpense = []
    userid= []
    date = []
    time = []
    expense_name = []
    amount = []
    paymode = []
    cat = []
    for i in row:
        userid.append(i[0])
        date.append(i[1])
        time.append(i[2])
        expense_name.append(i[3])
        amount.append(i[4])
        paymode.append(i[5])
        cat.append(i[6])
    texpense.append([userid, date, time, expense_name, amount, paymode, cat])
    print(texpense)
    dataframe=pd.read_sql(select,connection)
    print(dataframe)
    dic=dataframe.to dict('dict')
    total=0
    for ele in range(0,len(amount)):
        total=total+amount[ele]
    print(total)
        cursor = mysql.connection.cursor()
        cursor.execute('SELECT * FROM expenses WHERE userid = % s AND DATE(date)
= DATE(NOW()) AND date ORDER BY `expenses`.`date` DESC',(str(session['id'])))
        expense = cursor.fetchall()
    return render_template("today.html", texpense = texpense, total = total ,
                           expense_name=expense_name,date=date, cat=cat,
paymode=paymode,
                           time=time,tables=[dataframe.to_html(classes='data')],
titles=dataframe.columns.values)
```

```
#REPORT
#month
@app.route("/month")
def month():
    sql = "SELECT * FROM expenses WHERE MONTH(date) = 11 "
    cur = connection.cursor()
    cur.execute(sql)
    row=cur.fetchall()
    print(row)
    texpense = []
    userid= []
    date = []
    time = []
    expense_name = []
    amount = []
    paymode = []
    cat = []
    for i in row:
        userid.append(i[0])
        date.append(i[1])
        time.append(i[2])
        expense_name.append(i[3])
        amount.append(i[4])
        paymode.append(i[5])
        cat.append(i[6])
    texpense.append([userid, date, time, expense_name, amount, paymode, cat])
    print(texpense)
    total=0
    for ele in range(0,len(amount)):
        total=total+amount[ele]
    print(total)
    dataframe=pd.read sql(sql,connection)
    print(dataframe)
    sql='SELECT * FROM limit ORDER BY limit DESC '
    cur = connection.cursor()
    cur.execute(sql)
    row=cur.fetchall()
    print(row)
    userid = []
    limit = []
    for i in row:
```

```
userid.append(i[0])
        limit.append(i[1])
    ttotal=0
    for ele in range(0,len(limit)):
        ttotal=total+amount[ele]
    print(ttotal)
    if ttotal<=total:</pre>
        msg = Message(
                'Hello',
                sender ='sridevi032002@gmail.com',
                recipients = 'useremail'
        msg.body = 'You have exceeded your expense limit'
        mail.send(msg)
        return 'Sent'
    else:
        print(ttotal)
    return render_template("month.html", texpense = texpense, total = total ,
                           expense_name=expense_name,date=date, cat=cat,
paymode=paymode,
                           time=time,tables=[dataframe.to_html(classes='data')],
titles=dataframe.columns.values)
#year
@app.route("/year")
def year():
    select="SELECT * FROM expenses WHERE YEAR(date)=2022"
    cur = connection.cursor()
    cur.execute(select)
    row=cur.fetchall()
    print(row)
    texpense = []
    userid= []
    date = []
    time = []
    expense_name = []
    amount = []
    paymode = []
    cat = []
    for i in row:
        userid.append(i[0])
        date.append(i[1])
        time.append(i[2])
```

```
expense_name.append(i[3])
        amount.append(i[4])
        paymode.append(i[5])
        cat.append(i[6])
    texpense.append([userid, date, time, expense_name, amount, paymode, cat])
    print(texpense)
    total=0
    for ele in range(0,len(amount)):
        total=total+amount[ele]
    print(total)
    dataframe=pd.read_sql(select,connection)
    print(dataframe)
        cursor = mysql.connection.cursor()
        cursor.execute('SELECT * FROM expenses WHERE userid = % s AND DATE(date)
= DATE(NOW()) AND date ORDER BY `expenses`.`date` DESC',(str(session['id'])))
        expense = cursor.fetchall()
    return render_template("year.html", texpense = texpense, total = total ,
                           expense_name=expense_name,date=date, cat=cat,
paymode=paymode,
                           time=time,tables=[dataframe.to_html(classes='data')],
titles=dataframe.columns.values)
#log-out
@app.route('/logout')
def logout():
   session.pop('loggedin', None)
   session.pop('id', None)
   session.pop('username', None)
   session.pop('email',None)
   return render template('home.html')
if __name__ == "__main__":
    app.run(debug=True)
```

## **TESTING**

# 8.1 Test Case

Test Case ID	Condition/Scenario	Value(password)	Expected Output	Actual Output  Login Successful,next to Home screen	
1	Enter Password	Ryano@4 (valid char)	Login Successful,next to Home screen		
2	Enter Password	ryano(Invalid char)	Entered password is Invalid,Re-enter password	Entered password is Invalid,Re-enter password Login Successful,next to Home screen	
3	Enter Password=>5char	Ryano@4 (valid char)	Login Successful,next to Home screen		
4	Enter password=<5char	Ryan (Invalid char)	Entered password is Invalid,Re-enter password	Entered password is Invalid,Re-enter password	
5 Enter Password Ryano8(Invalid)		Entered password is Invalid,Re-enter password	Entered password is Invalid,Re-enter password		

# **8.2** User Acceptance Testing

Number	Acceptance Requirement	Critical		Test Result		Control of the Contro
		Yes	No	Accept	Reject	Comments
1	The system must execute to end of job.	<b>V</b>				Payroll will not run in a production status until this requirement has been met.
2	The results of payroli must be correct.	٧				Payroll will not run in a production status until this requirement has been met.

### Results

### 9.1 Performance Metrics

Performance of expense tracker is to get the total expense amount of current date, month, year and if expense is exceeding the limt alert email will be sent.

### **CHAPTER 10**

# **Advantages**

t's simple to set up and use. When you're creating your own method of tracking your finances, you first have to figure out how you're going to do that. Are you going to use pen and paper, or software, or an excel spreadsheet? What are you going to track? How are you going to input that data, and how often are you going to do it? With an automated app, it tracks everything for you in real time. It has a wealth of information, so no matter what data you feel is important to track, it is all there and available for you – you just need to take a look to see it. There's an easy user interface for everything as well. Whether you want to <u>set up a budget</u>, track a type of expense, or look over your financial history, there's a tab or an option ready and waiting for you.

# **Disadvantages**

- Negligence during approval
- Negligence during auditing

### **Conclusion**

This applications will ask users to add their expenses and based on their expenses wallet balance will be updated which will be visible to the user. Also, users can get an analysis of their expenditure in graphical forms. They have an option to set a limit for the amount to be used for that particular month if the limit is exceeded the user will be notified with an email alert.

### **CHAPTER 12**

### **Future Scope**

Expense management software solutions have come a long way from being mere reporting tools. They have evolved because of the advances in the spheres of automation and artificial intelligence. Expense management software that employ the latest technology are an absolute must-have for every organization, irrespective of the size or industry.

Companies have been gradually adopting expense management software in a bid to mitigate the losses associated with expense frauds and wasted time. The speed of adoption and change, however, needs to keep pace with emerging trends in the industry.

### **Appendix**

**Source code:** 

**Team Id:** PNT2022TMID45939

Link=https://github.com/IBM-EPBL/IBM-Project-40920-1660637445/tree/main/Final%20deliverables/sourcecode

### Demo link:

 $https://drive.google.com/file/d/1DpwyDpJhF7oiQYa6Iauqv3uib1\_AzEl7/view?usp=sharing\_eil\_se\_dm\&ts=637912e2$