

VISUALIZING AND PREDICTING HEART DISEASE WITH AN INTERACTIVE DASHBOARD

A PROJECT REPORT

SUBMITTED BY

TEAM ID : PNT2022TMID38367

TEAM LEADER : VIDYA V

TEAM MEMBER : SREE PRIYA R

TEAM MEMBER : DEEPASHREE P

TEAM MEMBER : PUNITHA KAVITHRA G

In partial fulfilment for the award of the degree of

BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING

TAGORE ENGINEERING COLLEGE

RATHINAMANGALAM, CHENNAI

ANNA UNIVERSITY::CHENNAI 600 025

NOV 2022

TABLE OF CONTENTS

1. **INTRODUCTION**
 3. Project Overview
 4. Purpose
2. **LITERATURE SURVEY**
 3. Existing problem
 4. References
 5. Problem Statement Definition
3. **IDEATION & PROPOSED SOLUTION**
 3. Empathy Map Canvas
 4. Ideation & Brainstorming
 5. Proposed Solution
 6. Problem Solution fit
4. **REQUIREMENT ANALYSIS**
 3. Functional requirement
 4. Non-Functional requirements
5. **PROJECT DESIGN**
 3. Data Flow Diagrams
 4. Solution and Technical architecture
 5. User Stories
6. **PROJECT PLANNING & SCHEDULING**
 3. Sprint Planning & Estimation
 4. Sprint Delivery Schedule
 5. Reports from JIRA
7. **CODING & SOLUTIONING (Explain the features added in the project along with code)**
 3. Feature 1
 4. Feature 2
 5. Database Schema (if Applicable)
8. **TESTING**
 3. Test Cases
 4. User Acceptance Testing
9. **RESULTS**
 3. Performance Metrics
10. **ADVANTAGES & DISADVANTAGES**
11. **CONCLUSION**
12. **FUTURE SCOPE**
13. **APPENDIX**

Source Code

GitHub & Project Demo Link


1.INTRODUCTION

Heart disorder has created a whole lot of extreme concerned among researches; one of the primary challenges in coronary heart disease is accurate detection and finding presence of it inner a human. Early techniques have no longer been a lot efficient in locating it even medical professor are not a lot green sufficient in predicating the heart ailment. There are various medical contraptions available in the marketplace for predicting coronary heart disease there are two principal issues in them, the first one is that they're very lots steeply-priced and second one is that they are no longer correctly capable of calculate the threat of coronary heart sickness in human. According to trendy survey conducted by using WHO, the scientific expert able to correctly predicted best 67% of coronary heart sickness so there's a huge scope of research in place of predicating coronary heart disease in human with development in computer technology has added good sized possibilities in exceptional regions, medical technological know-how is one of the fields in which the device of computer science may be used. In software regions of pc science varies from metrology to ocean engineering. Medical technological know-how also used a number of the primary available tools in computer technology; in ultimate decade artificial intelligence has gained its second due to development in computation electricity. Machine Learning is one such tool which is broadly utilized in different domain names as it doesn't require specific algorithm for exceptional dataset. Reprogrammable capacities of system getting to know carry a whole lot of energy and opens new doorways of opportunities for vicinity like clinical technological know-how medical technological know-how coronary heart ailment is one of the major demanding situations; due to the fact a number of parameters and technicality is involve for accurately predicating this sickness. Machine learning will be a higher preference for reaching high accuracy for predicating not best coronary heart disorder however additionally another illnesses because this vary tool makes use of feature vector and its diverse statistics kinds under numerous circumstance for predicating the heart disease, algorithms which includes Naïve Bayes, Decision Tree, KNN, Neural Network, are used to predicate danger of heart sicknesses every algorithm has its specialty consisting of Naive Bayes used possibility for predicating coronary heart ailment, whereas decision tree is used to provide classified record for the heart ailment, while the Neural Network provides opportunities to minimize the mistake in predication of heart disorder. All those techniques are the usage of vintage patient report for purchasing predication about new affected person. This predication machine for coronary heart ailment helps medical doctors to are expecting heart disorder within the early stage of sickness resulting in saving millions of existence.



symtoms of heart attacks

1. Chest Pain: The maximum commonplace signal of a coronary heart attack is chest pain. It mainly takes place purpose of the blockage of the coronary vessel of the frame due to the plaque.
2. Arms pain: The ache typically begins within the chest and circulate in the direction of the armmainly left arm.
3. Low in oxygen: Because of the plaque the extent of oxygen drops within the body and causes the dizziness and loss of stability.
4. Tiredness: this purpose for fatigues way easy chores come to be harder to do.
5. Excessive Sweating: Another not unusual symptom is sweating.
6. Heart disease prediction
7. Diabetics: In this, the patients have a heart price of ~ 100 bpm and also once in a while having a heart rate of 130bpm.
8. Bradycardia: In this, the patient will have a slower heartbeat of 60 bpm.
9. Cerebrovascular Disease: The affected person could have a excessive heart fee than regular typically of two hundred bpm and better than this could cause a Heart assault.



This survey paper is devoted for huge scope survey within the discipline of gadget mastering approach in heart disorder. Later part of this survey paper will discusses approximately diverse machine studying set of rules for coronary heart disease and their relative contrast on the numerous parameter. It additionally shows destiny prospectus of device mastering set of rules in coronary heart ailment. This paper also does a deep analysis on utilization of deep learning in discipline of predicting heart disease.

PROJECT OVERVIEW

Several experiments are carried out on clinical statistics sets the usage of a couple of classifiers and features choice techniques. There is little studies at the classification of the heart disease dataset. Many of them show desirable type accuracy. Proposed a hybrid technique in which system getting to know algorithms, Support Vector Machine (SVM) and Genetic Algorithm (G.A), are efficiently combined with the wrapper approach. The LIBSVM and the WEKA statistics mining tool are used to analyze the effects of this technique. Five statistics sets (Iris, diabetes disorder, breast cancer sickness, coronary heart disorder and hepatitis) are gathered from the Irvine UC gadget gaining knowledge of repository for this test. After applying the hybrid GA and SVM approach, an accuracy of 84.07% is acquired for coronary heart ailment. For all diabetes information, 78.26% accuracy is done. The accuracy for breast most cancers is 76.20%. The 86.12% accuracy is the result of hepatitis disease.

Coronary artery disease is detected and monitored with the aid of the proposed gadget. Cleveland Heart records are taken from the UCI. This dataset includes 303 cases and 76 attributes/functions. Thirteen features are used out of 76 capabilities. Two tests with three algorithms: Bayes Naive, Support vector gadget, and Functional Trees FT are executed for detection functions. The WEKA device is used for detection. After checking out the Holdout test, the 88.03% accuracy is finished the use of the SVM technique. In the move-validation test, SVM and Bayes internet offer eighty 3.08% accuracy. The accuracy of 81.5 % is executed after the usage of FT. The 7 high- quality capabilities are selected the usage of the Best First selection algorithm. For validation, cross-validation exams are used. By making use of the take a look at to the 7 excellent functions decided on, Bayes Naive achieved eighty 4.05% accuracy, SVM offers 85.01% accuracy and FT classifies 84.05% efficaciously.

2.PURPOSE

We purpose to design an give up to cease analytical model for prediction of heart sickness where inside the final diagnosis we use a complete of 14 attributes to expect the hazard chance of cardio-vascular disorder in patients body. We have a tendency to make our approach quite sturdy and scalable. It have to accomplish the centered purpose of information science studies To resolve realworld eventualities (ex. Estimating the pattern and trends of coronary heart disease in a area of a rustic).

2.LITERATURE SURVEY

There are 35 studies papers that discover the computational strategies to predict heart illnesses. The summaries of them were offered in a nutshell. Shaikh Abdul Hannan . used a Radia Basis Function(RBF) to predict the scientific prescription for coronary heart disorder. About 300 patient's facts have been accumulated from the Sahara Hospital, Aurangabad. RBFNN (Radial Basis Function–Neural Network) may be described as a 3-layer feed ahead structure. The three layers are the enter layer, hidden layer and output layer. The hidden layer consists of a number of RBF units (nh) and bias (bk). Each neuron at the hidden layer uses a radial foundation characteristic as a nonlinear switch characteristic to perform on the enter statistics. The most often used RBF is often a Gaussian function. Designing a RBFNN entails choosing centers, number of hidden layer gadgets, width and weights. The diverse approaches of choosing the centers are random subset choice, k-manner clustering and others. The method was implemented in MATLAB. Obtained outcomes display that radial basis feature can be effectively used (with an accuracy of 90 to 97%) for prescribing the drugs for coronary heart disease.

AH Chen provided a heart ailment prediction system which can useful resource doctors in predicting coronary heart disease reputé based on the clinical information of patients. Thirteen crucial clinical capabilities such as age, sex, chest pain kind have been selected. An synthetic neural network algorithm turned into used for classifying coronary heart disorder based totally on Those medical features. Data was collected from device gaining knowledge of repository of UCI. The artificial neural network version contained three layers i.E. The input layer, the hidden layer and the output layer having thirteen neurons, 6 neurons and 2 neurons respectively. Learning Vector Quantization (LVQ) changed into used in this observe. LVQ is a unique case of an artificial neural community that applies a prototype-based supervised category set of rules. C programming language was used as a tool to enforce coronary heart ailment category and prediction skilled via synthetic neural network. The system become advanced in C and C# surroundings. The accuracy of the proposed approach for prediction is near to 80%

Mrudula Gudadhe presented a selection help machine for coronary heart sickness type. Support vector system (SVM) and synthetic neural network (ANN) had been the main strategies used in this machine. A multilayer perceptron neural network (MLPNN) with three layers turned into hired to increase a choice assist gadget for the diagnosis of heart disorder. This multilayer perceptron neural network changed into trained by way of back-propagation set of rules which is computationally technique. Results confirmed that a MLPNN with returned-propagation technique can be successfully used for diagnosing heart ailment.

Manpreet Singh proposed a heart disease prediction machine based on Structural Equation Modelling (SEM) and Fuzzy Cognitive Map (FCM). They used Canadian Community Health Survey (CCHS) 2012 dataset. Here, twenty tremendous attributes have been used. SEM is used to generate the burden matrix for the FCM model which then predicts a opportunity of cardiovascular illnesses. A SEM version is defined with correlation among CCC 121(a variable which defines whether or not the respondent has coronary heart disorder) along with 20 attributes. To construct FCM a weight matrix representing the strength of the causal courting among ideas must be constructed first. The SEM described within the previous segment is now used because the FCM even though they have carried out the required ingredients (i.E. Weight matrix, ideas and causality).80% of the information set was used for education the SEM version and the ultimate 20% for checking out the FCM model. The accuracy acquired by using the use of this version became 74%

Carlos Ordonez has studied association rule mining with the educate and check idea on a dataset for heart disease prediction. Association rule mining has a downside that it produces extremely massive wide variety of regulations most of which are medically inappropriate. Also in standard, affiliation guidelines are mined on the complete records set without validation on an independent sample. In order to remedy this, the writer has devised an set of rules that uses seek constraints to reduce the number of rules. The algorithm then searches for association policies on a schooling set and eventually validates them on an independent check set. The scientific importance of found guidelines is then evaluated with assist, confidence and lift. Search constraints and take a look at set validation considerably reduce the wide variety of affiliation guidelines and convey a hard and fast of rules with high predictive accuracy. These policies constitute valuable clinical expertise.

Prajakta Ghadge have laboured on an smart coronary heart assault prediction device the use of big data. Heart attack wishes to be identified timely and successfully because of its excessive incidence. The objective of this research article is to find a prototype wise coronary heart attack prediction machine that makes use of huge facts and data mining modelling techniques. This gadget can extract hidden information (patterns and relationships) associated with heart disease from a given ancient heart disease database. This method uses Hadoop that's an open-supply software framework written in Java for allotted processing and garage of large datasets. Apache Mahout produced via Apache Software Foundation affords loose implementation of disbursed or scalable machine gaining knowledge of algorithms. Record set with thirteen attributes (age, sex, serum cholesterol, fasting blood sugar and so forth.) become obtained from the Cleveland Heart Database which is to be had at the internet. The patterns had been extracted using 3 strategies i.E. Neural community, Naïve Bayes and Decision tree. The destiny scope of this system objectives at giving greater sophisticated prediction fashions, danger calculation equipment and function extraction gear for other medical dangers.

Asha Rajkumar laboured on analysis of coronary heart disease using classification based totally on supervised device studying. Tanagra device is used to categorise the facts, 10 fold pass validation is used to evaluate the information and the effects are as compared. Tanagra is a loose facts mining software program for academic and\research functions. It indicates numerous records mining strategies from explanatory facts evaluation, statistical learning, system learning and database place. The dataset is split into components, eighty% data is used for education and 20% for trying out. Among the three strategies, Naïve Bayes shows decrease error ratio and takes the least quantity of time.

1. Existing system

The healthcare enterprise collects big quantities of healthcare facts which, unluckily, are not “mined” to find out hidden information. Clinical decisions are frequently made based totally on docs” intuition and enjoy instead of at the knowledge wealthy statistics hidden in the database. This exercise ends in unwanted biases, errors and excessive medical.

- The existing process is very slow to give the result.
- It is very difficult to find heart disease or not.

2. References

- <https://www.academia.edu>


- https://en.wikipedia.org/wiki/Clinical_data_management
- https://shodh.inflibnet.ac.in:8080/jspui/bitstream/123456789/4170/3/03_literature%20review

3. Problem Statement Definition


From the given data create a Machine Learning model that can predict heart disease most accurately. Previous studies has tested the software of machine getting to know strategies for the prediction and category of Heart disorder. However, these research focus on the precise impacts of specific gadget getting to know strategies and now not at the optimization of those techniques using optimised techniques. In addition, few researchers attempt to use hybrid optimization techniques for an optimized classification of system getting to know. The most proposed research in the literature make the most optimized strategies which includes Particle Swarm Optimization and Ant Colony Optimization with a particular ML method together with SVM, KNN or Random Forest

3. IDEATION & PROPOSED SOLUTION

1. EMPATHY MAP CANVAS



2. Ideation & Brainstorming



3. Proposed Solution

S.NO	Parameter	Description
1.	Problem Statement (Problem to be solved)	<ul style="list-style-type: none"> Users create multiple analytical graphs/charts/Visualizations. Using the Analytical Visualizations, build required Dashboard(s). Saving and visualizing the final dashboard in the IBM Cognos Analytics.
2.	Idea/Solution description	Building the following visualizations and drawing appropriate conclusions: <ul style="list-style-type: none"> Average Age for different Chest Pain Types Average Max heart beat achieved during Chest Pain Resting Blood Pressure variation with Age Effect of Existing Heart Diseases on Average Max Hearbeats Achieved Average age for Chest pain

		type wrt existing heart disease <ul style="list-style-type: none"> • Serum Cholesterol levels vs Age plot • Effect of Existing heart disease on Fasting Blood Sugar
3.	Novelty/Uniqueness	<ul style="list-style-type: none"> • Performing Exploratory Data Analysis on the chosen dataset, scaling and encoding features. • Using various linear classifiers such as SVM, Logistic Regression, and tree models such as Decision Tree, Random Forest, Gradient Boosting - to compare their performances and improve existing accuracy.
4.	Social Impact/Customer Satisfaction	The leading cause of death in the developed world is heart disease. Therefore, there needs to be work done to help prevent the risks of having a heart attack or stroke

5.	Business Model (Revenue Model)	<p>Key Partners: 3rd Party Applications, foundations, Govt. Agencies</p> <p>Cost Structure: Tech, Investment (fixed)</p> <p>Revenue Streams: public and private contracts</p> <p>Customer segments: Middle aged people, older adults, patients already diagnosed with heart diseases or related illnesses</p> <p>Customer Relationship: Customer support, exclusive channels</p> <p>Customer channels: website, chatbot</p> <p>Value proposition: User friendly detection tool to detect heart diseases at the comfort of one's home</p> <p>Key Activities: Attracting new customers, retaining old ones, providing support, updating and maintaining data, platform development and maintenance</p> <p>Key Resources: Digital platform, loyal customer base, dedicated team</p>
6.	Scalability of the Solution	<p>There are 2 different ways to accomplish scaling for the proposed solution - Horizontal & Vertical scaling. This solution can be vertically scaled with increasing the capacity of existing dataset with no change in the code. In terms of horizontal scalability, the proposed model can be scaled wider to deal with the traffic. This can be done by increasing the GPUs (Graphical Processing Units) & TPUs (Tensor Processing Units) and working together as a single logical unit for faster access.</p>

3. PROBLEM SOLUTION FIT

<p>— Understand the existing situation in order to improve it for your target group</p>		
<p>Define CS, fit into CC</p>	<p>1. CUSTOMER SEGMENT(S) CS</p> <p>Who is your customer? i.e. working parents of 0-5yr. kids</p> <p>1. Patients 2. Curious users 3. Family members of the patients</p>	<p>6. CUSTOMER CONSTRAINTS CC</p> <p>What constraints prevent your customers from taking action or limit their choices of solutions? i.e. spending power, budget, no cash, network connection, available devices</p> <p>Some people are not willing to go to hospital due to financial constraints and some staying at remote locations</p>
		<p>5. AVAILABLE SOLUTIONS AS</p> <p>Which solutions are available to the customer when they face the problem or need to get the job done? What have they tried in the past? What pros & cons do these solutions have? i.e. pen and paper is an alternative to digital note-taking</p> <p>Visiting the experienced cardiologist to verify</p>
<p>Focus on J&P, fit into BE, understand RC</p>	<p>2. JOBS-TO-BE-DONE / PROBLEMS J&P</p> <p>Which jobs-to-be-done (or problems) do you address for your customers? There could be more than one; explain different sides</p> <p>To predict whether the user has heart disease or not</p>	<p>9. PROBLEM ROOT CAUSE RC</p> <p>What is the real reason that this problem exists? What is the basic story behind the need to do this job? i.e. customer have to do it because of the change in regulations</p> <p>Users are in need of these kind of solutions because</p> <ol style="list-style-type: none"> 1. Because heart disease is hereditary 2. Some people may be leading unhealthy lifestyles which might make them more susceptible to heart related diseases
		<p>7. BEHAVIOUR BE</p> <p>What does your customer do to address the problem and get the job done? i.e. directly related: find the right solution; install; calculate usage and benefits; indirectly associated: customer's spend free time on voluntouring work (i.e. serverless)</p> <ol style="list-style-type: none"> 1. Schedule an appointment 2. Search for the best cardiologist online 3. Speak to family/friends regarding solutions
<p>Identify strong TR & EM</p>	<p>3. TRIGGERS TR</p> <p>What triggers customers to act? i.e. seeing their neighbour installing solar panels, reading about a more efficient solution in the news</p> <p>Feeling discomfort in their chest. Users making sure that they are healthy</p>	<p>10. YOUR SOLUTION SL</p> <p>If you are working on an existing business, write down your current solution first. Write the canvas, and check how much it fits reality. If you are working on a new business proposition, then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour.</p> <p>Our application helps the user in finding out if they have heart disease or not. They can find out by entering details such as their heart rate, cholesterol blood pressure etc. A dashboard is also attached along with the results for better understanding where they can compare their blood pressure and similar metrics with other users</p>
	<p>4. EMOTIONS: BEFORE / AFTER EM</p> <p>How do customers feel when they face a problem or a job and afterwards? i.e. lost, insecure > confident, in control - use it in your communication strategy & design</p> <p>Before taking the test, the user will be anxious. After taking the test, the user will either be relieved that they are healthy or go to the hospital for double checking/treatment</p>	<p>8. CHANNELS of BEHAVIOUR CH</p> <p>8.1 ONLINE What kind of actions do customers take online? Extract online channels from #7</p> <ol style="list-style-type: none"> 1. Talk with friends/family 2. Browse health related websites <p>8.2 OFFLINE What kind of actions do customers take offline? Extract offline channels from #7 and use them for customer development</p> <ol style="list-style-type: none"> 1. Reach out to the nearest cardiologist
<p>Extract online & offline CH of BE</p>		

4. REQUIREMENT ANALYSIS

1. Functional requirements

Following are the functional requirements of the proposed solution.

FR NO	Functional Requirement (Epic)	
FR 1	User registration	Registration through Email
FR 2	User confirmation	Confirmation via Email
FR 3	Visualizing Data	Visualize the trends on heart disease through Dashboard created using IBM Cognos Analytics
FR 4	Generating report	Report can be viewed by the users

2.Non-Functional requirements

Following are the non-functional requirements of the proposed solution.

NFRNo.	Non-Functional	Requirement Description
NFR-1	Usability	Provide a simple UI. Actions can be easily performed by a few clicks. Features will be understandable.
NFR-2	Security	2 step authorization (for register) Have a backup dataset


NFR-3	Reliability	Error must be low.(Improve accuracy) Must work without glitches
NFR-4	Performance	It is affected by the implementing algorithm. Depending on the error metrics we have to choose an algorithm with high response time
NFR-5	Availability	Must be available for the user 24 x 7 without interruptions
NFR-6	Scalability	Should withstand a high number of large datasets

5. PROJECT DESIGN

1. Data Flow Diagrams

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.


Data Flow Diagram for Heart Disease Prediction Dashboard:



2. Solution and Technical architecture

The Deliverable shall include the architectural diagram as below and the information as per the table1 & table 2

Example: Order processing during pandemics for offline mode



Guidelines:

1. Include all the processes (As an application logic / Technology Block)
2. Provide infrastructural demarcation (Local / Cloud)
3. Indicate external interfaces (third party API's etc.)
4. Indicate Data Storage components / services
5. Indicate interface to machine learning models (if applicable)

Table-1 : Components & Technologies:

Table-1 : Components & Technologies:			
S.No	Component	Description	Technology
1.	Importing data	Data Import lets you upload data from external sources and combine it with data you collect via Analytics	Python , numpy ,pandas.
2.	Data Cleaning	Data cleaning is a process by which inaccurate, poorly formatted, or otherwise messy data is organized and corrected	Python
3.	Data Preprocessing	Data preprocessing, a component of data preparation, describes any type of processing performed on raw data to prepare it for another data processing procedure	Python
4.	Training data	Training data is the subset of original data that is used to train the machine learning model,	python
5.	Testing data	Test data is data which has been specifically identified for use in tests, typically of a computer program.	python.
6.	Machine learning model	A machine learning model is a file that has been trained to recognize certain types of patterns. You train a model over a set of data, providing it an algorithm that it can use to reason over and learn from those data	python.
7.	Improve model performance	Accuracy is one metric for evaluating classification models. Informally, accuracy is the fraction of predictions our model got right.	python.
8.	Checking accuracy	A data accuracy check, sometimes called a data sanity check, is a set of quality validations that take place before using data.	python.

Table-2: Application Characteristics:

Table-2: Application Characteristics:

S.No	Characteristics	Description	Technology
1.	Open-Source Frameworks	Frameworks are about more than just creating a development environment. They help to define a set of standards that programmers can follow when working collectively. When programmers choose a certain framework, they adopt the specific tools and methodologies associated with that framework. This also means they must be mindful of your choice, as they may end up with processes that don't fit the needs of their project or the developers involved.	Django/AngularJS/React
2.	Security Implementations	SHA-1 or Secure Hash Algorithm 1 is a cryptographic hash function which takes an input and produces a 160-bit (20-byte) hash value. This hash value is known as a message digest. This message digest is usually then rendered as a hexadecimal number which is 40 digits long.	SHA-256, Encryptions, IAM Controls, OWASP
3.	Scalable Architecture	Microservices architecture is an application structure that divides services into separate modules which are loosely coupled together, communicating with each other through light-weight mechanisms, often an HTTP resource API, WebSockets, or AMQP.	Microservices 'Smart Endpoints and Dumb Pipes', AWS Lambda, API Gateway
4.	Availability	A load balancer can be deployed as the front end to a cluster of servers, routing each incoming client request to a member of the cluster, and relaying the response back to the client. To ensure high availability and optimal service, the load balancer performs continual health checks of each server in the cluster, using probes to determine its eligibility for requests.	Server Load Balancers/ Global Service Load Balancing
5.	Performance	The data in a cache is generally stored in fast access hardware such as RAM (Random-access memory) and may also be used in correlation with a software component. A cache's primary purpose is to increase data retrieval performance by reducing the need to access the underlying slower storage layer.	Caching

3. User Stories

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Web user)	System Requirement	USN-1	I. Hardware Requirement i. Laptop or PC • I5 processor system or higher • 4 GB RAM or higher • 128 GB ROM or higher Android Phone (12.0 and above)	These are all the specification available in your PC.	High	Sprint-2
		USN-2	II. Software Requirement iii. Laptop or PC • Windows 10 or higher • Android Studio	Install your application. This system can be used to predict the presence of heart disease.	Medium	Sprint-2
Customer (Mobile user)	Registration	USN-3	As a user, I can register for the application by entering my email, password, and confirming my password	I can access my account / dashboard	High	Sprint-1
		USN-4	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-5	As a user, I can register for the application through Gmail	I can register & access the dashboard with Gmail Login	Medium	Sprint-1
	Login	USN-6	As a user, I can log into the application by entering email & password	I can register & access the dashboard with Gmail Login	High	Sprint-1
	Dashboard	USN-7	As a user, I can view visualizations and a detailed report after entering my details.	I can view the correct results if the details entered are accurate	High	Sprint-2
		USN-8	Profile - view & update your profile	I can see the profile.	High	Sprint-1
		USN-9	Change Password - user can change the password	I can able to change the password.	High	Sprint-1
		USN-10	Home - Analyze your Heart	I can detect the health condition from where ever I want.	High	Sprint-1
		USN-11	The user will have to fill in the below 13 fields for the system to predict a disease -Age in Year -Gender -Chest Pain Type -Fasting Blood Sugar -Resting Electrographic Results(Restecg) -Exercise Induced Angina(Exang) -The slope of the peak exercise ST segment -CA – Number of major vessels colored by fluoroscopy -Thal -Trest Blood Pressure -Serum Cholesterol -Maximum heart rate achieved (Thalach) -ST depression induced by exercise(Oldpeak)	These are the categories available in that application.	High	Sprint-2

6. **PROJECT PLANNING & SCHEDULING**

1. Sprint Planning & Estimation

Product Backlog, Sprint Schedule and Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint 1	Data Collection	USN-1	The dataset is collected and the understanding of dataset is done to present the analytics to the user .	2	high	VIDYA V SREE PRIYA R PUNITHA KAVITHRA.G DEEPASHREE P
Sprint 1		USN-2	As a user, I will receive confirmation email once I have registered for the application	3	high	VIDYA V SREE PRIYA. R PUNITHA KAVITHRA. G DEEPASHREE.P
Sprint 2		USN-3	As a user, I can register for the application through Mobile number	8	High	VIDYA V SREE PRIYA. R PUNITHA KAVITHRA. G DEEPASHREE.P
Sprint 1		USN-4	As a user, I can register for the application through Gmail	8	high	VIDYA V SREE PRIYA. R PUNITHA KAVITHRA. G DEEPASHREE.P
Sprint 1	Login	USN-5	As a user, I can log into the application by entering email & password	8	high	VIDYA V SREE PRIYA. R PUNITHA KAVITHRA. G DEEPASHREE.P
Sprint 2	Dashboard	USN-6	Profile - view & update your profile	8	High	VIDYA V SREE PRIYA. R PUNITHA KAVITHRA. G DEEPASHREE.P

Sprint Delivery Schedule :

	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	5	6 Days	24 Oct 2022	29 Oct 2022	5	29 Oct 2022
Sprint-2	8	6 Days	05 Nov 2022	05 Nov 2022	8	05 Nov 2022
Sprint-3	8	6 Days	12 Nov 2022	12 Nov 2022	8	12 Nov 2022
Sprint-4	16	6 Days	19 Nov 2022	19 Nov 2022	16	19 Nov 2022


Velocity


Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{\text{sprint duration}}{\text{velocity}} = \frac{20}{10} = 2$$

Burndown Chart:

A burn down chart is a graphical representation of work left to do versus time. It is often used in agile software development methodologies such as Scrum. However, burn downcharts can be applied to any project containing measurable progress over time.





7.CODING & SOLUTIONING

FEATURE 1:

login1.html

```
<!DOCTYPE html
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Login </title>
<link rel="stylesheet" href="Style1.css">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css"/>
</head>
<body>
<div class="wrapper">
<header>Login </header>
<form action="#">
<div class="field email">
<div class="input-area">
```

```

<input type="text" placeholder="Email Address">
<i class="icon fas fa-envelope"></i>
<i class="error error-icon fas fa-exclamation-circle"></i>
</div>
<div class="error error-txt">Email can't be blank</div>
</div>
<div class="field password">
<div class="input-area">
<input type="password" placeholder="Password">
<i class="icon fas fa-lock"></i>
<i class="error error-icon fas fa-exclamation-circle"></i>
</div>
<div class="error error-txt">Password can't be blank</div>
</div>
<div class="pass-txt"><a href="#">Forgot password?</a></div>
<input type="submit" value="Login">
</form>
<div class="sign-txt">New User? <a href="signup1.html">Signup now</a></div>
</div>

<script src="script1.js"></script>

</body>
</html>

```

index.html:

```

<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Home Page</title>
<link href=<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNl/vI1Bx"
crossorigin="anonymous">
<link rel="stylesheet" href="nav.css">

```

```

</head>
<body>
<div class="">


</div>
<div>
<nav class="navbar" >

<span class="logo" href="#"></span>
<h1><center>HEART DISEASE PREDICTION</center></h1>
<div class="topnav">

<a href="Story.html">Story</a>
<a href="Report.html">Report</a>
<a href="dashboard.html">Dashboard</a>

</div>

</form>
</div>
<!-- Navbar content -->
</nav>
</div>
</body>
</html>

```

home.css:

```

<!--PNT2022TMID01375-->
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Home Page</title>
<link href=<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-

```

gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNl/vI1Bx"
crossorigin="anonymous">

<link rel="stylesheet" href="nav.css">

</head>

<body>

<div class="">

</div>

<div>

<nav class="navbar" >

<h1><CENTER>HEART DISEASE PREDICTION</CENTER></h1>

<div class="topnav">

WHY RSSIA

SIGNUP

LOGIN

</div>

</form>

</div>

<!-- Navbar content -->

</nav>

</div>

</body>

</html>

good.html

<!DOCTYPE html>

<html>

<head>

<meta name="viewport" content="width=device-width, initial-scale=1">

<style>

img {

display: block;

```
margin-left: auto;
margin-right: auto;
}
</style>
</head>
<body>



</body>
</html>
```

dashboard.html

```
<!DOCTYPE html
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Dashboard</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrapes.2.1/dist/css/bootstrap.min.css" rel="stylesheet">
<script src="https://cdn.jsdelivr.net/npm/bootstrap 5.2.1/dist/js/bootstrap.bundle.min.js"></script>
</head>
<body>
<div class="container-fluid p-5 bg-primary text-white text-center">

<p><iframe
src="https://us3.ca.analytics.ibm.com/bi/?perspective=explore&pathRef=.my_folders%2FData%2BExploration%2FHeart%2BDisease%2BPrediction&closeWindowOnLastView=true&ui_appbar=false&amp;ui_navbar=false&shareMode=embedded&subView=model000001848f2c79ea_00000000"
width="320" height="200" frameborder="0" gesture="media" allow="encrypted-media"
allowfullscreen=""></iframe></p>
</div>
</body>
```


story.html

```
<!DOCTYPE html
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Story</title>
<link href = "https://cdn.jsdelivr.net/npm/bootstrapes.2.1/dist/css/bootstrap.min.css" rel="stylesheet">
<script src="https://cdn.jsdelivr.net/npm/bootstrap 5.2.1/dist/js/bootstrap.bundle.min.js"></script>
</head>
<body>
<div class="container-fluid p-5 bg-primary text-white text-center">

<p><iframe
src="https://us1.ca.analytics.ibm.com/bi/?perspective=story&pathRef=.my_folders%2FNew%2Bstory&
mp;closeWindowOnLastView=true&ui_appbar=false&ui_navbar=false&shareMode=embedde
d&action=view&sceneId=model000001848b513410_00000001&sceneTime=15000"
width="320" height="200" frameborder="0" gesture="media" allow="encrypted-media"
allowfullscreen=""></iframe></p>
</div>
</body>
```

Style.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600;700;800;900&display=swap');
*
{
margin: 0;
padding: 0;
box-sizing: border-box;
font-family: 'Poppins', sans-serif;
color: #45f3ff;
}
body{
width: 100%;
height: 100vh;
display: flex;
align-items: center;
```

```
justify-content: center;
background:

}
::selection{
color: rgb(69, 224, 241);
background: #45f3ff;
}
.wrapper{
width: 380px;
padding: 40px 30px 50px 30px;
background: #29292b;
border-color: #fff;
border-radius: 5px;
text-align: center;

}
.wrapper header{
font-size: 35px;
font-weight: 600;
}
.wrapper form{
margin: 40px 0;
border-color: #45f3ff;
}
form .field{
width: 100%;
margin-bottom: 20px;
}
form .field.shake{
animation: shake 0.3s ease-in-out;
}
@keyframes shake {
0%, 100% {
margin-left: 0px;
}
```

```
20%, 80% {
margin-left: -12px;
}
40%, 60% {
margin-left: 12px;
}
}
form .field .input-area{
height: 50px;
width: 100%;
position: relative;

}
form input{
width: 100%;
height: 100%;
outline: #45f3ff;
padding: 0 45px;
font-size: 18px;
background: none;
caret-color:#45f3ff;
border-radius: 5px;
border: 1px solid #45f3ff;
border-bottom-width: 2px;
transition: all 0.2s ease;
}
form .field input:focus,
form .field.valid input{
border-color: #45f3ff;
}
form .field.shake input,
form .field.error input{
border-color: #dc3545;
}
.field .input-area i{
position: absolute;
```

```
top: 50%;
font-size: 18px;
pointer-events: none;
transform: translateY(-50%);
}
.input-area .icon{
left: 15px;
color: #fff;
transition: color 0.2s ease;
}
.input-area .error-icon{
right: 15px;
color: #dc3545;
}
form input:focus ~ .icon,
form .field.valid .icon{
color: #45f3ff;
}
form .field.shake input:focus ~ .icon,
form .field.error input:focus ~ .icon{
color: #45f3ff ;
}
form input::placeholder{
color: #bfbfbf;
font-size: 17px;
}
form .field .error-txt{
color: #dc3545;
text-align: left;
margin-top: 5px;
}
form .field .error{
display: none;
}
form .field.shake .error,
```

```
form .field.error .error{
display: block;
}
form .pass-txt{
text-align: left;
margin-top: -10px;
}
.wrapper a{
color: #45f3ff;
text-decoration: none;
}
.wrapper a:hover{
text-decoration: underline;
}
form input[type="submit"]{
height: 50px;
margin-top: 30px;
color: #23242a;
padding: 0;
border: none;
background: #45f3ff;
cursor: pointer;
border-bottom: 2px solid rgba(0,0,0,0.1);
transition: all 0.3s ease;
}
form input[type="submit"]:hover{
background: #45f3ff;
};
```

nav.css

```
.navbar{
position: fixed;
width: 100%;
height: 70px;
left: 0px;
top: 0%;
```

```
background-image: url("s1.png");

}

body
{
justify-content: center;
align-items: center;
background:#f9fdfe;
width: 100%;
height: 100%;
position: relative;

}

img{
position: fixed;
width: 100%;
height: 106%;
left: 0%;
top: 0%;
}

/* Add a black background color to the top navigation */
.topnav {
background-image: url("s1.png");
width: 100%;
height: 70px;
overflow: hidden;
border-top-style: solid;

}

/* Style the links inside the navigation bar */
.topnav a {
float: right;
color: BLACK;
height: 70px;
text-align: center;
padding: 14px 16px;
text-decoration: none;
```

```
font-size: 20px;
font-weight: bold;
}

/* Change the color of links on hover */
.topnav a:hover {
background-color: #ddd;
color: white;
}

/* Add a color to the active/current link */
.topnav a.active {
background-color: #23242a;
color: white;
}

.container {
background-color: #65fdfb59;
border-radius: 10px;
box-shadow: 0 14px 28px rgba(0,0,0,0.25),
0 10px 10px rgba(0,0,0,0.22);
position: relative;
overflow: hidden;
top: 222%;
left: 63px;
width: 649px;
max-width: 100%;
min-height: 406px;
}

.button{
border-radius: 20px;
border: 1px solid #BAF1F6;
background-color: #65fdfb59;
color: white;
font-size: 12px;
font-weight: bold;
```

```
padding: 12px 45px;
letter-spacing: 1px;
text-transform: uppercase;
transition: transform 80ms ease-in;
border-color: rgba(255, 0, 0, 0.24);
}
button:active {
transform: scale(0.95);
}

button:focus {
outline: none;
}

button.ghost {
background-color: 8F78CF;
border-color: rgb(242, 240, 240);
font-size: x-large;
border-radius: 100PX;
}

.head{
font-size: xx-large;
font-style: IM FELL French Canon SC;
}

.button{
top: 10%;
left: 10%;
}
```

nav.css.txt

```
.navbar{
position: fixed;
width: 100%;
height: 75px;
left: 0px;
top: 0%;
background-image: url("s1.png");
```



```
}  
body  
{  
justify-content: center;  
align-items: center;  
background:#f9fdfe;  
width: 100%;  
height: 100%;  
position: relative;  
  
}  
img{  
position: fixed;  
width: 100%;  
height: 106%;  
left: 0%;  
top: 0%;  
}  
/* Add a black background color to the top navigation */  
.topnav {  
background-image: url("s1.png");  
width: 100%;  
height: 70px;  
overflow: hidden;  
border-top-style: solid;  
  
}  
  
/* Style the links inside the navigation bar */  
.topnav a {  
float: right;  
color: black;  
height: 70px;  
text-align: center;  
padding: 14px 16px;  
text-decoration: none;
```

```
font-size: 20px;
font-weight: bold;

}

/* Change the color of links on hover */
.topnav a:hover {
background-color: #ddd;
color: black;

}

/* Add a color to the active/current link */
.topnav a.active {
background-color: #23242a;
color: white;
}

.container {
background-color: #65fdb59;
border-radius: 10px;
box-shadow: 0 14px 28px rgba(0,0,0,0.25),
0 10px 10px rgba(0,0,0,0.22);
position: relative;
overflow: hidden;
top: 222%;
left: 63px;
width: 649px;
max-width: 100%;
min-height: 406px;
}

.button{
border-radius: 20px;
border: 1px solid #BAF1F6;
background-color: #65fdb59;
color: black;
font-size: 12px;
font-weight: bold;
padding: 12px 45px;
```

```

letter-spacing: 1px;
text-transform: uppercase;
transition: transform 80ms ease-in;
border-color: rgba(255, 0, 0, 0.24);
}
button:active {
transform: scale(0.95);
}

button:focus {
outline: none;
}

button.ghost {
background-color: 8F78CF;
border-color: rgb(242, 240, 240);
font-size: x-large;
border-radius: 100PX;
}

.head{
font-size: xx-large;
font-style: IM FELL French Canon SC;
}

.button{
top: 10%;
left: 10%;
}

```

script1.js

```

const form = document.querySelector("form")
eField = form.querySelector(".email"),
eInput = eField.querySelector("input"),
pField = form.querySelector(".password"),
pInput = pField.querySelector("input");

```

```

form.onsubmit = (e)=>{
e.preventDefault(); //preventing from form submitting
//if email and password is blank then add shake class in it else call specified function
(eInput.value == "") ? eField.classList.add("shake", "error") : checkEmail();
(pInput.value == "") ? pField.classList.add("shake", "error") : checkPass();

setTimeout(()=>{ //remove shake class after 500ms
eField.classList.remove("shake");
pField.classList.remove("shake");
}, 500);

eInput.onkeyup = ()=>{checkEmail();} //calling checkEmail function on email input keyup
pInput.onkeyup = ()=>{checkPass();} //calling checkPassword function on pass input keyup

function checkEmail(){ //checkEmail function
let pattern = /^[^ ]+@[^ ]+\.[a-z]{2,3}$/; //pattern for validate email
if(!eInput.value.match(pattern)){ //if pattern not matched then add error and remove valid class
eField.classList.add("error");
eField.classList.remove("valid");
let errorTxt = eField.querySelector(".error-txt");
//if email value is not empty then show please enter valid email else show Email can't be blank
(eInput.value != "") ? errorTxt.innerText = "Enter a valid email address" : errorTxt.innerText = "Email can't be blank";
}else{ //if pattern matched then remove error and add valid class
eField.classList.remove("error");
eField.classList.add("valid");
}
}

function checkPass(){ //checkPass function
if(pInput.value == ""){ //if pass is empty then add error and remove valid class
pField.classList.add("error");
pField.classList.remove("valid");
}else{ //if pass is empty then remove error and add valid class
pField.classList.remove("error");
pField.classList.add("valid");
}
}

```

```
}
```

```
//if eField and pField doesn't contains error class that mean user filled details properly
if(!eField.classList.contains("error") && !pField.classList.contains("error")){
  alert("Login Successful");
  window.location.href = "index.html"; //redirecting user to the specified url which is inside action attribute of
  form tag
}
};
```

script2.js

```
const form = document.querySelector("form")
eField = form.querySelector(".email"),
eInput = eField.querySelector("input"),
pField = form.querySelector(".password"),
pInput = pField.querySelector("input");

form.onsubmit = (e)=>{
  e.preventDefault(); //preventing from form submitting
  //if email and password is blank then add shake class in it else call specified function
  (eInput.value == "") ? eField.classList.add("shake", "error") : checkEmail();
  (pInput.value == "") ? pField.classList.add("shake", "error") : checkPass();

  setTimeout(()=>{ //remove shake class after 500ms
    eField.classList.remove("shake");
    pField.classList.remove("shake");
  }, 500);

  eInput.onkeyup = ()=>{ checkEmail();} //calling checkEmail function on email input keyup
  pInput.onkeyup = ()=>{ checkPass();} //calling checkPassword function on pass input keyup

  function checkEmail(){ //checkEmail function
    let pattern = /^[^ ]+@[^ ]+\.[a-z]{2,3}$/; //pattern for validate email
    if(!eInput.value.match(pattern)){ //if pattern not matched then add error and remove valid class
      eField.classList.add("error");
      eField.classList.remove("valid");
```

```

let errorTxt = eField.querySelector(".error-txt");
//if email value is not empty then show please enter valid email else show Email can't be blank
(eInput.value != "") ? errorTxt.innerText = "Enter a valid email address" : errorTxt.innerText = "Email can't
be blank";



}else{ //if pattern matched then remove error and add valid class
eField.classList.remove("error");
eField.classList.add("valid");
}
}



function checkPass(){ //checkPass function
if(pInput.value == ""){ //if pass is empty then add error and remove valid class
pField.classList.add("error");
pField.classList.remove("valid");
}else{ //if pass is empty then remove error and add valid class
pField.classList.remove("error");
pField.classList.add("valid");
}
}



//if eField and pField doesn't contains error class that mean user filled details properly
if(!eField.classList.contains("error") && !pField.classList.contains("error")){
alert("Registration done Successfully");
window.location.href = "login1.html"; //redirecting user to the specified url which is inside action attribute of
form tag
}
};


```

9.RESULTS:









10.ADVANTAGES

1. Increased accuracy for effective heart disease diagnosis.
2. Handles roughest(enormous) amount of data using random forest algorithm and feature s
3. Reduce the time complexity of doctors.
4. Cost effective for patients.

DISADVANTAGES

1. Prediction of cardiovascular disease results is not accurate.
2. Data mining techniques does not help to provide effective decision making.
3. Cannot handle enormous datasets for patient records.

11.SCOPE:

Here the scope of the project is that integration of clinical decision support withcomputer-based patient records could reduce medical errors, enhance patient safety, decrease unwanted practice variation, and improve patient outcome.

This suggestion is promising as data modeling and analysis tools, e.g., data mining,have the potential to generate a knowledge-rich environment which can help to significantly improve the quality of clinical decisions

12.CONCLUSION

Project introduction is the first step in building a system. Basically it will tell what is the application or a system That we are intended to build what it will look like, brief

describe on the proposed project, setting up the project Scope , defining project objective,problem statement of the project and also expected outcome. This stage will be Used as areference to ensure system meet the project scope and project objective.

Heart attack is vital health hassle in human society. This paper has summarized kingdom of art technique and to be Had techniques for prediction of this sickness.

Deep studying an raising region of artificial intelligence showed a Few promising bring about different area of clinical diagnose with excessive accuracy .It continues to be an open Area waiting to get applied in heart disease prediction. Some strategies of deep studying has been discussed which May be implemented for heart disease prediction, alongside pioneer machine getting to know algorithms. An analytical assessment has beencompleted for locating out best available algorithm for clinical dataset. In Future our purpose is to carry ahead the work of temporal scientific dataset, where in dataset varies with time and Retraining of dataset is needed

13.APPENDIX

GitHub & Project Demo Link

GITHUB LINK: <https://github.com/IBM-EPBL/IBM-Project-40975-1660638167>

DEMO LINK: <https://youtu.be/8xLzbQWCEW0>