
Project Development Phase SPRINT-1

Date	10 November 2022
Team ID	PNT2022TMID48583
Project Name	Project - IOT Based Safety Gadget for Child Safety Monitoring&Notification

REGISTRATION: HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="/css/login.css">
  <title>Sign Up</title>
  <script>
    if (window.location.hostname !== "localhost") {
      if (location.protocol !== "https:") {
         location.replace(
           `https:${location.href.substring(
             location.protocol.length
           )}`
      }
    }
  </script>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="loginContainer">
       <span>Login to Continue</span>
       <div class="traditionalLoginContainer">
         <form class="signupForm" action="/" method="post">
           <input type="text" name="firstName" placeholder="First Name" id="firstName">
           <input type="text" name="lastName" placeholder="Last Name" id="lastName">
```



```
<input type="email" name="email" placeholder="Email" id="email">
           <input type="password" name="password" placeholder="Password" id="password">
            <input class="loginButton" type="submit" value="Sign Up">
         </form>
       </div>
       <div class="loginWithFireContainer">
         <button type="button" class="fire" title="Login with SAFETY" id="fire">Login with
SAFETY</button>
       </div>
       <a class="hyperLink" href="/login">Already have an Account? Login /-</a>
    </div>
  </div>
  <script>
    // Necessary for Fire OAuth to Function
    const fireBroadcastingChannel = new BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async event => {
      let data = event.data
      * @typedef {Object<string, any>} Data
      * @property {boolean} success - Whether the login was successful
      * @property {string} token - The data returned from the login i.e. FireToken
      */
      // data.token is the message sent from the fireOAuthChannel after verification
      // data.success is a boolean that indicates whether the verification was successful
      // data.token is the fire token
      // What to do with the Fire Token?
      //* Fire Token is an unique token which uniquely identifies the user who authorized your login attempt
with Fire
      // * You can use this token ONLY ONCE as it will be destroyed after the first use
      // 1. Send the fire token to the Fire Server to verify the user
      // - You can do that client sided or server sided
      // - You need to send a POST Request to the Fire Server with the fire token
      // at the URL: http://localhost:3003/api/tokens/verify
      // - The Fire Server will verify the fire token and return a response
      //
          - If the verification was successful - CODE (200), the Fire Server will return a response with the
user's data
      // - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire Server will return a
response with an error 'message'
      // - You can use the data returned from the Fire Server to create a new user in your database
      // This example will send the token to Fire Servers and console.log the response
       console.log("%c" + `Fire Token: ${data.token}`, `color: #f1c40f; font-weight: bold;`);
```

```
const response = await fetch('https://fire.adaptable.app/api/tokens/verify', {
         method: 'POST',
         headers: {
           'Content-Type': 'application/json'
         },
         body: JSON.stringify({
           token: data.token
         })
      })
       // get the response
       const responseData = await response.json()
      // console.log the response
       console.log(responseData)
      await localforage.setItem('userData', {...responseData, isFire: true})
      // Adding the user data to the user Database
      let database = await localforage.getItem("userDatabase")
      if (database == null) {
         database = []
      }
      database.push(responseData)
      await localforage.setItem("userDatabase", database)
      // redirect to the home page
      window.location.href = '/'
    })
    function popupwindow(url, title, w, h) {
       var left = (screen.width/2)-(w/2);
       var top = (screen.height/2)-(h/2);
      return window.open(url, title, 'toolbar=no, location=no, directories=no, status=no, menubar=no,
scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
    }
    document.getElementById("fire").addEventListener("click", function() {
       popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
    })
  </script>
  <script>
    // this.Website's Scripts / App Logic
    document.querySelector(".signupForm").addEventListener("submit" , async (e) => {
       e.preventDefault()
      let firstName = document.getElementById("firstName").value
      let lastName = document.getElementById("lastName").value
      let username = document.getElementById("username").value
```

```
let email = document.getElementById("email").value
      let password = document.getElementByld("password").value
      let profilePic = https://avatars.dicebear.com/api/adventurer-
neutral/${firstName}${lastName}.svg?backgroundColor=variant03`
      let data = { firstName, lastName, username, email, password, profilePic }
      await localforage.setItem("userData", data)
      let database = await localforage.getItem("userDatabase")
      if (database == null) {
         database = []
      }
      database.push(data)
      await localforage.setItem("userDatabase", database)
      window.location.href = "/"
    })
  </script>
</body>
</html>
     CONFIRMATION
EMAIL: INDEX:
<!DOCTYPE html>
<html lang="en" style="height: 100%; margin: 0;">
         <head>
                  <meta charset="UTF-8" />
                  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
                  <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
    <script src="./localforage.js"></script>
                  <script>
                           if (window.location.hostname !== "localhost") {
                                     if (location.protocol !== "https:") {
                                              location.replace(
                                                       `https:${location.href.substring(
                                                                location.protocol.length
                  <meta name="description" content="The Home Page after Logged In" />
```

```
)}`
                                         )
                               }
                     }
                     async function check() {
  let data = localforage.getItem("userData")
  if (data == null) {
    window.location.href = "/login"
  }
}
check()
            </script>
  </head>
  <body
            style="
                     height: 100%;
                     margin: 0;
                     font-weight: 300;
                     font-family: \hbox{-apple-system, BlinkMacSystemFont, 'Segoe Ul', Roboto,}
                               Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
                               sans-serif;
            <div
                      class="wrapper"
                      style="
                               height: 90%;
                               display: flex;
                               flex-direction: column;
```

```
align-items: center;
                                     justify-content: center;
         text-align: center;
                            <div
                                     class="details"
                                      style="
                                               display: flex;
                                               flex-direction: column;
                                               align-items: center;
                                               gap: 20px;
                                               padding: 1rem;
                                               border-radius: 5px;
                                               box-shadow: 0 0 8px 0px #4444444;
           max-width: 80%;
                                      <h1 class="name" style="margin: 0"></h1>
                                      <div
                                               class="imageContainer"
                                               style="padding: 10px; height: 10rem; width: 10rem"
                                               <img class="image" alt="profile picture" />
                                      </div>
                                      <h2 class="email" style="margin: 0"></h2>
         <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight:</p>
400;" href="./dashboard">Go to Dashboard />/a>
                            </div>
                   </div>
                   <script>
                            async function main() {
         let name = document.querySelector(".name")
         let image = document.querySelector(".image")
         let email = document.querySelector(".email")
         let userData = await localforage.getItem("userData")
         if(userData == null) {
           window.location.href = "/login"
```

```
name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!`
                                          image.src = userData.profilePic
                                          email.innerHTML = 'Your email is: <a style="text-decoration: none;color: #0072B5;"
                   href="mailto:${userData.email}">${userData.email}</a>`
                                    }
                                    main()
                                                                 </script>
                                          </body>
                   </html>
LOCALFORAGE:
                   /*!
                        localForage -- Offline Storage, Improved
                         Version 1.10.0
                        https://localforage.github.io/localForage
                        (c) 2013-2017 Mozilla, Apache License 2.0
                   */
                   !function(a)
                   \label{limited} \begin{tabular}{ll} \label{limited} \end{tabular} $$\{$if("object"==typeof exports\&\&"undefined"!=typeof module.exports=a(); \end{tabular} $$($if("object"==typeof exports)) $$($if("o
                    else if("function"==typeof define&&define.amd)define([],a);
                    else{var b;
                            b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
                   self?self:this,b.localforage=a()}}(function(){
                      return function a(b,c,d){
                        function e(g,h){if(!c[g]){if(!b[g]){
                            var i="function"==typeof require&&require;
                            if(!h&&i)return i(g,!0);if(f)return f(g,!0);
                            var j=new Error("Cannot find module '"+g+"'");
                            throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
                                                              b[g][0].call(k.exports,function(a){
                                                                var c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}
                                                return c[g].exports}
                        for (var\ f="function"==typeof\ require\&\&require,g=0;g< d.length;g++)e(d[g]);
                        return e}({1:[function(a,b,c){(function(a){"use strict";
                                                                                     function c(){k=!0;for(var a,b,c=l.length;c;){
                                                                                        for(b=l,l=[],a=-1;++a<c;)b[a]();c=l.length}k=!1}
                                                                                      function d(a){1!==I.push(a)||k||e()}var
                   e,f=a.MutationObserver||a.WebKitMutationObserver;
```

}

if(f){var g=0,h=new

 $f(c), i=a. document.createTextNode(""); h. observe(i, \{characterData: !0\}), e=function() \{i. data=g=++g\%2\}\}$

```
else if(a.setImmediate||void 0===a.MessageChannel)e="document"in
a&&"onreadystatechange"in a.document.createElement("script")?function(){var
b=a.document.createElement("script");b.onreadystatechange=function(){c(),b.onreadystatechange=null,b.pa
rentNode.removeChild(b),b=null},a.document.documentElement.appendChild(b)};function(){setTimeout(c,0)};
else{var j=new a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.postMessage(0)}}var
k,l=[];b.exports=d}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
self?self:"undefined"!=typeof window?window:{})},{}],2:[function(a,b,c){"use strict";function d(){}function
e(a){if("function"!=typeof a)throw new TypeError("resolver must be a
function");this.state=s,this.queue=[],this.outcome=void 0,a!==d&&i(this,a)}function
f(a,b,c){this.promise=a,"function"==typeof
b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"function"==typeof
c\&\& (this. on Rejected = c, this. call Rejected = this. other Call Rejected) \} function \ g(a,b,c) \\ \{o(function() \mid varantimes \mid var
d;try{d=b(c)}catch(b){return p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve promise with
itself")):p.resolve(a,d)}))function h(a){var b=a&&a.then;if(a&&("object"==typeof a||"function"==typeof
a)&&"function"==typeof b)return function(){b.apply(a,arguments)}}function i(a,b){function
c(b)\{f||(f=!0,p.reject(a,b))\}function \ d(b)\{f||(f=!0,p.resolve(a,b))\}function \ e()\{b(d,c)\}var(b)\}f(b)\}f(c)
f=!1,g=j(e);"error"===g.status&&c(g.value)}function j(a,b){var
c={};try{c.value=a(b),c.status="success"}catch(a){c.status="error",c.value=a}return c}function k(a){return a
instanceof this?a:p.resolve(new this(d),a)}function I(a){var b=new this(d);return p.reject(b,a)}function
m(a){function b(a,b){function
d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(d,function(a)\{f||(f=!0,p.reject(j,a))\})\}var(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(d,function(a)\{f||(f=!0,p.resolve(j,g))\}\}var(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(d,function(a)\{f||(f=!0,p.resolve(j,g))\}\}var(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(d,function(a)\{f||(f=!0,p.resolve(j,g))\}\}var(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(a,function(a)\{f||(f=!0,p.resolve(j,g))\}\}var(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(a,function(a)\{f||(f=!0,p.resolve(j,g))\}\}var(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a)\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,++h!=e||f||(f=!0,p.resolve(j,g))\}d(a)\{g[b]=a,
c=this;if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=new Array(e),h=0,i=-1,j=new
this(d);++i<e;)b(a[i],i);return j}function n(a){function
b(a) \{c.resolve(a).then(function(a)\{f||(f=!0,p.resolve(h,a))\}, function(a)\{f||(f=!0,p.reject(h,a))\})\} varable (a) \{c.resolve(a).then(function(a)\{f||(f=!0,p.resolve(h,a))\}, function(a)\{f||(f=!0,p.reject(h,a))\})\} varable (b) \{c.resolve(a).then(function(a)\{f||(f=!0,p.resolve(h,a))\}, function(a)\{f||(f=!0,p.reject(h,a))\})\} varable (b) \{c.resolve(a).then(function(a)\{f||(f=!0,p.resolve(h,a))\}, function(a)\{f||(f=!0,p.reject(h,a))\})\} varable (b) \{c.resolve(h,a), function(a)\{f||(f=!0,p.reject(h,a))\})\} varable (b) \{c.resolve(h,a), function(a)\{f||(f=!0,p.reject(h,a))\}, function(a)\{f||(f=!0,p.reject(h,a))\})\} varable (b) \{c.resolve(h,a), function(a)\{f||(f=!0,p.reject(h,a))\})\} varable (c) \{c.resolve(h,a), function(a)\{f||(f=!0,p.reject(h,a))\}) varable (c) \{c.resolve(h,a), function(a)\{f||(f=!0,p.reject(h,a))\}) varable (c) \{c.resolve(h,a), function(a)\{f||(f=!0,p.reject(h,a))\}) varable (c) \{c.resolve(h,a), function(a)\{f||(f=!0,p.reject(h,a))\} varable (c) \{c.resolve(h,a), f
c=this;if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=-1,h=new this(d);++g<e;)b(a[g]);return h}var
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exports=e,e.prototype.catch=function(a){ret
urn this.then(null,a)},e.prototype.then=function(a,b){if("function"!=typeof
a&&this.state===r||"function"!=typeof b&&this.state===q)return this;var c=new
this.constructor(d);if(this.state!==s){g(c,this.state===r?a:b,this.outcome)}else this.queue.push(new
f(c,a,b));return
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.prototype.otherCallFulfilled=function(a){g(
this.promise,this.onFulfilled,a)},f.prototype.callRejected=function(a){p.reject(this.promise,a)},f.prototype.oth
erCallRejected = function (a) \\ \{g(this.promise, this.onRejected, a)\}, p. resolve = function (a, b) \\ \{varantee | varantee | varan
c=j(h,b);if("error"===c.status)return p.reject(a,c.value);var
d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return
a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return
a\}, e.resolve=k, e.reject=l, e.all=m, e.race=n\}, \{1:1\}], 3: [function(a,b,c)\{(function(b)\{"use\ strict"; "function"!=typeof leaves the property of the prope
b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
self?self:"undefined"!=typeof window?window:{})},{2:2}],4:[function(a,b,c){"use strict";function d(a,b){if(!(a
instanceof b))throw new TypeError("Cannot call a class as a function"))function
e(){try{if("undefined"!=typeof indexedDB)return indexedDB;if("undefined"!=typeof webkitIndexedDB)return
webkitIndexedDB;if("undefined"!=typeof mozIndexedDB)return mozIndexedDB;if("undefined"!=typeof
OIndexedDB)return OIndexedDB;if("undefined"!=typeof msIndexedDB)return
msIndexedDB}catch(a){return}}function f(){try{if(!ua||!ua.open)return!1;var a="undefined"!=typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)&&!/Chrome/.test(navigator.userAgent)
&&!/BlackBerry/.test(navigator.platform),b="function"==typeof fetch&&-1!==fetch.toString().indexOf("[native
code");return(!a||b)&&"undefined"!=typeof indexedDB&&"undefined"!=typeof
IDBKeyRange}catch(a){return!1}}function g(a,b){a=a||[],b=b||{};try{return new
Blob(a,b)}catch(f){if("TypeError"!==f.name)throw f;for(var c="undefined"!=typeof
BlobBuilder: "undefined"!=typeof MSBlobBuilder: "undefined"!=typeof MSBlobBuilder: "undefined"!=typeof
MozBlobBuilder?MozBlobBuilder:WebKitBlobBuilder,d=new c,e=0;e<a.length;e+=1)d.append(a[e]);return
d.getBlob(b.type)}}function h(a,b){b&&a.then(function(a){b(null,a)},function(a){b(a)})}function
i(a,b,c){"function"==typeof b&&a.then(b),"function"==typeof c&&a.catch(c)}function
j(a){return"string"!=typeof a&&(console.warn(a+" used as a key, but it is not a
string."),a=String(a)),a}function k(){if(arguments.length&&"function"==typeof arguments[arguments.length-
1])return arguments[arguments.length-1]}function I(a){for(var b=a.length,c=new ArrayBuffer(b),d=new
Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(e);return c}function m(a){return new va(function(b){var
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),c.onabort=function(a){a.preventDefault(),a.st
opPropagation(),b(!1)},c.oncomplete=function(){var
```

```
a=navigator.userAgent.match(/ChromeV(\d+)/),c=navigator.userAgent.match(/EdgeV/);b(c||!a||parseInt(a[1],10)
>=43)}}).catch(function(){return!1}))function n(a){return"boolean"==typeof
xa?va.resolve(xa):m(a).then(function(a){return xa=a})}function o(a){var b=ya[a.name],c={};c.promise=new
va(function(a,b){c.resolve=a,c.reject=b}),b.deferredOperations.push(c),b.dbReady?b.dbReady=b.dbReady.th
en(function(){return c.promise}):b.dbReady=c.promise}function p(a){var
b=ya[a.name],c=b.deferredOperations.pop();if(c)return c.resolve(),c.promise}function q(a,b){var
c=ya[a.name],d=c.deferredOperations.pop();if(d)return d.reject(b),d.promise}function r(a,b){return new
va(function(c,d){if(ya[a.name]=ya[a.name]||B(),a.db){if(!b)return c(a.db);o(a),a.db.close()}var
e=[a.name]; b\&\&e.push(a.version); var\ f=ua.open.apply(ua,e); b\&\&(f.onupgradeneeded=function(b) \{var\ f=ua.open.apply(ua,e)\} b\&\&e.push(a.version); var\ f=ua.open.apply(ua,e); b\&\&e.push(a.version); b\&e.push(a.version); b\&\&e.push(a.version); b\&e.push(a.version); b\&e.push(a.version); b\&\&e.push(a.version); b\&e.push(a.version); b\&e.push(a.versio
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1&&c.createObjectStore(wa)}catch(c){if("Con
straintError"!==c.name)throw c;console.warn('The database "'+a.name+'" has been upgraded from version
'+b.oldVersion+" to version "+b.newVersion+', but the storage "'+a.storeName+'" already
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsuccess=function(){var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p(a)}})function s(a){return r(a,!1)}function
t(a){return r(a,!0)}function u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a.db.version,e=a.version>a.db.version;if(d&&
(a.version!==b&&console.warn('The database "'+a.name+"\" can't be downgraded from version
 "+a.db.version+" to version "+a.version+"."),a.version=a.db.version),e||c){if(c){var
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}function v(a){return new va(function(b,c){var
d=new FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({ local_forage_encoded_blob:!0,data:d,type:a.type})},d.readAsBinaryString(a)})}
function w(a){return g([l(atob(a.data))],{type:a.type}))}function x(a){return
a&&a.-local_forage_encoded_blob}function y(a){var b=this,c=b._initReady().then(function(){var
a=ya[b._dblnfo.name];if(a&&a.dbReady)return a.dbReady});return i(c,a,a),c}function z(a){o(a);for(var
b = ya[a.name], c = b.forages, d = 0; d < c.length; d + +)\{varages, d = 0; d < c.length; d + +)\}
e=c[d];e._dbInfo.db&&(e._dbInfo.db.close(),e._dbInfo.db=null)}return a.db=null,s(a).then(function(b){return
a.db=b,u(a)?t(a):b).then(function(d){a.db=b.db=d;for(var)}
e=0;e<c.length;e++)c[e]._dblnfo.db=d}).catch(function(b){throw q(a,b),b})}function A(a,b,c,d){void
0 = = d\&\&(d=1);try{var}
e=a.db.transaction(a.storeName,b);c(null,e)}catch(e){if(d>0&&(!a.db||"InvalidStateError"===e.name||"NotFou
ndError"===e.name))return
va.resolve().then(function(){if(!a.db||"NotFoundError"===e.name&&!a.db.objectStoreNames.contains(a.store
Name)&&a.version<=a.db.version)return a.db&&(a.version=a.db.version+1),t(a)}).then(function(){return
z(a).then(function(){A(a,b,c,d-1)})}).catch(c);c(e)}}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function C(a){function b(){return
va.resolve()}var c=this,d={db:null};if(a)for(var e in a)d[e]=a[e];var
f=ya[d.name];f||(f=B(),ya[d.name]=f),f.forages.push(c),c._initReady||(c._initReady=c.ready,c.ready=y);for(var
g=[], h=0; h< f. for ages.length; h++) \{var\ i=f. for ages[h]; i!==c\&\&g.push(i.\_initReady().catch(b))\} \\ var\ i=f. for ages[h]; i!==c\&\&g.push(i.\_initReady().catch(b))] \\ var\ i=f. for ages[h]; i!=f. for ages[h]; i
j=f.forages.slice(0);return va.all(g).then(function(){return d.db=f.db,s(d)}).then(function(a){return
\label{eq:double-def} d.db = a, u(d, c.\_defaultConfig.version)? \\ t(d):a)). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db | nfo=d; for (varable) \}). \\ then (function(a) \{d.db = f.db = a, c.\_db = a, 
b=0;b<j.length;b++){var e=j[b];e!==c&&(e._dblnfo.db=d.db,e._dblnfo.version=d.version)}})}function D(a,b){var
c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){A(c._dbInfo,Aa,function(e,f){if(e)return
d(e);try{var g=f.objectStore(c._dbInfo.storeName),h=g.get(a);h.onsuccess=function(){var a=h.result;void
0 === a \& (a = null), x(a) \& (a = w(a)), b(a)\}, h. onerror = function() \{d(h.error)\} \} catch(a) \{d(a)\}\})\}). catch(d)\}); return = function() \{d(h.error)\} \} catch(a) \{d(a)\}\})\}). catch(d)\}); return = function() \{d(h.error)\} \} catch(a) \{d(a)\}\})\}). catch(d)\}
h(d,b),d}function E(a,b){var c=this,d=new
va(function(b,d)\{c.ready().then(function()\{A(c.\_dbInfo,Aa,function(e,f)\}if(e)return\ d(e);try\{varantee,dbInfo,Aa,function(e,f)\}if(e)return\ d(e);try\{varantee,dbInfo,Aa,functi
g=f.objectStore(c._dbInfo.storeName),h=g.openCursor(),i=1;h.onsuccess=function(){var c=h.result;if(c){var
d=c.value; x(d) \& \& (d=w(d)); var e=a(d,c.key,i++); void 0!==e?b(e):c.continue() \} else
b()},h.onerror=function(){d(h.error)}}catch(a){d(a)}})).catch(d)});return h(d,b),d}function F(a,b,c){var
d=this;a=j(a);var e=new va(function(c,e){var f;d.ready().then(function(){return f=d._dblnfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d._dbInfo,Ba,function(f,g){if(f)return e(f);try{var
h=g.objectStore(d.\_dbInfo.storeName); null===b\&\&(b=void\ 0); var\ i=h.put(b,a); g.oncomplete=function() \{void\ 0\}; var\ i=h.put(b,a); g.oncomplete=functio
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){A(c._dbInfo,Ba,function(e,f){if(e)return d(e);try{var
g=f.objectStore(c._dbInfo.storeName),h=g.delete(a);f.oncomplete=function(){b()},f.onerror=function(){d(h.err
or)},f.onabort=function(){var a=h.error?h.error:h.transaction.error;d(a)}}catch(a){})}).catch(d)}));return
h(d,b),d}function H(a){var b=this,c=new
f=e.objectStore(b._dblnfo.storeName),g=f.clear();e.oncomplete=function(){a()},e.onabort=e.onerror=function()
{var a=g.error?g.error:g.transaction.error;c(a)}}catch(a){c(a)}})}).catch(c)});return h(c,a),c}function I(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){A(b._dbInfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.count();g.onsuccess=function(){a(g.result)},g.onerror=function(){c(
g.error)}}catch(a){c(a)}})}).catch(c)});return h(c,a),c}function J(a,b){var c=this,d=new
a=i.error?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})}.catch(e)}};return h(e,c),e}function G(a,b){var
```

```
d(e);try{var g=f.objectStore(c._dblnfo.storeName),h=!1,i=g.openKeyCursor();i.onsuccess=function(){var
c=i.result;if(!c)return void
b(null); 0 === a?b(c.key): h?b(c.key): (h=!0,c.advance(a))\}, i.onerror=function() \{d(i.error)\}\} catch(a) \{d(a)\}\})\}). catch(a) \{d(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c.advance(a),c
d)});return h(d,b),d}function K(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dblnfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dbInfo.storeName),g=f.openKeyCursor(),h=[];g.onsuccess=function(){var
b=g.result;if(!b)return void
a(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}catch(a){c(a)}})}).catch(c)});return
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var
d,e=this;if(a.name){var
f=a.name===c.name&&e._dblnfo.db,g=f?va.resolve(e._dblnfo.db):s(a).then(function(b){var
c=ya[a.name],d=c.forages;c.db=b;for(var e=0;e<d.length;e++)d[e]._dblnfo.db=b;return
b});d=a.storeName?q.then(function(b){if(b.objectStoreNames.contains(a.storeName)}{var
c=b.version+1;o(a);var d=ya[a.name],e=d.forages;b.close();for(var f=0;f<e.length;f++){var
g=e[f];g._dblnfo.db=null,g._dblnfo.version=c}return new va(function(b,d){var
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},e.onupgradeneeded=function(){e.result.delet
eObjectStore(a.storeName)},e.onsuccess=function(){var
c = [b]; c.\_dblnfo.db = a, p(c.\_dblnfo)\}). catch(function(b)\{throw(q(a,b)||va.resolve()). catch(function()\{\}), b\})\}) : g.t. to prove the context of the co
hen(function(b){o(a);var c=ya[a.name],d=c.forages;b.close();for(var
e=0;e<d.length;e++){d[e]._dbInfo.db=null}return new va(function(b,c){var
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result; a\&\&a.close(), c(d.error)\}, d.onblocked=function() \{console.warn('dropInstance\ blocked\ for\ database\ database\
"'+a.name+'" until all open connections are closed')},d.onsuccess=function(){var
a=d.result;a&&a.close(),b(a)}}).then(function(a){c.db=a;for(var
b=0;b<d.length;b++)p(d[b]._dblnfo)}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){}),b})})}els
e d=va.reject("Invalid arguments");return h(d,b),d}function M(){return"function"==typeof
openDatabase}function N(a){var b,c,d,e,f,g=.75*a.length,h=a.length,i=0;"="===a[a.length-1]&&(g--
  "="===a[a.length-2]&&g--);var j=new ArrayBuffer(g),k=new
\label{limits} \mbox{UnitsArray(j);} for (b=0;b<h;b+=4)c=Da. indexOf(a[b]), d=Da. indexOf(a[b+1]), e=Da. indexOf(a[b+2]), f=Da. indexOf
a[b+3]),k[i++]=c<<2|d>>4,k[i++]=(15&d)<<4|e>>2,k[i++]=(3&e)<<6|63&f;return j}function O(a){var b,c=new
\label{limits} \begin{tabular}{ll} $$ Uint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],d+=Da[(3&c[b])<<4|c[b+1]>>4],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(15&c[b+1])>0],d+=Da[(1
<<2|c[b+2]>>6],d+=Da[63&c[b+2]];return c.length%3==2?d=d.substring(0,d.length-
c="";if(a&&(c=Ua.call(a)),a&&("[object ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var d,e=Ga;a instanceof ArrayBuffer?(d=a,e+=la):(d=a.buffer,"[object
Int8Array]"===c?e+=Ka:"[object Uint8Array]"===c?e+=La:"[object Uint8ClampedArray]"===c?e+=Ma:"[object
Int16Array]"===c?e+=Na:"[object Uint16Array]"===c?e+=Pa:"[object Int32Array]"===c?e+=Oa:"[object
Uint32Array]"===c?e+=Qa:"[object Float32Array]"===c?e+=Ra:"[object Float64Array]"===c?e+=Sa:b(new
Error("Failed to get type for BinaryArray"))),b(e+O(d))}else if("[object Blob]"===c){var f=new
FileReader;f.onload=function(){var c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c)},f.readAsArrayBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value into a JSON string:
",a),b(null,c)}}function Q(a){if(a.substring(0,Ha)!==Ga)return JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja&&Fa.test(c)){var
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var f=N(c);switch(d){case la:return f;case Ja:return
g([f],{type:b});case Ka:return new Int8Array(f);case La:return new Uint8Array(f);case Ma:return new
Uint8ClampedArray(f);case Na:return new Int16Array(f);case Pa:return new Uint16Array(f);case Oa:return
new Int32Array(f);case Qa:return new Uint32Array(f);case Ra:return new Float32Array(f);case Sa:return new
Float64Array(f);default:throw new Error("Unkown type: "+d)}}function R(a,b,c,d){a.executeSql("CREATE
TABLE IF NOT EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key unique, value)",[],c,d)}function
S(a){var b=this,c={db:null};if(a)for(var d in a)c[d]="string"!=typeof a[d]?a[d].toString():a[d];var e=new
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.description,c.size)}catch(a){return
d(a)}c.db.transaction(function(e){R(e,c,function(){b._dbInfo=c,a()},function(a,b){d(b)})},d)});return
c.serializer=Va,e}function
T(a,b,c,d,e,f) \\ \{a.execute Sql(c,d,e,function(a,g) \\ \{g.code===g.SYNTAX\_ERR? a.execute Sql("SELECT" name FROM BROWN of the property of the 
sqlite_master WHERE type='table' AND name
= ?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function(){a.executeSql(c,d,e,f)},f)},f):f(a,g)},f)}fun
```

va(function(b,d){if(a<0)return void b(null);c.ready().then(function(){A(c._dblnfo,Aa,function(e,f){if(e)return

```
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName+" WHERE key = ? LIMIT
1",[a],function(a,c){var
d=c.rows.length?c.rows.item(0).value:null;d&&(d=e.serializer.deserialize(d)),b(d)},function(a,b){d(b)}})}).catc
h(d)});return h(d,b),d}function V(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName,[],function(c,d){for(var
f=d.rows,g=f.length,h=0;h<g;h++){var i=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),void
0!==(j=a(j,i.key,h+1)) return void b(j)b(), function(a,b)\{d(b)\})\}).catch(d); return b(d,b),d\} function
W(a,b,c,d) \{var \ e=this; a=j(a); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0===b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function() \{void \ 0==b\&\&(b=null); var \ f=new \ va(function(f,g) \{e.ready().then(function(f,g) \{e.ready().then(f
h=b,i=e._dbInfo;i.serializer.serialize(b,function(b,j){j?g(j):i.db.transaction(function(c){T(c,i,"INSERT OR
REPLACE INTO "+i.storeName+" (key, value) VALUES
(?, ?)",[a,b],function(){f(h)},function(a,b){g(b)})},function(b){if(b.code===b.QUOTA_ERR){if(d>0)return void
f(W.apply(e,[a,h,c,d-1]));g(b)\})))).catch(g)));return h(f,c),f}function X(a,b,c){return}
W.apply(this,[a,b,c,1])}function Y(a,b){var c=this;a=j(a);var d=new
va(function(b,d)\{c.ready().then(function()\{var\ e=c.\_dblnfo;e.db.transaction(function(c)\{T(c,e,"DELETE\ FROM\ e=c.\_dblnfo;e.db.transaction(c,e,"DELETE\ e=c.\_dblnfo;e.db.transaction(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),function(c),functi
"+e.storeName+" WHERE key = ?",[a],function(){b()},function(a,b){d(b)})}}).catch(d)});return h(d,b),d}function
Z(a){var b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
"+d.storeName,[],function(){a()},function(a,b){c(b)})})).catch(c)});return h(c,a),c}function $(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b.\_dbInfo; d.db.transaction(function(b)\{T(b,d,"SELECT\ COUNT(key)\ as\ c\ FROM\ Anticontext of the country 
"+d.storeName,[],function(b,c){var d=c.rows.item(0).c;a(d)},function(a,b){c(b)})})}).catch(c)});return
h(c,a),cfunction (a,b)fvar c=this,d=new va(function(b,d)fc.ready().then(function()f=this,d=new f=this,d=new f=t
e=c._dblnfo;e.db.transaction(function(c){T(c,e,"SELECT key FROM "+e.storeName+" WHERE id = ? LIMIT
1",[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d)},function(a,b){d(b)})})).catch(d)});return h(d,b),d}function
aa(a){var b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b._dblnfo;d.db.transaction(function(b){T(b,d,"SELECT key FROM "+d.storeName,[],function(b,c){for(var
d=[],e=0;e<c.rows.length;e++)d.push(c.rows.item(e).key);a(d)],function(a,b)\{c(b)\})))).catch(c)));return
h(c,a),c}function ba(a){return new va(function(b,c){a.transaction(function(d){d.executeSql("SELECT name
FROM sqlite_master WHERE type='table' AND name <>
' WebKitDatabaseInfoTable '",[],function(c,d){for(var
e=[], f=0; f<d.rows.length; f++)e.push(d.rows.item(f).name); b(\{db:a,storeNames:e\})\}, function(a,b)\{c(b)\})\}, function(a,b)\{c(b)\}\}, function(a,b)\{c(b)\}\},
n(a){c(a)}))}function ca(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var d,e=this;return
d=a.name?new va(function(b){var
\label{linear_distance} d; d=a.name===c.name?e.\_dblnfo.db:openDatabase (a.name, "", "", 0), b (a.storeName? \{db:d, storeNames: [a.storeName] (a.name, "", "", 0), b (a.storeName) (b.d, storeName) (b.d, storeNa
eName]}:ba(d))}).then(function(a){return new va(function(b,c){a.db.transaction(function(d){function
e(a){return new va(function(b,c){d.executeSql("DROP TABLE IF EXISTS
"+a,[],function(){b()},function(a,b){c(b)})})for(var
f=[],g=0,h=a.storeNames.length;g<h;g++)f.push(e(a.storeNames[g]));va.all(f).then(function(){b()}).catch(functi
on(a){c(a)})},function(a){c(a)})})):va.reject("Invalid arguments"),h(d,b),d}function
da(){try{return"undefined"!=typeof localStorage&&"setItem"in
localStorage&&!!localStorage.setItem}catch(a){return!1}}function ea(a,b){var c=a.name+"/";return
a.storeName!==b.storeName&&(c+=a.storeName+"/"),c}function fa(){var
a="_localforage_support_test";try{return
local Storage.set Item (a,!0), local Storage.remove Item (a),!1 \} catch (a) \{return!0\} \} function
ga()\{return!fa()||localStorage.length>0\} function \ ha(a)\{var\ b=this,c=\{\}; if(a)for(var\ d\ in\ a)c[d]=a[d]; return \ b=this,c=\{\}; if(a)for
c.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dbInfo=c,c.serializer=Va,va.resolve()):va.reject()}function
ia(a) \{var\ b=this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_dbInfo.keyPrefix, c=localStorage.length-1; c>=0; c-this, c=b.ready(). then (function()) \{for (var\ a=b.\_d
){var d=localStorage.key(c);0===d.indexOf(a)&&localStorage.removeltem(d)}});return h(c,a),c}function
ja(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dblnfo,d=localStorage.getItem(b.keyPrefix+a);return d&&(d=b.serializer.deserialize(d)),d});return
h(d,b),dfunction ka(a,b){var c=this,d=c.ready().then(function(){for(var c=this,d=c.ready().then(function()){for(var c=this,d=c.ready().then(function()){for(var c=this,d=c.ready().then(function()){for(var c=this,d=c.ready().then(function()){for(var c=this,d=c.ready().then(function()){for(var c=this,d=c.ready().then(function()){for(var c=this,d=c.ready().then(function()){for(var c=this,d=c.ready().then(function()){for(var c=this,d=c.ready()).then(function()){for(var c=this,d=c.ready()){for(var c=this,d=c.ready()).then(function()){for(var c=this,d=c.rea
b=c._dbInfo,d=b.keyPrefix,e=d.length,f=localStorage.length,g=1,h=0;h<f;h++){var
i=localStorage.key(h);if(0===i.indexOf(d)){var j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void
0!==(j=a(j,i.substring(e),g++)))return j}});return h(d,b),d}function la(a,b){var
c=this,d=c.ready().then(function(){var b,d=c._dblnfo;try{b=localStorage.key(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b});return h(d,b),d}function ma(a){var
b=this,c=b.ready().then(function(){for(var a=b._dblnfo,c=localStorage.length,d=[],e=0;e<c;e++){var
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.keyPrefix.length)))return d});return
h(c,a),c}function na(a){var b=this,c=b.keys().then(function(a){return a.length});return h(c,a),c}function
oa(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dblnfo;localStorage.removeltem(b.keyPrefix+a)});return h(d,b),d}function pa(a,b,c){var d=this;a=j(a);var
e=d.ready().then(function(){void 0===b&&(b=null);var c=b;return new va(function(e,f){var
g=d._dblnfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try{localStorage.setItem(g.keyPrefix+a,b),e(c)}catch(a){"QuotaExceededError"!==a.name&&"NS_ERROR_DO
M_QUOTA_REACHED"!==a.name||f(a),f(a)}}))));return h(e,c),e}function
qa(a,b)\{if(b=k.apply(this,arguments),a="function"!=typeof\ a\&\&a||\{\},!a.name)\{varante (a,b)\}\}
c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.storeName}var d,e=this;return
```

ction U(a,b){var c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){var

```
d=a.name?new va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/")}).then(function(a){for(var
b=localStorage.length-1;b>=0;b--){var
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeItem(c)}}):va.reject("Invalid
arguments"),h(d,b),d}function ra(a,b){a[b]=function(){var c=arguments;return a.ready().then(function(){return
a[b].apply(a,c)})}}function sa(){for(var a=1;a<arguments.length;a++){var b=arguments[a];if(b)for(var c in
b)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():arguments[0][c]=b[c])}return
arguments[0]}var ta="function"==typeof Symbol&"==typeof Symbol.iterator?function(a){return
typeof a}:function(a){return a&&"function"==typeof
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"symbol":typeof a},ua=e();"undefined"==typeof
Promise&&a(3);var va=Promise,wa="local-forage-detect-blob-support",xa=void
0, ya=\{\}, za=Object.prototype.toString, Aa="readonly", Ba="readwrite", Ca=\{\_driver: "asyncStorage", \_initStorage: asyncBround and the prototype.toString, Aa="readonly", Ba="readwrite", Ca=\{\_driver: "asyncStorage", \_initStorage: asyncBround and the prototype.toString, Aa="readonly", Ba="readwrite", Ca=\{\_driver: "asyncStorage", \_initStorage: asyncBround and the prototype.toString, Aa="readonly", Ba="readwrite", Ca=\{\_driver: "asyncStorage", \_initStorage: asyncBround and the prototype.toString, Aa="readonly", Ba="readwrite", Ca=\{\_driver: "asyncStorage", \_initStorage: asyncBround and the prototype.toString, Aa="readonly", Ba="readwrite", Ca=\{\_driver: "asyncStorage", \_initStorage: asyncBround and the prototype.toString, Aa="readonly", Ba="readwrite", Ca=\{\_driver: "asyncStorage", \_initStorage: asyncBround and the prototype.toString, Aa="readwrite", Ca=\{\_driver: "asyncBround and the prototype.toString, Aa="readwrite", 
C,_support:f(),iterate:E,getItem:D,setItem:F,removeItem:G,clear:H,length:I,key:J,keys:K,dropInstance:L},Da=
"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/",Ea="~~local_forage_type
~",Fa=/^~~local_forage_type~([^~]+)~/,Ga="_lfsc_:",Ha=Ga.length,la="arbf",Ja="blob",Ka="si08",La="ui08",
Ma="uic8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="fl64",Ta=Ha+la.length,Ua=Object.prototy
pe.toString,Va={serialize:P,deserialize:Q,stringToBuffer:N,bufferToString:O},Wa={_driver:"webSQLStorage";
_initStorage:S,_support:M(),iterate:V,getItem:U,setItem:X,removeItem:Y,clear:Z,length:$,key:_,keys:aa,dropIn
stance:ca},Xa={_driver:"localStorageWrapper",_initStorage:ha,_support:da(),iterate:ka,getItem:ja,setItem:pa,
removeItem:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=function(a,b){return
a = = = b||"number" = = typeof\ a\&\&"number" = = typeof\ b\&\&isNaN(a)\&\&isNaN(b)\}, Za = function(a,b)\{for(varantee), for(varantee), for(varant
c=a.length,d=0;d<c;){if(Ya(a[d],b))return!0;d++}return!1},$a=Array.isArray||function(a){return"[object
Array]" === Object.prototype.toString.call(a)\}, \\ \_a = \{\}, ab = \{\}, bb = \{INDEXEDDB: Ca, WEBSQL: Wa, LOCALSTORAGE: Array\} \\ === Object.prototype.toString.call(a)\}, \\ \_a = \{\}, ab = \{
Xa},cb=[bb.INDEXEDDB._driver,bb.WEBSQL._driver,bb.LOCALSTORAGE._driver],db=["dropInstance"],eb=["
clear", "getItem", "iterate", "key", "keys", "length", "removeItem", "setItem"].concat(db), fb={description: ", driver:
cb.slice(),name:"localforage",size:4980736,storeName:"keyvaluepairs",version:1},gb=function(){function
a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
e=bb[c],f=e._driver;this[c]=f,_a[f]||this.defineDriver(e)}this._defaultConfig=sa({},fb),this._config=sa({},this._de
faultConfig,b),this._driverSet=null,this._initDriver=null,this._ready=!1,this._dblnfo=null,this._wrapLibraryMet
hods With Ready (), this.set Driver (this.\_config.driver). catch (function () \{\}) \} return
a.prototype.config=function(a){if("object"===(void 0===a?"undefined":ta(a))){if(this._ready)return new
Error("Can't call config() after localforage has been used.");for(var b in
a){if("storeName"===b&&(a[b]=a[b].replace(\(\Lambda\)/\(\mathrm{W}/g,"_\)),"version"===b&&"number"!=typeof a[b])return new
Error("Database version must be a number.");this._config[b]=a[b]}return!("driver"in
a&&a.driver)||this.setDriver(this._config.driver)}return"string"==typeof
a?this._config[a]:this._config},a.prototype.defineDriver=function(a,b,c){var d=new va(function(b,c){try{var
d=a._driver,e=new Error("Custom driver not compliant; see
https://mozilla.github.io/localForage/\#defined river"); if (!a.\_driver) return\ void\ c(e); for (varance) 
f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var j=f[g];if((!Za(db,j)||a[j])&&"function"!=typeof a[j])return
void c(e)}(function(){for(var b=function(a){return function()}{var b=new Error("Method "+a+" is not
implemented by the current driver"),c=va.reject(b);return h(c,arguments[arguments.length-
1]),c\}\},c=0,d=db.length;c< d;c++) \{var\ e=db[c];a[e]||(a[e]=b(e))\}\})();var\ e=db[c];a[e]||(a[e]=b(e))\}\})();var\ e=db[c];a[e]||(a[e]=b(e))\}\})();var\ e=db[c];a[e]||(a[e]=b(e))\})();var\ e=db[c];a[e]||(a[e]=b(e))\})();var\ e=db[c];a[e]||(a[e]=b(e))\})();var\ e=db[c];a[e]||(a[e]=b(e))\})();var\ e=db[c];a[e]||(a[e]=b(e))]();var\ e=db[c]||(a[e]=b(e))]();var\ e=db
k=function(c){_a[d]&&console.info("Redefining LocalForage driver: "+d),_a[d]=a,ab[d]=c,b());"_support"in
a?a._support&&"function"==typeof
a.\_support?a.\_support().then(k,c):k(!!a.\_support):k(!0)\} catch(a)\{c(a)\}\}); return
i(d,b,c),d},a.prototype.driver=function(){return this._driver||null},a.prototype.getDriver=function(a,b,c){var
d=_a[a]?va.resolve(_a[a]):va.reject(new Error("Driver not found."));return
i(d,b,c),d},a.prototype.getSerializer=function(a){var b=va.resolve(Va);return
i(b,a),b\}, a.prototype.ready = function(a) \{var\ b=this, c=b.\_driverSet.then(function()) \{returnation(a), b\}, a.prototype.ready = function(a) \{var\ b=this, c=b.\_driverSet.then(function(a)) \{returnation(a), b\}, a.prototype.ready = function(a) \{returnation(a), b\}, a.prototype.function(a) \{returnation(a), b\}, a.p
null===b._ready&&(b._ready=b._initDriver()),b._ready});return
i(c,a,a),c},a.prototype.setDriver=function(a,b,c){function d(){g._config.driver=g.driver()}function e(a){return
g._extend(a),d(),g._ready=g._initStorage(g._config),g._ready}function f(a){return function(){function
b()\{for(;c<a.length;)\{var f=a[c];return c++,g._dblnfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)\}d();var
h=new Error("No available storage method found.");return g._driverSet=va.reject(h),g._driverSet}var
c=0;return b()}}var g=this;$a(a)||(a=[a]);var
h=this._getSupportedDrivers(a),j=null!==this._driverSet?this._driverSet.catch(function(){return
va.resolve()}):va.resolve();return this._driverSet=j.then(function(){var a=h[0];return
g._dblnfo=null,g._ready=null,g.getDriver(a).then(function(a){g._driver=a._driver,d(),g._wrapLibraryMethodsW
ith Ready (), g.\_init Driver = f(h)\})\}). catch (function () \{d(); var\ a = new\ Error ("No\ available\ storage\ method\ available\ storage\ storage\ method\ available\ storage\ storage\ method\ available\ storage\ method\ available\ storage\ stor
found.");return
g._driverSet=va.reject(a),g._driverSet}),i(this._driverSet,b,c),this._driverSet},a.prototype.supports=function(a)
var b=[],c=0,d=a.length;c<d;c++){var e=a[c];this.supports(e)&&b.push(e)}return
b},a.prototype._wrapLibraryMethodsWithReady=function(){for(var
a=0,b=eb.length;a<b;a++)ra(this,eb[a])},a.prototype.createInstance=function(b){return new a(b)},a}(),hb=new
gb;b.exports=hb},{3:3}]},{},[4])(4)});
```

FIREOAUTH:

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 k rel="stylesheet" href="/css/fireoauth.css">
 pd/firepwa/main/favicon.ico?token=GHSAT0AAAAAABR46HVJ5M5L3QGFRZRQXOISYUJUWAA"
type="image/x-icon">
 <style>
   html,
   body {
     height: 100%;
     margin: 0;
     font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen,
       Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
     font-weight: 300;
   }
   a {
     text-decoration: none;
     color: #007bff;
     font-weight: 500;
     font-size: 1.2rem;
   }
   h3 {
     font-size: 1.4rem;
   }
   h3, h4 {
     margin: 0;
     padding: 0.3rem 0;
   }
   .wrapper {
     display: flex;
```

```
flex-direction: column;
  align-items: center;
  justify-content: center;
  height: 100%;
  text-align: center;
}
.oneClickSignin {
  padding: 0.5rem;
  border: 1px solid #4444444;
  border-radius: 5px;
  box-shadow: 0 0 3px 0px #4444444;
  opacity: 0.2;
  pointer-events: none;
}
.qrcode {
  opacity: 0.1;
}
.learnAboutFire {
  padding-top: 1.25em;
}
.qrHolder {
  display: none;
  margin-top: 3rem;
}
.qrContainer {
  align-items: center;
  display: flex;
  justify-content: center;
  padding: 8px;
  margin: 2rem auto;
  box-shadow: 0 0px 6px 1px rgb(0 0 0 / 16%);
  border: 1px solid #4444444;
  border-radius: 6px;
  width: 200px;
```

```
height: 200px;
             }
        </style>
        <title>Fire OAuth</title>
        <script>
             if (window.location.hostname !== "localhost") {
                    if (location.protocol !== "https:") {
                           location.replace(
                                  `https:${location.href.substring(
                                         location.protocol.length
                                 )}`
                          )
                    }
             }
       </script>
  </head>
 <body>
       <div class="wrapper">
              <h3 class="pageTitle">Login with SAFETY</h3>
              <div class="qrAuthorize">
                    <h4 class="subTitle">Scan QR from your Fire OAuth App </h4>
                     <div class="qrContainer">
                            <canvas id="qr-code" class="qrcode"></canvas>
                     </div>
              </div>
              <div class="oneClickSignin">
                     <h4>Have Fire PWA on this device?</h4>
                     <a target="_blank" id="authorizeOverLink" href="https://firepwa.netlify.app/authorize?sessionId"</p>
rel="noopener">Click to Authorize </a>
              </div>
              <div class="learnAboutFire">
                     <a target="_blank" href="https://fireoauth.netlify.app" rel="noopener">Learn More about SAFETY</a>
              </div>
        </div>
        <script src="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.js"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script>
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/qrious/4.0.2/qrious.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.2.0/socket.io.js"></script>
<script>
  const FIRE_API_KEY = "635b790a3bcc6b59c4b772d0"
  const FIRE_ENDPOINT = "https://fire.adaptable.app/api/apis/generate"
  const CHANNEL_NAME = "fireOAuthChannel"
  const broadCastingChannel = new BroadcastChannel(CHANNEL_NAME)
  const FIRE_SERVER_SOCKET_ENDPOINT = "https://fire.adaptable.app"
  let socket = io(FIRE_SERVER_SOCKET_ENDPOINT)
  let gr
  let grcode = document.guerySelector(".grcode")
  let oneClickSignin = document.querySelector(".oneClickSignin")
  let pageTitle = document.querySelector(".pageTitle")
  let subTitle = document.querySelector(".subTitle")
  function setOpacity(opacity) {
    oneClickSignin.style.opacity = opacity
    oneClickSignin.style.pointerEvents = opacity === "1" ? "auto" : "none"
    qrcode.style.opacity = opacity
 }
  async function getSessionID() {
    let response
    try {
      response = await fetch(`${FIRE_ENDPOINT}/${FIRE_API_KEY}`, {
        method: "GET",
        headers: {
           "Content-Type": "application/json",
        }
      })
    } catch (error) {
      console.log(error)
      return null
    }
    let data = await response.json()
```

```
let { sessionId, chatRoomId } = data
       return { sessionId, chatRoomId }
    }
    function generateQR(value) {
       (qr = new QRious({
         element: document.getElementById("qr-code"),
         size: 200,
         level: 'M',
         value: value,
      }))
    }
    function changeHREF ({sessionId, chatRoomId}) {
       let firePwaUrlHostname = "https://firepwa.netlify.app"
       let originURL = encodeURIComponent(window.location.origin)
       let url =
`${firePwaUrlHostname}/authorize.html?sessionId=${sessionId}&chatRoomId=${chatRoomId}&url=${originU
RL)`
       let a = document.getElementById("authorizeOverLink")
       a.href = url
    }
    async function fire() {
       NProgress.set(0.4)
       let { sessionId, chatRoomId } = await getSessionID()
       if(sessionId === undefined || chatRoomId === undefined || sessionId === null || chatRoomId === null) {
         pageTitle.innerHTML = "Something went wrong "
         subTitle.innerHTML = "Please try again later "
         return
      }
       setOpacity("1")
       NProgress.done()
       let data = {
         sessionId,
```

```
url: encodeURIComponent(window.location.origin)
              }
              data = JSON.stringify(data)
              generateQR(data)
              changeHREF({sessionId, chatRoomId})
              socket.emit("join room", sessionId)
            }
            fire()
            socket.on("trusted token", (token) => {
              let data = {}
              data.success = true
              data.token = token
              broadCastingChannel.postMessage(data)
              window.close()
            })
          </script>
        </body>
        </html>
LOGIN:
HTML:
        <!DOCTYPE html>
       <html lang="en">
        <head>
          <meta charset="UTF-8">
          <meta http-equiv="X-UA-Compatible" content="IE=edge">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <link rel="stylesheet" href="/css/login.css">
          <title>Sign Up</title>
          <script>
            if (window.location.hostname !== "localhost") {
              if (location.protocol !== "https:") {
                 location.replace(
                   `https:${location.href.substring(
```

```
location.protocol.length
          )}`
      }
   }
 </script>
 <script src="./localforage.js"></script>
</head>
<body>
 <div class="wrapper">
    <div class="loginContainer">
      <span>SignUp To Continue</span>
      <div class="traditionalLoginContainer">
        <form class="signupForm" action="/" method="post">
           <input type="email" name="email" placeholder="Email" id="email">
           <input type="password" name="password" placeholder="Password" id="password">
           <input class="loginButton" type="submit" value="Login">
        </form>
      </div>
      <div class="loginWithFireContainer">
        <button type="button" class="fire" title="Login with Safety" id="fire">Login with Safety</button>
      </div>
      <a class="hyperLink" href="/register">Don't have an Account? Register /-</a>
    </div>
  </div>
 <script>
   // Necessary for Fire OAuth to Function
    const fireBroadcastingChannel = new BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async event => {
      let data = event.data
      * @typedef {Object<string, any>} Data
      * @property {boolean} success - Whether the login was successful
      * @property {string} token - The data returned from the login i.e. Fire Token
      */
      // data.token is the message sent from the fireOAuthChannel after verification
      // data.success is a boolean that indicates whether the verification was successful
      // data.token is the fire token
```

```
// What to do with the Fire Token?
       // * Fire Token is an unique token which uniquely identifies the user who authorized your login attempt
with Fire
       // * You can use this token ONLY ONCE as it will be destroyed after the first use
       // 1. Send the fire token to the Fire Server to verify the user
       // - You can do that client sided or server sided
       // - You need to send a POST Request to the Fire Server with the fire token
          at the URL: http://localhost:3003/api/tokens/verify
       // - The Fire Server will verify the fire token and return a response
       // - If the verification was successful - CODE (200), the Fire Server will return a response with the
user's data
       // - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire Server will return a
response with an error 'message'
       // - You can use the data returned from the Fire Server to create a new user in your database
       // This example will send the token to Fire Servers and console.log the response
       console.log("%c" + `Fire Token: ${data.token}`, `color: #f1c40f; font-weight: bold;`);
       const response = await fetch('https://fire.adaptable.app/api/tokens/verify', {
         method: 'POST',
         headers: {
            'Content-Type': 'application/json'
         },
         body: JSON.stringify({
           token: data.token
         })
       })
       // get the response
       const responseData = await response.json()
       // console.log the response
       console.log(responseData)
       await localforage.setItem('userData', {...responseData, isFire: true})
       // Adding the user data to the user Database
       let database = await localforage.getItem("userDatabase")
       if (database == null) {
         database = []
       }
       database.push(responseData)
       await localforage.setItem("userDatabase", database)
       // redirect to the home page
       window.location.href = '/'
    })
```

```
function popupwindow(url, title, w, h) {
       var left = (screen.width/2)-(w/2);
       var top = (screen.height/2)-(h/2);
       return window.open(url, title, 'toolbar=no, location=no, directories=no, status=no, menubar=no,
scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
    }
    document.getElementById("fire").addEventListener("click", function() {
       popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
    })
  </script>
  <script>
    // this.Website's Scripts / App Logic
    document.querySelector(".signupForm").addEventListener("submit", async (e) => {
       e.preventDefault()
       let email = document.getElementByld("email").value
       let password = document.getElementByld("password").value
       let flag = false
       let userData = await localforage.getItem("userDatabase")
       if(userData) {
         userData.forEach(e => {
           if(e.email === email) {
              if(e.password === password || e.isFire === true) {
                localforage.setItem("userData", e)
                flag = true
                window.location.href = "/"
              }
           }
         })
       } else {
         alert("User Not Found")
      }
       if(!flag) {
         alert("Invalid Credentials")
      }
    })
  </script>
</body>
```

```
</html>
CSS:
html,
body {
         height: 100%;
         margin: 0;
         font-weight: 300;
         font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen,
                  Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
}
.wrapper {
         height: 100%;
         display: flex;
         align-items: center;
         justify-content: center;
}
.loginContainer {
         display: flex;
         flex-direction: column;
         gap: 1rem;
         min-width: 25rem;
         padding: 1rem 3rem;
         border: 1px solid #4444444;
```

```
box-shadow: 0px 3px 2px 1px #44444444;
         border-radius: 8px;
}
.loginContainer span {
         text-align: center;
         font-size: 3rem;
         font-weight: 500;
         margin: 1rem 1rem 3rem;
}
.traditionalLoginContainer form {
         display: flex;
         flex-direction: column;
         align-items: center;
         justify-content: center;
}
.traditionalLoginContainer :is(input[type="text"], input[type="password"], input[type="email"]) {
         margin: 0.3rem;
         padding: 0.3em 0.5em;
         border: 1px solid #4444444;
         border-radius: 5px;
         outline: none;
         min-width: 200px;
         font-size: 1.3rem;
}
. traditional Login Container . login Button \{\\
         background-color: #0070f3;
         font-size: 1.6rem;
         padding: 0.2em 0.8em;
         color: white;
         margin: 0.4rem;
         border: none;
         border-radius: 5px;
  cursor: pointer;
         margin-top: 2rem;
}
```

```
.traditionalLoginContainer .loginButton:hover {
  background-color: #0071f3d6;
}
.loginWithFireContainer {
         display: grid;
         display: -ms-grid;
         place-items: center;
}
.fire {
         background-color: #f8f9fa;
         border: 1px solid #3c404321;
         border-radius: 4px;
         color: #3c4043;
         font-family: arial, sans-serif;
         margin: 11px 4px;
         padding: 0.4em 0.8em;
         line-height: 27px;
         min-width: 54px;
         text-align: center;
         cursor: pointer;
         user-select: none;
         font-size: 1.3rem;
         font-weight: 500;
}
.hyperLink {
         text-decoration: none;
  text-align: center;
  font-size: 1.2rem;
  color: #0070f3;
  font-weight: 400;
}
@media screen and (max-width: 480px) {
```

```
.loginContainer {
   border: none;
   box-shadow: none;
   min-width: fit-content;
   min-width: -moz-fit-content;
   min-width: -webkit-fill-available;
   padding: 1rem;
}
```

✓ DASHBOARD:

HTML:

```
<script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="header">
       <span class="heading">Dashboard</span>
       <span class="right">
         <span class="username">Hello User</span>
           <img class="profilePic" src="https://avatars.dicebear.com/api/avataaars/asdfasdfds.svg"</pre>
alt="User Profile" height="30" width="30">
         </span>
       </span>
    </div>
    <div class="actionCenter">
       <div class="action">
         <span>Create Child Card</span>
       </div>
       <div class="action">
         <span class="logout">Log out</span>
       </div>
    </div>
    <div class="childCardContainer">
       <div class="childCard">
         <div class="childCardHeader">
           <span>Child Name</span>
           <span>Age 12</span>
         </div>
         <div class="actions">
           <span>View</span>
           <span>GeoFence</span>
         </div>
       </div>
    </div>
   </div>
  <script>
    async function main() {
```

```
let userData = await localforage.getItem('userData')
       if(userData == null) {
         window.location.href = "/login"
      }
       document.querySelector(".username").innerHTML = `Hello ${userData.firstName}`
       document.querySelector(".profilePic").src = userData.profilePic
    }
    main()
    document.querySelector(".logout").addEventListener("click", async () => {
       await localforage.setItem('userData', null)
       window.location.href = "/login"
    })
  </script>
</body>
</html>
CSS:
 html, body {
   margin: 0;
  padding: 0;
  font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe Ul', Roboto, Oxygen, Ubuntu,
Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
}
.wrapper {
  display: flex;
  flex-direction: column;
```

```
height: 100vh;
  margin: 0 auto;
}
.header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 1rem;
  background-color: #f1f1f1;
}
.heading {
  font-size: 1.3rem;
}
.right {
  display: flex;
  align-items: center;
  gap: 0.5rem;
}
.actionCenter {
  display: flex;
  justify-content: flex-end;
  align-items: center;
  gap: 1rem;
  padding: 0.5rem 0;
}
.actionCenter .action {
  padding: 0.5rem 0.8rem;
  border: 1px solid #4444444;
  border-radius: 12px;
  margin-right: 0.5rem;
  cursor: pointer;
}
.actionCenter .action:hover {
  background-color: #0070f3;
  color: white;
}
```

```
.childCardContainer {
  display: flex;
  flex-wrap: wrap;
  padding: 0.5rem 1rem;
}
.childCardContainer .childCard {
  display: flex;
  flex-direction: column;
  border: 1px solid #4444444;
  border-radius: 12px;
  max-width: 300px;
  font-size: 1.4rem;
}
.childCardContainer .childCard .childCardHeader {
  display: flex;
  gap: 3rem;
  margin: 0.1rem 0.1rem 0.8rem;
  padding: 1rem 0.8rem 0;
}
.childCardContainer .childCard .actions {
  background-color: #0070f3;
  padding: 2rem 0.5rem 1rem;
  color: white;
  display: flex;
  justify-content: space-around;
  border-radius: 12px;
  border-top-left-radius: 0;
  border-top-right-radius: 0;
}
.childCardContainer .childCard .actions span {
  border: 1px solid #0070f3;
  background-color: white;
  color: #0070f3;
  padding: 0.3rem 0.9rem;
  border-radius: 12px;
```

