
Personal expense tracker application


Project development phase

Sprint-3

| Date | 5Nov2022 |
|---------------|----------------------------------|
| Team id | PNT2022TMID48343 |
| Project Name | Project-Personal expense tracker |
| | application |
| Maximum Marks | 20Marks |

Structure Of The Project:





Personal expense

Database:

Personal.sql:

```
-- phpMyAdmin SQL Dump
-- version 4.0.4
-- http://www.phpmyadmin.net
--
-- Host: localhost
-- Generation Time: Nov 19, 2022 at 11:42 AM
-- Server version: 5.6.12-log
-- PHP Version: 5.4.12

SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@CHARACTER_SET_RESULTS */;
/*!40101 SET NAMES utf8 */;
-- Database: `personal`
```

```
CREATE DATABASE IF NOT EXISTS `personal` DEFAULT CHARACTER SET latin1 COLLATE latin1 swedish ci;
-- Table structure for table `auth_group`
CREATE TABLE IF NOT EXISTS `auth group` (
    `id` int(11) NOT NULL AUTO INCREMENT,
    `name` varchar(150) NOT NULL,
   PRIMARY KEY ('id'),
                                       (`name`)
   UNIQUE KEY `name`
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
-- Table structure for table `auth group permissions`
CREATE TABLE IF NOT EXISTS `auth group permissions` (
     id int(11) NOT NULL AUTO INCREMENT,
    `group_id` int(11) NOT NULL,
   `permission_id` int(11) NOT NULL,
PRIMARY KEY (`id`),
UNIQUE KEY `auth_group_permissions_group_id_permission_id_0cd325b0_uniq` (`group_id`, `permission_id`),
KEY `auth_group_permissio_permission_id_84c5c92e_fk_auth_perm` (`permission_id`)

ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1;
-- Table structure for table `auth_permission`
CREATE TABLE IF NOT EXISTS `auth_permission` (
    `id` int(11) NOT NULL AUTO INCREMENT,
   `name` varchar(255) NOT NULL,
`content_type_id` int(11) NOT NULL,
    `codename` varchar(100) NOT NULL,
   PRIMARY KEY (`id`),
UNIQUE KEY `auth_permission_content_type_id_codename_01ab375a_uniq` (`content_type_id`,`codename`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO INCREMENT=33 ;
-- Dumping data for table `auth permission`
INSERT INTO `auth permission` (`id`, `name`, `content type id`, `codename`) VALUES
(1, 'Can add log entry', 1, 'add logentry'), (2, 'Can change log entry', 1, 'change_logentry'),
(2, 'Can change log entry', 1, 'change logentry'),
(3, 'Can delete log entry', 1, 'delete_logentry'),
(4, 'Can view log entry', 1, 'view_logentry'),
(5, 'Can add permission', 2, 'add_permission'),
(6, 'Can change permission', 2, 'change_permission'),
(7, 'Can delete permission', 2, 'view_permission'),
(8, 'Can view permission', 2, 'view_permission'),
(9, 'Can add group', 3, 'add_group'),
(10, 'Can change group', 3, 'change_group'),
(11, 'Can delete group', 3, 'delete_group'),
(12, 'Can view group', 3, 'view_group'), (13, 'Can add user', 4, 'add_user'),
(13, 'Can add user', 4, 'add user'),
(14, 'Can change user', 4, 'change_user'),
(15, 'Can delete user', 4, 'delete_user'),
(16, 'Can view user', 4, 'view_user'),
(17, 'Can add content type', 5, 'add_contenttype'),
(18, 'Can change content type', 5, 'change_contenttype'),
(19, 'Can delete content type', 5, 'delete_contenttype'),
(20, 'Can view content type', 5, 'view_contenttype'),
(21, 'Can add consists, 6, 'delete_contenttype'),
 (21, 'Can add session', 6, 'add_session'),
(22, 'Can change session', 6, 'change session'), (23, 'Can delete session', 6, 'delete_session'),
 (24, 'Can view session', 6, 'view_session'),
(24, 'Can view session', 6, 'view_session'),
(25, 'Can add expense model', 7, 'add_expensemodel'),
(26, 'Can change expense model', 7, 'change_expensemodel'),
(27, 'Can delete expense model', 7, 'delete_expensemodel'),
(28, 'Can view expense model', 7, 'view_expensemodel'),
(29, 'Can add registration model', 8, 'add_registrationmodel'),
(30, 'Can change registration model', 8, 'change_registrationmodel'),
(31, 'Can delete registration model', 8, 'delete_registrationmodel'),
(32, 'Can view registration model', 8, 'view_registrationmodel');
-- Table structure for table `auth user`
```

```
CREATE TABLE IF NOT EXISTS `auth user` (
      id int(11) NOT NULL AUTO_INCREMENT,
       password varchar (128) NOT NULL,
     `last_login` datetime(6) DEFAULT NULL,
      `is_superuser` tinyint(1) NOT NULL,
     `username` varchar(150) NOT NULL,
     `first_name` varchar(30) NOT NULL,
`last_name` varchar(150) NOT NULL,
`email` varchar(254) NOT NULL,
     `is_staff` tinyint(1) NOT NULL,
`is_active` tinyint(1) NOT NULL,
     `date_joined` datetime(6) NOT NULL,
PRIMARY KEY ('id'),
UNIQUE KEY `username` (`username`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO INCREMENT=1 ;
-- Table structure for table `auth user groups`
CREATE TABLE IF NOT EXISTS `auth user groups` (
      `id` int(11) NOT NULL AUTO_INCREMENT,
      `user_id` int(11) NOT NULL,
`group_id` int(11) NOT NULL,
    PRIMARY KEY ('id'),

UNIQUE KEY 'auth_user_groups_user_id_group_id_94350c0c_uniq' ('user_id', 'group_id'),

KEY 'auth_user_groups_group_id_97559544_fk_auth_group_id' ('group_id')

**CONTROL TO THE CONTROL THE CONTROL TO THE CONTROL THE CONTROL TO THE CONTROL TH
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1 ;
-- Table structure for table `auth_user_user_permissions`
CREATE TABLE IF NOT EXISTS `auth_user_user_permissions` (
        id` int(11) NOT NULL AUTO INCREMENT,
      `user_id` int(11) NOT NULL,
       `permission_id` int(11) NOT NULL,
PRIMARY KEY ('id'),
UNIQUE KEY 'auth_user_user_permissions_user_id_permission_id_14a6b632_uniq' ('user_id', 'permission_id'),
KEY 'auth_user_user_permi_permission_id_1fbb5f2c_fk_auth_perm' ('permission_id')
ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1;
-- Table structure for table `django admin log`
CREATE TABLE IF NOT EXISTS `django_admin_log` (
     id int(11) NOT NULL AUTO_INCREMENT, action_time datetime(6) NOT NULL,
      `object id` longtext,
     `object_repr' varchar(200) NOT NULL,
`action_flag` smallint(5) unsigned NOT NULL,
     `change_message` longtext NOT NULL,
`content_type_id` int(11) DEFAULT NULL,
`user_id` int(11) NOT NULL,
     PRIMARY KEY ('id'),
KEY `django_admin_log_content_type_id_c4bce8eb_fk_django_co` (`content_type_id`),
KEY `django_admin_log_user_id_c564eba6_fk_auth_user_id` (`user_id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1;
-- Table structure for table `django_content_type`
CREATE TABLE IF NOT EXISTS `django_content_type` (
     `id` int(11) NOT NULL AUTO_INCREMENT,
       `app_label` varchar(100) NOT NULL,
app_label Varchar(100) NOT NULL,
primary KEY (`id`),
unique KEY `django_content_type_app_label_model_76bd3d3b_uniq` (`app_label`, `model`)
ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=9;
-- Dumping data for table `django_content_type`
INSERT INTO `django_content_type` (`id`, `app_label`, `model`) VALUES
(1, 'admin', 'logentry'),
```

```
(3, 'auth', 'group'),
(2, 'auth', 'permission'),
(4, 'auth', 'user'),
(5, 'contenttypes', 'contenttype'),
(6, 'sessions', 'session'),
(7, 'tracker', 'expensemodel'),
(8, 'tracker', 'registrationmodel');
-- Table structure for table `django migrations`
CREATE TABLE IF NOT EXISTS `django_migrations` (
    `id` int(11) NOT NULL AUTO INCREMENT,
   `app` varchar(255) NOT NULL,
`name` varchar(255) NOT NULL
    `applied` datetime(6) NOT NULL,
   PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO INCREMENT=19 ;
-- Dumping data for table `django_migrations`
INSERT INTO `django_migrations` (`id`, `app`, `name`, `applied`) VALUES
(1, 'contenttypes', '0001_initial', '2022-11-17 09:21:47.503519'),
(2, 'auth', '0001_initial', '2022-11-17 09:21:47.684539'),
(3, 'admin', '0001_initial', '2022-11-17 09:21:48.031488'),
 (4, 'admin', '0002_logentry_remove_auto_add', '2022-11-17 09:21:48.108485'),
(5, 'admin', '0003 logentry add action flag choices', '2022-11-17 09:21:48.120482'), (6, 'contenttypes', '0002 remove_content_type_name', '2022-11-17 09:21:48.201480'), (7, 'auth', '0002_alter_permission_name_max_length', '2022-11-17 09:21:48.239476'),
(7, 'auth', '0002_alter_permission_name_max_length', '2022-11-17 09:21:48.2394 (8, 'auth', '0003_alter_user_email_max_length', '2022-11-17 09:21:48.279473'), (9, 'auth', '0004_alter_user_username_opts', '2022-11-17 09:21:48.291472'), (10, 'auth', '0005_alter_user_last_login_null', '2022-11-17 09:21:48.332475'), (11, 'auth', '0006_require_contenttypes_0002', '2022-11-17 09:21:48.337469'),
 (12, 'auth', '0007_alter_validators_add_error_messages', '2022-11-17 09:21:48.349502'),
(13, 'auth', '0008 alter_user_username_max_length', '2022-11-17 09:21:48.391465'), (14, 'auth', '0009 alter_user_last_name_max_length', '2022-11-17 09:21:48.431466'),
(15, 'auth', '0009_alter_user_last_lame_max_length', '2022-11-17 09:21:48.475493'), (16, 'auth', '0011_update_proxy_permissions', '2022-11-17 09:21:48.489461'), (17, 'sessions', '0001_initial', '2022-11-17 09:21:48.515486'), (18, 'tracker', '0001_initial', '2022-11-17 09:21:48.620452');
-- Table structure for table `django_session`
CREATE TABLE IF NOT EXISTS `django session` (
  'session_key' varchar(40) NOT NULL,
'session_data` longtext NOT NULL,
'expire_date` datetime(6) NOT NULL,
PRIMARY KEY ('session_key'),
KEY 'django_session_expire_date_a5c62663` ('expire_date')
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `django session`
INSERT INTO `django_session` (`session_key`, `session_data`, `expire_date`) VALUES
 ('Oolinivmoan2c99566j1j1ce68etvd26',
 WzvkzTJmNTE5ZGMwN2U3ZTq3ZGRjNzJ1YzvlNjY0NDZkzjQ3NjQwNDp7ImvtYWlsIjoic3Npc29mdGRpdmlzaW9uQGdtYWlsLmNvbSJ9',
'2022-12-03 11:33:23.274158'),
 ('3re108km4vg2t0izeuxlhx2t0uh7tate',
 ^{	ext{MZVkZTJmNTE-S}}ZGMwN2U3ZTg3ZGRjNzJ1YzVlNjY0NDZkZjQ3NjQwNDp7ImVtYWlsIjoic3Npc29mdGRpdm1zaW9uQGdtYWlsLmNvbSJ9^{	ext{V}},
'2022-12-02 15:01:33.182662'),
 ('7nkrm3mb64alvym7qqtkwsr641jwbvb9',
 'MzVkZTJmNTE5ZGMwN2U3ZTg3ZGRjNzJ1YzVlNjY0NDZkZjQ3NjQwNDp7ImVtYWlsIjoic3Npc29mdGRpdmlzaW9uQGdtYWlsLmNvbSJ9',
'2022-12-02 11:24:24.054120');
-- Table structure for table `tracker expensemodel`
CREATE TABLE IF NOT EXISTS `tracker expensemodel` (
    `id` int(11) NOT NULL AUTO_INCREMENT,
    `email` varchar(250) NOT NULL,
`cdate` varchar(250) NOT NULL,
    `account` varchar(250) NOT NULL,
    `category` varchar(250) NOT NULL,
    `amount` int(11) NOT NULL,
```

```
`descr` varchar(250) NOT NULL,
  `bal` int(11) NOT NULL,
  PRIMARY KEY ('id')
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO INCREMENT=9 ;
-- Dumping data for table `tracker_expensemodel`
INSERT INTO `tracker expensemodel` ('id`, `email`, `cdate`, `account`, `category`, `amount`, `descr`,
 bal`) VALUES
(4, 'ssisoftdivision@gmail.com', '2022-11-18', 'cash', 'food', 1000, 'ac', 38000),
(4, 'ssisoftdivision@gmail.com', '2022-11-18', 'cash', 'food', 1000, 'ac', 38000), (5, 'ssisoftdivision@gmail.com', '2022-11-18', 'cash', 'social life', 2500, 'ad', 35500), (6, 'ssisoftdivision@gmail.com', '2022-11-18', 'cash', 'food', 5000, 'aa', 30500), (7, 'ssisoftdivision@gmail.com', '2022-11-18', 'account', 'self-development', 1000, 'xx', 29500), (8, 'ssisoftdivision@gmail.com', '2022-11-19', 'cash', 'food', 5000, '400', 24500);
-- Table structure for table `tracker_registrationmodel`
CREATE TABLE IF NOT EXISTS `tracker registrationmodel` (
   'id' int(11) NOT NULL AUTO INCREMENT,
   `uname` varchar(250) NOT NULL,
   `pwd` varchar(250) NOT NULL,
`addr` varchar(250) NOT NULL,
`email` varchar(250) NOT NULL,
  `mno` varchar(250) NOT NULL,
`bal` int(11) NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO INCREMENT=2 ;
-- Dumping data for table `tracker registrationmodel`
INSERT INTO `tracker_registrationmodel` ('id`, `uname', `pwd`, `addr', `email', `mno`, `bal') VALUES
(1, 'anu', 'anu', 'anu cottage', 'ssisoftdivision@gmail.com', '982734343', 24500);
-- Constraints for dumped tables
-- Constraints for table `auth_group_permissions`
ALTER TABLE `auth_group_permissions`
 ADD CONSTRAINT `auth_group_permissions_group_id_b120cbf9_fk_auth_group_id` FOREIGN KEY (`group_id`)
REFERENCES `auth_group` (`id`),

ADD CONSTRAINT `auth_group_permissio_permission_id_84c5c92e_fk_auth_perm` FOREIGN KEY (`permission_id`)
REFERENCES `auth_permission` ('id`);
-- Constraints for table `auth_permission`
ALTER TABLE `auth_permission`
  ADD CONSTRAINT auth_permission_content_type_id_2f476e4b_fk_django_co` FOREIGN KEY (`content_type_id`)
REFERENCES `django content type` (`id`);
-- Constraints for table `auth user groups`
ALTER TABLE `auth_user_groups`
 ADD CONSTRAINT `auth_user_groups_group_id_97559544_fk_auth_group_id` FOREIGN KEY (`group_id`) REFERENCES `auth group` (`id`),
  ADD CONSTRAINT `auth_user_groups_user_id_6a12ed8b_fk_auth_user_id` FOREIGN KEY (`user_id`) REFERENCES
`auth_user` (`id`);
-- Constraints for table `auth_user_user_permissions`
ALTER TABLE `auth_user_user_permissions`
ADD CONSTRAINT `auth_user_user_permissions_user_id_a95eadlb_fk_auth_user_id` FOREIGN KEY (`user_id`)
REFERENCES `auth_user` (`id`),
  ADD CONSTRAINT `auth_user_user_permi_permission_id_1fbb5f2c_fk_auth_perm` FOREIGN KEY (`permission_id`)
REFERENCES `auth_permission` (`id`);
-- Constraints for table `django admin log
ALTER TABLE `django_admin_log`
ADD CONSTRAINT `django_admin_log_content_type_id_c4bce8eb_fk_django_co` FOREIGN KEY (`content_type_id`)
REFERENCES `django_content_type` (`id`),

ADD CONSTRAINT `django_admin_log_user_id_c564eba6_fk_auth_user_id` FOREIGN KEY (`user_id`) REFERENCES
`auth_user` (`id`);
```

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```

Personal -Design:

STATIC:

CSS:

ddsmoothmenu.css:

color: #2d2b2b;

```
.ddsmoothmenu{
{\tt background:\ none;\ /*background\ of\ menu\ bar\ (default\ state)*/}
margin-top:32px;
float:right;
font-size:12px;
.menuphoto img { float:right; }
.ddsmoothmenu ul{
z-index:100;
margin: 0;
padding: 0;
list-style-type: none;
.ddsmoothmenu ul ul {
  border-bottom:10px solid #3B5C1F;
/*Top level list items*/
.ddsmoothmenu ul li{
position: relative;
display: inline;
float: left;
/*Top level menu link items style*/
.ddsmoothmenu ul li a{
display: block;
background: none; /*background of menu items (default state) */
color: #fff;
padding: 8px 10px;
```

```
text-decoration: none;
}
* html .ddsmoothmenu ul li a{ /*IE6 hack to get sub menu links to behave correctly*/
display: inline-block;
}
 .ddsmoothmenu ul li a:link, .ddsmoothmenu ul li a:visited{
color: #A7A7A7;
 . dds mooth menu \ ul \ li \ a. selected \{ \ / {}^*CSS \ class \ that 's \ dynamically \ added \ to \ the \ currently \ active \ menu \ items' \ LI \ and the \ constant \ line \ and the \ constant \ line \ line
background: #171717;
color:#747474;
 .ddsmoothmenu ul li a:hover{
background: #000; /*background of menu items during onmouseover (hover state) */
color: #fff;
}
/*1st sub level menu*/
 .ddsmoothmenu ul li ul{
background: #171717;
color:#fff;
position: absolute;
left: 0;
display: none; /*collapse all sub menus to begin with*/
visibility: hidden;
}
/*Sub level menu list items (undo style from Top level List Items) */
 .ddsmoothmenu ul li ul li{
display: list-item;
float: none;
/*All subsequent sub menu levels vertical offset after 1st level sub menu */
 .ddsmoothmenu ul li ul li ul{
top: 0;
}
```

```
/* Sub level menu links style */
.ddsmoothmenu ul li ul li a{
width: 180px; /*width of sub menus*/
padding: 10px;
margin: 0;
border-top-width: 0;
border-bottom: 1px dotted #2E2E2E;
}
.ddsmoothmenu ul li ul li a:link , .ddsmoothmenu ul li ul li a:visited {
color:#747474;
}
.ddsmoothmenu ul li ul li a:hover {
color:#fff;
/* Holly Hack for IE \*/
* html .ddsmoothmenu{height: 1%;} /*Holly Hack for IE7 and below*/
/* ######## CSS classes applied to down and right arrow images ######## */
.downarrowclass{
position: absolute;
top: 12px;
right: 7px;
}
.rightarrowclass{
position: absolute;
top: 12px;
right: 5px;
/* ######## CSS for shadow added to sub menus ####### */
.ddshadow{
position: absolute;
left: 0;
top: 0;
width: 0;
height: 0;
```

```
background: silver;
}
.toplevelshadow{    /*shadow opacity. Doesn't work in IE*/
opacity: 0.8;
```

galleria.css:

```
.galleria{list-style:none; width:200px}
.galleria li{display:block;width:80px;height:80px;overflow:hidden;float:left;margin:0 10px 10px 0}
.galleria li a{display:none}
.galleria li div{position:absolute;display:none;top:0;left:180px}
.galleria li div img{cursor:pointer}
.galleria li.active div img, galleria li.active div{display:block}
.galleria li img.thumb{cursor:pointer;top:auto;left:auto;display:block;width:auto;height:auto}
galleria li .caption{display:block;padding-top:.5em}
* html .galleria li div span{width:400px} /* MSIE bug */
   /* BEGIN DEMO STYLE */
   .caption{font-size:12px;line-height:28px;color:#3a3a3a;}
   .caption a { color:#3a3a3a; text-decoration:none; }
   .demo{margin-top:16px;}
.gallery li div{left:240px;}
   .gallery li div .caption{font:italic 0.7em/1.4 georgia,serif;}
   /* BEGIN DEMO STYLE
#main_image{margin:0 auto;height:434px;width:944px;padding:5px 0 0 4px; background:
url(../images/featured-image-bg.png) no-repeat top;}
   #main image img{height:430px;width:940px;}
   .nav{padding-top:15px;clear:both;font:80% 'helvetica neue',sans-serif;letter-spacing:3px;text-
transform:uppercase;}
   .info{text-align:left;width:700px;margin:30px auto;border-top:1px dotted #221;padding-top:30px;}
   .info p{margin-top:1.6em;}
```

Haccordian.css:

```
/*Overall CSS for each Horizontal Accordion.
  Most settings should be kept as it.
   Customize each Accordion by styling each Accordion's ID attribute instead.
.haccordion{
padding: 0;
}
.haccordion ul{
margin: 0;
padding: 0;
list-style: none;
overflow: hidden; /*leave as is*/
```

```
.haccordion li{
```

```
margin: 0;
padding: 0;
display: block; /*leave as is*/
width: 100%; /*For users with JS disabled: Width of each content*/
height: 430px; /*For users with JS disabled: Height of each content*/
overflow: hidden; /*leave as is*/
float: left; /*leave as is*/
.haccordion li .hpanel{
width: 100%; /*For users with JS disabled: Width of each content*/
height: 430px; /*For users with JS disabled: Height of each content*/
}
.hpanelimage {
  float:right;
.hpanelcaption {
  margin-top:-100px;
  float:right;
  color:#fff;
   padding:15px;
   font-size:12px;
  line-height:18px;
  background: #111;
  width: 500px;
.hpanelcaption a {color:#fff; }
.hpanelcaption a:hover {text-decoration:none;}
/*CSS for example Accordion \#hc1*/
#hc1 {
margin-top:5px;
}
#hc1 li{
margin:0; /*Spacing between each LI container*/
#hc1 li .hpanel img{
width: 786px;
```

```
height:430px;
#hc1 li .hpanel{
padding: 0; /*Padding inside each content*/
background: #111;
/*CSS for example Accordion #hc2*/
#hc2 li{
margin:0 0 0 0; /*Spacing between each LI container*/
border: 0;
}
#hc2 li .hpanel{
padding: 0; /*Padding inside each content*/
Home-galleria.css:
.galleria li{display:block;width:80px;height:80px;overflow:hidden;float:left;margin:0 10px 10px 0}
.galleria li a{display:none}
.galleria li div{position:absolute;display:none;top:0;left:180px}
.galleria li div img{cursor:pointer}
.galleria li.active div img,.galleria li.active div{display:block}
.gal.galleria{list-style:none;width:200px}
leria li img.thumb{cursor:pointer;top:auto;left:auto;display:block;width:auto;height:auto}
.galleria li .caption{display:block.padding-top:.5em}
* html .galleria li div span{width:400px} /* MSIE bug */
       /* BEGIN DEMO STYLE */
       .caption{font-size:12px;line-height:28px;color:#3a3a3a;}
       .caption a { color:#3a3a3a; text-decoration:none; }
       .demo{margin-top:16px;}
       .gallery {width:942px;margin:0 auto; }
       .gallery li{width:84px;height:59px;border:3px double #111;margin: 0 2px;background:#000;margin-
top:32px;}
       .gallery li div{left:240px;}
       .gallery li div .caption{}
       \# main\_image \{ margin-left: -4px; height: 434px; width: 944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 5px \ 0 \ 0 \ 4px; \ background: 1944px; padding: 1944px; pa
url(../images/featured-image-bg.png) no-repeat top;}
#main_image img{height:430px;width:940px;}
       .nav{padding-top:15px;clear:both;font:80% 'helvetica neue',sans-serif;letter-spacing:3px;text-
transform:uppercase;}
       .info{text-align:left;width:700px;margin:30px auto;border-top:1px dotted #221;padding-top:30px;}
       .info p{margin-top:1.6em;}
le.css:
.ddsmoothmenu{
margin-top:12px;
#footerwrap {
       padding: 40px 0 40px 46px;
       background: #000;
le6.css:
.ddsmoothmenu{
margin-top:12px;
}
.footerflickrwrap { width:280px;float:left; margin:0;padding:0; margin-left:40px; }
```

```
#main_image{padding:0;background: url(../images/image-bgie.png) no-repeat top;}
.caption{padding-left:5px;font-family:verdana; font-size:10px;line-height:28px;color:#3a3a3a;}
.gallery li{margin-top:10px:}
#contents .minishowcasewrap { width:610px;float:left; margin:0 0 20px 0;padding:0; }
.sidebaropts ul { line-height:12px; }
.sidebaropts ul ul { line-height:12px; }
.sidebaropts { padding:0;margin:0;line-height:12px; }
le7.css:
.ddsmoothmenu{
margin-top: 10px;
.footerflickrwrap { width:280px;float:left; margin:0;padding:0; margin-left:40px; }
     #footerwrap
         padding: 40px 0 30px 46px;
Page-galleria.css:
.galleria{list-style:none;width:200px}
.galleria li{display:block;width:80px;height:80px;overflow:hidden;float:left;margin:0 10px 10px 0}
.galleria li a{display:none}
.galleria li div{position:absolute;display:none;top:0;left:180px}
.galleria li div img{cursor:pointer}
.galleria li.active div img, .galleria li.active div{display:block}
.galleria li img.thumb{cursor:pointer;top:auto;left:auto;display:block;width:auto;height:auto}
.galleria li .caption{display:block;padding-top:.5em}
  html .galleria li div span{width:400px} /* MSIE bug
     /* BEGIN DEMO STYLE */
     .caption{font-size:12px;line-height:28px;color:#3a3a3a;}
     .caption a { color:#3a3a3a; text-decoration:none; }
     .demo{margin-top:16px;}
     .gallery {width:596px;}
      .gallery li{width:58px;height:41px;border:2px double #111;margin: 0 2px;background:#000;margin-
top:26px;}
     .gallery li div{}
     .gallery li div .caption{}
     #main_image{height:430px;width:590px;padding:5px 0 0 0;}
     #main image img{height:430px;width:590px;}
     . nav \{ padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 3px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 15px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 15px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 15px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 15px; text-padding-top: 15px; clear: both; font: 80\% \ 'helvetica \ neue', sans-serif; letter-spacing: 15px; text-padding-top: 15px; te
transform:uppercase;}
     .info{text-align:left;width:700px;margin:30px auto;border-top:1px dotted #221;padding-top:30px;}
     .info p{margin-top:1.6em;}
Portfolio-gallleria.css:
.galleria{list-style:none;width:200px}
.galleria li{display:block;width:80px;height:80px;overflow:hidden;float:left;margin:0 10px 10px 0}
.galleria li a{display:none}
.galleria li div{position:absolute;display:none;top:0;left:180px}
.galleria li div img{cursor:pointer}
.galleria li.active div img, .galleria li.active div{display:block}
.galleria li img.thumb{cursor:pointer;top:auto;left:auto;display:block;width:auto;height:auto}
.galleria li .caption{display:block;padding-top:.5em;}
* html .galleria li div span{width:400px} /* MSIE bug
     /* BEGIN DEMO STYLE */
     .caption{font-size:12px;line-height:28px;color:#111;}
     .caption a { color:#3a3a3a; text-decoration:none; }
     .demo{margin-top:16px;}
     .gallery {width:942px;margin:0 auto; padding-left:2px;}
     .gallery li{width:84px;height:59px;border:3px double #111;margin: 0 2px;background:#000;margin-
top:40px;}
     .gallery li div{left:240px;}
     .gallery li div .caption{}
     #main_image{margin:auto 0; text-align:center; display:block; }
     #main image img{margin:auto 0; text-align:center;}
     .nav{padding-top:15px;clear:both;font:80% 'helvetica neue',sans-serif;letter-spacing:3px;text-
     .info{text-align:left;width:700px;margin:30px auto;border-top:1px dotted #221;padding-top:30px;}
     .info p{margin-top:1.6em;}
```

```
prettyPhoto.css:
    This you can edit.
    {\tt div.light\_rounded .pp\_top .pp\_left { background: url(../images/prettyPhoto/light\_rounded/sprite.png) --} }
88px -53px no-repeat; } /
                                      Top left corner
    div.light rounded .pp top .pp middle { background: #fff; } /* Top pattern/color */
    div.light_rounded .pp_top .pp_right { background: url(../images/prettyPhoto/light_rounded/sprite.png) -
110px -53px no-repeat; } /* Top right corner */
    div.light rounded .pp content { background-color: #fff; } /* Content background */
    div.light_rounded .pp_next:hover { background: url(../images/prettyPhoto/light_rounded/btnNext.png)
center right no-repeat; cursor: pointer; } /* Next button
    div.light_rounded .pp_previous:hover { background:
url(../images/prettyPhoto/light_rounded/btnPrevious.png) center left no-repeat; cursor: pointer; } /*
Previous button
    div.light rounded .pp expand { background: url(../images/prettyPhoto/light rounded/sprite.png) -31px -
26px no-repeat; cursor: pointer; } /* Expand button
    div.light_rounded .pp_expand:hover { background: url(../images/prettyPhoto/light_rounded/sprite.png) -
31px -47px no-repeat; cursor: pointer; } /* Expand button hover
div.light_rounded .pp_contract { background: url(../images/prettyPhoto/light_rounded/sprite.png) 0 -26px no-repeat; cursor: pointer; } /* Contract button */
    div.light_rounded .pp_contract:hover { background: url(../images/prettyPhoto/light_rounded/sprite.png) 0
-47px no-repeat; cursor: pointer; } /* Contract button hover
    div.light_rounded .pp_close { width: 75px; height: 22px; background:
url(../images/prettyPhoto/light_rounded/sprite.png) -1px -1px no-repeat; cursor: pointer; } /* Close button
    div.light rounded .pp arrow previous { background: url(../images/prettyPhoto/light rounded/sprite.png) 0
-71px no-repeat; } /*
                               The previous arrow in the bottom nav '
         div.light_rounded .pp_arrow_previous.disabled { background-position: 0 -87px; cursor: default; }
div.light_rounded .pp_arrow_next { background: url../images/prettyPhoto/light_rounded/sprite.png) -22px
-71px no-repeat; } /* The next arrow in the bottom nav */
        div.light rounded .pp arrow next.disabled { background-position: -22px -87px; cursor: default; }
    div.light_rounded .pp_bottom .pp_left { background: url(../images/prettyPhoto/light_rounded/sprite.png)
-88px -80px no-repeat; } /* Bottom left corner
    div.light_rounded .pp_bottom .pp_middle { background: #fff; } /* Bottom pattern/color */
    {\tt div.light\_rounded .pp\_bottom .pp\_right ( background: url(.../images/prettyPhoto/light\_rounded/sprite.png)}
-110px -80px no-repeat; } /* Bottom right corner
    div.light_rounded .pp_loaderIcon { background: url(../images/prettyPhoto/light_rounded/loader.gif)
center center no-repeat; } /* Loader icon
       Dark Rounded Theme
    div.dark_rounded .pp_top .pp_left { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -88px
-53px no-repeat; } /* Top left corner
    div.dark_rounded .pp top .pp middle { background:
url(../images/prettyPhoto/dark rounded/contentPattern.png) top left repeat; } /* Top pattern/color */
    div.dark_rounded .pp_top .pp_right { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -
110px -53px no-repeat; } /* Top right corner
    {\tt div.dark\_rounded .pp\_content ~\{~background:~url(../images/prettyPhoto/dark\_rounded/contentPattern.png)}
top left repeat; } /
                                Content background
    div.dark rounded .pp next:hover { background: url(../images/prettyPhoto/dark rounded/btnNext.png) center
right no-repeat; cursor: pointer; } /* Next button */
    div.dark_rounded .pp_previous:hover { background:
url(../images/prettyPhoto/dark_rounded/btnPrevious.png) center left no-repeat; cursor: pointer; } /*
Previous button
div.dark_rounded .pp_expand { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -31px -26px
no-repeat; cursor: pointer; } /* Expand button */
div.dark_rounded .pp_expand:hover { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -31px
-47px no-repeat; cursor: pointer; } /* Expand button hover */
    \label{linear_cond} \mbox{div.dark\_rounded .pp\_contract { background: url(../images/prettyPhoto/dark\_rounded/sprite.png) 0 -26px } \mbox{ } \mbox{0 } \mbo
no-repeat; cursor: pointer; } /* Contract button *
    div.dark_rounded .pp_contract:hover { background: url(../images/prettyPhoto/dark_rounded/sprite.png) 0 -
47px no-repeat; cursor: pointer; } /* Contract button hove
    div.dark_rounded .pp_close { width: 75px; height: 22px; background:
url(../images/prettyPhoto/dark_rounded/sprite.png) -1px -1px no-repeat; cursor: pointer; } /* Close button
    div.dark rounded .currentTextHolder { color: #c4c4c4; }
    div.dark rounded .pp description { color: #fff; }
    div.dark_rounded .pp_arrow_previous { background: url(../images/prettyPhoto/dark_rounded/sprite.png) 0 -
71px no-repeat; } /* The previous arrow in the bottom nav */
        div.dark_rounded .pp_arrow_previous.disabled { background-position: 0 -87px; cursor: default; }
div.dark_rounded .pp_arrow_next { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -22px -71px no-repeat; } /* The next arrow in the bottom nav */
        div.dark_rounded .pp_arrow_next.disabled { background-position: -22px -87px; cursor: default; }
    div.dark_rounded .pp_bottom .pp_left { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -
88px -80px no-repeat; }
                                   /* Bottom left
    div.dark rounded .pp bottom .pp middle { background:
url(../images/prettyPhoto/dark rounded/contentPattern.png) top left repeat; } /* Bottom pattern/color */
```

```
div.dark rounded .pp bottom .pp right { background: url(../images/prettyPhoto/dark rounded/sprite.png) -
110px -80px no-repeat; } /* Bottom right corner
      div.dark_rounded .pp_loaderIcon { background: url(../images/prettyPhoto/dark_rounded/loader.gif) center
center no-repeat; } /* Loader icon
           Dark Square Theme
      div.dark square .pp left ,
      div.dark square .pp middle,
      div.dark_square .pp_right,
      div.dark_square .pp_content { background: url(../images/prettyPhoto/dark_square/contentPattern.png) top
left repeat: }
      div.dark square .currentTextHolder { color: #c4c4c4; }
      div.dark_square .pp_description { color: #fff; }
      div.dark_square .pp_loaderIcon { background: url(../images/prettyPhoto/dark_rounded/loader.gif) center
center no-repeat; } /* Loader icon */
div.dark_square .pp_expand:hover { background: url(../images/prettyPhoto/dark_square/sprite.png) -31px -
47px no-repeat; cursor: pointer; } /* Expand button hover *,
      \label{linear_square_sprite.png} \mbox{ on classical div.dark\_square\_sprite.png) } \mbox{ 0 -26px no-26px no
repeat; cursor: pointer; } /* Contract button */
      \label{linear_square_sprite.png} \mbox{div.dark\_square} \mbox{ .pp\_contract:hover { background: url(../images/prettyPhoto/dark\_square/sprite.png) 0 -- linear_square .pp\_contract:hover { background: url(../images/prettyPhoto/dark\_square/sprite.png) 0 -- linear_square .pp\_contract:hover { background: url(../images/prettyPhoto/dark\_square/sprite.png) 0 -- linear_square .pp\_contract:hover { background: url(.../images/prettyPhoto/dark\_square/sprite.png) 0 -- linear_square/sprite.png) 0 -- linea
47px no-repeat; cursor: pointer; } /
                                                                         * Contract button hover
      div.dark_square .pp_close { width: 75px; height: 22px; background:
url(../images/prettyPhoto/dark square/sprite.png) -1px -1px no-repeat; cursor: pointer; } /* Close button
      71px no-repeat; } /
                                        The previous arrow in the bottom nav
            div.dark_square .pp_arrow_previous.disabled { background-position: 0 -87px; cursor: default;
div.dark_square .pp_arrow_next { background: url(../images/prettyPhoto/dark_square/sprite.png) -22px -71px no-repeat; } /* The next arrow in the bottom nav */
            div.dark_square .pp_arrow_next.disabled { background-position: -22px -87px; cursor: default; }
      div.dark square .pp next:hover { background: url(../images/prettyPhoto/dark square/btnNext.png) center
right no-repeat; cursor: pointer; } /* Next button */
div.dark_square .pp_previous:hover { background: url(../images/prettyPhoto/dark_square/btnPrevious.png)
center left no-repeat; cursor: pointer; } /* Previous button *,
           Light Square Theme
      div.light_square .pp_left ,
      div.light_square .pp_middle,
      div.light square .pp right,
      div.light_square .pp_content { background: #fff; }
\label{light_square_sprite.png} $$ -31px -26px no-repeat; cursor: pointer; $$ /* Expand button */ $$ $$
div.light_square .pp_expand:hover { background: url(../images/prettyPhoto/light_square/sprite.png) -31px -47px no-repeat; cursor: pointer; } /* Expand button hover */
      div.light_square .pp_contract { background: url(../images/prettyPhoto/light_square/sprite.png) 0 -26px
no-repeat; cursor: pointer; } /* Contract button */
     47px no-repeat; cursor: pointer; } /* Contract button hover
      div.light square .pp close { width: 75px; height: 22px; background:
url(../images/prettyPhoto/light_square/sprite.png) -1px -1px no-repeat; cursor: pointer; } /* Close button
\label{light_square.pp_arrow_previous { background: url(../images/prettyPhoto/light_square/sprite.png) 0 - 71px no-repeat; } /* \textit{The previous arrow in the bottom nav */}
            div.light square .pp arrow previous.disabled { background-position: 0 -87px; cursor: default; }
div.light_square .pp_arrow next { background: url(../images/prettyPhoto/light_square/sprite.png) -22px -71px no-repeat; } /* The next arrow in the bottom nav */
            div.light_square .pp_arrow_next.disabled { background-position: -22px -87px; cursor: default; }
      div.light_square .pp_next:hover { background: url(../images/prettyPhoto/light_square/btnNext.png) center
right no-repeat; cursor: pointer; } /* Next button */
      div.light_square .pp_previous:hover { background:
url(../images/prettyPhoto/light_square/btnPrevious.png) center left no-repeat; cursor: pointer; } /*
Previous button *
     DO NOT CHANGE
      div.pp pic holder a:focus { outline:none; }
      div.pp overlay {
```

```
background: #000;
    left: 0;
    position: absolute;
    top: 0; width: 100%;
    z-index: 9500;
div.pp_pic_holder {
   display: none;
position: absolute;
    width: 100px;
    z-index: 10000;
    .pp_top {
   height: 20px;
        position: relative;
        * html .pp_top { padding: 0 20px; }
        .pp_top .pp_left {
  height: 20px;
  left: 0;
            position: absolute;
            width: 20px;
        .pp_top .pp_middle {
  height: 20px;
  left: 20px;
            position: absolute;
            right: 20px;
            * html .pp_top .pp_middle { left: 0;
                position: static;
        .pp_top .pp_right {
  height: 20px;
  left: auto;
            position: absolute;
            right: 0;
            top: 0;
width: 20px;
    .pp_content {
        height: 40px;
        position: relative;
        text-align: left;
width: 100%;
        .pp_content .pp_details {
   display: none;
   margin: 10px 15px 2px 20px;
            .pp_description {
                display: none;
                float: left;
margin: 0;
            .pp_nav {
                float: left;
                margin: 3px 0 0 0;
                .pp_nav p {
   float: left;
                    margin: 2px 4px;
                .pp_nav a.pp_arrow_previous,
.pp_nav a.pp_arrow_next {
   display: block;
                    float: left;
height: 15px;
                    margin-top: 3px;
overflow: hidden;
                     text-indent: -10000px;
                    width: 14px;
    .pp_hoverContainer {
        Teft: 0;
        position: absolute;
```

```
top: 0;
   width: 100%;
   z-index: 2000;
a.pp_next {
   background: url(../images/prettyPhoto/light_rounded/btnNext.png) 10000px 10000px no-repeat;
   display: block;
   float: right;
   height: 100%;
text-indent: -10000px;
   width: 49%;
a.pp_previous {
   background: url(../images/prettyPhoto/light_rounded/btnNext.png) 10000px 10000px no-repeat;
   display: block;
   float: left;
   height: 100%;
   text-indent: -10000px;
   width: 49%;
a.pp_expand,
a.pp_contract {
   cursor: pointer;
   display: none;
height: 20px;
   position: absolute;
   right: 30px;
   text-indent: -10000px;
   top: 10px;
   width: 20px;
z-index: 20000;
a.pp_close {
   display: block;
   float: right;
text-indent: -10000px;
.pp_bottom {
   height: 20px;
   position: relative;
   * html .pp_bottom { padding: 0 20px; }
   .pp_bottom .pp_left {
      height: 20px;
      left: 0;
position: absolute;
       width: 20px;
   .pp_bottom .pp_middle {
  height: 20px;
  left: 20px;
      position: absolute;
      right: 20px;
       * html .pp_bottom .pp_middle {
          left: 0;
          position: static;
   .pp_bottom .pp_right {
   height: 20px;
      left: auto;
      position: absolute;
       right: 0;
      top: 0;
      width: 20px;
.pp_loaderIcon {
   display: none;
height: 24px;
   left: 50%;
margin: -12px 0 0 -12px;
   position: absolute;
   top: 50%;
   width: 24px;
#pp_full_res {
    display: none;
   line-height: 1 !important;
   margin: 0 auto;
```

```
text-align: center;
          width: 100%;
      div.ppt {
          color: #fff;
          display: none;
          font-size: 17px;
          left: 0;
          position: absolute;
          top: 0;
          z-index: 9999;
   Miscellaneous
   .clearfix:after {
       content: ".";
       display: block;
       height: 0;
clear: both;
       visibility: hidden;
   .clearfix {display: inline-block;}
   /* Hides from IE-mac \*/
   * html .clearfix {height: 1%;}
   .clearfix {display: block;}
    /* End hide from IE-mac */
Slider.css:
.container { width:940px; height:430px; background:#111; overflow:hidden; position:relative;
cursor:pointer; }
   .slides { position:absolute; top:0; left:0; }
   #loopedSlider { width:940px; position:relative; clear:both; }
ul.pagination { list-style-type:none; margin:0; padding:0; margin:9px auto; width:132px; }
   ul.pagination li { float:left; margin:0 5px; }
   ul.pagination a { display:block; width:12px; padding-top:12px; height:0; overflow:hidden; background-
image:url(../images/slider/pagination.png); background-position:0 0; background-repeat:no-repeat;}
   ul.pagination li.active a {background-position:0 -12px} a.previous { position:absolute; top:195px; left:-12px; }
   a.next { position:absolute; top:195px; right:-12px; }
   .slideimage {float:left;}
   .slidecaption {
margin-top:-115px;
float:right;
color:#fff;
padding:15px;
font-size:12px;
line-height: 18px;
background: #111;
width: 500px;
.slidecaption a {color:#fff; }
.slidecaption a:hover {text-decoration:none;}
Style.css:
Theme Name: Studio Box HTML CSS Template
Theme URI: http://www.imaginemthemes.com/demo/studiobox/sb-classic/
Description: Theme Design by Mondre'
Version: 1.0
Author: Mondre'
Author URI: http://www.imaginemthemes.com/
Tags: fixed width, two columns, widgets
   Studio Box CSS HTML v1.0
   http://www.imaginemthemes.com/demo/studiobox/sb-classic/
   This theme was designed and built by Mondre, you will find him at http://themeforest.net/user/imaginem
   in Themeforest
begin resets
html, body, div, span, applet, object, iframe,
h1, h2, h3, h4, h5, h6, p, blockquote, pre,
```

```
a, abbr, acronym, address, big, cite, code,
del, dfn, em, font, img, ins, kbd, q, s, samp,
small, strike, strong, sub, sup, tt, var,
dl, dt, dd, ol, ul, li,
fieldset, form, label, legend,
table, caption, tbody, tfoot, thead, tr, th, td {
   padding: 0;
   border: 0;
   outline: 0;
   font-family: inherit;
   font-style: inherit;
font-size: 100%;
   vertical-align: baseline;
Main Global Layout Settings
*{ padding: 0px; }
body, thml{ height: 100%; margin: 0;height: auto; min-height: 100%; }
body{ font-family:'Lucida Grande','Lucida Sans Unicode','Lucida Sans','DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
font-size: 62.5%; background: \#000 url(../images/bg.png) repeat-x fixed 50% 0 ;}
a{ outline: none; text-decoration: none; }
a:hover{ text-decoration: underline; }
a img{ border: none; }
.clear {clear:both;}
.clearlast {clear:both;padding-bottom:35px;}
.clearlastgallery {clear:both;padding-bottom:55px;}
.clearfix:after { content: "."; visibility: hidden; display: block; height: 0px; clear: both; } * html .clearfix{ height: 1%; }
*+html .clearfix{ height: 1%; }
/* ----- Page Structure ---- */
#mainpagecontainer{ width: 1035px; margin: 0px auto; padding:0px; margin-top:10px;background: #fff
url(../images/main-bg.png) repeat-x top;}
#pagecontainer{ width: 1035px; margin: 0px auto; padding:0px; margin-top:10px;background: #fff
url(../images/other-bg.png) repeat-x top;}
#mainpage{ width: 940px; margin: 0px auto; padding-top:30px; }
#mainpageheader { padding-bottom:15px;}
#gallerypageheader { padding-bottom:55px;}
#header { padding-bottom:70px;}
#logo { margin:0;padding:0; margin-top:-20px; }
#rss { float:right; position:relative; top:15px; }
.twocolumn {width:600px; float:left;}
.noflashtop {margin-top:-50px;}
/* ----- Title -----
dotted #D1D1D1; width:600px;}
#fullwidth-categorytitle { font-size:22px; color:#7d7d7d; padding:12px 0 12px 0; margin:0 0 30px 0; border-
bottom:1px dotted #D1D1D1; width:940px;}
.subcategorytitle { font-size:18px; color:#111; padding:12px 0 12px 0; margin:0 0 10px 0; font-
weight:bold; }
/* ----- Featured ----- */
   #cubeshadow {
      height:440px;
      background: #fff url(../images/shadow.jpg) no-repeat bottom center;
      }
/* ----- Mainpage Intro Text ----- */
#introwrap { width:700px;}
   #introbig { font-size:22px; font-style:normal; font-weight:bold; letter-spacing:-1px; margin-
bottom: 15px; }
   #introsmall { font-family:Georgia, 'Times New Roman', serif; font-size:16px; font-style:italic; line-
height:19px; color:#969696;}
#twitter {float:right; margin-right:60px;}
/* ----- Mainpage Portfolio ----- */
#mport.foliowrap {
   padding:10px 0 10px 0;
   margin: 25px 0 25px 0;
```

```
.homeportfoliotitle { font-size:18px; color:#3a3a3a; font-style:normal; font-weight:bold; margin-
bottom: 15px; }
   .homeportfoliotitle a { color:#3a3a3a; font-weight:bold; }
   .homeportfoliotitle a:hover { color:#111; text-decoration:none; }
   .mportfoliotitle { font-size:18px; color:#3a3a3a; font-style:normal; font-weight:bold; margin-
bottom: 15px; }
   .mportfoliotitle a { color:#3a3a3a; font-weight:bold; }
   .mportfoliotitle a:hover { color:#111; text-decoration:none; }
   .mportfoliobox {width:300px;float:left;}
   .mportfolio {}
      .mportfolio img { width:300px; height:138px;float:left;}
      .mportfoliospace { margin-left:20px;}
       .mportfoliobg { width:300px; height:138px; float:left; background: #111 url(../images/hover-
media.jpg) no-repeat top left;}
      .mportfoliocatbg { width:300px; height:138px; float:left; background: #111 url(../images/hover-
category.jpg) no-repeat top left;}
       .mportfoliobgvideo { width:300px; height:138px; float:left; background: #111 url(../images/hover-
video.jpg) no-repeat top left;}
/* ----- Category Portfolio ----- */
.categoryportfoliowrap {
   padding:10px 0 10px 0;
margin: 5px 0 5px 0;
   #mblogwrap {
   padding: 0 0 12px 0;
   margin: 25px 0 35px 0;
   .mblogbox {
      width:300px:
      float:left;
      .mblogtitle { font-size:18px; color:#3a3a3a; font-weight:bold; margin-bottom:10px;}
         .mblogtitle a { color:#3a3a3a; text-decoration:none;}
         .mblogtitle a:hover { color:#111; text-decoration:none;}
      .mblogtext { font-size:13px; line-height:20px; color:#7d7d7d;}
.mblogspace { margin-left:20px; }
#midplacement {
   width:100%; margin: 35px 0 25px 0; padding: 0 0 15px 0; border-bottom:1px solid #e3e3e3;
      width: 480px; float:left;
      .articles {
      }
         .articleimage {
            float:left; width:135px;
             .articleimage img {
               border:5px solid #b2b2b2;
                .articleimage img:hover {
                 border:5px solid #969696;
         .articletext {
            float:right; width:310px;
             font-size:13px; line-height:20px; color:#7d7d7d;
            margin-bottom:20px;
             .articletitle, .articletitle a {
  font-size:18px; font-weight:bold; margin-bottom:5px; color:#5D5D5D;
                .articletitle a:hover {
                  color:#111; text-decoration:none;
   #aboutwrap {
      width:940px; border-top:1px solid #e3e3e3; margin-top:10px;
      float:right;
      .abouttext {
         float:right; font-weight:bold;
         font-size:22px; line-height:20px; color:#464646;
         margin-bottom:5px; margin-top:25px;
```

```
.abouthighlight {
         font-size:18px; font-style:normal;line-height:26px; color:#717171;
         margin-bottom:8px;margin-top:15px;font-weight:normal;
      .abouttitle, .abouttitle a {
         font-size:16px; font-weight:bold; margin-bottom:5px; color:#5D5D5D;
             .abouttitle a:hover {
                   color:#111; text-decoration:none;
/* ----- Mainpage button ----- */
.blankbutton {
   background: #fff url(../images/blank_button.gif) no-repeat top left;
   float:right;
   width:133px;
   height:31px;
   font-family:georgia, serif;
   font-size:11px;
   font-weight:bold;
   font-style:italic;
   padding:7px 0 0 22px;
   margin-top:20px;
   .blankbutton a {
      font-family:georgia, serif;
      font-size:11px;
      font-weight:bold;
      font-style:italic;
      text-decoration:none;
      color: #111;
   .blankbutton a:hover {
      font-family:georgia, serif;
      font-size:11px;
      font-weight:bold;
      font-style:italic;
      text-decoration:none;
      color:#0878aa;
/* ----- Portfolio Page ----- */
.portfoliopagerows {
   border-top:6px solid #b2b2b2;
   padding: 0 0 20px 0;
   margin:0;
   .portfoliobox {width:240px;float:left;}
      .portfoliotitle { color:#111; font-size:13px; padding-top:10px;}
         .portfoliotitle a { color:#5D5D5D; text-decoration:none; font-weight:bold;}
.portfoliotitle a:hover { color:#111; text-decoration:none;}
      .portfoliocontents { color: #919191; font-size:12px; font-weight:normal; padding-top:10px;}
#recentportfolio {
   padding: 10px 0 20px 0;
   .recent-portfolioitem { width:460px; float:left;}
    recentportfoliobg { width:460px; height:260px; float:left; background: #111 url(../images/recenthover-
media.jpg) no-repeat top left;}
   recent-contentblock {width:460px; float:right; padding-top:10px;}
.recent-description {color:#919191; font-size:12px; font-weight:normal; padding-right:20px;}
   .recent-highlight {color:#111; font-size:19px; font-weight:normal; padding:0 20px 20px 0;}
      .recent-title { color:#171717; font-size:26px; padding:10px 0 20px 0; font-weight:bold;}
      .recent-title a { color:#212121; }
      .recent-title a:hover { color:#111; text-decoration:none;}
/* ----- Title and Blog Contents ----- */
#title { font-size:32px; font-style:normal; color:#3a3a3a; font-weight:bold; letter-spacing:-1px; margin-
bottom:15px; width:600px;}
#titleHighlight { font-size:18px; color:#3a3a3a; font-weight:normal; letter-spacing:0px; margin-
bottom:30px;line-height:28px; width:600px;}
#subtitle { font-size:22px; font-style:normal; color:#3a3a3a; font-weight:bold; letter-spacing:-1px;
margin-bottom:15px;}
#gallerycontents { margin-bottom:25px;}
#contents { font-size:13px; line-height:20px; color:#7d7d7d; padding-bottom:30px;}
   h1,h2,h3,h4,h5,h6 {
      font-weight:normal;
```

```
#contents .posttitle { font-size:22px; font-style:normal; color:#111; font-weight:bold; letter-spacing:-
1px; margin-bottom:15px;}
          ---- Blog Content Alignment ---- */
   #contents .alignright {float:right; margin-left:15px;}
   #contents .alignleft {float:left; margin-right:15px;}
   #contents .aligncenter { clear:both; display:block; margin:0px auto; }
   /* ----- Blog Date, Comments and image styles ----
   #contents .datecomment { font-size:11px; font-style:normal; color:#111; }
   #contents .datecomment a { font-size:11px; font-style:normal; color:#000; text-decoration:none; }
   #contents .datecomment a:hover { font-size:11px; font-style:normal; color:#111; }
   #contents .comments { font-size:11px; font-style:normal; font-weight:bold; color:#111; float:right;
padding:2px 6px 2px 6px;}
   #contents .comments a { color:#111;
   #contents .comments a:hover { color:#000; }
   #contents img.image {border:1px solid #A2A2A2;padding:3px;}
   #contents img.bigimage {border:none;padding:0;}
#contents .imagecaption {margin-top:-6px;padding:5px 10px 5px 10px;background:#111;color:#fff;font-
size:11px;}
   #contents em {font-style:italic;}
   #contents a {color:#111;text-decoration:underline;}
   #contents blockquote{
   margin: 0 0 22px 5px;
   padding: 0 15px;
   border-left: 5px solid #111;
   #contents ul, #contents ol{
   list-style-position:outside;
   margin-left:20px;
   /* ----- Headings ---- */
   #contents h1 {font-size:28px;font-weight:bold;color:#111;}
   #contents h2 {font-size:24px;font-weight:bold;color:#111;}
   #contents h3 {font-size:20px;font-weight:bold;color:#111;}
   #contents h4 {font-size:18px;color:#111;}
   #contents h5 {font-size:16px;color:#111;}
   #contents h6 {font-size:14px;color:#111;}
   /* ----- Read more -----
   \#contents .readmorebutton {
   background: #fff url(../images/readmore button.gif) no-repeat top left;
   float:right;
   width: 133px;
   height:31px;
   font-family:georgia, serif;
   font-size:11px;
   font-weight:bold;
   font-style:italic;
   padding:4px 0 0 25px;
   margin-top:0px; margin-bottom:20px;
   #contents .readmorebutton a {
      font-family:georgia, serif;
      font-size:11px;
      font-weight:bold;
      font-style:italic;
      text-decoration:none;
      color:#111;
   #contents .readmorebutton a:hover {
      font-family:georgia, serif;
font-size:11px;
      font-weight:bold;
      font-style:italic;
      text-decoration:none;
      color:#0878aa;
/* ----- Mini Showcase ---- */
   #contents .minishowcasewrap { width:600px;float:left; margin:0 0 20px 0;padding:0; }
#contents .minishowcase { list-style:none; margin:0;padding:0; }
#contents .minishowcase li { float:left; padding:5px;margin:0 5px 10px
5px;background:#dldldl;border:1px solid #B9B9B9;}
      #contents .minishowcase li:hover { background:#dldldl;border:lpx solid #747474;}
      #contents .photoshowcase {width:127px; height:120px;float:left; }
```

```
#contents .servicelist ul {
       list-style-image:
       url('../images/tick.gif');
      padding-bottom: 20px;
       #contents .servicelist ul li {
          padding-top:5px;
   #contents .starlist ul {
       list-style-image:
       url('../images/star.gif');
       padding-bottom: 20px;
       #contents .starlist ul li {
         padding-top:5px;
#sidebar {float:right; width:280px; }
    .sidebartitle { font-size:18px; font-style:normal; font-weight:bold; color:#3B5C1F; letter-spacing:0px;
margin-bottom:15px;}
.sidebartextbox { font-size:13px; line-height:20px; color:#7d7d7d; padding-bottom:30px;}
.sidebaropts { font-size:13px; line-height:18px; color:#7d7d7d; margin-top:-8px; margin-bottom:10px;padding-top:5px; padding-bottom:30px;}
   .sidebaropts a { color:#7d7d7d;}
       .sidebaropts a:hover { color:#111; text-decoration:none;}
           .sidebaropts ul { font-size:13px; line-height:18px; list-style:none; line-height:18px;
color:#7d7d7d; padding:0;margin:0; }
          .sidebaropts ul li { color:#7d7d7d;}
.sidebaropts ul li a { color:#7d7d7d;padding:6px 0 5px 0;border-bottom:1px dotted #D1D1D1;
display:block;}
          .sidebaropts ul li a:hover { color:#111; text-decoration:none;}
              .sidebaropts ul ul li a { color:#7d7d7d; padding-left:15px; }
                 .sidebaropts ul ul ul li a { color:#7d7d7d; padding-left:30px; }
.sidebaropts ul ul ul ul li a { color:#7d7d7d; padding-left:55px; }
/* ----- Table -
table.studiotable {
   font-size:11px; text-align:center;
   color: #5D5D5D;
   border: 1px solid #fff;
   border-collapse: collapse;
table.studiotable th {
   background: #D1D1D1;
   border: 1px solid #fff;
padding: 8px; width:100px;
table.studiotable tr {
   background: #E8E8E8;
table.studiotable td {
   border: 1px solid #fff;
   padding: 8px; width:100px;
/* Contact Form Text Input Styles*/
#contact-float {
   float:left;
   #contact-wrapper {
      background: #efefef; width: 500px;
       padding:10px 10px 35px 35px;
       font-family:'Lucida Grande','Lucida Sans Unicode','Lucida Sans','DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
   #contact-wrapper p{
      color:#111;
   #contact-wrapper div {
      margin:1em 0;
   #contact-wrapper label {
      display:block;
       float:none;
       font-size:12px:
      width:auto;
   #contact-wrapper label.error {
```

```
display:block;
      float:none;
      font-size:12px;
      width:auto:
      color: #FF3300;
   form#contactform input {
   border-color:#B7B7B7 #E8E8E8 #E8E8E8 #B7B7B7;
      border-style:solid;
      border-width:1px;
      padding:5px;
      font-size:12px;
      color:#333;
      width:450px;
      font-family: 'Lucida Grande', 'Lucida Sans Unicode', 'Lucida Sans', 'DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
   form#contactform input.submit-button {
      border-color: #B7B7B7 #E8E8E8 #E8E8E8 #B7B7B7;
      border-style:solid;
      border-width:1px;
      padding:5px;
      font-size:12px;
      background: #111;
      color:#fff;
      width:100px;
      font-family: 'Lucida Grande', 'Lucida Sans Unicode', 'Lucida Sans', 'DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
   form#contactform textarea {
      padding:5px;
      font-size:12px;
      width:450px;
      border-color: #B7B7B7 #E8E8E8 #E8E8E8 #B7B7B7;
      border-style:solid;
      border-width:1px;
      font-family: 'Lucida Grande', 'Lucida Sans Unicode', 'Lucida Sans', 'DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
   /* ----- Address ----- */
   .addressbox {
      float:right;
      font-size:18px;
      line-height:22px;
      position:relative;
      right:168px; top:40px;
      margin-bottom:100px;
   .addresstitle {
      font-size:18px;
      font-weight:bold;
      margin-bottom:10px;
   }
   .fulladdress {
      color:#464646;
      font-size:14px;
      margin-bottom:10px; margin-left:5px;
      .fulladdress ul {
         list-style:none;
         .fulladdress ul li {
/* ----- Footer ----- */
#footer{
background: #000;
   #footerwrap {
      padding: 40px 0 10px 46px;
      background: #000 url(../images/footer-bg.png) repeat-x bottom;
   .footerminibox {
     width:143px;
      float:left;
```

```
.footerbox {
      width:286px;
      float:left;
      .aboutimage {float:left; }
      .aboutimage img {padding:0 18px 3px 0; width:80px;height:80px;margin-top:8px;}
   .footertitle { font-size:18px; margin-bottom:10px; color:#fff;}
   .footertext { font-size:12px; line-height:20px;color:#7d7d7d;}
   .footertext a{color: #E8E8E8;}
   .footertext a:hover {text-decoration:none;color:#fff;}
   /* ----- Footer list style ----- */
   .footerposts { font-size:12px; line-height:18px; color:#7d7d7d; margin-top:-8px;}
      .footerposts ul { list-style:none; font-size:12px; line-height:18px; color:#7d7d7d;
padding:0;margin:0; padding-top:5px;}
.footerposts ul li { font-size:12px; line-height:18px; color:#7d7d7d; border-bottom:1px dotted #2E2E2E; padding:6px 0 5px 0;}
      .footerposts ul li a { font-size:12px; line-height:18px; color:#7d7d7d;}
      .footerposts ul li a:hover { font-size:12px; line-height:18px; color:#fff; text-decoration:none;}
   .footerspace { margin-left:20px; padding-left:20px; }
   /* ----- Flickr ----- */
   .flickrfooterspace { margin-left:60px; }
   .footerflickrwrap { width:280px;float:left; margin:0;padding:0; margin-left:80px; }
      .footerflickr ul { list-style:none; }
      .footerflickr ul li { float:left; margin-right:38px; margin-bottom:38px; }
      .footerflickrimage {width: 40px; height:40px; }
   /* ----- Copyright style ---- */
   #footerbarwrap {
      padding: 20px 0 20px 35px;
      margin: 0;
      background: #070F04;
      font-size:12px;
      color: #565656;
      #footerbarwrap ul {
         font-family:verdana;
         font-size:10px;
         line-height:15px;
         color: #565656;
         list-style:none;margin:0;padding:0;
      #footerbarwrap ul li {
         color:#565656;
      #footerbarwrap ul li a{
         color:#fff;
/*=== End of CSS ===*/
```

IMAGES:

Accordion:

Image4.jpg.

JS

Common.js:

```
$ (document) .ready(function() {
    $("a[rel^='prettyPhoto']") .prettyPhoto();
});
```

```
ddsmoothmenu.init({
```

```
mainmenuid: "smoothmenul", //menu DIV id
orientation: 'h', //Horizontal or vertical menu: Set to "h" or "v"
classname: 'ddsmoothmenu', //class added to menu's outer DIV
//customtheme: ["#1c5a80", "#18374a"],
contentsource: "markup" //"markup" or ["container_id", "path_to_menu_file"]
})
```

Hufon-yui.js:

```
* Copyright (c) 2009 Simo Kinnunen.
      * Licensed under the MIT license.
var Cufon=(function() {var m=function() {return m.replace.apply(null,arguments)};var
x=m.DOM={ready:(function() {var C=false, E={loaded:1,complete:1}};var
 B=[],D=function(){if(C){return}C=true;for(var
 F; F = B. shift(); F()) \ \{\} \ \}; \\ \textbf{if} \ ( document.addEventListener) \ \{ document.addEventListener ( \textbf{"DOMContentLoaded"}, D, \textbf{false}); \\ where \ for the property of 
 indow. addEventListener(\textbf{"pageshow"}, \textbf{D}, \textbf{false}) \} \textbf{if} (!window.opera\&\&document.readyState) \\ \{ (\textbf{function}() \\ \{ E[document.readyState) \\ \{ (\textbf{funct
 adyState]? \texttt{D():setTimeout(arguments.callee,10)}) () \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.readyState \& \& document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (document.createStyleSheet) \\ \{ (\textbf{functallee}, 10) \} \} \textbf{if} (docum
 \textbf{ion} () \{ \textbf{try} \{ \texttt{document.body.doScroll} ("\textbf{left"}); \texttt{D} () \} \\ \textbf{catch} (\texttt{F}) \{ \texttt{setTimeout} (\texttt{arguments.callee, 1}) \} \} ) () \} \\ \textbf{q} (\texttt{window}, "\textbf{load"}, \texttt{D}) \} \\ \textbf{d} (\texttt{window}, \texttt{window}, \texttt{D}) \} \\ \textbf{d} (\texttt{window}, \texttt{window}, 
 ); return function(F) {if(!arguments.length) {D()}else(C?F():B.push(F)}}))), root:function() {return
document.documentElement||document.body}};var
n=m.CSS={Size:function(C,B){this.value=parseFloat(C);this.unit=String(C).match(/[a-
 z%]*$/)[0]||"px";this.convert=function(D){return D/B*this.value};this.convertFrom=function(D){return
D/this.value*B}; this.toString=function() {return this.value+this.unit}}, addClass:function(C,B) {var
")"});return B}),fontStretch:j(function(B){if(typeof B=="number"){return B}if(/%$/.test(B)){return
parseFloat(B)/100}return("ultra-condensed":0.5,"extra-condensed":0.625,condensed:0.75,"semi-
 condensed":0.875, "semi-expanded":1.125, expanded:1.25, "extra-expanded":1.5, "ultra-
 a (B.getComputedStyle(C, null)) \} if (C.currentStyle) \{ return \ new \ a (C.currentStyle) \} return \ new \\ a (C.style) \}, gradient: j(function(F) \{ var \ G= \{ id:F, type:F.match(/^-([a-z]+) - gradient) \}, C=F.substr(F.indexOf("(")).match(/([\d.]+=)?(\#[a-f0-9]+|[a-z]+\(.*?\))|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]
 z]+)/ig);for(war E=0,B=C.length,D;E<B;++E){D=C[E].split("=",2).reverse();G.stops.push([D[1]||E/(B-
1),D[0]])}return G}),hasClass:function(C,B){return
\texttt{RegExp("(?:^|\s)"}) \texttt{+B+"(?=\s)"}) \texttt{.test(C.className)}, \texttt{quotedList:j(function(E) \{varresterm extension exte
D=[],C=/\s*((["'])([\s\$]*?[^\\])\2|[^,]+)\s*/g,B;while(B=C.exec(E)){D.push(B[3]||B[1])}return
D}) ,recognizesMedia: j (function(G) {var
 E=document.createElement("style"),D,C,B;E.type="text/css";E.media=G;try{E.appendChild(document.createTextNo
 de("/**/"))}catch(F){}C=g("head")[0];C.insertBefore(E,C.firstChild);D=(E.sheet||E.styleSheet);B=D&&!D.disab
led;C.removeChild(E);return B}),removeClass:function(D,C) {var
D}, supports:function(D,C) {var B=document.createElement("span").style;if(B[D] ===undefined) {return
 false}B[D]=C;return B[D]===C},textAlign:function(E,D,B,C){if(D.get("textAlign")=="right")}(if(B>0){E="
 "+E}}else{if(B<C-1){E+=" "}}return E},textDecoration:function(G,F){if(!F){F=this.getStyle(G)}var
C={underline:null,overline:null,"line-through":null};for(var
B=G;B.parentNode&&B.parentNode.nodeType==1;) {var E=true; for (var D in
C) {if(!k(C,D)||C[D]) {continue}if(F.get("textDecoration").indexOf(D)!=-
1) {C[D]=F.get("color")}E=false}if(E) {break}F=this.getStyle(B=B.parentNode)}return
C}, textShadow: j(function(F){if(F=="none"){return null}var E=[],G={},B,C=0;var D=/(\#[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+
 z]+\(.*?\)|[a-z]+)|(-?[\d.]+[a-
  z \$ \} *) | , /ig; \\ \text{while (B=D. exec (F)) } \\  \{ if (B[0] ==",") \\  \{ E.push (G) ; G= \{ \} ; C=0 \} \\  else \{ if (B[1]) \\  \{ G.color = B[1] \} \\  else \{ G[["offX","offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\  else \{ G[["offX"] \\  | G.color = B[1] \} \\ 
ffY","blur"][C++]]=B[2]}}}E.push(G);return E}),textTransform:(function() {var
B = \{uppercase: function (C) \ \{return \ C.toUpperCase()\}, lowercase: function (C) \ \{return \ C.toU
C.toLowerCase()},capitalize:function(C){return C.replace(/\b./q,function(D){return
D.toUpperCase()})}};return function(E,D){var C=B[D.get("textTransform")];return
C?C(E):E}})(), whiteSpace: (function() {var B={inline:1,"inline-block":1,"run-in":1}; return
 function(E,C,D) {if(B[C.get("display")]) {return
E}})()};n.ready=(function(){var B=!n.recognizesMedia("all"),E=false;var D=[],H=function(){B=true;for(var
K;K=D.shift();K()){}};var I=g("link"),J=g("style");function C(K){return
K.disabled||G(K.sheet,K.media||"screen")}function G(M,P){if(!n.recognizesMedia(P||"all")){return
 true}if(!M||M.disabled) {return false}try{var Q=M.cssRules,0;if(Q) {search:for(var
 L=0,K=Q.length;O=Q[L],L< K;++L) {switch(0.type) {case 2:break;case}
 3:if(!G(O.styleSheet,O.media.mediaText)){return false}break;default:break search}}}}catch(N){}return
 true}function F(){if(document.createStyleSheet){return true}var
L,K;for(K=0;L=I[K];++K) {if(L.rel.toLowerCase()=="stylesheet"&&!C(L)) {return
 false}}for(K=0;L=J[K];++K){if(!C(L)){return false}}return
 rguments.callee,10)}});return function(K){if(B){K()}else{D.push(K)}}})();function s(C){var
B=this.face=C.face; this.glyphs=C.glyphs; this.w=C.w; this.baseSize=parseInt(B["units-per-
em"],10);this.family=B["font-family"].toLowerCase();this.weight=B["font-weight"];this.style=B["font-
 style"]||"normal"; this.viewBox=(function() {var E=B.bbox.split(/\s+/); var
D={minX:parseInt(E[0],10),minY:parseInt(E[1],10),maxX:parseInt(E[2],10),maxY:parseInt(E[3],10)};D.width=D.m
 axX-D.minX;D.height=D.maxY-
D.minY;D.toString=function(){return[this.minX,this.minY,this.width,this.height].join(" ")};return
D}) (); this.ascent=-parseInt(B.ascent,10); this.descent=-parseInt(B.descent,10); this.height=
```

```
this.ascent+this.descent}function f(){var
 C={},B={oblique:"italic:"oblique"};this.add=function(D){(C[D.style]||(C[D.style]={}))[D.weight]=D};
  this.get=function(\texttt{H},\texttt{I}) \\ \{var \ G=\texttt{C}[\texttt{H}] \ | \ C[\texttt{B}[\texttt{H}]] \ | \ C.normal \ | \ (\texttt{C.italic}| \ | \ C.oblique; if (!G) \\ \{return \ | \ (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ \} \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ \} \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\ = (\texttt{G.italic}| \ | \ C.oblique; if (!G) \\
 E={1:1,99:0}[I*100],K=[],F,D;if(E===undefined){E=I>400}if(I==500){I=400}for(var J in
 G) {if(!k(G,J)) {continue} J=parseInt(J,10); if(!F||J<F) {F=J}if(!D||J>D) {D=J}K.push(J)} if(I<F) {I=F}if(I>D) {I=D}
  \texttt{K.sort} (\texttt{function} (\texttt{M}, \texttt{L}) \{ \texttt{return} (\texttt{E?} (\texttt{M} \ge \texttt{L} \ge \texttt{L}) : \texttt{M} \le \texttt{L} : \texttt{M} \le \texttt{L} \le \texttt{L}) : \texttt{M} \le \texttt{L} : \texttt{M} = \texttt{L} : \texttt{M} \le \texttt{L} : \texttt{M} = \texttt{L}
   \texttt{r()} \{ \texttt{function} \ \ \texttt{D(F,G)} \{ \texttt{if(F.contains)} \{ \texttt{return} \ \ \texttt{F.contains} (\texttt{G)} \} \\ \texttt{return} \ \ \texttt{F.compareDocumentPosition} (\texttt{G)} \ \texttt{\&16} \} \\ \texttt{function} \ \ \texttt{function} 
  B(G) \{ var \ F=G. \ related Target; if (!F||D(this,F)) \{ return \} C(this) \} function \ E(F) \{ C(this) \} function \} C(this) \} function \} C(this) function funct
C(F)(setTimeout(function(){m.replace(F,d.get(F).options,true)},10)}this.attach=function(F)(if(F.onmouseenter===undefined){q(F,"mouseover",B);q(F,"mouseout",B)}else{q(F,"mouseenter",E);q(F,"mouseleave",E)}}function
 u() {var C=[],D={};function B(H) {var E=[],G;for(var F=0;G=H[F];++F) {E[F]=C[D[G]]}}return
  E} this.add=function(F,E) {D[F]=C.push(E)-1}; this.repeat=function() {var
  E= arguments.length? B (arguments): C, F; for (var G=0; F=E[G++];) \\ \{m.replace(F[0], F[1], true)\} \} \\ \{function A() \\ \{function A(), function A(), funct
 D=\{\}, B=0; function \ C(E) \{return \ E.cufid | \ | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.get=function(E) \{var \ F=C(E); return \ E.cufid | \ (E.cufid=++B) \} \\ this.ge
 D[F]||(D[F]={})}}function a(B){var D={},C={};this.extend=function(E){for(var F in
 E) {if (k(E,F)) {D[F]=E[F]}}return this}; this.get=function(E) {return
 \texttt{D[E]} ! = \\ \texttt{undefined?D[E]} : \texttt{B[E]} ; \\ \texttt{this.getSize=function(F,E)} \{ \\ \texttt{return C[F]} | | (\texttt{C[F]} = \texttt{new}) \} \} 
  n.Size(this.get(F),E))};this.isUsable=function(){return !!B}}function
  q(C,B,D) {if(C.addEventListener) {C.addEventListener(B,D,false) }else{if(C.attachEvent) {C.attachEvent("on"+B,f
  unction(){return D.call(C,window.event)})}}}function v(C,B){var D=d.get(C);if(D.options){return
 Clif(B.hover&&B.hoverables[C.nodeName.toLowerCase()]){b.attach(C)}D.options=B;return Clfunction i(B){var
  C = \{\}; return \ function(D) \{if(!k(C,D)) \{C[D] = B.apply(null, arguments)\} return \ C[D] \} \} function \ c(F,E) \{varrelef = C(B) \} \} 
 B=n.quotedList(E.get("fontFamily").toLowerCase()),D;for(var C=0;D=B[C];++C)(if(i[D]){return
  i[D].get(E.get("fontStyle"),E.get("fontWeight"))}}return null}function g(B){return
  \label{locument.getElementsByTagName(B)} function \ k(\texttt{C},\texttt{B}) \ \{ \texttt{return C.hasOwnProperty(B)} \ \} \ function \ h(\texttt{)} \ \{ \texttt{varner} \ \texttt{Comparison} \ \} \ function \ h(\texttt{C},\texttt{Comparison} \ \texttt{Comparison} \ \} \ function \ h(\texttt{Comparison} \ \texttt{Comparison} \ \texttt{Comparison} \ \} \ function \ h(\texttt{Comparison} \ \texttt{Comparison} \ \texttt{Comparison} \ \} \ function \ h(\texttt{Comparison} \ \texttt{Comparison} \ \texttt{Compar
 B=\{\},D,F; \\ for (var E=0,C=arguments.length;D=arguments[E],E<C;++E) \\ \{for (F in D) \\ \{if(k(D,F)) \\ \{B[F]=D[F]\}\}\} \\ return B=\{\},D,F; \\ for (F in D) \\ \{if(k(D,F)) \\ \{B[F]=D[F]\}\}\} \\ return B=\{\},D,F; \\ for (F in D) \\ \{if(k(D,F)) \\ \{B[F]=D[F]\}\}\} \\ return B=\{\},D,F; \\ for (F in D) \\ \{if(k(D,F)) \\ \{B[F]=D[F]\}\}\} \\ return B=\{\},D,F; \\ for (F in D) \\ \{if(k(D,F)) \\ \{B[F]=D[F]\}\}\} \\ return B=\{\},D,F; \\ for (F in D) \\ \{if(k(D,F)) \\ \{B[F]=D[F]\}\}\} \\ return B=\{\},D,F; \\ for (F in D) \\ \{if(k(D,F)) \\ \{B[F]=D[F]\}\}\} \\ return B=\{\},D,F; \\ for (F in D) \\ \{if(k(D,F)) \\ \{B(F)=D(F)\}\} \\ \{if(k(D,F)) \\ \{B(F)=D(F)\}\} \\ \{if(k(D,F)) \\ \{B(F)=D(F)\}\} \\ \{if(k(D,F)) \\ \{B(F)=D(F)\}\} \\ \{if(k(D,F)) \\ \{b(k(D,F)) \\ \{b
 B}function o(E,M,C,N,F,D) {var K=document.createDocumentFragment(),H;if(M==="") {return K}var
  L=N.separate;var
  I=M.split(p[L]),B=(L=="words");if(B&&t){if(/^\s/.test(M)){I.unshift("")}if(/\s$/.test(M)){I.push("")}}for(v
  \texttt{ar } J=0\,,\\ \texttt{G}=I\,.\,\texttt{length};\\ J<G;\\ \texttt{f}+J)\,\\ \{\texttt{H}=z\,[\texttt{N}.\,\texttt{engine}]\,\\ (\texttt{E}\,,\texttt{B}?\texttt{n}.\,\texttt{textAlign}\,(\texttt{I}\,[\texttt{J}]\,,\texttt{C}\,,\texttt{J}\,,\texttt{G})\,:\\ \texttt{I}\,[\texttt{J}]\,,\texttt{C}\,,\texttt{N}\,,\texttt{F}\,,\texttt{D}\,,\\ \texttt{J}<\mathsf{G}-\mathsf{M}\,,\\ \texttt{J}=0\,,\\ \texttt
 1)\;; if\; (H)\; \{K.\; appendChild\; (H)\; \}\; \}\; return \;\; K\}\; function \;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \{var\;\; B=n.\; getStyle\; (v\;(C,J)\;)\; .\; extend\; (J)\; ; var\;\; function\;\; 1\; (C,J)\; \}
 D=c(C,B),E,H,G,F,I;for(E=C.firstChild;E;E=G) {H=E.nodeType;G=E.nextSibling;if(H==3) {if(F) {F.appendData(E.dat
 a); C. removeChild(E)} else {F=E} if(G) {continue}} if(F) {C.replaceChild(o(D,n.whiteSpace(F.data,B,F),B,J,E,C),F);
  F=null}if(H==1&&E.firstChild) {if(n.hasClass(E,"cufon")) {z[J.engine](D,null,B,J,E,C)}else{arguments.callee(E
   J)}}}yar t=" ".split(/\s+/).length==0;var d=new A();var b=new r();var y=new u();var e=false;var
  {\tt z=\{\},i=\{\},w=\{enableTextDecoration:false,engine:null,forceHitArea:false,hover:false,hoverables:\{a:true\},pringlements and the property of t
  table:true,selector:(window.Sizzle||(window.jQuery&&function(B){return
  jQuery(B)})||(window.dojo&&dojo.query)||(window.Ext&&Ext.query)||(window.$$&&function(B){return
  $$(B)})||(window.$&&function(B){return $(B)})||(document.querySelectorAll&&function(B){return
document.querySelectorAll(B))||g),separate:"words",textShadow:"none"};var
p={words:/[^\s\u00a0]+/,characters:"",none:/^/};m.now=function(){x.ready();return
  m};m.refresh=function(){y.repeat.apply(y,arguments);return m};m.registerEngine=function(C,B){if(!B){return
 m\z[C]=B;return m.set("engine",C)\};m.registerFont=function(D) {var B=new s(D),C=B.family;if(!i[C]){i[C]=new
 f() }i[C1.add(B):return
 m.set("fontFamily",'"'+C+'"')};m.replace=function(D,C,B){C=h(w,C);if(!C.engine){return
 m}if(!e) {n.addClass(x.root(), "cufon-active cufon-
  loading"); n.ready(function() {n.addClass(n.removeClass(x.root(), "cufon-loading"), "cufon-
  ready")});e=true}if(C.hover){C.forceHitArea=true}if(typeof
 C.textShadow=="string") {C.textShadow=n.textShadow(C.textShadow)}if(typeof C.color=="string"&&/^-
  /.test(C.color)){C.textGradient=n.gradient(C.color)}if(!B){y.add(D,arguments)}if(D.nodeType||typeof
 D=="string") {D=[D]}n.ready(function(){for(var F=0,E=D.length;F<E;++F){var G=D[F];if(typeof
 G=="string") {m.replace(C.selector(G),C,true)}else{1(G,C)}});return m};m.set=function(B,C){w[B]=C;return
 m);return m))();Cufon.registerEngine("canvas",(function(){var
 b=document.createElement("canvas");if(!b||!b.getContext||!b.getContext.apply){return}b=null;var
 a=Cufon.CSS.supports("display", "inline-block"); var
 a=tion.cs.supports( display , infine-block ), var e=!a&& (document.compatMode=="BackCompat"||/frameset||transitional/i.test(document.doctype.publicId));var f=document.createElement("style");f.type="text/css";f.appendChild(document.createTextNode((".cufon-
  canvas{text-indent:0;}@media screen,projection{.cufon-canvas{display:inline;display:inline
 block;position:relative;vertical-align:middle;"+(e?"":"font-size:1px;line-height:1px;")+"}.cufon-canvas
 .cufon-alt{display:-moz-inline-box;display:inline-block;width:0;height:0;overflow:hidden;text-indent:-10000in;}"+(a?".cufon-canvas canvas{position:relative;}":".cufon-canvas
 canvas{position:absolute;}")+"}@media print{.cufon-canvas{padding:0;}.cufon-canvas
 canvas{display:none;}.cufon-canvas .cufon-
  alt{display:inline;}}").replace(/;/g,"!important;")));document.getElementsByTagName("head")[0].appendChild(
f); function d(p,h) {var n=0,m=0; var g=[],o=/([mrvxe])([^a-z]*)/g,k; generate: for (var j=0; k=0.exec(p);++j) {var l=k[2].split(","); switch(k[1]) {case"v":g[j]={m:"bezierCurveTo",a:[n+~~1[0],m+~~1[1],n+~~1[2],m+~~1[3],n+=~~1[4],m+=~~1[5]]}; break; case"r":g[j]={m:"lineTo",a:[n+=~~1[0],m+=~~1[1]]}; break; case"m":g[j]={m:"moveTo",a:[
 n=~~1[0],m=~~1[1]]};break;case"x":g[j]={m:"closePath"};break;case"e":break
 g=m[j];k[g.m].apply(k,g.a)}}return function(ah,H,Z,D,L,ai){var n=(H===null);if(n){H=L.alt}var
  J=ah.viewBox;var p=Z.getSize("fontSize",ah.baseSize);var
X=Z.get("letterSpacing");X=(X=="normal")?0:p.convertFrom(parseInt(X,10));var K=0,Y=0,W=0,F=0;var
I=D.textShadow,U=[];if(I){for(var ag=I.length;ag--;){var O=I[ag];var
  T=p.convertFrom(parseFloat(O.offX));var
  R = p. \texttt{convertFrom} \\ (\texttt{parseFloat}(\texttt{O.offY})) \\ (\texttt{U}[\texttt{ag}] = [\texttt{T}, \texttt{R}] \\ (\texttt{if}(\texttt{R} < \texttt{K}) \\ (\texttt{K} = \texttt{R}) \\ \texttt{if}(\texttt{T} > \texttt{Y}) \\ (\texttt{Y} = \texttt{T}) \\ \texttt{if}(\texttt{R} > \texttt{W}) \\ (\texttt{W} = \texttt{R}) \\ \texttt{if}(\texttt{T} < \texttt{F}) \\ (\texttt{F} = \texttt{T}) \\ \texttt{F}) \\ \texttt{Var}(\texttt{R} < \texttt{M}) \\ \texttt{F} = \texttt{F}) \\ \texttt{F} = \texttt{F}
  al=Cufon.CSS.textTransform(H,Z).split(""),B;var o=ah.glyphs,E,r,ac;var h=0,v,N=[];for(var o=ah.glyphs,E,r,ac;var o=ah.glyphs,E,r,a
  ag=0,ae=0,ab=al.length;ag<ab;++ag) {E=0[B=al[ag]]||ah:issingGlyph;if(!E) {continue}if(r) {h-=ac=r[B]||0;N[ae-
 1]-=ac}h+=v=N[ae++]=~~(E.w||ah.w)+X;r=E.k}if(v===undefined){return null}Y+=J.width-v;F+=J.minX;var
 C,q;if(n){C=L;q=L.firstChild}else{C=document.createElement("span");C.className="cufon cufon-
 canvas"; C.alt=H; q=document.createElement("canvas"); C.appendChild(q); if (D.printable) {var
  ad=document.createElement("span");ad.className="cufon-
  alt";ad.appendChild(document.createTextNode(H));C.appendChild(ad)}}var am=C.style;var Q=q.style;var
  m=p.convert(J.height);var ak=Math.ceil(m);var V=ak/m;var
 P=V*Cufon.CSS.fontStretch(Z.get("fontStretch")); var S=h*P; var aa=Math.ceil(p.convert(S+Y-F)); var
  t=Math.ceil(p.convert(J.height-
 K+W));q.width=aa;q.height=t;Q.width=aa+"px";Q.height=t+"px";K+=J.minY;Q.top=Math.round(p.convert(K-
  ah.ascent))+"px";Q.left=Math.round(p.convert(F))+"px";var
```

```
A=Math.ceil(p.convert(S))+"px";if(a){am.width=A;am.height=p.convert(ah.height)+"px"}else{am.paddingLeft=A;a
m.paddingBottom=(p.convert(ah.height)-1)+"px"}var
aj=q.getContext("2d"),M=m/J.height;aj.scale(M,M*V);aj.translate(-F,-K);aj.lineWidth=ah.face["underline-
 thickness"];aj.save();function
s(i,q){aj.strokeStyle=q;aj.beqinPath();aj.moveTo(0,i);aj.lineTo(h,i);aj.stroke()}var
u=D.enableTextDecoration?Cufon.CSS.textDecoration(ai,Z):{};if(u.underline){s(-ah.face["underline-
position"], u.underline) } if (u.overline) {s(ah.ascent, u.overline) } function af() {aj.scale(P,1); for (var
 x=0, k=0, g=al.length; x<g;++x) {var}
 y = o[al[x]] | |ah.missingGlyph; if (!y) {continue} if (y.d) {aj.beginPath(); if (y.code) {c(y.code,aj)} else {y.code=d("mathering and all the continue)} else {y.code=d("mathering an
 "+y.d,aj)}aj.fill()}aj.translate(N[k++],0)}aj.restore()}if(I){for(var ag=I.length;ag--;)}(var
O=I[ag];aj.save();aj.fillStyle=O.color;aj.translate.apply(aj,U[ag]);af()}}var z=D.textGradient;if(z){var
G=z.stops,w=aj.createLinearGradient(0,J.minY,0,J.maxY);for(var
ag=0, ab=G. length; ag < ab; ++ag) \\ \{w. addColorStop. apply \\ (w, G[ag])\} \\ aj. fillStyle=w\} \\ else \\ \{aj. fillStyle=Z. get ("color")\} \\ \{aj. fillStyle=Z
 af();if(u["line-through"]){s(-ah.descent,u["line-through"])}return
C}})());Cufon.registerEngine("vml",(function(){var
 e=document.namespaces;if(!e){return}e.add("cvml" "urn:schemas-microsoft-com:vml");e=null;var
b=document.createElement("cvml:shape");b.style.behavior="url(#default#VML)";if(!b.coordsize){return}b=null;
 var g=(document.documentMode||0)<8;document.write(('<style type="text/css">.cufon-vml-canvas{text-
 indent:0;}@media
 screen{cvml\\:shape,cvml\\:rect,cvml\\:fill,cvml\\:shadow{behavior:url(#default#VML);display:block;antialia
 s:true;position:absolute;}.cufon-vml-canvas{position:absolute;text-align:left;}.cufon-vml{display:inline-
block;position:relative;vertical-align:'+(g?"middle":"text-bottom")+";}.cufon-vml .cufon-
alt{position:absolute;left:-10000in;font-size:lpx;}a .cufon-vml{cursor:pointer}}@media print{.cufon-vml
 *{display:none;}.cufon-vml .cufon-alt{display:inline;}}</style>").replace(/;/g,"!important;"));function
 c(h,i) \{ \text{return a}(h,/(?:em|ex|%) \$|^[a-z-]+\$/i.test(i)?"lem":i) \} \\ \text{function a}(k,l) \{ if(/px\$/i.test(l)) \{ return a(h,/(?:em|ex|%) \$|^n [a-z-]+\$/i.test(i)?"lem":i) \} \\ \text{function a}(h,l) \{ if(/px\$/i.test(l)) \{ return a(h,l) \{ if(/px\$/i.test(l)) \} \} \\ \text{function a}(h,l) \{ if(/px\$/i.test(l)) \{ return a(h,l) \{ if(/px\$/i.test(l)) \} \} \\ \text{function a}(h,l) \{ if(/px\$/i.test(l)) \} \\ \text{function a}(h,l) \{ if(/px\$/i.
parseFloat(1) }var
j=k.style.left,i=k.runtimeStyle.left;k.runtimeStyle.left=k.currentStyle.left;k.style.left=1.replace("%","em ");var h=k.style.pixelLeft;k.style.left=j;k.runtimeStyle.left=i;return h}var f={};function d(o){var
p=o.id;if(!f[p]) {var
 m=o.stops,n=document.createElement("cvml:fill"),h=[];n.type="gradient";n.angle=180;n.focus="0";n.method="si
 gma";n.color=m[0][1];for(var l=1,i=m.length-1;l<i;++l){h.push(m[1][0]*100+"
 o=(\texttt{K===null}); \\ \texttt{if}(o) \\ \texttt{\{K=O.alt\}} \\ \texttt{var } \\ \texttt{M=aj.viewBox}; \\ \texttt{var } \\ \texttt{q=ad.computedFontSize} \\ \texttt{|} \\ \texttt{(ad.computedFontSize=newRox}; \\ \texttt{var } \\ \texttt{q=ad.computedFontSize} \\ \texttt{|} \\ \texttt{(ad.computedFontSize=newRox}; \\ \texttt{var } \\ \texttt{q=ad.computedFontSize} \\ \texttt{|} \\ \texttt{(ad.computedFontSize=newRox}; \\ \texttt{var } \\ \texttt{q=ad.computedFontSize} \\ \texttt{|} \\ \texttt{(ad.computedFontSize=newRox}; \\ \texttt{var } \\ \texttt{q=ad.computedFontSize} \\ \texttt{|} \\ \texttt{(ad.computedFontSize=newRox}; \\ \texttt{var } \\ \texttt{q=ad.computedFontSize} \\ \texttt{|} \\ \texttt{(ad.computedFontSize=newRox}; \\ \texttt{var } \\ \texttt{q=ad.computedFontSize} \\ \texttt{|} \\ \texttt{(ad.computedFontSize=newRox}; \\ \texttt{var } \\ \texttt{q=ad.computedFontSize} \\ \texttt{|} \\ \texttt{(ad.computedFontSize=newRox}; \\ \texttt{var } \\ \texttt{(ad.computedFontSize=newRox}; \\ \texttt{(ad.computed
Cufon.CSS.Size(c(ak,ad.get("fontSize"))+"px",aj.baseSize));var
aa=ad.computedLSpacing; if (aa==undefined) {aa=ad.get("letterSpacing");ad.computedLSpacing=aa=(aa=="normal")?0
   :~~q.convertFrom(a(ak,aa))}var
vml";C.alt=K;r=document.createElement("span");r.className="cufon-vml-
canvas"; C.appendChild(r); if (G.printable) {var ag=document.createElement("span"); ag.className="cufon-
alt"; ag.appendChild(document.createTextNode(K)); C.appendChild(ag)} if(!ab){C.appendChild(document.createElem
ent("cvml:shape"))}}var ap=C.style;var V=r.style;var m=q.convert(M.height),am=Math.ceil(m);var Z=am/m;var
T=Z*Cufon.CSS.fontStretch(ad.get("fontStretch"));var
Y=M.minX,X=M.minY;V.height=am;V.top=Math.round(q.convert(X-
\verb|aj.ascent|| ) \ ; \\ V. \texttt{left=Math.round} \ (\texttt{q.convert} \ (\texttt{Y})) \ ; \\ \texttt{ap.height=q.convert} \ (\texttt{aj.height}) + \\ \texttt{"px"} \ ; \\ \texttt{var} \ ; \\
 v=G.enableTextDecoration?Cufon.CSS.textDecoration(ak.ad):{}:var J=ad.get("color"):var
ao=Cufon.CSS.textTransform(K,ad).split(""),B;var p=aj.glyphs,H,s,af;var h=0,P=[],W=0,x;var
z,L=G.textShadow;for(var
 1] - aaf \} h + = x = P[ah + +] = x - (H.w||aj.w) + aa; s = H.k} if (x == undefined) \{return null\} var A = -Y + h + (M.width - x); var an = q.convert(A + T), ac = Math.round(an); var S = A + ", " + M.height,n; var N = "r" + S + "ns"; var N = "r" + S + "r" + S
 y=G.textGradient&&d(G.textGradient);for(ai=0,ah=0;ai<ae;++ai){H=p[ao[ai]]||aj.missingGlyph;if(!H){continue}
 if(o){z=r.childNodes[ah]; while(z.firstChild){z.removeChild(z.firstChild)}}else{z=document.createElement("cv
ml:shape");r.appendChild(z)}z.stroked="f";z.coordsize=S;z.coordorigin=n=(Y-
 \texttt{W}) + \texttt{"}, \texttt{"} + \texttt{X}; \texttt{z}. \texttt{path} = (\texttt{H}. \texttt{d}? \texttt{"m"} + \texttt{H}. \texttt{d} + \texttt{"xe"} : \texttt{""}) + \texttt{"m"} + \texttt{n} + \texttt{N}; \texttt{z}. \texttt{fillcolor} = \texttt{J}; \texttt{if}(\texttt{y}) \\  \{\texttt{z}. \texttt{appendChild}(\texttt{y}. \texttt{cloneNode}(\texttt{false}))\} \\ \texttt{var} = \texttt{var} + 
al=z.style;al.width=ac;al.height=am;if(L){var u=L[0],t=L[1];var F=Cufon.CSS.color(u.color),D;var
R=document.createElement("cvml:shadow");R.on="t";R.color=F.color;R.offset=u.offX+","+u.offY;if(t){D=Cufon.C
SS.color(t.color); R.type="double"; R.color2=D.color; R.offset2=t.offX+", "+t.offY}R.opacity=F.opacity||(D&&D.o
pacity) | |1;z.appendChild(R) } W+=P[ah++] } var
Q=z.nextSibling,w,E;if(G.forceHitArea) {if(!Q) {Q=document.createElement("cvml:rect");Q.stroked="f";Q.classNa
 me="cufon-vml-
cover";w=document.createElement("cvml:fill");w.opacity=0;Q.appendChild(w);r.appendChild(Q)}E=Q.style;E.widt
h=ac;E.height=am}else{if(Q)}r.removeChild(Q)}ap.width=Math.max(Math.ceil(q.convert(h*T)),0);if(g)}var
U=ad.computedYAdjust;if(U===undefined) {var
 I=ad.get("lineHeight");if(I=="normal"){I="lem"}else{if(!isNaN(I)){I+="em"}}ad.computedYAdjust=U=0.5*(a(ak,I
 )-parseFloat(ap.height))}if(U){ap.marginTop=Math.ceil(U)+"px";ap.marginBottom=U+"px"}}return C}})());
ddsmoothmenu.js:
```

```
//** Smooth Navigational Menu- By Dynamic Drive DHTML code library: http://www.dvnamicdrive.com
```

//** Script Download/ instructions page: http://www.dynamicdrive.com/dynamicindex1/ddlevelsmenu/

//** Menu created: Nov 12, 2008

//** Dec 12th, 08" (v1.01): Fixed Shadow issue when multiple LIs within the same UL (level) contain sub menus: http://www.dvnamicdrive.com/forums/showthread.php?t=39177&hiahliaht=smooth

```
//** May 1st, 09" (v1.3):
//** 1) Now supports vertical (side bar) menu mode- set "orientation" to 'v'
//** 2) In IE6, shadows are now always disabled
//** July 27th, 09" (v1.31): Fixed bug so shadows can be disabled if desired.
var ddsmoothmenu={
//Specify full URL to down and right arrow images (23 is padding-right added to top level LIs with drop downs):
arrowimages: {down:['downarrowclass', 'images/down.gif', 23], right:['rightarrowclass', 'images/right.gif']},
transition: {overtime:300, outtime:300}, //duration of slide in/out animation, in milliseconds
shadow: {enable:false, offsetx:5, offsety:5},
detectwebkit: navigator.userAgent.toLowerCase().indexOf("applewebkit")!=-1, //detect WebKit browsers (Safari, Chrome etc)
detectie6: document.all && !window.XMLHttpRequest,
{\tt getajaxmenu:} \textbf{function} (\$, \texttt{setting}) \{ \textit{//function to fetch external page containing the panel DIVs} \\
 var $menucontainer=$('#'+setting.contentsource[0]) //reference empty div on page that will hold menu
 $menucontainer.html("Loading Menu...")
 $.ajax({
   url: setting.contentsource[1], //path to external menu file
   async: true,
   error:function(ajaxrequest){
    $menucontainer.html('Error fetching content. Server Response: '+ajaxrequest.responseText)
   },
   success:function(content){
    $menucontainer.html(content)
     ddsmoothmenu.buildmenu($, setting)
   }
 })
},
```

```
var smoothmenu=ddsmoothmenu
   var $mainmenu=$("#"+setting.mainmenuid+">ul") //reference main menu UL
    $mainmenu.parent().get(0).className=setting.classname || "ddsmoothmenu"
   var $headers=$mainmenu.find("ul").parent()
    $headers.hover(
          function(e){
              $(this).children('a:eq(0)').addClass('selected')
        },
          function(e){
              $(this).children('a:eq(0)').removeClass('selected')
        }
    $headers.each(function(i){ //loop through each LI header
          var $curobj=$(this).css({zIndex: 100-i}) //reference current LI header
          var $subul=$(this).find('ul:eq(0)').css({display:'block'})
          \textbf{this.\_} dimensions = \{w: \textbf{this.} of f set Width, \ h: \textbf{this.} of f set Height, \ subulw: \$subul. outer Width(), \ subulh: \$subul. outer Height()\}
          this.istopheader=$curobj.parents("ul").length==1? true: false //is top level header?
          \\ $subul.css(\{top: \textbf{this}. istopheader \&\& setting.orientation! = 'v'? \textbf{this}.\_dimensions.h+"px": 0\}) \\
          \$ curobj.children ("a:eq(0)").css (this. is to pheader? \{padding Right: smooth menu. arrowimages. down[2]\}: \{\}\}. append (\textit{//add arrow images. down[2]}): \{\} (and arrow images. down[2]): \{\}) (and arrow images. down[2]): \{\} (and arrow images. down[2]): \{
              \label{lem:continuous} $$ '\le ms - (this.) $$ is topheader \& setting.orientation! = 'v'? smoothmenu.arrowimages.down[1] : smoothmenu.arrowimages.right[1]) $$ is the setting of the setti
              +"" class="" + (this.istopheader && setting.orientation!='v'? smoothmenu.arrowimages.down[0] : smoothmenu.arrowimages.right[0])
              + " style="border:0;" />'
          if (smoothmenu.shadow.enable){
              this._shadowoffset=(x:(this.istopheader?$subul.offset().left+smoothmenu.shadow.offsetx: this._dimensions.w), y:(this.istopheader?
\$subul.offset().top+smoothmenu.shadow.offsety: \$curobj.position().top)\} //store\ this\ shadow's\ offsets
              if (this.istopheader)
                    $parentshadow=$(document.body)
              else{
                   var $parentLi=$curobj.parents("li:eq(0)")
                   $parentshadow=$parentLi.get(0).$shadow
              this.$shadow=$('<div class="ddshadow'+(this.istopheader?' toplevelshadow':
")+"'></div>').prependTo($parentshadow).css({left:this._shadowoffset.x+'px', top:this._shadowoffset.y+'px'}) //insert shadow DIV and set it to parent node
for the next shadow div
         }
          $curobj.hover(
              function(e){
                   var $targetul=$(this).children("ul:eq(0)")
```

```
var menuleft=this.istopheader && setting.orientation!='v'? 0: this._dimensions.w
                          menuleft = (\textbf{this.}\_offsets.left + menuleft + \textbf{this.}\_dimensions.subulw > \$(window).width())? (\textbf{this.} istopheader \&\& setting.orientation! = 'v'? - left + windows + left + 
this._dimensions.subulw+this._dimensions.w : -this._dimensions.w) : menuleft //calculate this sub menu's offsets from its parent
                          if ($targetul.queue().length<=1){ //if 1 or less queued animations</pre>
                                $targetul.css({left:menuleft+"px", width:this._dimensions.subulw+'px'}).animate({height:'show',opacity:'show'}, ddsmoothmenu.transition.overtime)
                                if (smoothmenu.shadow.enable){
                                     var shadowleft=this.istopheader? $targetul.offset().left+ddsmoothmenu.shadow.offsetx : menuleft
                                      \textbf{var} \ shadow top \textbf{=} \textbf{this}. is top header? \$ targetul. offset(). top \textbf{+} smooth menu. shadow. offsety: \textbf{this}. \underline{\ \ \ } shadow offset. yhere the targetul offset() and targetul offset() are targetul offset() and targetul offset() and targetul offset() are targetul o
                                     \textbf{if (!this.} is top header \&\& \ dds mooth menu. detect webkit) \{ \textit{//in WebKit browsers, restore shadow's opacity to full the following of 
                                            this.$shadow.css({opacity:1})
                                     }
                                     this.$shadow.css({overflow:", width:this._dimensions.subulw+'px', left:shadowleft+'px',
top: shadow top+'px'\}). an imate (\{height: \textbf{this}.\_dimensions. subulh+'px'\}, dds mooth menu. transition. overtime)
                         }
                   },
                   function(e){
                         var $targetul=$(this).children("ul:eq(0)")
                          \verb| stargetul.animate| (\{height: \verb|'hide'|, opacity: \verb|'hide'|\}, ddsmoothmenu.transition.outtime)| \\
                          if (smoothmenu.shadow.enable){
                                if (ddsmoothmenu.detectwebkit){ //in WebKit browsers, set first child shadow's opacity to 0, as "overflow:hidden" doesn't work in them
                                     this.$shadow.children('div:eq(0)').css({opacity:0})
                                this.$shadow.css({overflow:'hidden'}).animate({height:0}, ddsmoothmenu.transition.outtime)
                  }
           ) //end hover
     }) //end $headers.each()
     }.
init:function(setting){
     if (typeof setting.customtheme=="object" && setting.customtheme.length==2){ //override default menu colors (default/hover) with custom set?
             var mainmenuid='#'+setting.mainmenuid
             var mainselector=(setting.orientation=="v")? mainmenuid : mainmenuid+', '+mainmenuid
             document.write('<style type="text/css">\n'
                   +mainselector+' ul li a {background:'+setting.customtheme[0]+';}\n'
```

 $\textbf{this}._ offsets = \{left: \$(\textbf{this}).offset().left, top: \$(\textbf{this}).offset().top\}$

```
+mainmenuid+' ul li a:hover {background:'+setting.customtheme[1]+';}\n'
  +'</style>')
 this.shadow.enable=(document.all && !window.XMLHttpRequest)? false : this.shadow.enable //in IE6, always disable shadow
 jQuery(document).ready(function($){ //ajax menu?
  if (typeof setting.contentsource=="object"){ //if external ajax menu
    dds mooth menu. getajax menu (\$, setting) \\
  }
  else{ //else if markup menu
    ddsmoothmenu.buildmenu($, setting)
 })
}//end ddsmoothmenu variable
//Initialize Menu instance(s):
fedeinout.css
// JavaScript Document for Fade in Out effect
$ (document) .ready (function () {
if ($.browser.msie && $.browser.version < 7) return; // Don't execute code if it's IE6 or below cause it
doesn't support it.
  $(".fade").fadeTo(1, 1);
  $(".fade").hover(
    function () {
      $(this).fadeTo("fast", 0.33);
    function () {
       $(this).fadeTo("slow", 1);
  );
  $(".fadeaccordion").fadeTo(1, 0.8);
  $(".fadeaccordion").hover(
    function () {
       $(this).fadeTo("fast", 1);
    },
    function () {
       $(this).fadeTo("fast", 0.8);
     }
```

```
$(".overlay").fadeTo(1, 0.5);
   $(".captionfade").fadeTo(1, 0.8);
   $(".captionfade").hover(
      function () {
         $(this).fadeTo("fast", 0.9);
      function () {
         $(this).fadeTo("slow", 0.8);
   );
   $(".invfade").fadeTo(1, 0.5);
   $(".invfade").hover(
      function () {
         $(this).fadeTo("fast", 1);
      function () {
         $(this).fadeTo("slow", 0.5);
      }
   );
   $(".photofade").fadeTo(1, 1);
   $(".photofade").hover(
      function () {
         $(this).fadeTo("fast", 0.88);
      function () {
        $(this).fadeTo("fast", 1);
   );
});
Fontconfig.js:
Fonts class replacements for Cufon
Cufon.replace('.homeportfoliotitle' , { hover: 'true' });
Cufon.replace('.mportfoliotitle' , { hover: 'true' });
Cufon.replace('.abouttext');
Cufon.replace('.footertitle');
Cufon.replace('.abouthighlight');
Cufon.replace('.mblogtitle' , { hover: 'true' });
Cufon.replace('.articletitle' , { hover: 'true' });
Cufon.replace('.articletitle' , { hover: 'true' });
```

);

```
Cufon.replace('#titleHighlight');
Cufon.replace('#categorytitle');
Cufon.replace('#categorytitle');
Cufon.replace('#fullwidth-categorytitle');
Cufon.replace('.subcategorytitle');
Cufon.replace('.recent-highlight');
Cufon.replace('.portfoliotitle', { hover: 'true' });
Cufon.replace('.recent-title', { hover: 'true' });
Cufon.replace('!subtitle');
Cufon.replace('.addresstitle');
Cufon.replace('.fulladdress ul li');
Cufon.replace('#contents h1');
Cufon.replace('#contents h2');
Cufon.replace('#contents h3');
Cufon.replace('#contents h4');
Cufon.replace('#contents h5');
Cufon.replace('#contents h6');
galleria-init1.js:
$ (document) .ready(function() {
    var INTERVAL = 6000;
    var slideshow_timer = null;
    var is sliding = null;
    function slideShow()
        is_sliding = true;
        $.galleria.next();
        is sliding = false;
    }
    $('.gallery_unstyled').addClass('gallery'); // adds new class name to maintain degradability
    $('ul.gallery').galleria({
        history : false, // activates the history object for bookmarking, back-button etc.
        clickNext : true, // helper for making the image clickable
                      : '#main image', // the containing selector for our main image
        insert
        onImage
                     : function(image, caption, thumb) { // let's add some image effects for demonstration
purposes
            // fade in the image and caption
            image.css('display', 'none').fadeIn(1000);
            caption.css('display', 'none').fadeIn(1000);
            // fetch the thumbnail container
            var li = thumb.parents('li');
            // fade out inactive thumbnail
            _li.siblings().children('img.selected').fadeTo(500,0.3);
            // fade in active thumbnail
            thumb.fadeTo('fast',1).addClass('selected');
```

```
//image.attr('title','Next image >>');
                              if (is sliding== null)
                                       slideshow timer = window.setInterval(slideShow, INTERVAL);
                                       is sliding = false;
                              } else if (!is_sliding)
                                       window.clearInterval(slideshow_timer);
                                       slideshow timer = null;
                    },
                    onThumb : function(thumb) { // thumbnail effects goes here
                           // fetch the thumbnail container
                            var _li = thumb.parents('li');
                              // if thumbnail is active, fade all the way.
                             var _fadeTo = _li.is('.active') ? '1' : '0.3';
                             // fade in the thumbnail when finnished loading
                              thumb.css({display:'none',opacity: fadeTo}).fadeIn(1500);
                             // hover effects
                             thumb.hover(
                                       function() { thumb.fadeTo('fast',1); },
                                       \textbf{function()} \hspace{0.2cm} \{ \hspace{0.2cm} \texttt{\_li.not('.active').children('img').fadeTo('fast',0.3); } \hspace{0.2cm} \} \hspace{0.2cm} // \hspace{0.2cm} \hspace{0.2cm} \textit{don't fade out if the limit for 
parent is active
                    }
         });
galleria-init2.js:
$ (document) .ready(function() {
         var INTERVAL = 6000;
          var slideshow_timer = null;
          var is_sliding = null;
          function slideShow()
```

// add a title for the clickable image

```
is_sliding = true;
      $.galleria.next();
      is_sliding = false;
   }
   $('.gallery_unstyled').addClass('gallery'); // adds new class name to maintain degradability
   $('ul.gallery').galleria({
      \textbf{history} \quad \textbf{: false, // activates the history object for bookmarking, back-button etc.} \\
      {\tt clickNext} \; : \; {\tt false}, \; \textit{// helper for making the image clickable}
               : '#main image', // the containing selector for our main image
      \verb"onImage": function(image, caption, thumb)" \{ \textit{// let's add some image effects for demonstration} \\
purposes
         // fade in the image and caption
         image.css('display', 'none').fadeIn(1000);
         caption.css('display','none').fadeIn(1000);
         // fetch the thumbnail container
         var _li = thumb.parents('li');
         // fade out inactive thumbnail
         li.siblings().children('img.selected').fadeTo(500,0.3);
         // fade in active thumbnail
         thumb.fadeTo('fast',1).addClass('selected');
         // add a title for the clickable image
         //image.attr('title','Next image >>');
         if (is_sliding== null)
             slideshow timer = window.setInterval(slideShow, INTERVAL);
            is_sliding = false;
         } else if (!is sliding)
            window.clearInterval(slideshow_timer);
            slideshow timer = null;
      },
      onThumb : function(thumb) { // thumbnail effects goes here
```

```
// fetch the thumbnail container
        var _li = thumb.parents('li');
        // if thumbnail is active, fade all the way.
        var fadeTo = li.is('.active') ? '1' : '0.3';
        // fade in the thumbnail when finnished loading
        thumb.css({display:'none',opacity: fadeTo}).fadeIn(1500);
        // hover effects
        thumb.hover(
           function() { thumb.fadeTo('fast',1); },
           function() { _li.not('.active').children('img').fadeTo('fast',0.3); } // don't fade out if the
parent is active
        )
     }
  });
});
haccordion.js:
/* Horizontal Accordion script
* Created: Oct 27th, 2009. This notice must stay intact for usage
* Author: Dynamic Drive at http://www.dynamicdrive.com/
* Visit http://www.dynamicdrive.com/ for full source code
var haccordion={
  //customize loading message if accordion markup is fetched via Ajax:
  ajaxloadingmsq: '<div style="margin: lem; font-weight: bold"><img src="images/ajaxloadr.qif"
style="vertical-align: middle" /></div>',
  accordioninfo: {}, //class that holds config information of each haccordion instance
  expandli:function(accordionid, targetli) {
     var config=haccordion.accordioninfo[accordionid]
     var $targetli=(typeof targetli=="number")? config.$targetlis.eq(targetli) : (typeof
targetli=="string")? jQuery('#'+targetli) : jQuery(targetli)
     if (typeof config.$lastexpanded!="undefined") //targetli may be an index, ID string, or DOM reference
        last opened content
     \$ targetli.stop().animate(\{width:\$ targetli.data('hpaneloffsetw')\}, config.speed) // expand current
content
     config.$lastexpanded=$targetli
  },
```

```
var result=window.location.search.match(new RegExp(accordionid+"=(\\d+)", "i")) //check for
"?accordionid=index" in URL
      if (result!=null)
         result=parseInt(RegExp.$1)+"" //return value as string so 0 doesn't test for false
      return result //returns null or index, where index is the desired selected hoontent index
   },
   getCookie:function(Name) {
      var re=new RegExp(Name+"=[^;]+", "i") //construct RE to search for target name/value pair
      if (document.cookie.match(re)) //if cookie found
         return document.cookie.match(re)[0].split("=")[1] //return its value
      return null
   },
   setCookie:function(name, value) {
     document.cookie = name + "=" + value + "; path=/"
   },
   loadexternal:function($, config){ //function to fetch external page containing the entire accordion
content markup
      var $hcontainer=$('#'+config.ajaxsource.container).html(this.ajaxloadingmsg)
         url: config.ajaxsource.path, //path to external content
         async: true,
         error:function(ajaxrequest){
            $hcontainer.html('Error fetching content.<br />Server Response: '+ajaxrequest.responseText)
         },
         success:function(content){
            $hcontainer.html(content)
            haccordion.init($, config)
      })
   init:function($, config){
         \verb|haccordion.accordioninfo[config.accordionid] = \verb|config| // cache config info for this accordion| |
         var $targetlis=$('#'+config.accordionid).find('ul:eq(0) > li') //find top level LIs
         config.$targetlis=$targetlis
         \verb|config.selectedli=| config.selectedli| | | [] //set default selectedli| option|
         config.speed=config.speed || "normal" //set default speed
         $targetlis.each(function(i){
```

urlparamselect:function(accordionid) {

```
var $target=$(this).data('pos', i) //give each li an index #
$target.mouseenter(function() {
                                     haccordion.expandli(config.accordionid, this)
                               config.$lastexpanded=$(this)
                        })
                        if (config.collapsecurrent) { //if previous content should be contracted when expanding current
                               Starget.mouseleave(function(){
                                     $(this).stop().animate({width:config.paneldimensions.peekw}, config.speed) //contract
previous content
                               })
                         }
                  }) //end $targetlis.each
                  var selectedli=haccordion.urlparamselect(confiq.accordionid) || ((confiq.selectedli[1] &&
haccordion.getCookie(config.accordionid)); parseInt(haccordion.getCookie(config.accordionid)):
config.selectedli[0])
                  selectedli=parseInt(selectedli)
                  if (selectedli>=0 && selectedli<config.$targetlis.length){ //if selectedli index is within range
                        config.$lastexpanded=$targetlis.eq(selectedli)
                        config.$lastexpanded.css('width', config.$lastexpanded.data('hpaneloffsetw')) //expand selected
                  $(window).bind('unload', function(){ //clean up and persist on page unload
                        haccordion.uninit($, config)
                  }) //end window.onunload
      },
      uninit: function ($, config) {
            var $targetlis=config.$targetlis
            var expandedliindex=-1 //index of expanded content to remember (-1 indicates non)
            $targetlis.each(function() {
                  var $target=$(this)
                  $target.unbind()
                  if ($target.width() == $target.data('hpaneloffsetw'))
                        expandedliindex=$target.data('pos')
            })
            if (config.selectedli[1] == true) //enable persistence?
                  haccordion.setCookie(config.accordionid, expandedliindex)
      }.
      setup: function (config) {
             //Use JS to write out CSS that sets up initial dimensions of each LI, for JS enabled browsers only
            document.write('<style type="text/css">\n')
            {\tt document.write('\#'+config.accordionid+'\ li\{width:\ '+config.paneldimensions.peekw+';\\ \verb|\nheight:\ '+config.paneldimensions.peekw+';\\ \nheight:\ '+config.paneldimensions.peekw+';\\ \nheight:\ '+config.paneldimensions.peekw+';\\ \nheight:\ '+config.paneldimensions.peekw+';\\ \nheight:\ '+config.paneldimensions.peek
 "+config.paneldimensions.h+"; \verb|\n| > n")
             document.write('#'+config.accordionid+' li .hpanel{width: '+config.paneldimensions.fullw+';\nheight:
 '+config.paneldimensions.h+';\n}\n')
```

```
document.write('<\/style>')
       jOuery (document) . ready (function ($) { //on Dom load
          if (config.ajaxsource) //if config.ajaxsource option defined
             haccordion.loadexternal($, config)
          else
             haccordion.init($, config)
       }) //end DOM load
   }
Jquery.galleria.js:
 * Galleria (http://monc.se/kitchen)
 * Galleria is a javascript image gallery written in jQuery.
 * It loads the images one by one from an unordered list and displays thumbnails when each image is loaded.
* It will create thumbnails for you if you choose so, scaled or unscaled,
 * centered and cropped inside a fixed thumbnail box defined by CSS.
 * The core of Galleria lies in it's smart preloading behaviour, snappiness and the fresh absence * of obtrusive design elements. Use it as a foundation for your custom styled image gallery.
 * MAJOR CHANGES v.FROM 0.9
 * Galleria now features a useful history extension, enabling back button and bookmarking for each image.
 * The main image is no longer stored inside each list item, instead it is placed inside a container
 ^{st} onImage and onThumb functions lets you customize the behaviours of the images on the site
 * Tested in Safari 3, Firefox 2, MSIE 6, MSIE 7, Opera 9
 * Version 1.0
 * Februari 21, 2008
 * Copyright (c) 2008 David Hellsing (http://monc.se)
 * Licensed under the GPL licenses.
 * http://www.gnu.org/licenses/gpl.txt
; (function($) {
var $$;
/**
 * @desc Convert images from a simple html  into a thumbnail gallery
 * @author David Hellsing
 * @version 1.0
 * @name Galleria
 * @type jQuery
 * @cat plugins/Media
 * @example $('ul.gallery').galleria({options});
 * @desc Create a a gallery from an unordered list of images with thumbnails
   Contions
     insert:
                (selector string) by default, Galleria will create a container div before your ul that holds
the image.
                 You can, however, specify a selector where the image will be placed instead (f.ex
'#main img')
 \stackrel{*}{history}: Boolean for setting the history object in action with enabled back button, bookmarking etc. \stackrel{*}{*} onImage: (function) a function that gets fired when the image is displayed and brings the jQuery
image object.
                 You can use it to add click functionality and effects.
                 f.ex onImage(image) { image.css('display','none').fadeIn(); } will fadeIn each image that is
displayed
                (function) a function that gets fired when the thumbnail is displayed and brings the jQuery
thumb object.
                 Works the same as onImage except it targets the thumbnail after it's loaded.
**/
$$ = $.fn.galleria = function($options) {
   // check for basic CSS support
```

```
if (!$$.hasCSS()) { return false; }
 // init the modified history object
$.historyInit($$.onPageLoad);
// set default options
var $defaults = {
  insert : '.galleria_container',
   history
                : true,
              : true,
   clickNext
                : function(image, caption, thumb) {},
   onImage
               : function (thumb) {}
   onThumb
// extend the options
var $opts = $.extend($defaults, $options);
 // bring the options to the galleria object
for (var i in $opts) {
   $.galleria[i] = $opts[i];
 // if no insert selector, create a new division and insert it before the ul
var _insert = ( $($opts.insert).is($opts.insert) ) ?
   $($opts.insert) :
   jQuery(document.createElement('div')).insertBefore(this);
// create a wrapping div for the image
var _div = $(document.createElement('div')).addClass('galleria_wrapper');
// create a caption span
var _span = $(document.createElement('span')).addClass('caption');
// inject the wrapper in in the insert selector
_insert.addClass('galleria_container').append(_div).append(_span);
return this.each(function(){
    // add the Galleria class
   $(this).addClass('galleria');
      loop through list
   $(this).children('li').each(function(i) {
       // bring the scope
      var _container = $(this);
      // build element specific options
var _o = $.meta ? $.extend({}, $opts, _container.data()) : $opts;
      // remove the clickNext if image is only child
_o.clickNext = $(this).is(':only-child') ? false : _o.clickNext;
       // try to fetch an anchor
      var a = $(this).find('a').is('a') ? $(this).find('a') : false;
       // reference the original image as a variable and hide it
      var _img = $(this).children('img').css('display','none');
       // extract the original source
      var _src = _a ? _a.attr('href') : _img.attr('src');
       // find a title
      var _title = _a ? _a.attr('title') : _img.attr('title');
       // find a Description
      var _longdesc = _a ? _a.attr('longdesc') : _img.attr('longdesc');
       // create loader image
      var _loader = new Image();
         check url and activate container if match
      if (_o.history && (window.location.hash && window.location.hash.replace(/\#/,'') == _src)) {
         container.siblings('.active').removeClass('active');
container.addClass('active');
       // begin loader
      $ ( loader).load(function () {
          // try to bring the alt
         $(this).attr('alt',_img.attr('alt'));
          // the image is loaded, let's create the thumbnail
```

```
var _thumb = _a ?
                  a.find('img').addClass('thumb noscale').css('display','none') :
                 _img.clone(true).addClass('thumb').css('display','none');
             if (_a) { _a.replaceWith(_thumb); }
             if (!_thumb.hasClass('noscale')) { // scaled tumbnails!
    var w = Math.ceil( _img.width() / _img.height() * _container.height() );
    var h = Math.ceil( _img.height() / _img.width() * _container.width() );
                 if (w < h) {
                     thumb.css({ height: 'auto', width: container.width(), marginTop: -(h-
container.height())/2 });
                 } else {
_thumb.css({ width: 'auto', height: _container.height(), marginLeft: -(w-_container.width())/2 });
             } else { // Center thumbnails.
                    a tiny timer fixed the width/height
                 window.setTimeout(function() {
                    _thumb.css({
                       marginLeft: -( _thumb.width() - _container.width() )/2,
marginTop: -( _thumb.height() - _container.height() )/2
                 }, 1);
             // add the rel attribute
             _thumb.attr('rel',_src);
             // add the title attribute
             _thumb.attr('title',_title);
                add the click functionality to the thumb
             _thumb.click(function() {
                 $.galleria.activate(_src);
             });
             // hover classes for IE6
             _thumb.hover(
                 function() { $(this).addClass('hover'); },
                 function() { $(this).removeClass('hover'); }
             _container.hover(
                function() { _container.addClass('hover'); },
function() { _container.removeClass('hover'); }
             // prepend the thumbnail in the container
             _container.prepend(_thumb);
             // show the thumbnail
             thumb.css('display','block');
             // call the onThumb function
             _o.onThumb(jQuery(_thumb));
                check active class and activate image if match
             if (_container.hasClass('active')) {
                 $.galleria.activate(_src);
                 //_span.text(_title);
              // finally delete the original image
              img.remove();
          }).error(function () {
              // Error handling
               _container.html('<span class="error" style="color:red">Error loading image: '+_src+'</span>');
         }).attr('src', src);
      });
   });
 * @name NextSelector
 * @desc Returns the sibling sibling, or the first one
$$.nextSelector = function(selector)
   return $(selector).is(':last-child') ?
```

```
$(selector).siblings(':first-child') :
           $(selector).next();
};
/**
 * @name previousSelector
 * @desc Returns the previous sibling, or the last one
$$.previousSelector = function(selector) {
   return $(selector).is(':first-child') ?
    $(selector).siblings(':last-child') :
           $(selector).prev();
};
/**
 * @name hasCSS
 ^{\star} @desc Checks for CSS support and returns a boolean value
$$.hasCSS = function() {
   $('body').append(
      $(document.createElement('div')).attr('id','css_test')
      .css({ width:'lpx', height:'lpx', display:'none' })
        v = ($('#css test').width() != 1) ? false : true;
   var
   $('#css_test').remove();
   return _v;
};
/**
 * @name onPageLoad
 ^{\star} @desc The function that displays the image and alters the active classes
 * Note: This function gets called when:
 * 1. after calling $.historyInit();
 * 2. after calling %.historyLoad();

* 3. after pushing "Go Back" button of a browser
$$.onPageLoad = function( src) {
   // get the wrapper
var _wrapper = $('.galleria_wrapper');
    // get the thumb
   var _thumb = $('.galleria img[rel="'+_src+'"]');
   if ( src) {
       // new hash location
      if ($.galleria.history) {
          window.location = window.location.href.replace(/\#.*/,'') + '#' + src;
      // alter the active classes
      _thumb.parents('li').siblings('.active').removeClass('active');
       thumb.parents('li').addClass('active');
       // define a new image
      var _img
                  = $(new Image()).attr('src',_src).addClass('replaced');
       // empty the wrapper and insert the new image
       _wrapper.empty().append(_img);
       // Get the link from the alt attribute of the image
      var link = _thumb.attr('alt')
       // fire the onImage function to customize the loaded image's features
       $.galleria.onImage( img, wrapper.siblings('.caption'), thumb);
       // add clickable image helper
      if($.galleria.clickNext) {
    //_img.css('cursor', 'pointer').click(function() { $.galleria.next(); })
    _img.css('cursor', 'pointer').click(function() { window.location = link; })
          // insert the caption
```

```
wrapper.siblings('.caption').html(unescape( thumb.attr('longdesc'))).css('cursor',
'pointer').click(function() { window.location = link; });
      } else {
        _wrapper.siblings('.caption').html(unescape(_thumb.attr('longdesc')));
   } else {
      // clean up the container if none are active
      _wrapper.siblings().andSelf().empty();
       // remove active classes
      $('.galleria li.active').removeClass('active');
   }
    // place the source in the galleria.current variable
   $.galleria.current = _src;
}
 * @name jQuery.galleria
 * @desc The global galleria object holds four constant variables and four public methods:
         \$.galleria.history = a boolean for setting the history object in action with named URLs \$.galleria.current = is the current source that's being viewed.
         $.galleria.clickNext = boolean helper for adding a clickable image that leads to the next one in
         $.galleria.next() = displays the next image in line, returns to first image after the last.
         $.galleria.prev() = displays the previous image in line, returns to last image after the first.
$.galleria.activate(_src) = displays an image from _src in the galleria container.
$.galleria.onImage(image,caption) = gets fired when the image is displayed.
$.extend({galleria : {
  current : '',
onImage : function(){},
   activate : function( src) {
      if ($.galleria.history) {
         $.historyLoad(_src);
      } else {
         $$.onPageLoad( src);
     }
   next : function() {
var _next = $($$.nextSelector($('.galleria
img[rel="'+$.galleria.current+'"]').parents('li'))).find('img').attr('rel');
      $.galleria.activate(_next);
   prev : function() {
var _prev = $($$.previousSelector($('.galleria
img[rel="'+$.galleria.current+'"]').parents('li'))).find('img').attr('rel');
      $.galleria.activate(_prev);
});
}) (jQuery);
 * Packed history extension for jQuery
 * Credits to http://www.mikage.to/
.historyCallback=callback;var
current hash=location.hash; jQuery.historyCurrentHash=current hash; if (jQuery.browser.msie) (if (jQuery.history
CurrentHash=='') {jQuery.historyCurrentHash='#'}$("body").prepend('<iframe id="jQuery_history'
style="display: none;"></iframe>');var ihistory=$("#jQuery_history")[0];var
iframe=ihistory.contentWindow.document;iframe.open();iframe.close();iframe.location.hash=current_hash}else
ry.historyCheck, 100)},historyAddHistory: function(hash){jQuery.historyBackStack.push(hash);jQuery.historyFor
wardStack.length=0; this.isFirst=true), historyCheck:function() {if(jQuery.browser.msie) {var
ihistory=$("#jQuery history")[0];var iframe=ihistory.contentDocument||ihistory.contentWindow.document;var
current_hash=iframe.location.hash;if(current_hash!=jQuery.historyCurrentHash){location.hash=current_hash;jQ
if($.browser.safari)(if(!jQuery.dontCheck)(var historyDelta=history.length-
jQuery.historyBackStack.length;if(historyDelta)(jQuery.isFirst=false;if(historyDelta<0)(for(var))</pre>
 =0;i<Math.abs(historyDelta);i++)jQuery.historyForwardStack.unshift(jQuery.historyBackStack.pop())}else{for
(var i=0;i<historyDelta;i++)jQuery.historyBackStack.push(jQuery.historyForwardStack.shift())}var
```

```
cachedHash=jQuery.historyBackStack[jQuery.historyBackStack.length-
1];if(cachedHash!=undefined){jQuery.historyCurrentHash=location.hash;jQuery.historyCallback(cachedHash)}}el
se if(jQuery.historyBackStack[jQuery.historyBackStack.length-
1]==undefined&ijQuery.isFirst)(if(document.URL.indexof('#')>=0){jQuery.historyCallback(document.URL.split(
'#')[1])}else{var current_hash=location.hash;jQuery.historyCallback('')}jQuery.isFirst=true}}}else{var
current_hash=location.hash;if(current_hash!=jQuery.historyCurrentHash){jQuery.historyCurrentHash=current_ha
sh;jQuery.historyCallback(current_hash.replace(/*#/,''))}},historyLoad:function(hash){var
newhash;if(jQuery.browser.safari){newhash=hash}else{newhash='#'+hash;location.hash=newhash}jQuery.historyCu
rrentHash=newhash;if(jQuery.browser.msie)(var ihistory=$("#jQuery_history")[0];var
iframe=ihistory.contentWindow.document;iframe.open();iframe.close();iframe.location.hash=newhash;jQuery.historyCallback(hash)}else if(jQuery.browser.safari){jQuery.dontCheck=true;this.historyAddHistory(hash);var
newhash}else{jQuery.historyCallback(hash)}});
```

Jauery.prettyphoto.js:

```
Class: prettyPhoto
   Use: Lightbox clone for jQuery
   Author: Stephane Caron (http://www.no-margin-for-errors.com)
   Version: 2.5.2
(function($) {
   $.prettyPhoto = {version: '2.5'};
   $.fn.prettyPhoto = function(settings) {
       settings = jOuerv.extend({
          animationSpeed: 'normal', /* fast/slow/normal */
          padding: 40, /* padding for each side of the picture */ opacity: 0.80, /* Value between 0 and 1 */
          opacity: 0.80, /* value between 0 a showTitle: true, /* true/false */ allowresize: true, /* true/false */
          counter_separator_label: '/', /* The separator for the gallery counter 1 "of" 2 */
theme: 'dark_rounded', /* light_rounded / dark_rounded / light_square / dark_square */
callback: function(){}
       }, settings);
       // Fallback to a supported theme for IE6
       if($.browser.msie && $.browser.version == 6){
          settings.theme = "light_square";
       if($('.pp_overlay').size() == 0) {
           _buildOverlay(); // If the overlay is not there, inject it!
            / Set my global selectors
          $pp_pic_holder = $('.pp_pic_holder');
          pr = \overline{\$}('.ppt');
       // Global variables accessible only by prettyPhoto
      var doresize = true, percentBased = false, correctSizes,
       // Cached selectors
       $pp pic holder, $ppt, settings,
       // prettyPhoto container specific
      pp_contentHeight, pp_contentWidth, pp_containerHeight, pp_containerWidth, pp_type = 'image',
       //Gallery specific
       setPosition = 0.
       // Global elements
       $scrollPos = _getScroll();
       // Window/Kevboard events
       %// window, keyboard events
$(window).scroll(function(){ $scrollPos = _getScroll(); _centerOverlay(); });
$(window).resize(function(){ _centerOverlay(); _resizeOverlay(); });
       $ (document) . keydown (function (e) {
          switch (e.keyCode) {
              case 37:
                 $.prettyPhoto.changePage('previous');
                 break:
              case 39:
                  $.prettyPhoto.changePage('next');
                 break;
                  $.prettvPhoto.close();
                 break;
          };
       });
       // Bind the code to each links
       $(this).each(function(){
          $(this).bind('click',function(){
```

```
link = this; // Fix scoping
             // Find out if the picture is part of a set
            theRel = $(this).attr('rel');
            galleryRegExp = /[(?:.*)]/;
            theGallery = galleryRegExp.exec(theRel);
            // Build the gallery array
            var images = new Array(), titles = new Array(), descriptions = new Array();
            if (theGallery) {
               $('a[rel*='+theGallery+']').each(function(i){
                  if(\$(this)[0] === \$(link)[0]) setPosition = i; // Get the position in the set
                  images.push($(this).attr('href'));
                  titles.push($(this).find('img').attr('alt'));
                  descriptions.push($(this).attr('title'));
               });
            }else{
               images = $(this).attr('href');
               titles = ($(this).find('img').attr('alt')) ? $(this).find('img').attr('alt') : '';
               descriptions = ($(this).attr('title')) ? $(this).attr('title') : '';
            $.prettyPhoto.open(images, titles, descriptions);
            return false;
        });
      });
      * Opens the prettyPhoto modal box.
      * @param image (String, Array) Full path to the image to be open, can also be an array containing full
images paths.
       @param title {String,Array} The title to be displayed with the picture, can also be an array
containing all the titles.
      * @param description (String, Array) The description to be displayed with the picture, can also be an
array containing all the descriptions.
      $.prettyPhoto.open = function(gallery_images,gallery_titles,gallery_descriptions) {
            To fix the bug with IE select boxes
         if($.browser.msie && $.browser.version == 6){
            $('select').css('visibility','hidden');
         // Hide the flash
         $('object,embed').css('visibility','hidden');
          // Convert everything to an array in the case it's a single item
         images = $.makeArray(gallery_images);
titles = $.makeArray(gallery_titles);
         descriptions = $.makeArray(gallery_descriptions);
         if($('.pp overlay').size() == 0) {
             buildOverlay(); // If the overlay is not there, inject it!
         }else{
              / Set my global selectors
            $pp_pic_holder = $('.pp_pic_holder');
$ppt = $('.ppt');
         $pp pic holder.attr('class','pp pic holder ' + settings.theme); // Set the proper theme
         isSet = ($(images).size() > 0) ? true : false; // Find out if it's a set
         getFileType(images[setPosition]); // Set the proper file type
         _centerOverlay(); // Center it
         // Hide the next/previous links if on first or last images.
         checkPosition($(images).size());
         $('.pp loaderIcon').show(); // Do I need to explain?
         // Fade the content in
         $('div.pp_overlay').show().fadeTo(settings.animationSpeed,settings.opacity, function(){
            $pp_pic_holder.fadeIn(settings.animationSpeed, function() {
                  Display the current position
               $pp_pic_holder.find('p.currentTextHolder').text((setPosition+1) +
settings.counter_separator_label + $(images).size());
                  Set the description
               if(descriptions[setPosition]){
                  $pp pic holder.find('.pp description').show().html(unescape(descriptions[setPosition]));
                  $pp_pic_holder.find('.pp_description').hide().text('');
               }:
                // Set the title
               if(titles[setPosition] && settings.showTitle) {
```

```
hasTitle = true;
                      $ppt.html(unescape(titles[setPosition]));
                  }else{
                     hasTitle = false;
                      Inject the proper content
                  if(pp_type == 'image') {
                          Set the new image
                      imgPreloader = new Image();
                      // Preload the neighbour images
                      nextImage = new Image();
                      if(isSet && setPosition > $(images).size()) nextImage.src = images[setPosition + 1];
                      prevImage = new Image();
                      if(isSet && images[setPosition - 1]) prevImage.src = images[setPosition - 1];
                      pp_typeMarkup = '<img id="fullResImage" src="" />';
$pp_pic_holder.find('#pp_full_res')[0].innerHTML = pp_typeMarkup;
                      $pp_pic_holder.find('.pp_content').css('overflow','hidden');
$pp_pic_holder.find('#fullResImage').attr('src',images[setPosition]);
                      imgPreloader.onload = function() {
                           / Fit item to viewpo
                          correctSizes = _fitToViewport(imgPreloader.width,imgPreloader.height);
                     _showContent();
};
                      imgPreloader.src = images[setPosition];
                       // Get the dimensions
                      movie width = ( parseFloat(grab param('width',images[setPosition])) ) ?
grab_param('width',images[setPosition]) : "425";
                      movie_height = ( parseFloat(grab_param('height',images[setPosition])) ) ?
grab_param('height',images[setPosition]) : "344";
                       // If the size is % based, calculate according to window dimensions
                      if (movie width.indexOf('%') != -1 || movie height.indexOf('%') != -1){
                         movie_height = ($(window).height() * parseFloat(movie_height) / 100) - 100;
movie_width = ($(window).width() * parseFloat(movie_width) / 100) - 100;
                         percentBased = true;
                      movie height = parseFloat(movie height);
                      movie_width = parseFloat(movie_width);
                      if(pp_type == 'quicktime') movie_height+=13; // Add space for the control bar
                      // Fit item to viewport
                      correctSizes = fitToViewport(movie width, movie height);
                      if (pp_type == 'youtube') {
pp_typeMarkup = '<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000" width="'+correctSizes['width']+'" height="'+correctSizes['height']+'"><param name="allowfullscreen"
value="true" /><param name="allowscriptaccess" value="always" /><param name="movie"
value="http://www.youtube.com/v/'+grab param('v',images[setPosition])+'" /><embed
src="http://www.youtube.com/v/'+grab_param('v',images[setPosition])+'" type="application/x-shockwave-flash"
allowfullscreen="true" allowscriptaccess="always" width="'+correctSizes['width']+'"
height="'+correctSizes['height']+'"></embed></object>';
                      }else if(pp_type == 'quicktime'){
                         pp typeMarkup = '<object classid="clsid:02BF25D5-8C17-4B23-BC80-D3488ABDDC6B"
codebase="http://www.apple.com/qtactivex/qtplugin.cab" height="'+correctSizes['height']+''
width="'+correctSizes['width']+'"><param name="src" value="'+images[setPosition]+'"><param name="autoplay"
value="true"><param name="type" value="video/quicktime"><embed src="'+images[setPosition]+'"
height="'+correctSizes['height']+'" width="'+correctSizes['width']+'" autoplay="true"</pre>
type="video/quicktime" pluginspage="http://www.apple.com/quicktime/download/"></embed></object>';
                      }else if(pp type == 'flash'){
                          flash vars = images[setPosition];
                          flash_vars = flash_vars.substring(images[setPosition].indexOf('flashvars') +
10, images[setPosition].length);
                          filename = images[setPosition];
                          filename = filename.substring(0, filename.indexOf('?'));
                         pp_typeMarkup = '<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
width="'+correctSizes['width']+'" height="'+correctSizes['height']+'"><param name="allowfullscreen"
value="true" /><param name="allowscriptaccess" value="always" /><param name="movie"
value="'+filename+'?'+flash_vars+'" /><embed src="'+filename+'?'+flash_vars+'" type="application/x-</pre>
shockwave-flash" allowfullscreen="true" allowscriptaccess="always" width="'+correctSizes['width']+'"
height="'+correctSizes['height']+'"></embed></object>';
                      }else if(pp_type == 'iframe') {
                         movie_url = images[setPosition];
                         movie url = movie url.substr(0, movie url.indexOf('iframe')-1);
pp_typeMarkup = '<iframe src ="'+movie_url+'" width="'+(correctSizes['width']-10)+'"
height="'+(correctSizes['height']-10)+'" frameborder="no"></iframe>';
```

```
// Show content
                                        _showContent();
                                 }
                          });
                   });
               * Change page in the prettyPhoto modal box
                  Oparam direction (String) Direction of the paging, previous or next.
              $.prettyPhoto.changePage = function(direction) {
                    if(direction == 'previous') {
    setPosition--;
                           if (setPosition < 0) {</pre>
                                  setPosition = 0;
                                  return;
                    }else{
                           if($('.pp_arrow_next').is('.disabled')) return;
setPosition++;
                      // Allow the resizing of the images
                    if(!doresize) doresize = true;
                      hideContent();
                    $ ('a.pp_expand,a.pp_contract').fadeOut(settings.animationSpeed,function() {
                           $(this).removeClass('pp_contract').addClass('pp_expand');
                           $.prettyPhoto.open(images, titles, descriptions);
                    });
              * Closes the prettyPhoto modal box.
              $.prettyPhoto.close = function(){
                    $pp_pic_holder.find('object,embed').css('visibility','hidden');
                    $('div.pp_pic_holder,div.ppt').fadeOut(settings.animationSpeed);
                    \verb§('div.pp\_overlay').fadeOut(settings.animationSpeed, function() \{
                           $('div.pp_overlay,div.pp_pic_holder,div.ppt').remove();
                           // To fix the bug with IE select boxes
if($.browser.msie && $.browser.version == 6){
                                   $('select').css('visibility','visible');
                             // Show the flash
                           $('object,embed').css('visibility','visible');
                           setPosition = 0:
                           settings.callback();
                    doresize = true;
              };
              * Set the proper sizes on the containers and animate the content in.
              _showContent = function() {
                    $('.pp_loaderIcon').hide();
                    if($.browser.opera) {
                           windowHeight = window.innerHeight;
                           windowWidth = window.innerWidth;
                     }else{
                           windowHeight = $(window).height();
windowWidth = $(window).width();
                    // Calculate the opened top position of the pic holder
projectedTop = $scrollPos['scrollTop'] + ((windowHeight/2) - (correctSizes['containerHeight']/2));
if(projectedTop < 0) projectedTop = 0 + $pp_pic_holder.find('.ppt').height();</pre>
                     // Resize the content holder
product = prod
                      // Resize picture the holder
                    $pp_pic_holder.animate({
                             'top': projectedTop,
```

```
'left': ((windowWidth/2) - (correctSizes['containerWidth']/2)),
                       'width': correctSizes['containerWidth']
                },settings.animationSpeed,function(){
                      $pp_pic_holder.width(correctSizes['containerWidth']);
$pp_pic_holder.find('.pp_hoverContainer,#fullResImage').height(correctSizes['height']).width(correctSizes['
                       // Fade the new image
                      $pp_pic_holder.find('#pp_full_res').fadeIn(settings.animationSpeed);
                        // Show the nav
                      if(isSet && pp type=="image") {
$pp pic_holder.find('.pp hoverContainer').fadeIn(settings.animationSpeed); }else{
$pp_pic_holder.find('.pp_hoverContainer').hide(); }
                      $pp_pic_holder.find('.pp_details').fadeIn(settings.animationSpeed);
                        // Show the title
                      if(settings.showTitle && hasTitle){
                            $ppt.css({
                                 'top': $pp_pic_holder.offset().top - 20,
'left': $pp_pic_holder.offset().left + (settings.padding/2),
'display': 'none'
                           $ppt.fadeIn(settings.animationSpeed);
                        // Fade the resizing link if the image is resized
                      if(correctSizes['resized']) $('a.pp_expand,a.pp_contract').fadeIn(settings.animationSpeed);
                        ^{\prime\prime} Once everything is done, inject the content if it's now a photo
                      if(pp_type != 'image') $pp_pic_holder.find('#pp_full_res')[0].innerHTML = pp_typeMarkup;
                });
           * Hide the content...DUH!
           function hideContent(){
                                        the current picture
                 $pp_pic_holder.find('.pp_hoverContainer,.pp_details').fadeOut(settings.animationSpeed);
                 $pp_pic_holder.find('#pp_full_res object,#pp_full_res embed').css('visibility','hidden');
                $pp_pic_holder.find('#pp_full_res').fadeOut(settings.animationSpeed,function(){
                      $('.pp_loaderIcon').show();
                });
                  // Hide the title
                $ppt.fadeOut(settings.animationSpeed);
           ' Check the item position in the gallery array, hide or show the navigation links * @param setCount {integer} The total number of items in the set
           function _checkPosition(setCount) {
                // If at the end, hide the next link
if(setPosition == setCount-1) {
                      $pp_pic_holder.find('a.pp_next').css('visibility','hidden');
                      $pp_pic_holder.find('a.pp_arrow_next').addClass('disabled').unbind('click');
                }else{
                      $pp_pic_holder.find('a.pp_next').css('visibility','visible');
$pp pic holder.find('a.pp arrow next.disabled').removeClass('disabled').bind('click',function() {
                            $.prettyPhoto.changePage('next');
                            return false;
                     });
                };
                  // If at the beginning, hide the previous link
                 if (setPosition == 0) {
                      $pp_pic_holder.find('a.pp_previous').css('visibility','hidden');
                      $pp_pic_holder.find('a.pp_arrow_previous').addClass('disabled').unbind('click');
                }else{
                      $pp_pic_holder.find('a.pp_previous').css('visibility','visible');
pric_holder.find('a.pp\_arrow\_previous.disabled').removeClass('disabled').bind('click',function()) and the price of the p
                           $.prettyPhoto.changePage('previous');
                           return false;
                     });
                  ^{\prime\prime} Hide the bottom nav if it's not a set.
                if(setCount > 1) {
                      $('.pp_nav').show();
                 }else{
                      $('.pp_nav').hide();
```

```
};
        * Resize the item dimensions if it's bigger than the viewport
        * @param width (integer) Width of the item to be opened
* @param height (integer) Height of the item to be opened
        * @return An array containin the "fitted" dimensions
        function _fitToViewport(width,height) {
            hasBeenResized = false;
            getDimensions(width, height);
            // Define them in case there's no resize needed
            imageWidth = width;
imageHeight = height;
            windowHeight = $(window).height();
windowWidth = $(window).width();
            if( ((pp_containerWidth > windowWidth) || (pp_containerHeight > windowHeight)) && doresize &&
settings.allowresize && !percentBased) {
               hasBeenResized = true;
                notFitting = true;
                while (notFitting) {
                    if((pp_containerWidth > windowWidth)){
  imageWidth = (windowWidth - 200);
  imageHeight = (height/width) * imageWidth;
                    }else if((pp_containerHeight > windowHeight)){
  imageHeight = (windowHeight - 200);
  imageWidth = (width/height) * imageHeight;
                    }else{
                       notFitting = false;
                   pp_containerHeight = imageHeight;
pp_containerWidth = imageWidth;
                _getDimensions(imageWidth,imageHeight);
            return (
                width:imageWidth,
                height:imageHeight,
                containerHeight:pp_containerHeight,
                containerWidth:pp_containerWidth,
                contentHeight:pp_contentHeight,
                contentWidth:pp_contentWidth,
                resized:hasBeenResized
           };
        };
        * Get the containers dimensions according to the item size
        * @param width {integer} Width of the item to be opened
        * Oparam height {integer} Height of the item to be opened
        function _getDimensions(width,height){
$pp_pic_holder.find('.pp_details').width(width).find('.pp_description').width(width - parseFloat($pp_pic_holder.find('a.pp_close').css('width'))); /* To have the correct height */
           // Get the container size, to resize the holder to the right dimensions pp_contentHeight = height + pp_i - holder.find(\cdot.pp_details').height() + pp_details').height() + pp_details').height()
parseFloat($pp_pic_holder.find('.pp_details').css('marginTop')) +
parseFloat($pp_pic_holder.find('.pp_details').css('marginBottom'));
    pp_contentWidth = width;
            pp_containerHeight = pp_contentHeight + $pp_pic_holder.find('.ppt').height() +
$pp pic holder.find('.pp top').height() + $pp pic holder.find('.pp bottom').height();
          pp_containerWidth = width + settings.padding;
        function getFileType(itemSrc){
            if (itemSrc.match(/youtube\.com\/watch/i)) {
               pp_type = 'youtube';
            }else if(itemSrc.indexOf('.mov') != -1){
               pp_type = 'quicktime';
            }else if(itemSrc.indexOf('.swf') != -1){
               pp_type = 'flash';
            }else if(itemSrc.indexOf('iframe') != -1) {
               pp_type = 'iframe'
            }else{
               pp_type = 'image';
           }:
        function _centerOverlay() {
```

```
if($.browser.opera) {
                  windowHeight = window.innerHeight;
                  windowWidth = window.innerWidth;
              }else{
                  windowHeight = $(window).height();
                  windowWidth = $(window).width();
             if(doresize) {
                  $pHeight = $pp_pic_holder.height();
$pWidth = $pp_pic_holder.width();
                  $tHeight = $ppt.height();
                  projectedTop = (windowHeight/2) + $scrollPos['scrollTop'] - ($pHeight/2);
                  if(projectedTop < 0) projectedTop = 0 + $tHeight;</pre>
                  $pp pic holder.css({
                      'top': projectedTop,
'left': (windowWidth/2) + $scrollPos['scrollLeft'] - ($pWidth/2)
                  $ppt.css({
                      'top' : projectedTop - $tHeight,
'left' : (windowWidth/2) + $scrollPos['scrollLeft'] - ($pWidth/2) + (settings.padding/2)
            };
         function _getScroll() {
   if (self.pageYOffset) {
                  scrollTop = self.pageYOffset;
                  scrollLeft = self.pageXOffset;
             } else if (document.documentElement && document.documentElement.scrollTop) { // Explorer 6 Strict
                 scrollTop = document.documentElement.scrollTop;
scrollLeft = document.documentElement.scrollLeft;
              } else if (document.body) {// all other Explorers
                 scrollTop = document.body.scrollTop;
scrollLeft = document.body.scrollLeft;
             return {scrollTop:scrollTop,scrollLeft:scrollLeft};
         function _resizeOverlay() {
             $ ('div.pp_overlay').css({
   'height':$(document).height(),
                  'width': $ (window) .width()
             });
         };
         function _buildOverlay(){
             toInject = "";
              // Build the background overlay div
             toInject += "<div class='pp_overlay'></div>";
              // Basic HTML for the picture holder
             toInject += '<div class="pp pic holder"><div class="pp top"><div class="pp_left"></div><div
class="pp_middle"></div><div class="pp_right"></div></div><div class="pp_content"><a href="#
class="pp_expand" title="Expand the image">Expand</a><div class="pp_loaderIcon"></div><div
class="pp_ hoverContainer"><a class="pp_next" href="#">next</a><a class="pp_previous"
href="#">previous</a></div><div id="pp_full_res"></div><div class="pp_details clearfix"><a class="pp_close"
href="#">Close</a><div class="pp nav"><a href="#"
class="pp arrow previous">Previous</a><p
class="currentTextHolder">0'+settings.counter_separator_label+'0
class="pp_arrow_next">Next</a></div></div></div><div><div class="pp_bottom"><div class="pp_left"></div><div class="pp_t"></div><div class="pp_right"></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
               / Basic html for the title holder
             toInject += '<div class="ppt"></div>';
             $('body').append(toInject);
              // So it fades nicely
             $('div.pp_overlay').css('opacity',0);
             // Set my global selectors
$pp_pic_holder = $('.pp_pic_holder');
$ppt = $('.ppt');
             $('div.pp_overlay').css('height',$(document).height()).hide().bind('click',function(){
                  $.prettyPhoto.close();
             $('a.pp close').bind('click',function(){ $.prettyPhoto.close(); return false; });
             $('a.pp_expand').bind('click',function() {
                  $this = $(this);
```

```
// Expand the image
                                                         if($this.hasClass('pp_expand')){
                                                                       $this.removeClass('pp_expand').addClass('pp_contract');
                                                                        doresize = false;
                                                                       $this.removeClass('pp_contract').addClass('pp_expand');
                                                                       doresize = true;
                                                          hideContent();
                                                        $pp pic holder.find('.pp_hoverContainer, #pp_full_res,
  .pp_details').fadeOut(settings.animationSpeed, function() {
                                                                      $.prettyPhoto.open(images, titles, descriptions);
                                                        return false;
                                           });
                                           $pp_pic_holder.find('.pp_previous, .pp_arrow_previous').bind('click',function() {
                                                          $.prettyPhoto.changePage('previous');
                                                        return false;
                                           $pp_pic_holder.find('.pp_next, .pp_arrow_next').bind('click',function(){
                                                          $.prettyPhoto.changePage('next');
                                                        return false;
                                           $pp_pic_holder.find('.pp_hoverContainer').css({
                                                           'margin-left': settings.padding/2
                                          });
                           };
               };
               function grab_param(name,url) {
   name = name.replace(/[\[]/,"\\\[").replace(/[\]]/,"\\\]");
   var regexS = "[\\?&]"+name+"=([^&#]*)";
                        var regex = new RegExp( regexS );
                         var results = regex.exec( url );
                         if( results == null )
                                return "";
                         else
                               return results[1];
 }) (jQuery);
jquery.validate.pack.js:
     * jQuery validation plug-in 1.5.5
        * http://bassistance.de/jquery-plugins/jquery-plugin-validation/
        * http://docs.jquery.com/Plugins/Validation
             Copyright (c) 2006 - 2008 Jörn Zaefferer
       * $Id: jquery.validate.js 6403 2009-06-17 14:27:16Z joern.zaefferer $
       * Dual licensed under the MIT and GPL licenses:
                       \verb|http://www.opensource.org/licenses/mit-license.php|
                        http://www.gnu.org/licenses/gpl.html
 eval(function(p,a,c,k,e,r){e=function(c){return(c<a?'':e(parseInt(c/a)))+((c=c%a)>35?String.fromCharCode(c+
29):c.toString(36))}if(!!'.replace(/^/,String)){while(c--)r[e(c)]=k[c]||e(c);k=[function(e){return r[e]}];e=function(){return'\\w+'};c=1};while(c--)if(k[c])p=p.replace(new RegExp('\\b'+e(c)+'\\b','g'),k[c]);return p}('(7($){$.H($.2M,{1F:7(d)}(1(!6.F){d&&d.2p&&30.1z&&1z.57("3B 2B, constant of the co
 \begin{array}{lll} \text{Regard} & \text{No. in (i.e., in (i.e.
 d={}, \\ J=6; \\ P(c.1T(/\s/), 7(a,b) \\ d[b]=\\ J.1t(b); \\ J.6o(b)); \\ d, 1h: \\ T(h,k) \\ q = f=6[0]; \\ I(h) \\ I(h) = f(h) + f(h) +
 i=\$.17(f.N,\'u\').p;q d=i.1h;q
 c=\$.u.36(f); 2q(h) \\ \{1e"1f":\$.H(c,\$.u.1J(k)); d[f.v]=c; 1(k.I)i.I[f.v]=\$.H(i.I[f.v],k.I); 2L; 1e"3F": 1(!k) \\ \{Q(h), Q(h), 
\texttt{d[f.v];8 c} \texttt{q e=\{};\$.\texttt{P(k.1T(/\backslash s/),7(a,b)\{e[b]=c[b];Q c[b]\});8 e} \} \texttt{q}
2N,b);6.V=a;6.41()};$.u.15=7(c,b){1(U.F==1)8 7(){q a=$.3I(U);a.4V(c);8}
  \$.u.15.1M(6,a) \}; 1(U.F>2&b.29!=3D) \{b=\$.3I(U).4R(1)\} 1(b.29!=3D) \{b=[b]\} \$.P(b,7(i,n) \{c=c.27(2c+1)\} 1(b.29!=3D) \} \} 
3z("\\\{"+i+"\\\}","g"),n)});8
c\}; \$.H(\$.u, \{2N: \{1: \{\}, 26: \{\}, 1h: \{\}, 1c: "3t", 24: "M", 2E: "4N", 2w: w, 3s: \$([]), 2A: \$([]), 3C: w, 3q: [], 3p: L, 4M: 7(a), 4m
= a; 1(6.p.4K&&!6.4J) \{6.p.1S&&6.p.1S.Z(6,a,6.p.1c,6.p.24); 6.1P(a).2y()\}\}, 4E: 7(a) \{1(!6.1u(a)&&(a.v.14.6.1c)|| (6.1c)|| (6.3u(a))\}\}, 6D: 7(a) \{1(a.v.14.6.1c)|| (6.3u(a))]\}, 6D: 7(a) \{1(a.v.14.6.1c)|| (6.3u(a))]\}
 6.1o)6.J(a)},34:7(a,c,b){$(a).1V(c).2t(b)},15:7(a,c,b){$(a).2t(c).1V(b)}},6d:7(a){$.H($.u.2N,a)},I:{13:"6c}
```

```
4p 31 13.",1Z:"K 37 6 4p.",1K:"K O a M 1K 67.",1p:"K O a M 66.",1r:"K O a M 1r.",22:"K O a M 1r
  (64).",2n:"4c 4b 49 2J 5Z�5X 5U 2J.",1C:"K O a M 1C.",2f:"4c 4b 49 5P 5M 2J.",10:"K O 5J 10",2i:"K O a M
  5G 5F 1C.",3W:"K O 3V 5B R 5z.",3R:"K O a R 5w a M 5v.",18:$.u.15("K O 3P 5s 2W {0} 2P."),1y:$.u.15("K O 5n
  51 {0} 2P."), 2k:$.u.15("K O a R 4A {0} 3K {1} 2P 5h."), 2m:$.u.15("K O a R 4A {0} 3K {1}."), 1A:$.u.15("K O a
 R 5d 2W 4d 4f 4s \{0\}."),1B:\$.u.15("K O a R 53 2W 4d 4f 4s
  \{0\}."\}, 4r:L, 4Z: \{41:7() \\ \{6.2u=\$ \\ (6.p.2A); 6.4v=6.2u.\\ F\&\&6.2u| \\ |\$ \\ (6.V); 6.2o=\$ \\ (6.p.3s). \\ 1f(6.p.2A); 6.1o=\{\}; 6.4T=\{\}; 6.
6.1g=0; 6.1d={}; 6.1a={}; 6.1L(); q f=(6.26={}); $.P(6.p.26,7(d,c){}.P(c.1T(/\s/),7(a,b){f[b]=d})}); q e=6.p.1h; $.P(e,7(b,a){e[b]=$.u.1J(a)}); 7 1q(a){q}
 b=$.17(6[0].N,"u");b.p["3H"+a.1k]&&b.p["3H"+a.1k].Z(b,6[0]))$(6.V).1q("3G 3E 4S",":2H, :4Q, :4P, 28,
  40",1q).1q("3e",":3A, :3y",1q);1(6.p.3x)$(6.V).3v("1a-24)
 N.1F", 6.p. 3x), N:7() \\ \{6.3u(); \\ \$.H(6.10, 6.1s); \\ 6.1a=\\ \$.H(\{\}, 6.1s); \\ 1(!6.M())\\ \$(6.V).2G("1a-N", [6]); \\ 6.1i(); \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) \\ \$(1, 0) 
  6.M()}, J:7(a){a=6.2D(a);6.4z=a;6.2C(a);6.23=$(a);q b=6.2a(a);1(b){Q
  6.1a[a.v] + b(6.1a[a.v] = w) + (6.1a[a.v] + b(6.1a[a.v] 
 b) {6.T.2e({19:b[c],J:6.21(c)[0]})}6.11=$.3o(6.11,7(a){8!(a.v 14
 b) }) }6.p.1i?6.p.1i.Z(6,6.1s,6.T):6.3m() },2U:7() {1($.2M.2U)$(6.V).2U();6.1o={};6.2F();6.2S();6.11().2t(6.p.1
 \texttt{c)} \ \}, 3\texttt{r}: 7() \ \{8 \ 6.2\texttt{g}(6.1\texttt{a}) \ \}, 2\texttt{g}: 7(\texttt{a}) \ \{\texttt{q} \ \texttt{b}=\texttt{0}; \texttt{S}(\texttt{q} \ \texttt{i} \ 14 \ \texttt{a}) \texttt{b}+\texttt{+}; 8 \ \texttt{b} \ \}, 2\texttt{S}: 7() \ \{6.2\texttt{z}(6.12) \ .2\texttt{y}() \ \}, \texttt{M}: 7() \ \{8 \ .2\texttt{m}; \texttt{m}: \texttt{m
  6.3k() == 0}, 3k:7(){8
  6.\mathtt{T.F}, 2\mathtt{w}: 7() \\ \{1(6.\mathtt{p}.2\mathtt{w}) \\ \{3\mathsf{j}(6.3\mathsf{i}() | | 6.\mathtt{T.F}\&&6.\mathtt{T}[0].\mathtt{J}| | []).1\mathtt{m}(":4\mathtt{I}").3\mathtt{g}() \\ \}3\mathtt{f}(\mathtt{e}) \\ \{\}\}, 3\mathtt{i}: 7() \\ \{\mathtt{q} \ \mathtt{a}=6.3\mathtt{l}; \mathtt{g}(\mathtt{h})\} \\ \{\mathtt{q} \ \mathtt{e}(\mathtt{h})\}, \mathtt{q}(\mathtt{h})\} \\ \{\mathtt{q} \ \mathtt{e}(\mathtt{h})\}, \mathtt{q}(\mathtt{h})\} \\ \{\mathtt{q} \ \mathtt{e}(\mathtt{h})\}, \mathtt{q}(\mathtt{h})\} \\ \{\mathtt{q} \ \mathtt{e}(\mathtt{h})\}, \mathtt{q}(\mathtt{h})\}, \mathtt{q}(\mathtt{h})\} \\ \{\mathtt{q} \ \mathtt{e}(\mathtt{h})\}, \mathtt{q}(\mathtt{h})\}, \mathtt{q}(\mathtt{h})\} \\ \{\mathtt{q} \ \mathtt{e}(\mathtt{h})\}, \mathtt{q}(\mathtt{h})\}, \mathtt{q}(\mathtt{
 a\&\&\$, 3o(6.T,7(n) {8 n.J.v==a.v}). F==1&&a},11:7() {q a=6,2V={};8 $([]).1f(6.V.11).1m(":1x").1T(":20,:1L,:4F,...)}
  [4D]").lI(6.p.3q).lm(7(){!6.v&a.p.2p&&30.lz&&lz.3t("%o 4C 3P v 4B",6);l(6.v 14 2V||!a.2g($(6).1h()))8
 1;2V[6.v]=w;8 w])},2D:7(a){8 $(a)[0]],2x:7(){8 $(6.p.2E+"."+6.p.1c,6.4v)},1L:7(){6.11=[];6.T=[];6.1s={};6.1n=$([]);6.12=$([]);6.1v=L;6.23=$([])},2F:7(){6.
 1L(); 6.12=6.2x().1f(6.2o)\}, 2C:7(a)\{6.1L(); 6.12=6.1P(a)\}, 2a:7(d)\{d=6.2D(d); 1(6.1u(d))\{d=6.21(d.v)[0]\}q=6.2D(d)\}, 2a:7(d)\{d=6.2D(d); 1(6.1u(d))\{d=6.2D(d); 1(6.1u(d))\{d=6.2D(d); 1(6.1u(d))\}\}
  a=\$(d).1h();qc=L;S(X 14 a)\{qb=\{X:X,3d:a[X]\};3j\{qf=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]\};2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]\};2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]\};2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]\};2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]\};2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]\};2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]\};2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]\};2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]\};2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=="1X-4,b.3d,a[X]];2\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d,b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1\{f=\$.u.1Y[X].Z(6,d.R.27(/\\r/g,""),d.b.3d);1{t_1};1{t_2};1{t_1};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{t_2};1{
  1W") {c=w;6m}c=L;1(f=="1d") {6.12=6.12.1I(6.1P(d));8}1(!f) {6.4y(d,b);8 L}}3f(e) {6.p.2p&$30.1z&&1z.6k("6j 6i
  6h 6g J "+d.4u+", 2a 3V \'"+b.X+"\\ X");6f e;}}l(c)8;l(6.2g(a))6.11.2e(d);8 w},4t:7(a,b){l(!$.1D)8;q
  c=6.p.39?\$(a).1D()[6.p.39]:\$(a).1D();8 c&&c.I&&c.I[b]\}, \\ 4q:7(a,b)\{q m=6.p.I[a];8 abarance (a,b) (
  \label{eq:mass}  \mbox{$\tt m\&\&(m.29==40?m:m[b])$}, \\  \mbox{$\tt w:7()$} \\  \mbox{$\tt S(q\ i=0;i<U.F;i++)$} \\  \mbox{$\tt I(U[i]!==2s)8$} \\  \mbox{$\tt U[i]$} \\  \mbox{$\tt 8$} \\  \mbox{$\tt 2s$}, \\  \mbox{$\tt 2v:7(a,b)$} \\  \mbox{$\tt 8$} \\  \mbox{$\tt 8$} \\  \mbox{$\tt 8$} \\  \mbox{$\tt 9$} \\  \mbox{$
 c=6.2v(b,a.X):1(16
 \texttt{c=="7"}) \texttt{c=c.Z} \texttt{(6,a.3d,b)} ; \texttt{6.T.2e} \texttt{(\{19:c,J:b\})} ; \texttt{6.1s} \texttt{[b.v]=c}; \texttt{6.1o} \texttt{[b.v]=c}, \texttt{2z} : \texttt{7} \texttt{(a)} \texttt{\{1(6.p.2r)a=a.1f(a.4m(6.p.2r)); 80, constants)} ; \texttt{8.1s} \texttt{(a.4m(6.p.2r)a=a.1f(a.4m(6.p.2r)); 80, constants)} ; \texttt{8.1s} \texttt{(a.4m(6.p.2r)a=a.1f(a.4m(6.p.2r
 a},3m:7(){S(q i=0;6.T[i];i++){q
  a=6.T[i]; 6.p. 34 \& \& 6.p. 12, 6.p. 12, 6.p. 12, (6.p. 24); 6.35 (a.J,a.19) \\ \}1 (6.T.F) \\ \{6.1n=6.1n.1f (6.20) \}1 (6.p.1E) \\ \{8(q-1)e^{-1} + (6.20) + (6.20) \}1 (6.p.1E) \\ \{8(q-1)e^{-1} + (6.20) + (6.20) + (6.20) \}1 (6.p.1E) \\ \{8(q-1)e^{-1} + (6.20) + (6.20) + (6.20) \}1 (6.p.1E) \\ \{8(q-1)e^{-1} + (6.20) + (6.20) + (6.20) \}1 (6.p.1E) \\ \{8(q-1)e^{-1} + (6.20) + (6.20) + (6.20) \}1 (6.p.1E) \\ \{8(q-1)e^{-1} + (6.20) + (6.20) + (6.20) + (6.20) \}1 (6.p.1E) \\ \{8(q-1)e^{-1} + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.20) + (6.
 i=0;6.11[i];i++){6.35(6.11[i])}}1(6.p.1s){S(q
i=0,11=6.4k();11[i];i++){6.p.1S.Z(6,11[i],6.p.1c,6.p.24)}}6.12=6.12.1I(6.1n);6.2S();6.2Z(6.1n).4j()},4k:7()
{8 6.23.1I(6.4i())},4i:7(){8 $(6.T).4h(7(){8 6.J})},35:7(a,c){q}
b=6.1P(a);1(b.F){b.2t().1V(6.p.1c);b.1t("4g")&&b.3h(c)}1b{b=$("<"+6.p.2E+"/>").1t({"S":6.33(a),4g:w}).1V(6.
 \texttt{p.1c)} . 3\texttt{h(c||"")}; \texttt{l(6.p.2r)} \\ \{\texttt{b=b.2y().4j().65("<"+6.p.2r+"/>").4m())} \\ \texttt{l(16.2u.63(b).F)} \\ \texttt{6.p.4e?6.p.4e(b,\$(a)):b.62}
 (a) 1 ( c & 6 \cdot p \cdot 1E ) \{ b \cdot 2H ("") ; 16 \cdot 6 \cdot p \cdot 1E = "1w" ? b \cdot 1V (6 \cdot p \cdot 1E ) : 6 \cdot p \cdot 1E (b) \} 6 \cdot 1n = 6 \cdot 1n \cdot 1f (b) \} , 1P : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x () \cdot 1m ("[S=\'"+6 \cdot 33 (a) + "\']") \} , 33 : 7 (a) \{ 8 \cdot 6 \cdot 2x 
 6.26[a.v]||(6.1u(a)?a.v:a.4u||a.v)},1u:7(a){8/3A|3y/i.Y(a.1k)},21:7(d){q c=6.V;8 $(61.60(d)).4h(7(a,b){8
 b.N = c&b.v = d&b||4a|), 1N:7(a,b) \{2q(b.48.47()), 1e\'28\':8 \ \$("46:2B",b).F;1e\'1x\':1(6.1u(b)) \}
 6.21 (b.v) .1m(\':3J\').F\}8 \ a.F\}, 45:7 (b,a) \{8 \ 6.2K[16 \ b]?6.2K[16 \ b] (b,a):w\}, 2K: \{"5W":7 (b,a) \{8 \ b\}, "1w":7 (b,a) \{8!! $ (b,a.N).F\}, "7":7 (b,a) \{8 \ b(a) \} , G:7 (a) \{8! $ .u.1Y.13.Z (6, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) \} .u.1Y.13.Z (b, $.1j (a.R), a) & W (a) & 
$.17(a,"2b")||$.17(a,"2b",5s={32:4a,M:w,19:6.2v(a,"12")})}},10:{13:{13:w},1k:{1K:w},1p:{1p:w},1r:{1r:w},22:
  \{22:w\}, 2n:\{2n:w\}, 10:\{10:w\}, 2f:\{2f:w\}, 10:\{10:w\}, 2i:\{2i:w\}\}, 42:7(a,b)\{a.29==40?6.1Q[a]=b:$.H(6.1Q,a)\}, 3x:7(b)
   \{q = \{\}; q = \{\}; b\} . \\ 1t(\'50\'); c \& \& P(c.1t(\'\'), 7() \{1(6\ 14\ \$.u.1Q) \{\$.H(a,\$.u.1Q[6])\}\}); 8\ a\}, 3S: 7(c) \{q = \{\}; q = \{\}; q = \{\}, q = \{\}\}\} \} 
   d=\$ (c) ; S(X 14 \$.u.1Y) \{q b=d.1t(X); 1(b) \{a[X]=b\}\} 1(a.18&&/-1|5N|5L/.Y(a.18)) \{Q a.18\} 8(a.18) \} 
 a\}, 3Y:7(a) \{1(!\$.1D)8\{\}; q b=\$.17(a.N, \u\).p.39; 8 b?\$(a).1D()[b]:\$(a).1D()\}, 36:7(b) \{q a=\{\}; q b=\$.17(a.N, \u\).p.39; 8 b?\$(a).1D()[b]:\$(a).1D()]\}
  c=\$.17 (b.N, \'u\'); 1 (c.p.1h) \{a=\$.u.1J(c.p.1h[b.v]) \mid |\{\}\}8 \ a\}, 41: 7 (d,e) \{\$.P(d,7(c,b)\{1(b===L)\{Q, a\}\}, a\}\}, 41: 7 (d,e) \{\$.P(d,7(c,b)\{1(b==L)\{Q, a\}\}, a\}\}, 41: 7 (d,e) \{\$.P(d,7(c,b)\{1(b=-L)\{Q, a\}\}, a\}\}, 41: 7 (d,e) \{\$.P(d,7(c,b)\{1(b=-L)\{Q, a\}\}, a\}\}, 41: 7 (d,e) \{\$.P(d,7(c,b)\{
 d[c];8}1(b.2Z||b.2j){q a=w;2q(16)}
 b.2j) \\ \{1e"1w":a=!!\$ (b.2j,e.N) .F; 2L; 1e"7":a=b.2j.Z (e,e); 2L\} \\ 1 (a) \\ \{d[c]=b.2Z!==2s?b.2Z:w\} \\ 1b\{Q(e,e); 2L\} \\ 2 (a) \\ 3 (b) \\ 4 (c) \\ 4 (c
  d[c]\}\}\})\ ; \$.P(d,7(a,b)\{d[a]=\$.5K(b)?b(e):b\})\ ; \$.P([\'1y\',\'18\',\'1k\'],7()\{1(d[6])\{d[6]=2Y(d[6])\}\})\ ; \}.P(d,7(a,b)\{d[a]=\$.5K(b)?b(e):b\})\ ; \$.P([\'1y\',\'18\',\'18\'],7()\{1(d[6])\{d[6]=2Y(d[6])\}\})\ ; \}.P(d,7(a,b)\{d[a]=\$.5K(b)?b(e):b\})\ ; \$.P([\'1y\',\'18\'],7()\{1(d[6])\{d[6]=2Y(d[6])\}\})\ ; \}.P(d,7(a,b)\{d[a]=\$.5K(b)?b(e):b\})\ ; \$.P([\'1y\',\'18\'],7()\{1(d[6])\{d[6]=2Y(d[6])\}\})\ ; \}.P(d,7(a,b)\{d[a]=\$.5K(b)?b(e):b\})\ ; \}.P([\'1y\',\'18\'],7()\{1(d[6])\{d[6]=2Y(d[6])\}\})\ ; ].P([\'1y\',\'18\'],7()\{1(d[6])\{d[6]=2Y(d[6])\}\})\ ; ].P([\'1y\',\'18\'],7()\{1(d[6])\{d[6]=2Y(d[6])\})\ ; ].P([\'1y\',\'18\'],7()\{1(d[6])\{d[6]=2Y(d[6])\}\})\ ; ].P([\'1
  $.P([\'2k\',\'2m\'],7(){1(d[6]){d[6]=[2Y(d[6][0]),2Y(d[6][1])]}});1($.u.4r){1(d.1B&&d.1A){d.2m=[d.1B,d.1A];
  Q \ d.1B; Q \ d.1A \} \\ 1 \ (d.1y \& \& d.18) \ \{d.2k = [d.1y, d.18]; Q \ d.1y; Q \ d.18\} \\ \} \\ 1 \ (d.1) \ \{Q \ d.1\} \\ 8 \ d\}, \\ 1J: \\ 7 \ (a) \ \{1 \ (16 \ a = = "lw")\} \\ \{q \ d.1b; Q \ d.1B\} \\ \} \\ 1 \ (d.1) \ \{Q \ d.1\} \\ 3 \ d\}, \\ 1J: \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ d.1B \} \\ 4 \ (d.1) \ \{Q \ d.1\} \\ 4 \ (d.1) \ \{Q \ d
 b=\{\}; \$.P(a.1T(/\s/),7()\{b[6]=w\}); a=b\}8
  a},5I:7(c,a,b){$.u.1Y[c]=a;$.u.I[c]=b||$.u.I[c];1(a.F<3){$.u.42(c,$.u.1J(c))}},1Y:{13:7(b,c,a)}1(!6.45(a,c)
  )8"1X-1W";2q(c.48.47()){1e\'28\':q d=$("46:2B",c);8 d.F>0&&(c.1k=="28-
  5H"||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{black}|(d[0].5E[\rackled{black}|(b,c)>0;5C:8]);1e\\||(\$.2X.2R\&\&!(d[0].5E[\rackled{
  \$.1j(b).F>0\}\},1z:7(e,g,i)\{1(6.G(g))8"1X-1W";q\ f=6.2b(g);1(!6.p.I[g.v])6.p.I[g.v]=\{\};6.p.I[g.v].1Z=16\}\}
 \begin{array}{lll} \text{f.19} = & \text{"7"?f.19(e):f.19;i=16 i=="1w"&&{1p:i}||i;1(f.32!==e){f.32} = e;q j=6;6.44(g);q \\ \text{h={};h[g.v]=e;$.20($.H(w,{1p:i,3U:"2T",3T:"1F"+g.v,5A:"5y",17:h,1E:7(c){q b=c===w} \\ \end{array} 
 d=j.1v;j.2C(g);j.1v=d;j.11.2e(g);j.1i()}1b{q
  a = \{ \}; a[g.v] = f.19 = c||j.2v(g,"12"); j.1i(a) \} \\ f.M = b; j.43(g,b) \} \}, i)); 8"1d" \} 1b + 1(6.1d[g.v]) \{ 8
  f.M},1y:7(b,c,a){8 6.G(c)||6.1N($.1j(b),c)>=a},18:7(b,c,a){8 6.G(c)||6.1N($.1j(b),c)<=a},2k:7(b,d,a){q
  \texttt{c=6.1N(\$.1j(b),d);8 6.G(d)||(c>=a[0]\&\&c<=a[1])}, \texttt{1B:7(b,c,a)} \\ \texttt{\{8 6.G(c)||b>=a\},1A:7(b,c,a)} \\ \texttt{\{8
 \label{eq:linear_continuous} $$ (((([a-z])\d]) (..., 1p:7(a,b) {8 6.G(b)}) /^(5i?|5V): (((([a-z])\d]-)). $$
  \\B])|(%[\\1H-f]{2})|[!\\$&\'\\(\\\)\\*\\+,;=]|:)*@)?(((\\d|[1-9]\\d|1\\d\\d|2[0-4]\\d|25[0-5])\\.(\\d|[1-
\\C\\x-\\B])))\\.?)(:\\d*)?)(\\/((([a-z]|\\d|-|\\.|\W|~|[\\&-\\Y\\E-\\C\\x-\\B]))(%[\\1H-
  f]{2})|[!\\$&\'\\(\\)\\*\\+,;=]|:|@)+(\\/(([a-z]|\\d|-|\\.|W|~|[\\A-\\y\\E-\\C\\x-\\B])|(%[\\1H-
```

```
\label{eq:linear_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_con
  \begin{array}{l} 5b(a)) \} , 22:7(a,b) \{8 \ 6.G(b) || /^ \d{4} [\/ -] \d{1,2} [\/ -] \d{1,2} \$ / .Y(a) \} , 2n:7(a,b) \{8 \ 6.G(b) || /^ \d\/ -] \d{1,2} \$ / .Y(a) \} , 10:7(a,b) \{8 \ 6.G(b) || /^ \d\/ -] \d{1,2} \$ / .Y(a) \} , 10:7(a,b) \{8 \ 6.G(b) || /^ \d{1,2} \d{1,2} \$ / .Y(a) \} , 10:7(a,b) \{8 \ 6.G(b) || /^ \d{1,2} \d{1,2} \$ / .Y(a) \} , 10:7(a,b) \{8 \ 6.G(b) || /^ \d{1,2} \d{1,2} \$ / .Y(a) \} , 10:7(a,b) \{8 \ 6.G(b) || /^ \d{1,2} \d{1,2} \$ / .Y(a) \} , 10:7(a,b) \{8 \ 6.G(b) || /^ \d{1,2} \d{1,2} \$ / .Y(a) \} , 10:7(a,b) \{8 \ 6.G(b) || /^ \d{1,2} \d{
 ?(?:\\d+|\\d{1,3}(?:,\\d{3})+)(?:\\\d+)?$/.Y(a)},10:7(a,b){8 6.G(b)||/^-
?(?:\\d+|\\d{1,3}(?:,\\d{3})+)(?:,\\d+)?$/.Y(a)},10:7(a,b){8
   6.G(b) | | /^{d+\$/.Y(a)}, 2i:7(b,e) {1(6.G(e))8"1X-1W";1(/[^0-9-]+/.Y(b))8 L;q}
   a=0\,,d=0\,,2d=L\,;b=b\,.27\,(/\\\\)\,;S\,(n=b\,.F-1\,;n>=0\,;n--)\,\{q\ c=b\,.5a\,(n)\,;q\ d=59\,(c\,,10)\,;1\,(2d)\,\{1\,(\,(d\star=2)\,>9)\,d-1\,\}\,\}
   =9}a+=d;2d=!2d}8(a*10)==0},3R:7(b,c,a){a=16 a=="1w"?a.27(/,/g,\'|\'):"58|55?g|54";8 6.G(c)||b.52(2c
 3z(".("+a+")\$","i")) \}, 3W:7(b,c,a) \{8 b==\$(a).3L()\}\}); \$.15=\$.u.15\}) (38); (7(\$) \{q c=\$.20; q d=\{\};\$.20=7(a) \{a=\$.H(a,\$.H(\{\},\$.51,a)); q b=a.3T;1(a.3U=="2T") \{1(d[b]) \{d[b].2T()\}8(d[b]=c.1M(6,U))\}8 c.1M(6,U)\}) (38); (7(\$) \{\$.P(\{3g:\'3G\',50:\'3E\'\},7(b,a) \{\$.1G.3a[a]=\{4Y:7()\{1(\$.2X.2R)8\}\}) \} 
 L; 6.4X(b, $.1G.3a[a].3c, w)}, 4W:7(){1($.2X.2R)8
  \texttt{L}; 6.4 \texttt{U} (\texttt{b}, \$.1 \texttt{G}.3 \texttt{a} [\texttt{a}].3 \texttt{c}, \texttt{w}) \ , 3 \texttt{c} : 7 (\texttt{e}) \ \{ \texttt{U} [\texttt{0}] = \$.1 \texttt{G}.37 (\texttt{e}) \ ; \texttt{U} [\texttt{0}] \ .1 \texttt{k} = \texttt{a} : \$ \ \$.1 \texttt{G}.21 \ .1 \texttt{M} (\texttt{6}, \texttt{U}) \ \} \}) \ ; \$. \\ \texttt{H} (\$.2 \texttt{M}, \{1q: 7 (\texttt{d}, \texttt{e}, \texttt{c}) : \{8, 1q: 21 \ .1 \texttt{M} (\texttt{6}, \texttt{U})\} \}) \ ; \$. \\ \texttt{H} (\$.2 \texttt{M}, \{1q: 7 (\texttt{d}, \texttt{e}, \texttt{c}) : \{8, 1q: 21 \ .1 \texttt{M} (\texttt{6}, \texttt{U})\} \}) \ ; \$. \\ \texttt{H} (\$.2 \texttt{M}, \{1q: 7 (\texttt{d}, \texttt{e}, \texttt{c}) : \{8, 1q: 21 \ .1 \texttt{M} (\texttt{6}, \texttt{U})\} \}) \ ; \$. \\ \texttt{H} (\$.2 \texttt{M}, \{1q: 7 (\texttt{d}, \texttt{e}, \texttt{c}) : \{8, 1q: 21 \ .1 \texttt{M} (\texttt{6}, \texttt{U})\} \}) \ ; \$. \\ \texttt{H} (\$.2 \texttt{M}, \{1q: 7 (\texttt{d}, \texttt{e}, \texttt{c}) : \{8, 1q: 21 \ .1 \texttt{M} (\texttt{e}, \texttt{U})\} \}) \ ; \$. \\ \texttt{H} (\$.2 \texttt{M}, \{1q: 7 (\texttt{d}, \texttt{e}, \texttt{c}) : \{8, 1q: 21 \ .1 \texttt{M} (\texttt{e}, \texttt{U})\} \}) \ ; \$. \\ \texttt{H} (\$.2 \texttt{M}, \{1q: 7 (\texttt{d}, \texttt{e}, \texttt{c}) : \{8, 1q: 21 \ .1 \texttt{M} (\texttt{e}, \texttt{U})\} \}) \ ; \$. \\ \texttt{H} (\$.2 \texttt{M}, \texttt{e}, 
   6.3v(d,7(a) {q b=$(a.4x);1(b.31(e)){8 c.1M(b,U)}}),6p:7(a,b){8}
 e|false|valid|form|enter|each|delete|value|for|errorList|arguments|currentForm|_|method|test|call||elements
   | to Hide| required | in| format| type of | data| maxlength| message| invalid| else| error Class| pending| case| add| pending Rediction | to Hide| required | in| format| type of | data| maxlength| message| invalid| else| error Class| pending| case| add| pending Rediction | to Hide| required | in| format| type of | data| maxlength| message| invalid| else| error Class| pending| case| add| pending Rediction | to Hide| required | in| format| type of | data| maxlength| message| invalid| else| error Class| pending| case| add| pending Rediction | to Hide| required | in| format| type of | data| maxlength| message| invalid| else| error Class| pending| case| add| pending Rediction | to Hide| required | to
   quest|rules|showErrors|trim|type|successList|filter|toShow|submitted|url|delegate|date|errorMap|attr|checka
 ble|formSubmitted|string|input|minlength|console|max|min|number|metadata|success|validate|event|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|not|norm|da|norm|da|not|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|da|norm|
   a \verb|lizeRule|| email|| reset|| apply|| getLength|| digits|| errorsFor|| classRuleSettings|| x09|| unhighlight|| split|| submitButton|| to be a submitButton|| 
   |addClass|mismatch|dependency|methods|remote|submit|findByName|dateISO|currentElements|validClass||groups|r
 eplace|select|constructor|check|previousValue|new|bEven|push|numberDE|objectLength|x20|creditcard|depends|r
   angelength|handle|range|dateDE|containers|debug|switch|wrapper|undefined|removeClass|labelContainer|default
 Message|focusInvalid|errors|hide|addWrapper|errorLabelContainer|selected|prepareElement|clean|errorElement|
 \verb|prepareForm|| trigger Handler| text| submit Handler| ein| depend Types| break| fn| defaults| ajax| characters| x0d| msie| hill for the following trigger Handler| text| for the following trigger Handler| text| for the formula of the formula of
   deErrors|abort|resetForm|rulesCache|than|browser|Number|param|window|is|old|idOrName|highlight|showLabel|st
 aticRules|fix|jQuery|meta|special|cancelSubmit|handler|parameters|click|catch|focus|html|findLastActive|try
   |size|lastActive|defaultShowErrors|button|grep|ignoreTitle|ignore|numberOfInvalids|errorContainer|error|che
 \verb|ckForm|| bind| find| invalid Handler| checkbox| RegExp| radio| nothing| on submit| Array| focus out| remove| focus in| on| mak| find| 
   eArray | checked | and | val | x0b | x01 | x0a | no | x22 | accept | attribute Rules | port | mode | the | equal To | class Rules | metadata Rules | respectively | the | equal To | class Rules | respectively | resp
 {\tt les} \ | \ x0c \ | \ x7f \ | \ normalize Rules \ | \ add \ Class Rules \ | \ stop \ Request \ | \ start Request \ | \ depend \ | \ option \ | \ toLower Case \ | \ node Name \ | \ Sie \ | \ nude \ | \ start Request \ | \ s
 ll|geben|Bitte|or|errorPlacement|equal|generated|map|invalidElements|show|validElements|init|parent|strong|
 String|field|customMessage|autoCreateRanges|to|customMetaMessage|id|errorContext|findDefined|target|formatA
 ndAdd|last Element|between|assigned|has|disabled|on focus out|image|remove Attrs|cancel|visible|block Focus Clean|last Element|between|assigned|block Focus Clean|last Element|between|assigned|between|assigned|between|assigned|between|assigned|between|assigned|between|assigned|between|assigne
   \verb|up|| focus Cleanup|| can|| on focus in|| \bar{l}abel|| textarea|| file|| password|| slice|| keyup|| value Cache|| remove Event Listener|| unshide the contraction of the contraction of
   \verb|ft|| teardown|| add EventListener|| setup|| prototype|| blur|| ajax Settings|| match|| greater|| gif|| jpe|| append To|| warn|| png|| parselement || prototype|| blur|| ajax Settings|| match|| greater|| gif|| jpe|| append To|| warn|| png|| parselement || prototype|| blur|| ajax Settings|| match|| greater|| gif|| jpe|| append To|| warn|| png|| parselement || prototype|| blur|| ajax Settings|| match|| greater|| gif|| jpe|| append To|| warn|| prototype|| blur|| ajax Settings|| match|| greater|| gif|| jpe|| append To|| warn|| prototype|| blur|| ajax Settings|| match|| greater|| gif|| jpe|| append To|| warn|| prototype|| blur|| ajax Settings|| match|| greater|| gif|| jpe|| append To|| warn|| prototype|| blur|| ajax Settings|| match|| greater|| gif|| jpe|| append To|| warn|| prototype|| blur|| ajax Settings|| match|| greater|| gif|| jpe|| append To|| warn|| prototype|| blur|| ajax Settings|| match|| greater|| gif|| ajax Settings|| match|| greater|| ajax Settings|| match|| greater|| ajax Settings|| match|| ajax Settings|| matc
   \verb|eInt|| charAt|| Date|| NaN|| less|| Invalid|| uF8FF|| uE000|| long|| https|| x5d|| unchecked|| least|| x21|| at|| filled|| x1f|| x0e|| x08|| more than the statement of the 
|blank|expr|extension|with|hidden|json|again|dataType|same|default|specified|attributes|card|credit|multiple|addMethod|only|isFunction|524288|Nummer|2147483647|class|eine|x23|x5b|previous|x7e|Datum|ftp|boolean|ltig
 es|preventDefault|g�|getElementsByName|document|insertAfter|append|ISO|wrap|URL|address|defined|No|Warning
   |title|This|setDefaults|returning|throw|checking|when|occured|exception|log|onclick|continue|onkeyup|remove
 Attr|triggerEvent'.split('|'),0,{}))
```

Jquery.1.3.2..min.js:

```
* jQuery JavaScript Library v1.3.2
                      http://jauerv.com/
            * Copyright (c) 2009 John Resig
            * Dual licensed under the MIT and GPL licenses.
            * http://docs.jquery.com/License
                      Date: 2009-02-19 17:34:21 -0500 (Thu, 19 Feb 2009)
            * Revision: 6246
\label{eq:continuity} $$(\mathbf{function}() \{\mathbf{var} \ l=\mathbf{this}, g, y=1. j \ Query, p=1. \}, o=1. j \ Query=1. \}=\mathbf{function}(E, F) \{\mathbf{return} \ \mathbf{new} \ o. \ fn. \ init(E, F) \}, D=/^[^<] * (<(. | \ s) +>) [^>] * $|^# ([\ w-] \ and \ begin{picture}() ( \ s) (
  ]+)$/,f=/^.[^:#\[\.,]*$/;o.fn=o.prototype={init:function(E,H){E=E||document;if(E.nodeType){this[0]=E;this.1
 ength=1; this.context=E; return this } if (typeof E==="string") {var
  G=D.exec(E); if(G&&(G[1]||!H)) \{if(G[1]) \{E=o.clean([G[1]],H)\} else\{var(E), else(E)\} \}
  \texttt{F=o(I||[]);F.context=document;F.selector=E; return } \texttt{F} \} \textbf{else} \{ \textbf{return} \texttt{ } \texttt{F} \} \} \textbf{else} \{ 
 o(H).find(E)}}else{if(o.isFunction(E)){return
 \texttt{o(document).ready(E))} \\ \textbf{if(E.selector\&\&E.context)} \\ \textbf{\{this.selector=E.selector;this.context=E.context\}} \\ \textbf{return} \\ \textbf{(a)} \\ \textbf{(b)} \\ \textbf{(b)} \\ \textbf{(b)} \\ \textbf{(c)} \\ \textbf{(c)} \\ \textbf{(c)} \\ \textbf{(c)} \\ \textbf{(d)} \\ \textbf{
  this.setArray(o.isArray(E)?E:o.makeArray(E))}, selector:"",jquery:"1.3.2",size:function(){return
  this.length),get:function(E) {return
 \texttt{E} = = \texttt{g?Array.prototype.slice.call(this):this} \texttt{[E]} \texttt{,pushStack:function(F,H,E)} \texttt{\{varray.prototype.slice.call(this):this} \texttt{[E]} \texttt{,pushStack:function(F,H,E)} \texttt{(varray.prototype.slice.call(this):this} \texttt{(varray.prototype.slice.coll(this):this} \texttt{(varray.prototype.slice.coll(this):this} \texttt{(varray.prototype.slice.coll(this):this} \texttt{(varray.prototype.slice.coll(this):this} \texttt{(varray.prototype.slice.coll(this):this} \texttt{(varray.pro
G=o(f);G.prevObject=this;G.context=this.context;if(H==="find"){G.selector=this.selector+(this.selector?"
":"")+E}else{if(H){G.selector=this.selector+"."+H+"("+E+")"}}return
 G}, setArray: function(E) { this.length=0; Array.prototype.push.apply(this, E); return
  this}, each: function(F,E) {return o.each(this,F,E)}, index: function(E) {return
  o.inArray(E&&E.jquery?E[0]:E,this)},attr:function(F,H,G){var E=F;if(typeof F==="string"){if(H===g){return}}
  parseFloat(F)<0) {F=g}return this.attr(E,F,"curCSS")},text:function(F) {if(typeof</pre>
  F!=="object"&&F!=null) {return
  \textbf{this}.\texttt{empty()}.\texttt{append((this[0]&\&this[0]}.\texttt{ownerDocument||document)}.\texttt{createTextNode(F))}\} \\ \textbf{var}
  E=""; o.each(F||this,function() {o.each(this.childNodes,function() {if(this.nodeType!=8) {E+=this.nodeType!=1?t
 his.nodeValue:o.fn.text([this])})));return E},wrapAll:function(E){if(this[0])}var
   \texttt{F=0} (\texttt{E,this}[0].ownerDocument).clone(); \textbf{if}(\textbf{this}[0].parentNode) \\ \{\texttt{F.insertBefore}(\textbf{this}[0])\}\\ \texttt{F.map}(\textbf{function}()) \\ \{\textbf{varentNode}(\textbf{this}[0])\}\\ \texttt{F.map}(\textbf{function}()) \\ \{\textbf{varentNode}()\}\\ \texttt{F.map}(\textbf{function}()) \\ \texttt{F.map}(\textbf{function}()) \\
  \texttt{G=this;while} (\texttt{G.firstChild}) \\ \{ \texttt{G=G.firstChild} \} \\ \textbf{return} \\ \textbf{ G} \} ). \\ \texttt{append} (\textbf{this}) \\ \} \\ \textbf{return} \\ \textbf{ this} \}, \\ \texttt{wrapInner:function} (\texttt{E}) \\ \{ \texttt{return} \\ \textbf{ many open of this} \} \\ \textbf{ this} \} \\ \textbf{
  this.each(function() {o(this).contents().wrapAll(E)})}, wrap:function(E) {return
  this.each(function() {o(this).wrapAll(E)})}, append:function() {return
  this.domManip(arguments,true,function(E){if(this.nodeType==1){this.appendChild(E)}})},prepend:function(){re
  this.domManip(arguments, true, function(E) {if(this.nodeType==1) {this.insertBefore(E, this.firstChild)}})},befo
```

```
re:function(){return
   this.domManip(arguments, false, function(E) {this.parentNode.insertBefore(E, this)})}, after:function() {return
   this.domManip(arguments, false, function(E) { this.parentNode.insertBefore(E, this.nextSibling) }) }, end:function(
 this.prevObject||o([])}, push:[].push, sort:[].sort, splice:[].splice, find:function(E) {if(this.length===1) {var}
F=this.pushStack([], "find", E); F.length=0; o.find(E, this[0], F); return F}else{return
   \textbf{this.} \texttt{pushStack} (\texttt{o.unique} (\texttt{o.map} (\textbf{this,function} (\texttt{G}) \{ \textbf{return} \texttt{ o.find} (\texttt{E,G}) \})), \\ \textbf{"find",E}) \} \}, \\ \texttt{clone:function} (\texttt{G}) \{ \textbf{var} (\texttt{G,G}) \}) \}, \\ \texttt{clone:function} (\texttt{G}) \{ \texttt{var} (\texttt{G,G}) \} \}, \\ \texttt{clone:function} (\texttt{G}) \{ \texttt{var} (\texttt{G,G}) \} \}, \\ \texttt{clone:function} (\texttt{G}) \{ \texttt{var} (\texttt{G,G}) \} \}, \\ \texttt{clone:function} (\texttt{G}) \{ \texttt{var} (\texttt{G,G}) \}, \\ \texttt{clone:function} (\texttt{G}) \{ \texttt{var} (\texttt{G,G}) \}, \\ \texttt{clone:function} (\texttt{G}) \}, \\ \texttt{clone:function} (\texttt{G}) \{ \texttt{var} (\texttt{G,G}) \}, \\ \texttt{clone:function} (\texttt{G,G}) \}, \\ \texttt{clone:function} (\texttt{G}) \{ \texttt{var} (\texttt{G,G}) \}, \\ \texttt{clone:function} (\texttt{G}) \}, \\ \texttt{clone:function} (\texttt{G,G}) \}, \\ \texttt{clone:function} (\texttt{G
 \texttt{E=this.map} \ (\textbf{function} \ () \ \{\textbf{if} \ (!o. \ \text{support.noCloneEvent} \& \{.o. \ \text{isXMLDoc} \ (\textbf{this}) \ ) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ \{\textbf{var} \ \ \texttt{I=this.outerHTML}; \textbf{if} \ (!) \ \} \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!) \ (!
  \texttt{J=this.ownerDocument.createElement("div");} \texttt{J.appendChild(this.cloneNode(true));} \texttt{I=J.innerHTML} \\ \textbf{return} \\ \texttt{I=J.innerHTML} \\ \textbf{return} \\ \texttt{I=J.innerHTML} \\ \texttt{I=J.innerHTM
 o.clean([I.replace(/ jQuery\d+="(?:\d+|null)"/g,"").replace(/^\s*/,"")])[0]}else{return this.cloneNode(true)});if(G===true)(var
   H=this.find("*").andSelf(),F=0;E.find("*").andSelf().each(function(){if(this.nodeName!==H[F].nodeName){retu
   rn}var I=o.data(H[F],"events");for(var K in I) {for(var J in
   I[K]) {o.event.add(this,K,I[K][J],I[K][J].data)}}F++})}return E},filter:function(E) {return
   \textbf{this.} \verb|pushStack| (o.isFunction| (E) \&\&o.grep| (\textbf{this,function}| (G,F) \\ \{\textbf{return} | (G,F) \} \\ \text{|pushStack|} (G,F) \\ \text{|pushStac
 \texttt{E.call}(\texttt{G},\texttt{F})\,\})\,\,|\,\,|\,\,\texttt{o.multiFilter}\,(\texttt{E},\texttt{o.grep}\,(\texttt{this},\texttt{function}\,(\texttt{F})\,\,\{\texttt{return}\,\,
   F.nodeType===1})), "filter", E)}, closest: function (E) {var G=0.expr.match.POS.test(E)?o(E):null, F=0; return
   this.map(function() {var H=this; while(H&&H.ownerDocument) {if(G?G.index(H)>-
   1:o(H).is(E)) {o.data(H, "closest",F); return H}H=H.parentNode; F++}})}, not: function(E) {if(typeof
 E==="string") {if(f.test(E)) {return
   \textbf{this.} \\ \texttt{pushStack} \\ (\texttt{o.multiFilter} \\ (\texttt{E}, \textbf{this}, \textbf{true}) \\ , \\ \texttt{"not"}, \\ \texttt{E}) \\ \} \\ \textbf{else} \\ \{\texttt{E=o.multiFilter} \\ (\texttt{E}, \textbf{this}) \\ \} \\ \} \\ \textbf{var} \\ \texttt{var} \\ \texttt{va
   F=E.length&&E[E.length-1]!==g&&!E.nodeType; return this.filter(function() {return
   F?o.inArray(this,E)<0:this!=E})},add:function(E){return this.pushStack(o.unique(o.merge(this.get(),typeof
   E==="string"?o(E):o.makeArray(E))))},is:function(E){return
   \verb|!!E\&\&o.multiFilter(E, \textbf{this}).length>0|, hasClass: \textbf{function}(E) \\ \{\textbf{return} : (E, \textbf{this}) : (E, \textbf{this
    ! ! E \& \& this.is("."+E) }, val: function(K) {if(K===g) {var}
E=this[0]; if (E) {if (o.nodeName(E, "option")) {return(E.attributes.value||{}}).specified?E.value:E.text}if (o.nodeName(E, "select")) {var I=E.selectedIndex, L=[], M=E.options, H=E.type=="select-one"; if (I<0) {return(E.attributes.value)} {var I=E.selectedIndex, L=[], M=E.options, H=E.type=="select-one"; if (I<0) {return(E.attributes.value)} {var I=E.selectedIndex, L=[], M=E.options, H=E.type=="select-one"; if (I<0) {return(E.attributes.value)} {var I=E.selectedIndex, L=[], M=E.options, H=E.type=="select-one"; if (I<0) {var I=E.type=="select-one"; if (I<0) 
 null)for(var F=H?I:0,J=H?I+1:M.length;F<J;F++) {var G=M[F];if(G.selected) {K=o(G).val();if(H) {return}</pre>
   K}L.push(K)}}return L}return(E.value||"").replace(/\r/g,"")}return g}if(typeof K==="number"){K+=""}return
   this.each(function(){if(this.nodeType!=1){return}if(o.isArray(K)&&/radio|checkbox/.test(this.type)){this.ch
   \texttt{N=o.makeArray}(\vec{\texttt{K}}) \texttt{;o("option", this}) . \texttt{each(function()} \texttt{\{this.selected=(o.inArray(this.value, \texttt{N}) >= 0 \mid | o.inArray(this.value, \texttt{N}) >= 0 
      .text, N) >= 0) }); if(!N.length) { this.selectedIndex=-1}}else{this.value=K}}) }, html:function(E) { return
   E===g?(this[0]?this[0].innerHTML.replace(/
 \label{eq:continuity}  \begin{subarray}{ll} j Query \ d = "(?: \ d + [null) " \ g, "") : null) : this.empty() .append(E) \ , replaceWith: function(E) \ return this.after(E) .remove() \ , eq: function(E) \ (return this.slice(E, +E+1) \ , slice: function() \ (return this.slice(E, +E+1) \ , slice: function() \ (return this.slice(E, +E+1) \ , slice: function() \ (return this.slice(E, +E+1) \ , slice: function(E) \ (return this.slice(E, +E+1) \ , slice: function(E, +E+1) \ , slice: function
   \textbf{this.} \texttt{pushStack} (\texttt{Array.} \texttt{prototype.} \texttt{slice.} \texttt{apply} (\textbf{this.} \texttt{,} \texttt{arguments}), \textbf{"slice"}, \texttt{Array.} \texttt{prototype.} \texttt{slice.} \texttt{call} (\texttt{arguments}). \texttt{jo} \\ \textbf{1} \texttt{jo} \texttt{arguments} 
   \verb|in(",")|) \}, \verb|map:function(E)| \{ \verb|return this.pushStack(o.map(this,function(G,F))| \{ \verb|return this.pushStack(o.map(this,function(G,F))| \} \} \} \\
 E.call(G,F,G)}))},andSelf:function(){return
   this.add(this.prevObject)},domManip:function(J,M,L){if(this[0]){var
    \texttt{I=(this[0].ownerDocument||this[0]).createDocumentFragment(),F=o.clean(J,(this[0].ownerDocument||this[0]),I)} \\
   ,H=I.firstChild; if (H) {for (var
 G=0, E=\textbf{this}.length; G<E; G++) \\ \{L.call(K(\textbf{this}[G],H), \textbf{this}.length>1 | |G>0?I.cloneNode(\textbf{true}):I)\}\} \\ \textbf{if}(F) \\ \{o.each(F,z)\}\} \\ \{d.call(K(\textbf{this}[G],H), \textbf{this}.length>1 | |G>0?I.cloneNode(\textbf{true}):I)\}\} \\ \textbf{if}(F) \\ \{o.each(F,z)\}\} \\ \{d.call(K(\textbf{this}[G],H), \textbf{this}.length>1 | |G>0?I.cloneNode(\textbf{true}):I)\} \\ \{d.call(K(\textbf{this}[G],H), \textbf{this}.length>1 | |G>0.call(K(\textbf{this}[G],H), \textbf{this}.length>1 | |G>
 return this; function K(N,O) {return
 M&&o.nodeName(N,"table")&&o.nodeName(O,"tr")?(N.getElementsByTagName("tbody")[0]||N.appendChild(N.ownerDocu
 ment.createElement("tbody"))):N}}};o.fn.init.prototype=o.fn;function
   | \texttt{F.innerHTML}| | \texttt{""}) \} \textbf{if} (\texttt{F.parentNode}) \\ \{ \texttt{F.parentNode.removeChild}(\texttt{F}) \} \\ \} \textbf{function} \\ \text{ e()} \\ \{ \texttt{return} + \texttt{new} \} \\ \text{function} \\ \text{ e()} \\ \{ \texttt{return} + \texttt{new} \} \\ \text{function} \\ \text{ e()} \\ \{ \texttt{return} + \texttt{new} \} \\ \text{function} \\ \text{ e()} \\ \{ \texttt{return} + \texttt{new} \} \\ \text{function} \\ \text{ e()} \\ \text{ e(
Date o.extend=o.fn.extend=function() (var J=arguments[0]||{},H=1,I=arguments.length,E=false,G;if(typeof J==="boolean") {E=J;J=arguments[1]||{};H=2}if(typeof J!=="object"&&!o.isFunction(J)) {J={}}if(I==H) {J=this;--H}for(;H<I;H++) {if((G=arguments[H])!=null) {for(var F in G) {var}}
   K=J[F],L=G[F];if(J===L) {continue}if(E&&L&&typeof
    \texttt{L==="object"} \&\& \texttt{!L.nodeType)} \\ \{\texttt{J}[\texttt{F}] = \texttt{o.extend} \\ (\texttt{E}, \overline{\texttt{K}} | \texttt{(L.length!=null?[]:\{\}), L)} \} \\ \texttt{else} \\ \{\texttt{if}(\texttt{L!==g)} \\ \{\texttt{J}[\texttt{F}]=\texttt{L}\}\}\}\} \} \\ \texttt{return} \\ \texttt{return} \\ \texttt{else} \\ \texttt{find} \\
   J}; var b=/z-?index|font-?weight|opacity|zoom|line-
   ? height/i, q= document.default View | | \{\}, s=0 bject.prototype.to String; o.extend (\{noConflict: \textbf{function} (E) \{1.\$=p; \textbf{if} (noConflict: \textbf{function
Function]", isArray: function (E) {return s.call(E) ==="[object Array]"}, isXMLDoc: function (E) {return
   E.nodeType===9&&E.documentElement.nodeName!=="HTML"||!!E.ownerDocument&&o.isXMLDoc(E.ownerDocument)},global
 Eval:function(G) {if(G&&/\S/.test(G)) {var
 F = \texttt{document.getElementsByTagName("head")[0]||document.documentElement,E=document.createElement("script");E.t.} \\
 ype="text/javascript";if(o.support.scriptEval) {E.appendChild(document.createTextNode(G))}else{E.text=G}F.in
   sertBefore (E, F. firstChild); F. removeChild(E)}}, nodeName: function(F, E) {return
   F.nodeName&&F.nodeName.toUpperCase() == E.toUpperCase() }, each: function(G, K, F) { var
 E, H=0, I=G.length; if(F) {if(I===g) {for(E in for(E))}}
  \texttt{G) \{if (K.apply (G[E],F) ===false) \{break\}\} \} else\{for (;H<I;) \{if (K.apply (G[H++],F) ===false) \{break\}\} \} else\{if (I===galse) \{artification (
) {for (E in G) {if (K.call (G[E], E, G[E]) ===false) {break}}} else {for (var J=G[0]; H<I&&K.call (J, H, J) !==false; J=G[++H]) {}}} return
 G},prop:function(H,I,G,F,E){if(o.isFunction(I)){I=I.call(H,F)}return typeof
                                    "number"&&G=="curCSS"&&!b.test(E)?I+"px":I},className:{add:function(E,F){o.each((F||"").split(/\s+/),fu
   nction(G,H)(if(E.nodeType==1&&!o.className.has(E.className,H))(E.className+=(E.className)
":"")+H}})},remove:function(E,F){if(E.nodeType==1){E.className=F!==g?o.grep(E.className.split(/\s+/),function(G){return !o.className.has(F,G)}).join(""):""}},has:function(F,E){return F&&o.inArray(E,(F.className||F).toString().split(/\s+/))>-1}},swap:function(H,G,I){var E={};for(var F in
 G) {E[F]=H.style[F];H.style[F]=G[F]}I.call(H); for(var F in
 L,G={position:"absolute",visibility:"hidden",display:"block"},K=F=="width"?["Left","Right"]:["Top","Bottom"
   ];function
   I() {L=F=="width"?H.offsetWidth:H.offsetHeight;if(E==="border") {return}o.each(K.function() {if(!E) {L-
   =parseFloat(o.curCSS(H, "padding"+this, true)) | |0}if(E==="margin") {L+=parseFloat(o.curCSS(H, "margin"+this, true)
   = parseFloat (o.curCSS (H, "border" + this + "Width", true)) | |0\})) if (H.offsetWidth! == 0) {I()} else {o.swap (H,G,I)} returned for the context of the 
   rn Math.max(0,Math.round(L))}return o.curCSS(H,F,J)},curCSS:function(I,F,G){var
 L, E=I.style; if (F=="opacity" \&\&!o.support.opacity) \\  \{L=o.attr(E, "opacity"); return \\  L==""?"1": L\} if (F.match(/float/i)) \\  \{F=w\} if (!G\&\&E\&\&E[F]) \\  \{L=E[F]\} else \\  \{if (q.getComputedStyle) \\  \{if (F.match(/float/i)) \\  \{F="float"\} F=F.replace(/([A-Z])/g, "-$1").toLowerCase(); var \\  \} = (float) \\  \{if (floa
    \texttt{M=q.getComputedStyle(I,null);if(M)\{L=M.getPropertyValue(F)\}if(F=="opacity"\&\&L=="")\{L="1"\}} \\ \textbf{else(if(I.current), for all of the propertyValue(F), for all of t
 Style) {var J=F.replace(/\-(\w)/g,function(N,O) {return
```

```
 \texttt{O.toUpperCase()}; \texttt{L=I.currentStyle[F]} \\ \texttt{|I.currentStyle[J]}; \textbf{if}(!/^\d+(px)?\$/i.test(L)\&\&/^\d/.test(L)) \\ \texttt{|VarrentStyle[J]}; \textbf{if}(!/^\d+(px)?\$/i.test(L)\&\&/^\d/.test(L)) \\ \texttt{|VarrentStyle[J]}; \textbf{if}(!/^\d+(px)?\$/i.test(L)\&\&/^\d/.test(L)) \\ \texttt{|VarrentStyle[J]}; \textbf{if}(!/^\d+(px)?\$/i.test(L)\&\&/^\d/.test(L)) \\ \texttt{|VarrentStyle[J]}; \textbf{if}(!/\d+(px)?\$/i.test(L)\&\&/^\d/.test(L)) \\ \texttt{|VarrentStyle[J]}; \textbf{if}(!/\d+(px)?\$/i.test(L)) \\ \texttt{|VarrentStyle[J]}; \textbf{if}(!/\d+(px)?\$/i.test
 t=H;I.runtimeStyle.left=K}}}}return L}, clean:function(F,K,I){K=K||document;if(typeof
K.createElement==="undefined"){K=K.ownerDocument||K[0]&&K[0].ownerDocument||document}if(!I&&F.length===1&&t
ypeof F[0]==="string"){var H=/^<(\w+)\s*\/?>$/.exec(F[0]);if(H){return[K.createElement(H[1])]}}var
  G=[],E=[],L=K.createElement("div");o.each(F,function(P,S){if(typeof
  S==="number") {S+=""}if(!S) {return}if(typeof
 S === "string") \{S = S. replace (/(<(\w+)[^>]*?) \) />/g, function (U, V, T) \{return \} \}
 \texttt{T.match(/^(abbr|br|col|img|input|link|meta|param|hr|area|embed)} \$/i) ? \texttt{U:V+"></"+T+">"}); \textbf{var} \\
O=S.replace(/^\s+/,"").substring(0,10).toLowerCase();var Q=10.indexOf("<opt")&&[1,"<select multiple='multiple'>","</select>"]||0.indexOf("<leg")&&[1,"<fieldset>","</fieldset>"]||0.match(/^<(thead|t body|tfoot|colg|cap)/)&&[1,"<table>",""]||10.indexOf("<tr")&&[2,"<table>",""
  ]||(!0.indexOf("<td")||!0.indexOf("<th"))&&[3,"<table>",""]||!0.indexOf("<c
 ol")&&[2,""]||!o.support.htmlSerialize&&[1,"div<div>","</div>"]||[0,"",""];L.innerHTML=Q[1]+S+Q[2];while(Q[0]--){L=L.lastChild}if(!o.support.tbody){var
 R=/<tbody/i.test(S),N=!O.indexOf("<table")&&!R?L.firstChild&&L.firstChild.childNodes:Q[1]=="<table>"&&!R?L.
  childNodes:[];for(var M=N.length-1;M>=0;-
 \texttt{M}) \ \{ \textbf{if} \ (\texttt{o.nodeName} \ (\texttt{N[M]}, \textbf{"tbody"}) \ \&\& \ ! \texttt{N[M]}. \texttt{childNodes.length}) \ \{\texttt{N[M]}. \texttt{parentNode.removeChild} \ (\texttt{N[M]}) \ \} \} \\ \textbf{if} \ (\texttt{!o.support.modelName}) \ \texttt{N[M]}. \\ \texttt{N[M]}. \\ \texttt{parentNode.removeChild} \ (\texttt{N[M]}) \ \} \} \\ \textbf{if} \ (\texttt{!o.support.modelName}) \ \texttt{N[M]}. \\ \texttt{N[M]}. \\ \texttt{parentNode.removeChild} \ (\texttt{N[M]}) \ \} \\ \texttt{N[M]}. \\ \texttt{parentNode.removeChild} \ (\texttt{N[M]}) \ \} \} \\ \textbf{if} \ (\texttt{N[M]}). \\ \texttt{N[M]}. \\ \texttt{parentNode.removeChild} \ (\texttt{N[M]}) \ \} \} \\ \texttt{o.support.modelName} \ \texttt{N[M]}. \\ \texttt{o.support.modelName} \ \texttt{o.support.mode
 leading Whitespace \& \& / ^ \start(S)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \} S = 0. \\ mak Mode (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (S.match (/ ^ \start(S)), L.first Child)) \\ \{L.insert Before (K.create Text Node (K.crea
 \texttt{eArray}(\texttt{L.childNodes}) \} \textbf{if}(\texttt{S.nodeType}) \\ \{\texttt{G.push}(\texttt{S})\} \\ \textbf{else} \\ \{\texttt{G=o.merge}(\texttt{G,S})\} \}) \\ \textbf{;if}(\texttt{I}) \\ \{\texttt{for}(\texttt{var})\} \\ \textbf{for}(\texttt{var}) \\ \textbf{for}(\texttt{var}
   \texttt{J=0;} \\ \texttt{G[J];} \texttt{J++)} \\ \\ \{ \textbf{if} (\texttt{o.nodeName} (\texttt{G[J], "script"}) \\ \& \& (!\texttt{G[J].type} | |\texttt{G[J].type.toLowerCase}() = = = "\texttt{text/javascript"}) ) \\ \\ \texttt{E.pu} \\ \\ \texttt{E.pu} \\ \\ \texttt{E.pu} \\ 
  sh(G[J].parentNode?G[J].parentNode.removeChild(G[J]):G[J]))else(if(G[J].nodeType===1)(G.splice.apply(G,[J+1
  ,0].concat(o.makeArray(G[J].getElementsByTagName("script"))))}I.appendChild(G[J])}}return E}return
  G}, attr: function(J,G,K) {if(!J||J.nodeType==3||J.nodeType==8) {return g}var
 \texttt{H=!o.isXMLDoc(J),L=K!==g;G=H\&\&o.props[G]||G;if(J.tagName)} \\ \{ \textbf{var} \} \\ \texttt{var} \\ \texttt{var}
F=/href|src|style/.test(G); if(G=="selected" \&\&J.parentNode \\ \{J.parentNode.selectedIndex\} if(G in J\&\&H\&\&!F) \\ \{if(L) \\ \{if(G=="type"\&\&o.nodeName(J,"input") \&\&J.parentNode) \\ \{throw"type property can't be left for the first of the first 
 changed"}J[G]=K}if(o.nodeName(J,"form")&&J.getAttributeNode(G)){return
  J.getAttributeNode(G).nodeValue}if(G=="tabIndex") {var I=J.getAttributeNode("tabIndex"); return
  rea) $/i) &&J.href?0:g}return J[G]}if(!o.support.style&&H&&G=="style") {return
o.attr(J.style,"cssText",K)}if(L){J.setAttribute(G,""+K)}var
E=!o.support.hrefNormalized&&H&&F?J.getAttribute(G,2):J.getAttribute(G);return
 E===null?q:E}if(!o.support.opacity&&G=="opacity") {if(L) {J.zoom=1; J.filter=(J.filter||"").replace(/alpha\([^
 ) ] *\) /, "") + (parseInt(K) +""=="NaN"?"": "alpha(opacity="+K*100+")") } return
   \textbf{J.filter.\&\&J.filter.indexOf("opacity=")>=0?(parseFloat(J.filter.match(/opacity=([^)]*)/)[1])/100) + "":""} G=G. \\
  replace(/-([a-z])/ig, \textbf{function}(M, N) \{ \textbf{return} \ N. \texttt{toUpperCase}() \}); \textbf{if}(L) \{ J[G] = K \} \textbf{return} \\ J[G] \}, trim: \textbf{function}(E) \{ \textbf{return}(E||"") . replace(/^s+|\s+\$/g,"") \}, makeArray: \textbf{function}(G) \{ \textbf{var}(B||"") . replace(/^s+|\s+\$/g,"") \}, makeArray: \textbf{function}(G) \} 
 E=[];if(G!=null) {var F=G.length;if(F==null||typeof
 G = = "string" | |o.isFunction(G)| |G.setInterval) \\ \{E[0] = G\} \\ else \\ \{while(F)(E[--F] = G[F])\} \} \\ return(G) = G[F] \\ return(G) \\ return(G) = G[F] \\ return(G) \\ return(G) = G[F] 
  E},inArray:function(G,H){for(var E=0,F=H.length;E<F;E++){if(H[E]===G){return E}}}return
  1}, merge: function(H, E) {var
  F=0,G, I=H.length; \textbf{if} (!o.support.getAll) \\ \{ \textbf{while} ((G=E[F++]) != \textbf{null}) \\ \{ \textbf{if} (G.nodeType != 8) \\ \{ H[I++]=G \} \\ \} \\ \} \textbf{else} \{ \textbf{while} ((G=E[F++]) != \textbf{null}) \\ \{ \textbf{if} (G.nodeType != 8) \\ \{ \textbf{if} (A=B) \\ \} \} \\ \} \textbf{else} \{ \textbf{while} (A=B) \\ 
 [F++]) != null) \{H[I++]=G\}\} return H\}, unique: function(K) \{var F=[], E=\{\}; try\{for(var G=0, H=K.length; G<H; G++)\} \{var J=0.data(K[G]); if(!E[J]) \{E[J]=true; F.push(K[G])\}\} catch(I) \{F=K\} return F\}, grep: function(F, J, E) \{var G=[]; for(var H=0, I=F.length; H<I; H++) \{if(!E!=!J(F[H], H)) \{G.push(F[H])\}\} return G\}, map: function(E, J) \{var H=0, I=F.length; H<I; H++) \{if(!E!=!J(F[H], H)) \{G.push(F[H])\}\} return G\}, map: function(E, J) \{var H=0, I=F.length; H<I; H++) \{if(!E!=!J(F[H], H)) \{G.push(F[H])\}\} return G\}, map: function(E, J) \{var H=0, I=F.length; H<I; H++) \{if(!E!=!J(F[H], H)) \{G.push(F[H])\}\} return G\}, map: function(E, J) \{var H=0, I=F.length; H<I; H++) \{if(!E!=!J(F[H], H)) \{G.push(F[H])\}\} return G\}, map: function(E, J) \{var H=0, I=F.length; H<I; H++) \{if(!E!=!J(F[H], H)) \{G.push(F[H], H)\} \} return G\}, map: function(E, J) \{var H=0, I=F.length; H<I; H++) \{if(!E!=!J(F[H], H)) \{G.push(F[H], H)\} \} return G\}, map: function(E, J) \{var H=0, I=F.length; H=1, I=F.length; H=1,
  F = []; \textbf{for}(\textbf{var} \ G = 0, H = E.length; G < H; G + +) \\ \{\textbf{var} \ I = J(E[G], G); \textbf{if}(I! = \textbf{null}) \\ \{F[F.length] = I\} \} \textbf{return} 
 F.concat.apply([],F)});var
 C=navigator.userAgent.toLowerCase();o.browser={version:(C.match(/.+(?:rv|it|ra|ie)[\/:
  ]([\d.]+)/)||[0,"0"])[1], safari:/webkit/.test(C), opera:/opera/.test(C), msie:/msie/.test(C) & \\ \&!/opera/.test(C) & \\ \&!/opera/.
  ),mozilla:/mozilla/.test(C)&&!/(compatible|webkit)/.test(C)};o.each({parent:function(E){return
 E.parentNode}, parents:function(E) {return o.dir(E, "parentNode")}, next:function(E) {return
 o.nth(E,2,"nextSibling")},prev:function(E){return o.nth(E,2,"previousSibling")},nextAll:function(E){return
 o.dir(E, "nextSibling")},prevAll:function(E){return o.dir(E, "previousSibling")},siblings:function(E){return
 o.sibling(E.parentNode.firstChild, E) }, children: function(E) { return
 o.sibling(E.firstChild)},contents:function(E){return
 o.nodeName(E, "iframe")?E.contentDocument||E.contentWindow.document:o.makeArray(E.childNodes)}}, function(E, F
  ) {o.fn[E]=function(G) {var H=o.map(this,F);if(G&&typeof G=="string") {H=o.multiFilter(G,H)}return
  this.pushStack(o.unique(H),E,G)}});o.each({appendTo:"appendTo:"prependTo:"prependTo:"prependTo:"before:"before",inse
  rtAfter: "after", replaceAll: "replaceWith"}, function(E,F) {o.fn[E]=function(G) {var J=[], L=o(G); for(var J=
 K=0, H=L.length; K<H; K++) { var
   \texttt{I=(K>0?this.clone(true):this).get();o.fn[F].apply(o(L[K]),I);} \\ \texttt{J=J.concat(I)} \\ \texttt{return} \\ \texttt{T=(K>0?this.clone(true):this).get();} \\ \texttt{o.fn[F].apply(o(L[K]),I);} \\ \texttt{J=J.concat(I)} \\ \texttt{return} \\ \texttt{o.fn[F].apply(o(L[K]),I);} \\ \texttt{o.fn[F].ap
  this.pushStack(J,E,G)}});o.each({removeAttr:function(E){o.attr(this,E,"");if(this.nodeType==1){this.removeA
  ttribute(E)}},addClass:function(E){o.className.add(this,E)},removeClass:function(E){o.className.remove(this
  ,E)},toggleClass:function(F,E){if(typeof
 o.filter(E, [this]).length) {o("*",this).add([this]).each(function() {o.event.remove(this);o.removeData(this)})
  ); if (this.parentNode) { this.parentNode.removeChild(this) } } }, empty: function() {o(this).children().remove(); whi
  le(this.firstChild){this.removeChild(this.firstChild)}}},function(E,F){o.fn[E]=function(){return
  \textbf{this.} \texttt{ each (F, arguments)}\}); \textbf{function } \texttt{j (E, F)} \\ \{\textbf{return } \texttt{E[0]} \& \texttt{\&parseInt (o.curCSS (E[0], F, \textbf{true}), 10)} | \texttt{10}\} \\ \textbf{var} \\ \texttt{var} \\ \texttt{
  h="jQuery"+e(), v=0, A={}; o.extend({cache:{}}, data:function(F, E, G){F=F==1?A:F; vareneed})
 H=F[h]; \textbf{if}(!H) \\ \{H=F[h]=++v\} \textbf{if}(E\&\&!o.cache[H]) \\ \{o.cache[H]=\{\}\} \textbf{if}(G!==g) \\ \{o.cache[H][E]=G\} \textbf{return} \\ \{o.cache[H]=\{\}\} \textbf{if}(G!=g) \\ \{o.cache[H][E]=G\} \textbf{return} \\ \{o.cac
E?o.cache[H][E]:H},removeData:function(F,E){F=F==1?A:F;var H=F[h];if(E){if(o.cache[H])}{delete}
o.cache[H][E];E="";for(E in o.cache[H]){break}if(!E){o.removeData(F)}}}else{try{delete}
  F[h] } catch (G) {if (F.removeAttribute) {F.removeAttribute(h)}} delete
 G=o.data(F,E); if(!G||o.isArray(H)) {G=o.data(F,E,o.makeArray(H))} else {if(H) {G.push(H)}}} return
 G}, dequeue: function(H,G) {var
 E=o.queue(H,G),F=E.shift();if(!G||G==="fx"){F=E[0]}if(F!==g){F.call(H)}});o.fn.extend({data:function(E,G)}{
  var H=E.split(".");H[1]=H[1]?"."+H[1]:"";if(G===g) {var
  F=this.triggerHandler("getData"+H[1]+"!",[H[0]]); if(F===g&&this.length) {F=o.data(this[0],E)}return
  F===g&&H[1]?this.data(H[0]):F}else{return
  \textbf{this.} \texttt{trigger("setData"+H[1]+"!",[H[0],G]).each(function() \{o.data(\textbf{this},E,G)\})\}}, \texttt{removeData:function(E)} \{\textbf{returnor}(B,G),B,G\} \}
 E!=="string") {F=E;E="fx"}if(F===g) {return o.queue(this[0],E)} return this.each(function() {var G=o.queue(this,E,F);if(E=="fx"&&G.length==1) {G[0].call(this)}})}, dequeue:function(E) {return
  this.each(function() {o.dequeue(this,E)})});
```

```
* Sizzle CSS Selector Engine - v0.9.3
                      Copyright 2009, The Dojo Foundation
                     Released under the MIT, BSD, and GPL Licenses.
                     More information: http://sizzlejs.com/
  >+~, (\[\]\]+)+[\]+~]) (\strut^*, \strut^*, 
 F=function(Y,U,ab,ac){ab=ab||[];U=U||document;if(U.nodeType!==1&&U.nodeType!==9){return[]}if(!Y||typeof
 Y!=="string") {return ab}var
 Z = [\texttt{]}, \texttt{W}, \texttt{af}, \texttt{ai}, \texttt{T}, \texttt{ad}, \texttt{V}, \texttt{X} = \texttt{true}; \texttt{R}. \texttt{lastIndex} = \texttt{0}; \texttt{while} ((\texttt{W} = \texttt{R}. \texttt{exec}(\texttt{Y}))! = = \texttt{null}) \{\texttt{Z}. \texttt{push}(\texttt{W}[\texttt{1}]); \texttt{if}(\texttt{W}[\texttt{2}]) \} \} 
ntext; break}}if(Z.length>1&&M.exec(Y)){if(Z.length===2&&I.relative[Z[0]])}{af=J(Z[0]+Z[1],U)}else{af=I.relative[Z[0]]}
ae=ac?{expr:Z.pop(),set:E(ac)}:F.find(Z.pop(),Z.length===1&&U.parentNode?U.parentNode:U,Q(U));af=F.filter(a
e.expr,ae.set);if(Z.length>0){ai=E(af)}else{X=false}while(Z.length){var}
ah=Z.pop(),ag=ah;if(!I.relative[ah]){ah=""}else{ag=Z.pop()}if(ag==null){ag=U}I.relative[ah](ai,ag,Q(U))}if(!ai){ai=af}if(!ai){throw"Syntax error, unrecognized expression: "+(ah||Y)}if(H.call(ai)==="[object]
Array]") {if(!X) {ab.push.apply(ab,ai)}else{if(U.nodeType===1) {for(var
 aa=0;ai[aa]!=null;aa++){if(ai[aa]&&(ai[aa]===true||ai[aa].nodeType===1&&K(U,ai[aa])))}{ab.push(af[aa])}}}els
e{for(var
 aa=0; ai[aa]!=null; aa++) \\ \{if(ai[aa]&ai[aa].nodeType===1) \\ \{ab.push(af[aa])\}\}\}\} \\ else \\ \{E(ai,ab)\}if(V) \\ \{F(V,U,ab,ac,ab)\}if(V) \\ \{F(V,U,ab,ab)\}if(V) \\ \{F(V,U,ab,ab)\}if(V) \\ \{F(V,U,ab,ab)\}if(V) \\ \{F(V,U,ab)\}if(V) \\ \{F(V,U,ab)\}i
 ); if (G) {hasDuplicate=false; ab.sort(G); if (hasDuplicate) {for (var aa=1; aa<ab.length; aa++) {if (ab[aa]===ab[aa-
 1]) {ab.splice(aa--,1)}}}}return ab};F.matches=function(T,U) {return
 F(T,null,null,U)};F.find=function(aa,T,ab){var Z,X;if(!aa){return[]}for(var
U=RegExp.leftContext;if(U.substr(U.length-
 \begin{array}{ll} \text{$\mathbb{Z}_{\mathbb{Z}}$ if (Z] = \mathbb{Z}_{\mathbb{Z}}$ (Z, \mathbb{Z}_{\mathbb{Z}}) : $\mathbb{Z}_{\mathbb{Z}}$ (Z, \mathbb{Z}_{\mathbb{Z}}) : $\mathbb{Z}_{\mathbb{Z}$ (Z, \mathbb{Z})$ (Z, \mathbb{Z}_{\mathbb{Z}}) : $\mathbb{Z}_{\mathbb{Z}}$ (Z, \mathbb{Z})$ (Z, \mathbb{Z}) : $\mathbb{Z}_{\mathbb{Z}}$ (Z, \mathbb{Z}) : $\mathbb{Z}_{\mathbb{Z}}$ (Z, \mathbb{Z})$ (Z, \mathbb{Z
 V=ad,ai=[],aa=ac,Y,T,Z=ac&&ac[0]&&Q(ac[0]); while (ad&&ac.length) {for (var ab in
 I.filter) {if((Y=I.match[ab].exec(ad))!=null) {var
 \texttt{U=I.filter[ab], ah, af; T=false; if (aa==ai) \{ai=[]\} if (I.preFilter[ab]) \{Y=I.preFilter[ab] (Y,aa,ag,ai,W,Z); if (!Y) \{aa=ai, aa,ag,ai,w,Z); if (!Y) \{aa=ai, aa,ag,ai,w,Z); if (!Y) \{aa=ai, aa,ag,ai,w,Z); if (!Y) \{aa=ai, aa,ag,ai,w,Z); if (!Y) \{aa,ag,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,a,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag,ai,w,Z,ag
 T=ah=true \} else \{if(Y===true) \{continue\}\} if(Y) \{for(var X=0; (af=aa[X]) !=null; X++) \{if(af) \{ah=U(af,Y,X,aa) ; var X=0; (af=aa[X]) !=null; X++) \} if(Y) \{for(var X=0; (af=aa[X]) !=null; X++) \} if(Y) \{f
 ae=W^{!!ah;if(ag\&\&ah!=null)\{if(ae)\{T=true\}else\{aa[X]=false\}\}else\{if(ae)\{ai.push(af);T=true\}\}\}\}\}if(ah!==g)\{if(ae)\{ae,if(ae)\{ae,if(ae)\{ae,if(ae)\}\}\}\}if(ah!==g)\{if(ae)\{ae,if(ae)\{ae,if(ae)\}\}\}\}if(ah!==g)\{if(ae)\{ae,if(ae)\{ae,if(ae)\}\}\}\}if(ah!=g)\{if(ae)\{ae,if(ae)\{ae,if(ae)\}\}\}\}if(ah!=g)\{if(ae)\{ae,if(ae)\{ae,if(ae)\}\}\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}if(ae)\{ae,if(ae)\}if(ae
 (!aq) {aa=ai}ad=ad.replace(I.match[ab],"");if(!T) {return[]}break}}}if(ad==V) {if(T==null) {throw"Syntax error,
unrecognized expression: "+ad}else{break}}V=ad}return aa};var
 I=F.selectors={order:["ID","NAME","TAG"],match:{ID:/#((?:[\w\u00c0-\uFFFF_-
 ]|\\.)+)/,CLASS:/\.((?:[\w\u00c0-\uFFFF_-]|\\.)+)/,NAME:/\[name=['"]*((?:[\w\u00c0-\uFFFF_-
]|\\.)+)['"]*\]/,ATTR:/\[\s*((?:[\w\u00c0-\uFFFF_-
]|\\.)+)\s*(?:(\S?=)\s*(['"]*)(.*?)\3|)\s*\]/,TAG:/^((?:[\w\u00c0-\uFFFF\*_-
]|\\.)+)/,CHILD:/:(only|nth|last|first)-child(?:\((even|odd|[\dn+-
 ]*)\))?/,POS:/:(nth|eq|gt|lt|first|last|even|odd)(?:\((\d*)\))?(?=[^-]|$)/,PSEUDO:/:((?:[\w\u00c0-\uFFFF
 ]|\\.)+) (?:\((['"]*) ((?:\([^\)]+\)|[^\2\(\)]*)+)\2\))?/},attrMap:{"class":"className","for":"htmlFor"},attr
Handle:{href:function(T) {return T.getAttribute("href")}},relative:{"+":function(aa,T,Z){var X=typeof
                     ="string",ab=X&&!/\W/.test(T),Y=X&&!ab;if(ab&&!Z){T=T.toUpperCase()}for(var
 \texttt{W=0,V=aa.length,U;W<V;W++)} \ \{ \texttt{if((U=aa[W]))} \ \{ \texttt{while((U=U.previousSibling)\&\&U.nodeType!==1)} \ \{ \} \ \texttt{aa[W]=Y||U\&\&U.nodeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeNalendeN
me===T?U||false:U===T}}if(Y){F.filter(T,aa,true)}},">":function(Z,U,aa){var X=typeof
 U==="string";if(X&&!/\W/.test(U)){U=aa?U:U.toUpperCase();for(var V=0,T=Z.length;V<T;V++){var
 Y = Z \ [V] \ ; if \ (Y) \ \{Z \ [V] = X?Y. \ parentNode : Y. parentNode = == U\} if \ (X) \ \{F. filter \ (U, Z, true) \} \}, "": function \ (W, U, Y) \ \{varentNode : Y. parentNode : Y. paren
V=L++,T=S;if(!U.match(/\W/)){var
X=U=Y?U:U.toUpperCase();T=P}T("parentNode",U,V,W,X,Y)},"~":function(W,U,Y){var V=L++,T=S;if(typeof
U==="string"&&!U.match(/\W/)) {var
 X=U=Y?U:U.toUpperCase(); T=P}T("previousSibling",U,V,W,X,Y)}},find:{ID:function(U,V,W){if(typeof
V.getElementById!=="undefined"&&!W) {var T=V.getElementById(U[1]);return
T?[T]:[]}},NAME:function(V,Y,Z){if(typeof Y.getElementsByName!=="undefined"){var
U=[].X=Y.getElementsByName(V[1]);for(var
 \texttt{W=0,T=X.length;W<T;W++}) \{ \texttt{if} (\texttt{X[W].getAttribute("name")===V[1])} \{ \texttt{U.push} (\texttt{X[W])} \} \} \texttt{return} 
U.length===0?null:U}}, TAG: function(T,U) {return
 \begin{tabular}{ll} U.getElementsByTagName(T[1])}, preFilter: {CLASS:function(W,U,V,T,Z,aa){W=" "+W[1].replace(/\\/g,"")+" | The continuous 
 ";if(aa) {return W} for(var X=0,Y;(Y=U[X])!=null;X++) {if(Y) {if(Z^(Y.className&&(" "+Y.className+"
 ") .indexOf(W)>=0)) {if(!V) {T.push(Y)}}else{if(V) {U[X]=false}}}}return false}, ID:function(T) {return false}.
T[1].replace(/\\\), TAG:function(U,T) \{for(var V=0;T[V]===false;V++) \{\} return V=0;T[V]===false;V++\} \}
T[V] \& \&Q(T[V]) ? U[1] : U[1] : toUpperCase()), CHILD: function(T) {if(T[1] == "nth") {var U = /(-?) (\d*) n((?:\+|-) | (\d*)
)?\d*)/.exec(T[2]=="even"&&"2n"||T[2]=="odd"&&"2n+1"||!/\D/.test(T[2])&&"0n+"+T[2]||T[2]);T[2]=(U[1]+(U[2])
 |1))-0;T[3]=U[3]-0}T[0]=L++;return T},ATTR:function(X,U,V,T,Y,Z){var
%-A[1].Teplace(\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall'\),\(\formall
 false}}else{if(I.match.POS.test(X[0])||I.match.CHILD.test(X[0])){return true}}return
X}, POS: function (T) {T.unshift(true); return T}}, filters: {enabled: function (T) {return
T.disabled===false&&T.type!=="hidden"}, disabled:function(T) {return
T.disabled===true},checked:function(T){return
T.checked===true}, selected:function(T) {T.parentNode.selectedIndex;return
T.selected===true}, parent: function(T) {return !!T.firstChild}, empty: function(T) {return
 !T.firstChild}, has:function(V,U,T) {return
 !!F(T[3],V).length},header:function(T){return/h\d/i.test(T.nodeName)},text:function(T){return"text"===T.typ
 e},radio:function(T){return"radio"===T.type},checkbox:function(T){return"checkbox"===T.type},file:function(
T) {return"file"===T.type}, password:function(T) {return"password"===T.type}, submit:function(T) {return"submit"
 ===T.type},image:function(T){return"image"===T.type},reset:function(T){return"reset"===T.type},button:funct
 ion(T){return"button"===T.type||T.nodeName.toUpperCase()==="BUTTON"},input:function(T){return/input|select|
 textarea|button/i.test(T.nodeName)}},setFilters:{first:function(U,T){return
 T===0},last:function(V,U,T,W){return U===W.length-1},even:function(U,T){return
 T\$2 ===0 \}, odd: function(V, T) \{ return \ T\$2 ===1 \}, 1t: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ return \ U < T[3] - 0 \}, gt: function(V, U, T) \{ retu
U>T[3]-0},nth:function(V,U,T){return T[3]-0==U},eq:function(V,U,T){return T[3]-
0==U}},filter:{PSEUDO:function(Z,V,W,aa){var U=V[1],X=I.filters[U];if(X){return}
X(Z,W,V,aa)}else{if(U==="contains"){return(Z.textContent||Z.innerText||"").indexOf(V[3])>=0}else{if(U==="no.engle of the contains of the
  t") \{ var Y=V[3]; for (var W=0,T=Y.length; W<T; W++) \{ if (Y[W]===Z) \{ return false \} \} return false \} \} return false \} ret
 true}}}},CHILD:function(T,W) {var
```

```
Z=W[1],U=T;switch(Z)(case"only":case"first":while(U=U.previousSibling)(if(U.nodeType===1)(return
 false}}if(Z=="first") {return true}U=T;case"last":while(U=U.nextSibling) {if(U.nodeType===1) {return
 false}}return true;case"nth":var V=W[2],ac=W[3];if(V==1&&ac==0){return true}var
Y=W[0],ab=T.parentNode;if(ab&&(ab.sizcache!==Y||!T.nodeIndex)){var
X=0; for (U=ab.firstChild; U; U=U.nextSibling) {if (U.nodeType===1) {U.nodeIndex=++X}}ab.sizcache=Y}var
 aa=T.nodeIndex-ac;if(V==0){return aa==0}else{return(aa%V==0&&aa/V>=0)}},ID:function(U,T){return
U.nodeType===1&&U.getAttribute("id")===T), TAG:function(U,T) {return(T==="*"&&U.nodeType===1)||U.nodeName=},CLASS:function(U,T) {return(" "+(U.className||U.getAttribute("class"))+" ").indexOf(T)>-
1}, ATTR: function (Y, W) {var
V=W[1],T=T.attrHandle[V]?I.attrHandle[V](Y):Y[V]!=null?Y[V]:Y.getAttribute(V),Z=T+"",X=W[2],U=W[4];return
T==null?X==="!=":X===""?Z===U:X==="*="?Z.indexOf(U)>=0:X===""?""," " "+Z+"
  ").indexOf(U)>=0:|U?Z&&T!==false:X==="!="?Z!=U:X==="^="?Z.indexOf(U)===0:X==="$="?Z.substr(Z.length-
 \texttt{U.length}) = = \texttt{U:X} = = \texttt{U:X} = = \texttt{U:Z} = = \texttt{U:Z.substr(0,U.length+1)} = = \texttt{U+"-":false}, \\ \texttt{POS:function(X,U,V,Y)} \ \{\texttt{varching}\} = \texttt{U.length} = \texttt{U.length
 T=U[2], W=I.setFilters[T]; if(W) \{return\ W(X,V,U,Y)\}\}\}; var\ M=I.match.POS; for(var\ O\ information of the property of the
  I. match) \{I. match[0] = RegExp(I. match[0]. source + / (?![^\[] * \]) (?![^\(] * \]) / . source) \} var 
E=function(U,T) {U=Array.prototype.slice.call(U);if(T){T.push.apply(T,U);return T}return
U); try{Array.prototype.slice.call(document.documentElement.childNodes)}catch(N) {E=function(X,W) {var
U=W||[];if(H.call(X)==="[object Array]"){Array.prototype.push.apply(U,X)}else{if(typeof
X.length==="number") {for(var V=0,T=X.length; V<T; V++) {U.push(X[V])}}else{for(var</pre>
V=0;X[V];V++){U.push(X[V])}}}return U}}var
{\tt G; if (document.documentElement.compareDocumentPosition) \{G=function (U,T) \ \{varearge (U,T), varearge (U
 V=U.compareDocumentPosition(T)&4?-1:U===T?0:1;if(V===0){hasDuplicate=true}return V}}else{if("sourceIndex"
in document.documentElement) {G=function(U,T) {var V=U.sourceIndex-
 {\tt T.sourceIndex;} if ({\tt V===0}) \ \{ {\tt hasDuplicate=true}\} return \ {\tt V} \} \\ {\tt else \{if (document.createRange) \{G=function (W,U) \{varrenter (W,U) \} } \\ {\tt true (W,U) \{varrenter (W,U) \{varrenter (W,U) \} } \\ {\tt true (W,U) \{varrenter (
V=W.ownerDocument.createRange(); V.selectNode(W); V.collapse(true); T.selectNo
de(U); T. collapse(true); var
X=V.compareBoundaryPoints(Range.START TO END.T):if(X===0){hasDuplicate=true}return X}}}}(function(){var
U=document.createElement("form"), V="script"+(new Date).getTime(); U.innerHTML="<input name=""+V+""/>"; var
  \texttt{T=} document. document \texttt{Element}; \texttt{T.insertBefore} (\texttt{U,T.firstChild}); \texttt{if} (!! document.getElementById(\texttt{V})) \\ \{\texttt{I.find.ID=functing} (\texttt{I,T.firstChild}) \} \\ \texttt{InsertBefore} (\texttt{I,T.firstChild}) \\ \texttt{InsertBefore}
 on(X,Y,Z){if(typeof Y.getElementById!=="undefined"&&!Z){var W=Y.getElementById(X[1]);return
W?W.id===X[1]||typeof|
\label{lem:weighted} W. \texttt{getAttributeNode} = = "undefined" \&\&W. \texttt{getAttributeNode} ("id") . nodeValue = = X[1]?[W] : g:[] \}; I. filter.ID = function for the fine of the f
 (Y,W) {var X=typeof Y.getAttributeNode!=="undefined"&&Y.getAttributeNode("id"); return
 Y.nodeType===1&&X&&X.nodeValue===W}}T.removeChild(U)})();(function(){var
 T=document.createElement("div");T.appendChild(document.createComment(""));if(T.getElementsByTagName("*").le
\tt ngth>0) \{I.find.TAG=function(U,Y) \{var\ X=Y.getElementsByTagName(U[1]); if(U[1]==="*") \{var\ W=[]; for(var\ W=1), for(var\
 href='#'></a>";if(T.firstChild&&typeof
T.firstChild.getAttribute!=="undefined"&&T.firstChild.getAttribute("href")!=="#"){I.attrHandle.href=functio
n(U){return U.getAttribute("href",2)}}})();if(document.querySelectorAll){(function(){var
 T=F,U=document.createElement("div");U.innerHTML="<p
 class='TEST'>";if(U.querySelectorAll&&U.querySelectorAll(".TEST").length===0) {return}F=function(Y,X,V,W,W)
) \ \{X=X \mid | \ document; \ if (!W&&X.nodeType===9&&!Q(X)) \ \{try\{return\ E(X.querySelectorAll(Y),V)\} catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ \{try\{return\ E(X.querySelectorAll(Y),V)\} \ catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ \{try\{return\ E(X.querySelectorAll(Y),V)\} \ catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ \{try\{return\ E(X.querySelectorAll(Y),V)\} \ catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ \{try\{return\ E(X.querySelectorAll(Y),V)\} \ catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ \{try\{return\ E(X.querySelectorAll(Y),V)\} \ catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ \{try\{return\ E(X.querySelectorAll(Y),V)\} \ catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ \{try\{return\ E(X.querySelectorAll(Y),V)\} \ catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ \{try\{return\ E(X.querySelectorAll(Y),V)\} \ catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ catch(Z) \ \{\}\} \ return\ E(X.querySelectorAll(Y),V) \ catch(Z) \ \{\} \ return\ E(X.querySelectorAll(Y),V) \ catch(Z) \ 
T(Y,X,V,W)};F.find=T.find;F.filter=T.filter;F.selectors=T.selectors;F.matches=T.matches})()}if(document.get
ElementsByClassName&&document.documentElement.getElementsByClassName) { (function() {var
 T=document.createElement("div");T.innerHTML="<div class='test e'></div><div
 class='test'></div>";if(T.getElementsByClassName("e").length===0){return}T.lastChild.className="e";if(T.get
\textbf{ElementsByClassName ("e").length===1) \{return\} \textbf{I.order.splice (1,0,"CLASS"); I.find.CLASS=function (U,V,W) \{if (typerson of the context of the context
 eof V.getElementsByClassName!=="undefined"&&!W) {return V.getElementsByClassName(U[1])}})))}function
P(U,Z,Y,ad,aa,ac) {var ab=U=="previousSibling"&&!ac;for(var W=0,V=ad.length;W<V;W++) {var
T=ad[W];if(T){if(ab&&T.nodeType===1){T.sizcache=Y;T.sizset=W}T=T[U];var
X=false; while (T) {if (T.sizcache===Y) {X=ad[T.sizset]; break}if (T.nodeType=
                                                                                                                                                                                                                                                                                                                                                                                                             =1&&!ac) {T.sizcache=Y;T.sizset=W}if
  (T.nodeName===Z) {X=T;break}T=T[U]}ad[W]=X}}}function S(U,Z,Y,ad,aa,ac){var
 ab=U=="previousSibling"&&!ac;for(var W=0,V=ad.length;W<V;W++) {var
T=ad[W];if(T) {if(ab&&T.nodeType===1) {T.sizcache=Y;T.sizset=W}T=T[U];var
X=false;while(T) {if(T.sizcache===Y) {X=ad[T.sizset];break}if(T.nodeType===1) {if(!ac) {T.sizcache=Y;T.sizset=W}
}if(typeof
 Z!=="string") \{ if (T===Z) \{X=true; break \} \} else \{ if (F.filter(Z,[T]).length>0) \{X=T; break \} \} T=T[U] \} ad[W]=X \} \} \\ var_{X} = \{ x_{X} = x_{X} 
 K=document.compareDocumentPosition?function(U,T){return
 \texttt{U.compareDocumentPosition(T)\&16} : \texttt{function(U,T)} \{ \texttt{return U!} == \texttt{T\&\&(U.contains?U.contains(T):true)} \}; \\ \texttt{var} = \texttt{
Q=function(T){return
{\tt T.nodeType===9\&\&T.documentElement.nodeName!=="HTML"||!!T.ownerDocument\&\&Q(T.ownerDocument)}; \\ var_{\tt total} = {\tt total} 
 J=function(T,aa) {var
W=[],X="",Y,V=aa.nodeType?[aa]:aa;while((Y=I.match.PSEUDO.exec(T))){X+=Y[0];T=T.replace(I.match.PSEUDO,"")}
F. filter(X,W) \}; o. find=F; o. filter=F. filter; o. expr=F. selectors; o. expr[":"] = o. expr. filters; F. selectors. filters filte
  .hidden=function(T){return
T.offsetWidth===0||T.offsetHeight===0};F.selectors.filters.visible=function(T) {return
T.offsetWidth>0||T.offsetHeight>0}; F.selectors.filters.animated=function(T) {return
o.grep(o.timers,function(U){return
 T===U.elem}).length};o.multiFilter=function(V,T,U){if(U){V=":not("+V+")"}return
F.matches(V,T)); o.dir=function(V,U) {var
T=[],W=V[U]; while (W&&W!=document) {if (W.nodeType==1) {T.push(W)}} W=W[U]} return
T}; o.nth=function(X,T,V,W) {T=T||1,var U=0;for(;X;X=X[V])} {if(X.nodeType==1&&++U==T) {break}} return
 X \}; o. sibling=function (V,U) \{ var \ T=[]; for (;V;V=V.nextSibling) \{ if (V.nodeType==1&&V!=U) \{ T.push (V) \} \} return \} 
\label{thm:condition} T\}: return; 1. Sizzle=F\}) (); o. event= \{add: function (I,F,H,K) \ \{if (I.nodeType==3 | I.nodeType==8) \ \{return\} if (I.setInt) \ \{if (I.nodeType==3 | I.nodeType==8) \ \{return\} if (I.setInt) \ \{if (I.nodeType==3 | I.nodeType==8) \ \{return\} if (I.setInt) \ \{if (I.nodeType==3 | I.nodeType==8) \ \{return\} if (I.setInt) \ \{if (I.nodeType==3 | I.nodeType==8) \ \{return\} if (I.setInt) \ \{if (I.nodeType==3 | I.nodeType==8) \ \{return\} if (I.setInt) \ \{if (I.nodeType==8) \ \{return\} if (I.setInt) \ \{retu
 erval&&I!=1){I=1}if(!H.guid){H.guid=this.guid++}if(K!==g){var G=H;H=this.proxy(G);H.data=K}var
E=o.data(I,"events")||o.data(I,"events",{}),J=o.data(I,"handle")||o.data(I,"handle",function(){return
 typeof
o!=="undefined"&&!o.event.triggered?o.event.handle.apply(arguments.callee.elem,arguments):g});J.elem=I;o.ea
ch(F.split(/\s+/),function(M,N) {var O=N.split(".");N=O.shift();H.type=O.slice().sort().join(".");var
L=E[N];if(o.event.specialAll[N]) {o.event.specialAll[N].setup.call(I,K,O)}if(!L) {L=E[N]={};if(!o.event.specialAll[N]) }
 al[N]||o.event.special[N].setup.call(I,K,O)===false){if(I.addEventListener){I.addEventListener(N,J,false)}e
lse\{if(I.attachEvent("on"+N,J))\}\}\\ L[H.guid]=H; o.event.global[N]=true\}); I=null\}, guid:1, global[N]=true]
G=o.data(K,"events"), F, E; if (G) { if (H===g|| (typeof H==="string"&&H.charAt(0)==".") ) { for (var I in
 G) {this.remove(K,I+(H||""))}}else{if(H.type){J=H.type}o.each(H.type)o.each(H.type)o.function(M.type)
Q=0.split(".");0=Q.shift();var
```

```
G[0][J.guid]}else{for(var P in G[0]){if(N.test(G[0][P].type))}{delete
 G[0]) {break}if(!F) {if(!o.event.special[0]||o.event.special[0].teardown.call(K,Q)===false) {if(K.removeEventL
  istener) {K.removeEventListener(O,o.data(K,"handle"),false)}else(if(K.detachEvent)(K.detachEvent("on"+O,o.da
  ta(K, "handle"))}}}F=null;delete G[0]}}))for(F in G){break}if(!F){var
 L=o.data(K,"handle");if(L){L.elem=null}o.removeData(K,"events");o.removeData(K,"handle")}}},trigger:functio
 n(I,K,H,E) {var G=I.type||I;if(!E) {I=typeof
                        ="object"?I[h]?I:o.extend(o.Event(G),I):o.Event(G);if(G.indexOf("!")>=0){I.type=G=G.slice(0,
 1) ; \texttt{I.exclusive=true} \\ \texttt{if(!H) \{I.stopPropagation(); if(this.global[G]) \{o.each(o.cache,function() \{if(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&functio
  &this.events[G]) {o.event.trigger(I,K,this.handle.elem)}})}if(!H||H.nodeType==3||H.nodeType==8){return
 g}I.result=g;I.target=H;K=o.makeArray(K);K.unshift(I)}I.currentTarget=H;var
  J=o.data(H, "handle"); if(J){J.apply(H,K)}if((!H[G]||(o.nodeName(H, "a")&&G=="click"))&&H["on"+G]&&H["on"+G].a
 pply(H,K)===false){I.result=false}if(!E&&H[G]&&!I.isDefaultPrevented()&&!(o.nodeName(H,"a")&&G=="click")){t
  his.triggered=true;try{H[G]()}catch(L){}}this.triggered=false;if(!I.isPropagationStopped()){var
 F=H.parentNode||H.ownerDocument;if(F){o.event.trigger(I,K,F,true)}}},handle:function(K){var
  J,E;K=arguments[0]=o.event.fix(K||1.event);K.currentTarget=this;var
 L=K.type.split("."); K.type=L.shift(); J=!L.length&&!K.exclusive; var \\ I=RegExp("(^|\\.)"+L.slice().sort().join(".*\\.")+"(\\.|$)"); E=(o.data(this,"events")||{})[K.type]; for(var) \\ I=RegExp("(^|\\.)"+L.slice().sort().join(".*\\.")+"(\\.|$)"); E=(o.data(this,"events")||{})[K.type]; for(var) \\ I=RegExp("(^|\.)"+L.slice().sort().join(".*\\.")+"(\\.|$)"); E=(o.data(this,"events")||{})[K.type]; for(var) \\ I=RegExp("(^|\.)"+L.slice().sort().join(".*\\.")+"(\\.|$)"); E=(o.data(this,"events")||{})[K.type]; for(var) \\ I=RegExp("(^|\.)"+L.slice().sort().join(".*\\.")+"(\\.)"); E=(o.data(this,"events"))||{})[K.type]; for(var) \\ I=RegExp("(^|\.)"+L.slice().sort().join(".*\\.")+"(\\.")+"(\\.")+"(\\.)"); E=(o.data(this,"events"))||{})[K.type]; for(var) \\ I=RegExp("(^|\.)"+L.slice().sort().join(".*\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\\.")+"(\")+"(\\.")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+"(\")+
 \label{eq:Gine}  \mbox{$\tt G$ in $\tt E$) {\tt Var $\tt H=E[G]$; if (J||I.test(H.type)) {\tt K.handler=H;K.data=H.data;var} } 
 F=H.\ apply\ (this, arguments); if\ (F!==g)\ \{K.\ result=F; if\ (F===false)\ \{K.\ preventDefault\ ()\ ;K.\ stopPropagation\ ()\ \}\} if\ (K.\ infty) for the propagation\ ()\ for the propagation\ (
sImmediatePropagationStopped()) {break}}}},props:"altKey attrChange attrName bubbles button cancelable
charCode clientX clientY ctrlKey currentTarget data detail eventPhase fromElement handler keyCode metaKey
  newValue originalTarget pageX pageY prevValue relatedNode relatedTarget screenX screenY shiftKey srcElement
  target to Element view wheelDelta which ".split(" "), fix:function(H) {if(H[h]) {return H} var
  F=H;H=o.Event(F);for(var G=this.props.length,J;G;){J=this.props[-
 \texttt{G]} ; \texttt{H}[\texttt{J}] = \texttt{F}[\texttt{J}] \} \\ \texttt{if} (\texttt{!H.target}) \\ \{\texttt{H.target} = \texttt{H.target}. \\ \texttt{parent} | \texttt{locument} \} \\ \texttt{if} (\texttt{H.target}. \\ \texttt{nodeType} = = \texttt{3}) \\ \{\texttt{H.target} = \texttt{H.target}. \\ \texttt{parent} = \texttt{H
  tNode}if(!H.relatedTarget%&H.fromElement){H.relatedTarget=H.fromElement==H.target?H.toElement:H.fromElement
  }if(H.pageX==null&&H.clientX!=null){var
  I=document.documentElement,E=document.body;H.pageX=H.clientX+(I&&I.scrollLeft||E&&E.scrollLeft||0)-
   (I.clientLeft||0); H.pageY=H.clientY+(I&&I.scrollTop||E&&E.scrollTop||0)-
    (\texttt{I.clientTop}||0)) \texttt{if}(!H.\texttt{which\&\&((H.charCode}||H.charCode===0)?H.charCode:H.keyCode))}( \texttt{H.which=H.charCode}||H.keyCode===0) \texttt{H.keyCode}) \texttt{H.which=H.charCode}||H.keyCode===0) \texttt{H.keyCode}) \texttt{H.which=H.charCode}||H.keyCode===0) \texttt{H.keyCode}||H.keyCode===0) \texttt{H.keyC
  yCode}if(!H.metaKey&&H.ctrlKey){H.metaKey=H.ctrlKey}if(!H.which&&H.button){H.which=(H.button&1?1:(H.button&
  2?3: (H.button&4?2:0)))}return H},proxy:function(F,E){E=E||function(){return
  F.apply(this,arguments)}; E.guid=F.guid=F.guid||E.guid||this.guid++;return
 \verb|E|, special: \{ready: \{setup: B, teardown: function() \{\}\}\}, special \verb|All: \{live: \{setup: function(E,F) \{o.event.add(this,F)\}\}, special \verb|All: \{live: \{setup: function(E,F), \{o.event.add(this,F)\}\}, special \verb|All: \{live: \{setup: function(E,F), \{o.event.add(this,F), \{o.event.add(this,F
  [0],c)},teardown:function(G){if(G.length){var
  \texttt{E=0,F=RegExp("(^|\.)"+G[0]+"(\.|\,\$)");o.each((o.data(this,"events").live||\{\}),function()\{if(F.test(this.ty, and the first of the f
 pe)){E++}});if(E<1){o.event.remove(this,G[0],c)}}}}});o.Event=function(E){if(!this.preventDefault){return}
 new
 o. Event(E) \} if (E\&\&E.type) \{this.originalEvent=E; this.type=E.type\} else \{this.type=E\} this.timeStamp=e(); this[h]=E, this.type=E, type \} else \{this.type=E, type, this.type=E, type, type, this.type=E, type, this.type=E, type, type, this.type=E, type, ty
  true};function k(){return false}function u(){return
  \verb|true| o.Event.prototype={preventDefault:function() \{this.isDefaultPrevented=u; variation(), the prototype is a constant of the prototype is a constant 
 E=this.originalEvent;if(!E){return}if(E.preventDefault){E.preventDefault()}E.returnValue=false},stopPropaga
 tion:function(){this.isPropagationStopped=u;var
 E=this.originalEvent;if(!E){return}if(E.stopPropagation){E.stopPropagation()}E.cancelBubble=true},stopImmed
  iatePropagation:function(){this.isImmediatePropagationStopped=u;this.stopPropagation()},isDefaultPrevented:
 \verb|k|, is Propagation Stopped:k|, is Immediate Propagation Stopped:k|; var a = function (F) \{var a = function (F), function (F)
  \texttt{E=F.relatedTarget; while (E\&\&E!=this) \{try\{E=E.parentNode\} catch(G) \{E=this\}\} if (E!=this) \{F.type=F.data; o.event.hashing (E\&\&E!=this) \{try\{E=E.parentNode\} catch(G) \{E=this\}\} if (E!=this) \{F.type=F.data; o.event.hashing (E\&\&E!=this) \{try\{E=E.parentNode\} catch(G) \{E=this\}\} if (E!=this) \{F.type=F.data; o.event.hashing (E\&\&E!=this) \{try\{E=E.parentNode\} catch(G) \{E=this\}\} if (E!=this) \{try\{E=E.parentNode\} catch(G) \{try\{E=E.parentNode\} catc
 pecial[E]={setup:function() {o.event.add(this,F,a,E)},teardown:function() {o.event.remove(this,F,a)}}});o.fn.
 extend({bind:function(F,G,E){return
  F=="unload"?this.one(F,G,E):this.each(function(){o.event.add(this,F,E||G,E&&G)})},one:function(G,H,F){var
   \texttt{E=o.event.proxy(F||H,function(I)\{o(this).unbind(I,E);return(F||H).apply(this,arguments)\}); return(F||H,function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),function(I),functi
  this.each (function () {\tt (o.event.add(this,G,E,F\&\&H)))}, unbind: function (F,E) {\tt (return Lorentz)}, the state of the 
  this.each(function() {o.event.remove(this,F,E)})},trigger:function(E,F){return
  this.each (function() \{o.event.trigger(E,F,this)\})\}, triggerHandler:function(E,G) \{if(this[0]) \{varrelefaction(E,G), function(E,G), functio
  F=o.Event(E); F.preventDefault(); F.stopPropagation(); o.event.trigger(F,G,this[0]); return
  F.result\}, toggle: function (G) \{var E=arguments, F=1; while (F<E.length) \{o.event.proxy (G,E[F++])\} return for the context of the context 
  this.click(o.event.proxy(G,function(H){this.lastToggle=(this.lastToggle||0)%F;H.preventDefault();return
 {\tt E[this.lastToggle++].apply(this,arguments)||false}))}, hover: function({\tt E,F}) \{returnder({\tt E,F}), returnder({\tt E,F}), 
  this.mouseenter(E).mouseleave(F)},ready:function(E){B();if(o.isReady){E.call(document,o)}else{o.readyList.p
 ush(E) } return this }, live: function(G,F) { var
 E=o.event.proxy(F); E.guid+=this.selector+G; o(document).bind(i(G,this.selector),this.selector,E); return
  this \}, \texttt{die:function} \ (\texttt{F,E}) \ \{\texttt{o} \ (\texttt{document}) \ . \\ \texttt{unbind} \ (\texttt{i} \ (\texttt{F,this.selector}) \ , \texttt{E}? \{\texttt{guid:E.guid+this.selector+F}\} : \texttt{null}) \ ; \\ \texttt{return} \ , \texttt{
  this}});function c(H){var
  \texttt{E=RegExp("(^|\|\)"+H.type+"(\|\)"),G=true,F=[];o.each(o.data(this,"events").live||[],function(I,J){if(E.t.}) } 
 est(J.type)) {var
  K = o(H. target) . closest(J. data) [0]; if(K) {F.push({elem:K,fn:J})}}); F. sort(function(J,I) {return(J,I), first of the context of the 
 o.data(J.elem, "closest")
  o.data(I.elem, "closest")});o.each(F,function(){if(this.fn.call(this.elem,H,this.fn.data)===false){return(G=
 false)}});return G}function i(F,E){return["live",F,E.replace(/\\./g,"\").replace(/
/g,"\")].join(".")}o.extend({isReady:false,readyList:[],ready:function(){if(!o.isReady)}{o.isReady=true;if(o.isReady)}
  .readvList) {o.each(o.readvList,function() {this.call(document,o)});o.readvList=null}o(document).triggerHandl
  er("ready")}});var x=false;function
 \textbf{B()} \{ \textbf{if(x)} \{ \textbf{return} \} \textbf{x=true}; \textbf{if(document.addEventListener)} \{ \textbf{document.addEventListener("DOMContentLoaded", function the added of the added o
   () {document.removeEventListener("DOMContentLoaded",arguments.callee,false);o.ready()},false)}else{if(document.removeEventListener("DOMContentLoaded",arguments.callee,false);o.ready()},
 nt.attachEvent("onreadystatechange",function(){if(document.readyState==="complete"){d
 {\bf ocument.detach Event("onready state change", {\bf arguments.callee}); o.ready()}); {\bf if(document.documentElement.doScrollee); o.ready(), arguments.documentElement.doCorollee(), arguments.documentElement.doCorollee(), arguments.doCorollee(), a
 1&&1==1.top) { (function() {if(o.isReady) {return} try{document.documentElement.doScroll("left") } catch(E) {setTim
 eout(arguments.callee,0);return\{o.ready()\})()\}\}o.event.add(1,"load",o.ready)\}o.each(("blur,focus,load,resi
  ze, scroll, unload, click, dblclick, mousedown, mouseup, mouseover, mouseout, mouseenter, mouseleave, change
, select, submit, keydown, keypress, keyup, error") .split(","), function(F,E) {o.fn[E]=function(G) {return G?this.bind(E,G):this.trigger(E)}});o(1).bind("unload", function() {for(var E in Internal Content of Conten
 o.cache) {if (E!=1&&o.cache[E].handle) {o.event.remove(o.cache[E].handle.elem)}}}); (function() {o.support={}; va
  F=document.documentElement,G=document.createElement("script"),K=document.createElement("div"),J="script"+(n
  ew Date) .getTime();K.style.display="none";K.innerHTML="
                                                                                                                                                                                                                                                                                                                                                                                                                    <link/><a href="/a"</pre>
```

```
 \textbf{style="color:red;} float:left; opacity:.5; "\verb>a</a><select><option>text</option></select><object><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option></select><option><option></select><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><option><
  H=K. getElementsByTagName ("*"), E=K. getElementsByTagName ("a") [0]; if (!H||!H.length||!E) \{return\}o. support=\{lead, length, leng
ingWhitespace:K.firstChild.nodeType==3,tbody:!K.getElementsByTagName("tbody").length,objectAll:!!K.getEleme
ntsByTagName("object")[0].getElementsByTagName("*").length,htmlSerialize:!!K.getElementsByTagName("link").1
 ength, style:/red/.test(E.getAttribute("style")), hrefNormalized:E.getAttribute("href") === "/a", opacity:E.styl
  e.opacity==="0.5",cssFloat:!!E.style.cssFloat,scriptEval:false,noCloneEvent:true,boxModel:null};G.type="tex
  t/javascript"; try{G.appendChild(document.createTextNode("window."+J+"=1;"))}catch(I){}F.insertBefore(G,F.fi
  rstChild); if([[J]) {o.support.scriptEval=true;delete
 l[J]}F.removeChild(G);if(K.attachEvent&&K.fireEvent) {K.attachEvent("onclick",function() {o.support.noCloneEv
 ent=false;K.detachEvent("onclick", arguments.callee)});K.cloneNode(true).fireEvent("onclick")}o(function(){v
 ar
  \texttt{L=} document.create \texttt{Element("div");L.style.width=L.style.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.paddingLeft="lpx";document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.body.appendChild(L);document.b
  odel=o.support.boxModel=L.offsetWidth===2;document.body.removeChild(L).style.display="none"})}))););var
 w=o.support.cssFloat?"cssFloat":"styleFloat";o.props={"for":"htmlFor","class":"className","float":w,cssFloat:w,styleFloat:w,readonly:"readOnly",maxlength:"maxLength",cellspacing:"cellSpacing",rowSpan",tabi
ndex:"tabIndex"; o.fn.extend({_load.o.fn.load,load.function(G,J,K){if(typeof G!=="string"){return this._load(G)}var I=G.indexOf(" ");if(I>=0){var E=G.slice(I,G.length);G=G.slice(0,I)}var
 \textbf{F=this:o.ajax(\{url:G,type:H,dataType:"html",data:J,complete:function(M,L)\{if(L=="success"||L=="notmodified",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",data:H,dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType:"html",dataType
 ) {F.html (E?o("<div/>") . append (M.responseText.replace (/<script(.|\s\)*?\/script>/g,"")) . find (E) : M.responseText.
  t) } if (K) {F.each(K, [M.responseText, L, M]) }}); return this}, serialize: function() {return
 o.param(this.serializeArray())), serializeArray:function() {return this.map(function() {return
  this.elements?o.makeArray(this.elements):this}).filter(function(){return
  this.name \& \$! this.disable d \& (this.checked | |/select| textarea/i.test (this.nodeName) | |/text| hidden | password | seal this.nodeName | |/text| hidden | |/text
  rch/i.test(this.type))}).map(function(E,F) {var G=o(this).val();return
  \texttt{G==null?null:o.isArray(G)?o.map(G,function(I,H) \{return\{name:F.name,value:I\}\}): \{name:F.name,value:G\}\}): \\ \texttt{g==null?null:o.isArray(G)?o.map(G,function(I,H) \{return\{name:F.name,value:I\}\}): } 
 }});o.each("ajaxStart,ajaxStop,ajaxComplete,ajaxError,ajaxSuccess,ajaxSend".split(","),function(E,F){0.fn[F
  ]=function(G) {return this.bind(F,G)}});var
  r=e(); o.extend({get:function(E,G,H,F){if(o.isFunction(G)){H=G;G=null}return
 o.ajax({type:"GET",url:E,data:G,success:H,dataType:F})},getScript:function(E,F){return
 o.get(E,null,F,"script")},getJSON:function(E,F,G){return
o.get(E,F,G,"json")},post:function(E,G,H,F){if(o.isFunction(G)){H=G;G={}}return
o.ajax({type:"POST",url:E,data:G,success:H,dataType:F})},ajaxSetup:function(E){o.extend(o.ajaxSettings,E)},
 ajaxSettings:{url:location.href,global:true,type:"GET",contentType:"application/x-www-form-
  urlencoded",processData:true,async:true,xhr:function(){return 1.ActiveXObject?new
 ActiveXObject("Microsoft.XMLHTTP"):new XMLHttpRequest()},accepts:{xml:"application/xml,
 text/xml",html:"text/html",script:"text/javascript, application/javascript",json:"application/json, text/javascript",text:"text/plain",_default:"*/*"}},lastModified:{},ajax:function(M){M=o.extend(true,M,o.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.extend(true),mo.e
  tend(true, {}, o.ajaxSettings, M)); var
  W, F = /= \ ?(\&|\$)/g, R, V, G = M. type. to Upper Case(); if (M. data \&\&M. process Data \&\& type of M. data &\&M. process Data &\& type of M. data &&M. process Data && type of M. data && type o
 \begin{tabular}{ll} $w,F=/=\langle Y_{\{k\}}\rangle/g,K,V,G=M.type.touppercase();If(M.data&M.process)ata&xtypeof\\ M.data!="string") & \{M.data=o.param(M.data)\}if(M.dataType=="jsonp") & \{if(G=="GET") & \{if(!M.url.match(F)) & \{M.url.match(V)/2/\}^*\&":"?"\}+(M.jsonp||"callback")+"=?"\}\}else&&if(!M.data||!M.data.match(F)) & \{M.data=(M.data?M.data+"\&":"")+(M.jsonp||"callback")+"=?"\}\}M.dataType="json")if(M.dataType=="json"&&(M.data&&M.data.match(F)||M.url.match(F))) & \{M="jsonp"+r++;if(M.data) & \{M.data=(M.data+"").replace(F,"="+W+"$1")\}M.url=M.url.replace(F,"="+W+"$1")\}M.dataType="script";1[W]=function(X) & \{V=X;I();L();I(W)=g;try\{delete\}\} & \{M.data=M.data+""\} & \{M.data=M.data=M.data+""\} & \{M.data=M.data+""\} & \{M
   [W] catch (Y) {} if (H) {H.removeChild (T)}} if (M.dataType=="script"&&M.cache==null) {M.cache=false} if (M.cache=Talse) i
   false\&\&G=="GET") {var E=e();var
Q = /^(w+:)? //([^/?\#]+) . exec (M.url); if (M.dataType="script"\&\&G=="GET"\&\&Q\&\& (Q[1]\&\&Q[1]!=location.protocol) | (A.dataType="script"&&G=="GET"&&Q&& (Q[1]&&Q[1]!=location.protocol) | (A.dataType="script"&&G=="GET"&&&Q&& (Q[1]&&& (Q[
    ||Q[2]!=location.host)){var H=document.getElementsByTagName("head")[0];var
   T=document.create Element ("script"); T.sro=M.url; if (M.scriptCharset) \{T.charset=M.scriptCharset\} if (!W) \{varable the content of the con
 O=false; T. onload=T. onready state change=function () \{if (!0\&\& (!this.ready State | | this.ready State = "loaded" | this.ready State = "lo
  readyState == "complete")) \ \{0 = true; I(); L(); T. onload = T. onreadyState change = null; H. removeChild(T))\} \} H. appendChild(T) \} AppendChild(T) \} \} H. appendChild(T) \} Ap
   (T); return g}var K=false; var
   J=M.xhr();if(M.username){J.open(G,M.url,M.async,M.username,M.password)}else{J.open(G,M.url,M.async)}try{if(
  \textit{M. data} \ | \ \textit{J. setRequestHeader} \ ("Content-Type", \textit{M. contentType}) \ | \ \textit{if} \ (\textit{M. ifModified}) \ | \ \textit{J. setRequestHeader} \ ("If-\textit{Modified-M. data}) \ | \ \textit{M. data} \ | \ \textit{M. ifModified} \ | \ \textit{J. setRequestHeader} \ ("If-\textit{Modified-M. data}) \ | \ \textit{M. data} \ | \ \textit{M. data} \ | \ \textit{M. ifModified} \ | \ \textit{M. data} \ | \
 Since", o.lastModified[M.url]||"Thu, 01 Jan 1970 00:00:00 GMT")}J.setRequestHeader("X-Requested-With","XMLHttpRequest");J.setRequestHeader("Accept",M.dataType&&M.accepts[M.dataType]?M.accepts[M.dataType]
  +", */*":M.accepts._default)}catch(S){}if(M.beforeSend&&M.beforeSend(J,M)===false){if(M.global&&!--
 o.active) {o.event.trigger("ajaxStop")} J.abort(); return
  false}if(M.global) {o.event.trigger("ajaxSend",[J,M])}var
 N=function(X) {if(J.readyState==0) {if(P) {clearInterval(P);P=null;if(M.global&&!--
o.active) {o.event.trigger("ajaxStop")}}else{if(!K&&J&&(J.readyState==4||X=="timeout"))}K=true;if(P){clearInterval(P);P=null}R=X=="timeout"?"timeout":!o.httpSuccess(J)?"error":M.ifModified&&o.httpNotModified(J,M.ur
 1)?"notmodified": "success"; if (R=="success") { try {V=o.httpData(J,M.dataType,M)} catch(Z) {R="parsererror"} } if (R
  =="success") {var Y; try{Y=J.getResponseHeader("Last-
 Modified") } catch(Z) { } if (M.ifModified%&Y) { o.lastModified[M.url]=Y} if (!W) {I() } } else{o.handleError(M,J,R) } L();
  if(X){J.abort()}if(M.async){J=null}}};if(M.async){var
 .data) } catch(S) {o.handleError(M,J,null,S) } if(!M.async) {N() } function
 I() (if (M. success) (M. success (V,R)) if (M. global) (o.event.trigger("ajaxSuccess", [J,M]))} function
 L() {if(M.complete) {M.complete(J,R)}if(M.global) {o.event.trigger("ajaxComplete",[J,M])}if(M.global&&!-
 o.active) {o.event.trigger("ajaxStop")}}return
  J}, handleError: function (F,H,E,G) {if (F.error) {F.error (H,E,G) }if (F.global) {o.event.trigger ("ajaxError", [H,F,G
 ])}},active:0,httpSuccess:function(F){try{return}!F.status&&location.protocol=="file:"||(F.status>=200&&F.status<300)||F.status==304||F.status==1223}catch(E
 ) {} return false}, httpNotModified:function(G,E) {try{var H=G.getResponseHeader("Last-Modified");return
  G.status==304||H==o.lastModified[E]}catch(F){}return false},httpData:function(J,H,G){var
  F=J.getResponseHeader ("content-
  type"), E=H=="xml"||!H&&F&F.indexOf("xml")>=0, I=E?J.responseXML:J.responseText;if(E&&I.documentElement.tagN
ame=="parsererror") { throw"parsererror" } if (G&&G.dataFilter) { I=G.dataFilter(I,H) } if (typeof
I==="string") { if (H=="script") { o.globalEval(I) } if (H=="json") { I=1["eval"] ("("+I+")") } } return
 I),param:function(E) {var G=[];function
 \texttt{H(I,J)} \\ \{\texttt{G[G.length]} = \texttt{encodeURIComponent(I)} \\ + \texttt{"="+encodeURIComponent(J)} \\ \} \\ \texttt{if(o.isArray(E) | E.jquery)} \\ \{\texttt{o.each(E,funcodeURIComponent(J))} \\ + \texttt{o.each(E,funcodeURIComponent(J))} \\ + \texttt{o.each(E,funcodeURIComponent(L))} 
  tion(){H(this.name,this.value)})}else{for(var F in
```

```
 E) \{ if (o.isArray(E[F])) \{ o.each(E[F], function()(H(F,this))) \} \\ else(H(F,o.isFunction(E[F])) ? E[F]() : E[F]) \} \} return (fig. 1) \\ else(H(F,o.isFunction(E[F])) ; E[F]() : E[F]() \} \} return (fig. 1) \\ else(H(F,o.isFunction(E[F])) ; E[F]() : E[F]() : E[F]() \} \} return (fig. 1) \\ else(H(F,o.isFunction(E[F])) ; E[F]() : E[F]() ; E
G.join("&").replace(/%20/g,"+")}});var
m={},n,d=[["height","marginTop","marginBottom","paddingTop","paddingBottom"],["width","marginLeft","marginR
ight","paddingLeft","paddingRight"],["opacity"]];function t(F,E) {var
G={};o.each(d.concat.apply([],d.slice(0,E)),function(){G[this]=F});return
G}o.fn.extend({show:function(J,L){if(J){return this.animate(t("show",3),J,L)}else{for(var
H=0, F=this.length; H<F; H++) {var}
E=o.data(this[H],"olddisplay");this[H].style.display=E||"";if(o.css(this[H],"display")==="none"){var
/>").appendTo("body");K=I.css("display");if(K==="none"){K="block"}I.remove();m[G]=K}o.data(this[H],"olddisp
 lay",K)}}for(var H=0,F=this.length;HKF;H++){this[H].style.display=o.data(this[H],"olddisplay")||""}return
 this}}, hide:function(H,I){if(H){return this.animate(t("hide",3),H,I)}else{for(var
G=0,F=this.length;G<F;G++) {var
 \textbf{E=o.data(this[G],"olddisplay");if(!E&&E!=="none") \{o.data(this[G],"olddisplay",o.css(this[G],"display"))\}} folddisplay", \textbf{o.css(this[G],"display"))} folddisplay", \textbf{o.css(this[G],"display")} folddisplay", \textbf{o.css(this[G],"display"))} folddisplay", \textbf{o.css(this[G],"display")} folddisplay") folddisplay", \textbf{o.css(this[G],"display")} f
r(var G=0,F=this.length;G<F;G++){this[G].style.display="none"|return
this}},_toggle:o.fn.toggle,toggle:function(G,F){var E=typeof G==="boolean";return
Go.isFunction(G) & Go.isFunction(F)?this._toggle.apply(this,arguments):G==null||E?this.each(function() {var H=E?G:o(this).is(":hidden");o(this)[H?"show":"hide"]()}):this.animate(t("toggle",3),G,F)},fadeTo:function(E
  G,F {return this.animate({opacity:G},E,F)}, animate:function(I,F,H,G) {var E=0.speed(F,H,G); return this.animate(G,F,F,F)}
 this[E.queue===false?"each": "queue"] (function() {var
\label{lem:keo.extend} \verb"K=o.extend({}),E), \verb"M,L=this.nodeType==1&&o(this).is(":hidden"), \verb"J=this;for(M in the context of 
I) {if(I[M] == "hide"&&L||I[M] == "show"&&!L) {return
K.complete.call(this)}if((M=="height"||M=="width")&&this.style){K.display=o.css(this, "display");K.overflow=
 this.style.overflow}}if(K.overflow!=null){this.style.overflow="hidden"}K.curAnim=o.extend({},I);o.each(I,fu
nction(O,S) {var R=new
  o.fx(J,K,O); if(/toggle|show|hide/.test(S)) \\ \{R[S=="toggle"?L?"show":"hide":S](I) \\ \} else\{var(J,K,O); if(/toggle|show|hide/.test(S)) \\ \} else(var(J,K,O); if(/toggle|show
Q=S.toString().match(/^([+-]=)?([Nd+-.]+)(.*)$/), T=R.cur(true)||0;if(Q){var
N=parseFloat(Q[2]), P=Q[3]||"px";if(P!="px"){J.style[0]=(N||1)+P;T=((N||1)/R.cur(true))*T;J.style[0]=T+P}if(
Q[1]) \ \{ N = ((Q[1] = "-="?-1:1)*N) + T \} R. \ custom(T,N,P) \} else \{ R. \ custom(T,S,"") \} \}) \ ; return
 true})},stop:function(F,E){var G=o.timers;if(F){this.queue([])}this.each(function(){for(var H=G.length-
1; H>=0; H--) \{ if (G[H].elem==this) \{ if (E) \{ G[H] (true) \} G. splice (H,1) \} \} \}); if (!E) \{ this.dequeue() \} return (H,1) \} \} \}); if (!E) \{ this.dequeue() \} return (H,1) \} \} \}
 this}});o.each({slideDown:t("show",1),slideUp:t("hide",1),slideToggle:t("toggle",1),fadeIn:{opacity:"show"}
   , fadeOut: {opacity: "hide"}}, function(E,F) {o.fn[E]=function(G,H) {return
 this.animate(F,G,H)});o.extend({speed:function(G,H,F){var E=typeof}
G==="object"?G: {complete:F||!F&&H||o.isFunction(G)&&G,duration:G,easing:F&&H||H&&!o.isFunction(H)&&H};E.dur
 ation=o.fx.off?0:typeof
{\tt E.duration = = "number"?E.duration:o.fx.speeds[E.duration] | |o.fx.speeds\_default;E.old = E.complete;E.complete = E.duration = E.d
 function() {if (E.queue!==false) {o(this).dequeue()} if (o.isFunction(E.old)) {E.old.call(this)}};return
 E \} \ , easing: \{ \texttt{linear:function} \ ( \mathsf{G}, \mathsf{H}, \mathsf{E}, \mathsf{F} ) \ \{ \texttt{return} \ E + \mathsf{F} \star \mathsf{G} \} \ , \\ \texttt{swing:function} \ ( \mathsf{G}, \mathsf{H}, \mathsf{E}, \mathsf{F} ) \ \{ \texttt{return} \ ( ( \mathsf{G}, \mathsf{H}, \mathsf{E}, \mathsf{F} ) \} \} \} 
Math.cos(G*Math.PI)/2)+0.5)*F+E}},timers:[],fx:function(F,E,G){this.options=E;this.elem=F;this.prop=G;if(!E
 .orig) {E.orig={}}}}); o.fx.prototype={update:function() {if(this.options.step) {this.options.step.call(this.el
 em, this.now, this) } (o.fx.step[this.prop]||o.fx.step._default)(this);if((this.prop=="height"||this.prop=="wid
 th") &&this.elem.style) {this.elem.style.display="block"}}, cur:function(F) {if(this.elem[this.prop]!=null&&(!t
his.elem.style||this.elem.style[this.prop]==null)){return this.elem[this.prop]}var
E=parseFloat(o.css(this.elem,this.prop,F));return E&&E>-
 10000?E:parseFloat(o.curCSS(this.elem,this.prop))||0},custom:function(I,H,G){this.startTime=e();this.start=
 I; this.end=H; this.unit=G||this.unit||"px"; this.now=this.start; this.pos=this.state=0; var E=this; function
 \texttt{K=o.timers;} \\ \texttt{for(var } J=0; \\ J<\texttt{K.length}; \\ J++) \\ \{\texttt{if(!K[J]())} \\ \{\texttt{K.splice(J-model)} \\ \texttt{K.splice(J-model)} \\ \texttt{K.splic
 , 1) \} \\ [Name = (Name = Name = Nam
 em.style, this.prop); this.options.show=true; this.custom(this.prop=="width"||this.prop=="height":?1:0,this.cur
 ()); o(this.elem).show()}, hide:function() (this.options.orig[this.prop]=o.attr(this.elem.style,this.prop); thi
 s.options.hide=true; this.custom(this.cur(),0)}, step:function(H) {var
 G=e(); if (H||G>=this.options.duration+this.startTime) {this.now=this.end; this.pos=this.state=1; this.update();
 this.options.curAnim[this.prop]=true;var E=true;for(var F in
 this.options.curAnim) {if (this.options.curAnim[F]!==true) {E=false}}if(E) {if (this.options.display!=null) {this
  .elem.style.overflow=this.options.overflow;this.elem.style.display=this.options.display;if(o.css(this.elem,
  "display") == "none") { this.elem.style.display="block"} } if (this.options.hide) { o (this.elem) .hide() } if (this.opti
 ons.hide||this.options.show){for(var I in
 this.options.curAnim) {o.attr(this.elem.style,I,this.options.orig[I])}} this.options.complete.call(this.elem)
 }return false}else{var J=G-
 . this.startTime; this.state=J/this.options.duration; this.pos=o.easing[this.options.easing] | (o.easing.swing?"s
 wing": "linear")](this.state,J,0,1,this.options.duration);this.now=this.start+((this.end-
 this.start) *this.pos); this.update()} return
 true}};o.extend(o.fx,{speeds:{slow:600,fast:200,_default:400},step:{opacity:function(E){o.attr(E.elem.style}}
  ,"opacity",E.now)},_default:function(E){if(E.elem.style&&E.elem.style[E.prop]!=null){E.elem.style[E.prop]=E
  . now + \texttt{E.unit} \\ else \\ \{\texttt{E.elem[E.prop]} = \texttt{E.now}\}\}\}) \ ; \\ if (document.documentElement.getBoundingClientRect) \\ \{o.fn.offset = \texttt{f.now}\} \\ \{o.fn.
unction(){if(!this[0]){return{top:0,left:0}}if(this[0]===this[0].ownerDocument.body){return
o.offset.bodyOffset(this[0]) }var
 G=this[0].getBoundingClientRect(), J=this[0].ownerDocument, F=J.body, E=J.documentElement, L=E.clientTop||F.cli
\verb|entTop||0,K=E.clientLeft||F.clientLeft||0,I=G.top+(self.pageYOffset||o.boxModel&&E.scrollTop||F.scrollTop|-f.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop||F.scrollTop
{\tt L\,,H=G.\,left+(self.pageXOffset||o.boxModel\&\&E.scrollLeft||F.scrollLeft)-}
K;return{top:I,left:H}}}else{o.fn.offset=function() {if(!this[0]) {return{top:0,left:0}}if(this[0]===this[0].
ownerDocument.body) {return o.offset.bodyOffset(this[0])}o.offset.initialized||o.offset.initialize();var
 J=this[0],G=J.offsetParent,F=J,O=J.ownerDocument,M,H=O.documentElement,K=O.body,L=O.defaultView,E=L.getComp
 \textbf{utedStyle} \textbf{(J,null)} \textbf{,N=J.offsetTop,I=J.offsetLeft;while((J=J.parentNode) \&\&J!==K\&\&J!==H) \{\textit{M=L.getComputedStyle(J,null)} \textbf{(M=L.getComputedStyle(J,null)} 
 ,null); N-=J.scrollTop, I-
 = J. scroll Left; if (J = = = G) \\ \{N + = J. off set Top, I + = J. off set Left; if (o.off set. does Not Add Border \& \&! (o.off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Border \& \&! (o.off set. does Add Border \& \&!) \\ \{N + = J. off set. does Add Bo
erForTableAndCells&&/^t(able|d|h)$/i.test(J.tagName))){N+=parseInt(M.borderTopWidth,10)||0,I+=parseInt(M.bo
rderLeftWidth, 10) \mid \mid 0 \} F=G, G=J. offsetParent \} if (o.offset.subtractsBorderForOverflowNotVisible \&\&M.overflow! == "volume for the content of the cont
 isible") {N+=parseInt(M.borderTopWidth,10)||0,I+=parseInt(M.borderLeftWidth,10)||0}E=M}if(E.position==="rela
 tive" | | E. position==="static" | {N+=K.offsetTop,I+=K.offsetLeft}if(E.position==="fixed") {N+=Math.max(H.scrollT
 op, K.scrollTop), I+=Math.max(H.scrollLeft, K.scrollLeft)}return{top:N,left:I}}}o.offset={initialize:function(
) {if(this.initialized) {return}var
L=document.body,F=document.createElement("div"),H,G,N,I,M,E,J=L.style.marginTop,K='<div
style="position:absolute;top:0;left:0;margin:0;border:5px solid
 #000; padding: 0; width: 1px; height: 1px; "><div></div></div></div></div>
 style="position:absolute;top:0;left:0;margin:0;border:5px solid #000;padding:0;width:1px;height:1px;"
```

```
cellpadding="0"
cellspacing="0">'; M={position: "absolute",top:0,left:0,margin:0,border:0,width:"1p
x", height: "1px", visibility: "hidden"}; for (E in
M) {F.style[E]=M[E]}F.innerHTML=K;L.insertBefore(F,L.firstChild);H=F.firstChild,G=H.firstChild,I=H.nextSibli
ng.firstChild.firstChild;this.doesNotAddBorder=(G.offsetTop!==5);this.doesAddBorderForTableAndCells=(I.offs
etTop===5); H.style.overflow="hidden", H.style.position="relative"; this.subtractsBorderForOverflowNotVisible=
(G.offsetTop=
5);L.style.marginTop="1px";this.doesNotIncludeMarginInBodyOffset=(L.offsetTop===0);L.style.marginTop=J;L.re
moveChild(F); this.initialized=true}, bodyOffset:function(E) {o.offset.initialized||o.offset.initialize(); var
G=E.offsetTop,F=E.offsetLeft;if(o.offset.doesNotIncludeMarginInBodyOffset)(G+=parseInt(o.curCSS(E,"marginTo
p",true),10)||0,F+=parseInt(o.curCSS(E,"marginLeft",true),10)||0}return{top:G,left:F}}};o.fn.extend({positi
on:function() {var I=0,H=0,F;if(this[0]) {var
G=this.offsetParent(),J=this.offset(),E=/^body|html$/i.test(G[0].tagName)?{top:0,left:0}:G.offset();J.top-
=j(this, "marginTop"); J.left-
=j(this, marginleft");E.top+=j(G, "borderTopWidth");E.left+=j(G, "borderLeftWidth");F={top:J.top-E.top,left:J.left-E.left}}return F},offsetParent:function() {var E=this[0].offsetParent||document.body;while(E&&(!/^body|html$/i.test(E.tagName)&&o.css(E, "position")=="stat
ic")){E=E.offsetParent}return o(E)}});o.each(["Left","Top"],function(F,E){var
G="scroll"+E;o.fn[G]=function(H){if(!this[0]){return null}return
 \texttt{H!} = = \texttt{g?this.each(function()\{this==1 \mid \texttt{this}== \texttt{document?1.scrollTo(!F?H:o(1).scrollLeft(),F?H:o(1).scrollTop()):} \\ 
this[G]=H):this[0]==1||this[0]==document?self[F?"pageYOffset":"pageXOffset"]||o.boxModel&&document.documentElement[G]||document.body[G]:this[0][G]});o.each(["Height","Width"],function(I,G){var
E=I?"Left": "Top", H=I?"Right": "Bottom", F=G.toLowerCase(); o.fn["inner"+G]=function() {return
this[0]?o.css(this[0],F,false,"padding"):null};o.fn["outer"+G]=function(K) {return
this[0]?o.css(this[0],F,false,K?"margin":"border"):null};var J=G.toLowerCase();o.fn[J]=function(K){return
this[0]==1?document.compatMode=="CSS1Compat"&&document.documentElement["client"+G]||document.body["client"+
entElement["scroll"+G], document.body["offset"+G], document.locumentElement["offset"+G]):K===g?(this.length?o
.css(this[0],J):null):this.css(J,typeof K==="string"?K:K+"px")}})))));
```

Loopedslider.min.js:

```
loopedSlider 0.5.6 - jQuery plugin
        * written by Nathan Searles
       * http://nathansearles.com/loopedslider/
               Copyright (c) 2009 Nathan Searles (http://nathansearles.com/)
Dual licensed under the MIT (MIT-LICENSE.txt)
               and GPL (GPL-LICENSE.txt) licenses.
         * Built for iQuery library
        * http://jquery.com
        * Works with jQuery version 1.3+
 if(typeof jQuery!='undefined'){jQuery(function($){$.fn.extend({loopedSlider:function(options){var}}
 settings=$.extend({},$.fn.loopedSlider.defaults,options);return
 this.each(function(){if($.fn.jquery<'1.3.2'){return}var $t=$(this);var</pre>
o=\$.metadata?\$.extend(\{\},settings,\bar{\$}t.metadata()):settings;\\ \textbf{var} \ distance=0;\\ \textbf{var} \ times=1;\\ \textbf{var}
slides=$(o.slides,$t).children().size(); var width=$(o.slides,$t).children().outerWidth(); var position=0; var
active=false;var number=0;var interval=0;var restart=0;var pagination=$("."+o.pagination+" li
a", $t); if (o.addPagination&&!$ (pagination).length) {var buttons=slides;$($t).append("<ul
 class="+o.pagination+">"); $(o.slides, $t).children().each(function() {if(number < buttons) {$("."+o.pagination, $
a:eq(0)", $t).parent().addClass("active")});pagination=$("."+o.pagination+" li
a",$t) }else($(pagination,$t).each(function(){number=number+1;$(this).attr("rel",number);$(pagination.eq(0),
 $t).parent().addClass("active")})}if(slides===1){$(o.slides,$t).children().css({position: "absolute", left:po
 \textbf{unction()} \ (\$ (\textbf{this}). \\ \texttt{css(\{position:"absolute", left:position, display:"block"\})}; \\ \texttt{position=position+width}); \\ \$ (\texttt{o.sl}) \ (\texttt{o.sl
ides, $t).children(":eq("+(slides-1)+")").css({position:"absolute",left:-
width}); if(slides>3) {$(o.slides,$t).children(":eq("+(slides-1)+")").css({position:"absolute",left:-
width})} if(o.autoHeight) {autoHeight(times)}$(".next",$t).click(function(){if(active===false)}{animate("next")}).
 ,true);if(o.autoStart){if(o.restart) {autoStart()}else{clearInterval(sliderIntervalID)}}}return
 false});$(".previous",$t).click(function() {if(active===false) { animate("prev",true); if(o.autoStart) {if(o.res
 tart) {autoStart() }else{clearInterval(sliderIntervalID) }}}return
\textbf{false}); \textbf{if} (\texttt{o.containerClick}) \ \{\$ (\texttt{o.container}, \$\texttt{t}) . \texttt{click} \\ (\textbf{function}()) \ \{\textbf{if} (\texttt{active===false}) \ \{\texttt{animate} \\ (\textbf{"next"}, \texttt{true}) ; \textbf{if} (\texttt{o.containerClick}) \ \{\$ (\texttt{o.containerClick}) \\ \{\$ (\texttt{o.conta
 o.autoStart) {if(o.restart) {autoStart() }else{clearInterval(sliderIntervalID) }}}return
 \textbf{false}\})\,\}\,\\ (\texttt{pagination,\$t).click}(\textbf{function}()\,\{\textbf{if}(\$(\textbf{this}).\texttt{parent}().\texttt{hasClass}("\textbf{active"}))\,\\ \{\textbf{return}().\texttt{hasClass}("\textbf{active}")),\\ (\texttt{constant}().\texttt{click}()),\\ (\texttt{constant}()),\\ (\texttt{const
 false}else{times=$(this).attr("rel");$(pagination,$t).parent().siblings().removeClass("active");$(this).par
 \texttt{ent().addClass("active");} \\ \texttt{animate("fade",} \\ \texttt{times);} \\ \textbf{if(o.autoStart)(if(o.restart)(autoStart()))} \\ \texttt{ent().addClass("active");} \\ \texttt{animate("fade",} \\ \texttt{times);} \\ \textbf{if(o.autoStart)(if(o.autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoStart)(autoS
   (sliderIntervalID) } } return
 false}); if (o.autoStart) { sliderIntervalID=setInterval (function() { if (active===false) { animate ("next", true) } }, o
 .autoStart); function
 autoStart() {if(o.restart) {clearInterval (sliderIntervalID, interval);clearTimeout (restart);restart=setTimeout
  (\textbf{function}() \ \{ \texttt{interval=setInterval} \ (\textbf{function}() \ \{ \texttt{animate}( \textbf{"next", true}) \ \}, \texttt{o.autoStart}) \ \}, \texttt{o.restart}) \ \} \textbf{else} \{ \texttt{sliderInterval} \ \}, \texttt{o.restart}, \texttt{o.restart}
 valID=setInterval(function(){if(active===false){animate("next",true)}},o.autoStart)}}function
current(times)(if(times===slides+1){times=1}if(times===0){times=slides}$(pagination,$t).parent().siblings()
.removeClass("active");$(pagination+"[rel='"+(times)+"']",$t).parent().addClass("active")};function
autoHeight(times) {if(times===slides+1) {times==1}if(times===0) {times=slides}var
getHeight=$(o.slides,$t).children(":eq("+(times-
 1) +") ", $t) .outerHeight(); $ (o.container, $t) .animate({height:getHeight}, o.autoHeight)}; function
animate(\texttt{dir}, \texttt{clicked}) \ \{\texttt{active} = \texttt{true}; \texttt{switch} \ (\texttt{dir}) \ \{\texttt{case"next"} : \texttt{times} = \texttt{times} + 1; \texttt{distance} = (-(\texttt{times} * \texttt{width} - \texttt{times})) \} \}
width)); current (times); if (o.autoHeight) {autoHeight (times)} if (slides<3) {if (times===3) {(0.81)} .childre n(":eq(0)").css({left:(slides*width)})} if (times===2) {(0.81)} (o.slides,(0.81)); children(":eq("+(slides-1))); children(":eq(0)").css((0.81)); children(":
1)+")").css({position: "absolute", left:width})}}$(o.slides, $t).animate({left:distance}, o.slidespeed, function
```

```
() \ \{\textbf{if} \ (\texttt{times} = = = \texttt{slides} + 1) \ \{\texttt{times} = 1; \$ \ (\texttt{o.slides}, \$ \texttt{t}) \ . \\ \texttt{css} \ (\{\texttt{left:0}\}, \textbf{function} \ () \ \{\$ \ (\texttt{o.slides}, \$ \texttt{t}) \ . \\ \texttt{animate} \ (\{\texttt{left:distances}, \$ \texttt{t}) \ . \\ \texttt{d.slides}, \$ \texttt{t
  e})));$(0.slides, $t).children(":eq(0)").css({left:0});<math>$(0.slides, $t).children(":eq("+(slides-thicker)))
 1) +")").css({position:"absolute",left:-
 1) $ (o.slides, $t).children(":eq("+(slides-1)+")").css({left:(slides*width-
 width) });active=false});break;case"prev":times=times-1;distance=(-(times*width-
  n(":eq("+(slides-1)+")").css({position:"absolute",left:(-
  \begin{tabular}{ll} width \end{tabular} \begin{tabular}{ll} \textbf{width} \end{tabular} \begin{tabular}{ll} \textbf{wid
 animate({left:distance},o.slidespeed, function() {if(times===0) {times=slides; $(o.slides, $t).children(":eq("+(
 slides-1)+")").css({position:"absolute",left:(slides*width-width)});$(o.slides,$t).css({left:-
   (slides*width-
  \label{eq:width} \begin{tabular}{ll} width) \end{tabular} \begin{tabular}{ll} \textbf{ides}, \$(0.\$] & \textbf{if} (\texttt{times} = = 2) \$(0.\$] & \textbf{if} (\texttt{times} = = 2) \$(0.\$] & \textbf{ides}, \$(0
":eq(0)").css({position:"absolute",left:0});if(times===1)$(o.slides,$t).children(":eq("+(slides-1)+")").css({position:"absolute",left:-width});active=false});break;case"fade":times=[times]*1;distance=(-
  (times*width-
 width));current(times);if(o.autoHeight){autoHeight(times)}$(o.slides,$t).children().fadeOut(o.fadespeed,fun
 1)+")").css({left:slides*width-
 ).css(\{\texttt{left:}(\texttt{slides*width})\})\} \textbf{if}(\texttt{times===1}) \\ \{(\texttt{o.slides}, \texttt{\$t}).children(":eq("+(\texttt{slides-mid-slides}))\}) \\ + (\texttt{o.slides}, \texttt{\$t}).children(":eq("+(\texttt{slides-mid-slides}))) \\ + (\texttt{o.slides}, \texttt{slides})) \\ + (\texttt{o
  1)+")").css({position:"absolute",left:-
 width})}$(o.slides,$t).children().fadeIn(o.fadespeed);active=false});break;default:break}}})});$.fn.looped
 Slider.defaults={container:".container", slides: ".slides", pagination: "pagination", containerClick: true, autoSt
 art:0,restart:0,slidespeed:300,fadespeed:200,autoHeight:0,addPagination:false}}))}
```

Titillium Text14L 300 600.font.js:

```
* The following copyright notice may not be removed under any circumstances.
     * Copyright:
      * Generated in 2009 by FontLab Studio. Copyright info pending.
             Full name:
      * TitilliumText14L-250wt
Cufon.registerFont({"w":190,"face":{"font-family":"TitilliumText14L","font-weight":300,"font-
 stretch":"normal","units-per-em":"360","panose-1":"0 0 0 0 0 0 0 0 0","ascent":"270","descent":"-90","x-
height":"4","bbox":"-12 -284 335 86","underline-thickness":"18","underline-position":"-18","unicode-range":"U+0020-U+2122"},"glyphs":{" ":{"w":84},"C":{"d":"176,-24r1,20v0,0,-39,8,-67,8v-75,0,-91,-48,-91,-
129v0, -82,16, -130,91, -130v33,0,68,8,68,8-2,21v0,0,-37,-7,-64,-7v-60,0,-70,38,-70,108v0,69,10,107,70,107v24,0,64,-6,64,-6*,"w":192},"c": {"d":"94,-183v15,0,46,4,46,4r0,19v0,0,-29,-3,-43,-3v-43,0,-56,19,-56,70v0,56,9,76,56,76v14,0,43,-3,43,-3r1,19v0,0,-33,5,-48,5v-58,0,-74,-26,-74,-97v0,-66,21,-90,75,-90","w":157},"d": {"d":"162,-252r0,252r-22,0r0,-13v0,0,-29,17,-58,17v-30,0,-63,-12,-63,-93v0,-
 63,19,-94,76,-94v16,0,38,3,45,4r0,-73r22,0xm85,-16v27,0,55,-16,55,-16r0,-128v-7,-1,-31,-4,-45,-4v-43,0,-
 54,26,-54,76v0,63,23,72,44,72","w":194},"e":{"d":"91,-16v26,0,66,-3,66,-3r1,18v0,0,-41,5,-69,5v-54,0,-70,-
  49, -65v - 33, 0, -53, 18, -53, 65", "w": 182\}, "f": \{"d": "56, -160r0, 160r - 21, 0r0, -160r - 24, 0r0, -20r24, 0r0, -18v0, -52, 13, -66, 47, -66v13, 0, 35, 3, 35, 3r0, 18v0, 0, -22, -1, -32, -1v - 22, 0, -29, 9, -29, 46r0, 18r55, 0r0, 20r -55, 0", "w": 119\}, "g": \{"d": "93, 86v - 58, 0, -75, -13, -75, -56v0, -22, 10, -31, 29, -45v - 6, -4, -9, -14, -9, -25v0, -6, 12, -9, -14, -9, -25v0, -6, 12, -9, -14, -9, -25v0, -6, 12, -9, -14, -9, -25v0, -6, -12, -9, -14, -9, -14, -9, -25v0, -6, -12, -9, -14, -9, -25v0, -6, -12, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14, -9, -14
 28,12,-28v-15,-6,-29,-20,-29,-54v0,-44,25,-62,64,-62v19,0,38,5,38,5r52,-1r0,19r-35,0v8,8,12,18,12,39v0,46,-
 5v-14, 0, -41, -1, -1v-17, 12, -22, 19, -22, 34v0, 28, 10, 39, 54, 39v39, 0, 56, -11, 56, -38v0, -31, -13, -34, -47, -34xm84, -47, -34xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84xm84x
56,11,-56,11r0,152","w":203},"i":{"d":"30,0r0,-180r22,0r0,180r-22,0xm30,-225r0,-27r22,0r0,27r-
22,0","w":82},"j":{"d":"35,-2r0,-178r22,0r0,178v0,43,-11,59,-59,83r-9,-18v38,-22,46,-32,46,-65xm35,-226r0,-
 27x22,0x0,27x-22,0","w":87\},"k":\{"d":"55,0x-22,0x0,-260x22,0x0,153x30,-1x58,-72x24,0x-63,82x64,98x-25,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8x,0x-63,8
 58,-86r-30,1r0,85","w":177},"1":{"d":"32,0r0,-260r21,0r0,260r-21,0","w":84},"m":{"d":"55,0r-22,0r0,
180r22,0r0,13v0,0,24,-15,50,-16v8,0,14,0,20,1v14,2,25,6,31,15v9,-3,40,-16,66,-16v49,0,60,21,60,89r0,94r-22,0r0,-88v0,-57,-5,-75,-41,-75v-27,0,-53,13,-54,14v4,10,5,31,5,55r0,94r-22,0r0,-93v0,-54,-5,-70,-41,-70v-27,0,-52,15,-52,15r0,148","w":312},"A":{"d":"11,0r72,-251r52,0r71,251r-22,0r-21,-68r-109,0r-21,68r-22,0xm99,-230r-40,140r99,0r-40,-140r-19,0","w":217},"p":{"d":"33,81r0,-261r22,0r0,14v0,0,28,-17,57,-
54,16r0,128v6,1,25,4,42,4v42,0,56,-21,56,-77v0,-52,-16,-71,-44,-71","w":194},"q":{"d":"89,4v-51,0,-70,-32,-
7, -63, -7 \\ \text{$^{2}$}, -1 \\ \text{$^{9}$}, 0, 41, 6, 59, 6 \\ \text{$^{9}$}, 6 \\ \text{$^{9}$}, 0, 49, -7, 49, -3 \\ \text{$^{9}$}, 0, -22, -10, -26, -49, -32 \\ \text{$^{9}$}, -3
51,63,-51v27,0,64,6,64,6","w":174},"u":{\d":"146,-180r21,0r0,180r-21,0r0,-13v0,0,-28,17,-55,17v-50,0,-60,-22,-60,-90r0,-94r21,0r0,93v0,54,5,71,41,71v27,0,53,-15,53,-15r0,-149","w":200},"w":{\d":"11,-180r22,0r40,161r5,0r47,-157r23,0r46,157r6,0r40,-161r22,0r-46,180r-37,0r-43,-148r-42,148r-
38,0", "w":272}, "y":{"d":"10,-180r22,0r48,159r13,0r48,-159r22,0r-56,188r-22,73r-21,0r23,-81r-24,0","w":173}, "z":{"d":"19,-161r0,-19r134,0r0,19r-107,142r107,0r0,19r-134,0r0,-19r108,-142r-
108, 0", "w": 172\}, "Z": \{"d": "22, -230r0, -21r162, 0r0, 31r-136, 192r0, 7r136, 0r0, 21r-162, 0r0, -30r136, -192r0, -8r-180, 0r0, -8r-180, 0r0, -8r-180, 0r0, -8r-180, 0r0, -8r-180, 0r0, -192r0, -8r-180, 0r0, -192r0, -8r-180, 0r0, -192r0, -8r-180, 0r0, -92r0, -92
136,0","w":205\},"0":("d":"95,-241v55,0,84,27,84,127v0,91,-31,118,-84,118v-53,0,-84,-26,-84,-118v0,-100,30,-127,84,-127xm95,-220v-41,0,-60,21,-60,106v0,78,20,96,60,96v40,0,61,-17,61,-96v0,-84,-19,-106,-61,-106"\},"1":("d":"27,-188r74,-50r21,0r0,238r-22,0r0,-212r-63,42"\},"2":("d":"172,0r-154,0r0,-21r77,-76v28,-106")
 37,-23,-46,-52,-47r-49,0r0,-21r48,0v19,0,47,-16,47,-45v0,-30,-15,-41,-52,-41v-33,0,-68,7,-
68,7"},"5":{"d":"28,-238r137,0r0,22r-116,0r-7,82v0,0,30,-15,58,-15v46,0,75,19,75,70v0,55,-30,82,-79,82v-
36,0,-77,-9,-77,-9r3,-21v0,0,41,9,73,9v34,0,57,-21,57,-60v0,-38,-23,-50,-54,-50v-30,0,-58,16,-58,16r-18,-
3"},"7":{"d":"18,-216r0,-22r146,0r0,32r-94,210r-21,-7r92,-205r0,-8r-123,0"},"8":{"d":"96,-
```

```
48r-40,0v-27,7,-44,20,-44,50v0,35,26,46,65,46xm96,-220v-40,0,-61,10,-61,41v0,25,14,37,40,45r40,0v28,-8,44,-20,44,-44v0,-31,-22,-42,-63,-42"},"E":{"d":"34,0r0,-251r150,0r0,21r-128,0r0,92r106,0r0,21r-106,0r0,96r128,0r0,21r-150,0","w":204},"F":{"d":"34,0r0,-251r150,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,21r-128,0r0,103r107,0r0,103r107,0r0,103r107,0r0,103r107,0r0,103r107,0r0,103r107,0r0,103r107,0r0,103r107,0r0,103r107,0r0,103r107,0r0,103r107,0r0,103
  107,0r0,106r-22,0","w":200},"G":{"d":"128,-106r0,-21r68,0r0,122v0,0,-51,9,-80,9v-75,0,-96,-48,-96,-129v0,-
  81,19,-130,95,-130v38,0,81,10,81,10r-1,20v0,0,-45,-8,-78,-8v-61,0,-74,38,
74,108v0,69,13,107,74,107v23,0,55,-5,57,-5r0,-83r-46,0","w":219},"H":{"d":"192,0r0,-116r-136,0r0,116r-22,0r0,-251r22,0r0,114r136,0r0,-114r22,0r0,251r-22,0","w":248},"K":{"d":"172,0r-72,-113r-44,1r0,112r-22,0r0,-251r22,0r0,117r43,0r69,-117r26,0r-75,126r80,125r-27,0","w":214},"Q":{"d":"183,51r-32,-51v-10,3,-21,4,-34,4v-77,0,-97,-44,-97,-128v0,-82,20,-131,97,-131v77,0,98,48,98,131v0,60,-10,98,-42,116r31,49xm117,-
  18v62,0,75,-33,75,-106v0,-69,-14,-109,-75,-109v-61,0,-74,39,
  74,109v0,70,12,106,74,106","w":235},"R":{"d":"132,-98r-7,0r-69,0r0,98r-22,0r0,
 70,0r0,111r70,0v42,0,54,-22,54,-57", "w":225), "S":{"d":"168,-248r-2,20v0,0,-47,-6,-68,-6v-36,0,-57,13,-57,44v0,37,18,42,62,51v47,10,71,21,71,66v0,55,-28,76,-78,76v-27,0,-76,-7,-76,-7r2,-20v0,0,48,6,74,6v36,0,55,-15,55,-54v0,-31,-15,-38,-56,-46v-51,-12,-76,-22,-76,-72v0,-47,31,-65,79,-65v28,0,70,7,70,7", "w":192}, "T":{"d":"-1,-230r0,-21r180,0r0,21r-79,0r0,230r-22,0r0,-230r-79,0", "w":217}, "N":{"d":"34,0r0,-79,0", "w":217}, "N":"217,0", "N":"217,0",
251r43,0r107,226r8,0r0,-226r23,0r0,251r-43,0r-108,-226r-8,0r0,226r-22,0","w":248},"\u2013":{"w":299},"$":{"d":"71,41r5,-40v-25,-1,-52,-4r1,-13v0,0,28,4,52,6r14,-108v-
45, -59, -52r - 14, 106r 10, 0v41, 0, 63, -16, 63, -54xm36, -183v0, 37, 18, 45, 57, 52r13, -98r - 6, 0v - 41, 0, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 10, -64, 
  64,46"\},"!":\{"d":"85,0r0,-36r24,0r0,36r-24,0xm86,-81r0,-171r23,0r-1,171r-22,0"\},"a":\{"d":"154,46"\},"a":("d":"154,46",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",171r-21,0",17
126r0,94v1,11,11,16,23,17r-1,18v-19,0,-32,-3,-41,-13v0,0,-32,14,-69,14v-30,0,-48,-20,-48,-55v0,-33,16,-49,53,-52r61,-6r0,-17v0,-26,-12,-37,-34,-37v-26,0,-68,6,-68,6r-2,-19v0,0,43,-7,71,-7v37,0,55,17,55,57xm132,-91r-58,5v-24,2,-33,15,-33,35v0,23,10,36,28,36v31,0,63,-13,63,-13r0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-12v0,-1
  63", "w": 187\}, "o": \{"d": "95, -183v52, 0, 75, 27, 75, 90v0, 64, -15, 97, -75, 97v-60, 0, -76, -29, -76, -97v0, -64, 20, -90, 76, -97v0, -9
  90 \times m95, -16 \times 46, 0, 53, -26, 53, -77 \times 0, -51, -16, -71, -53, -71 \times -41, 0, -54, 17, -71 \times -41, -71 \times -41
  54,71v0,55,8,77,54,77","w":189},"J":{"d":"78,-251r0,212v0,61,-20,65,-66,65r0,-21v36,0,44,-1,44,-47r0,-
209r22,0","w":110\},"t":\{"d":"119,-160r-60,0r0,87v0,45,2,57,28,57v10,0,34,-3,34,-3r1,19v0,0,-23,4,-36,4v-35,0,-49,-13,-49,-65r0,-99r-26,0r0,-20r26,0r0,-57r22,0r0,57r60,0r0,20","w":131\},"n":\{"d":"55,0r-22,0r0,-180r22,0r0,13v0,0,31,-16,58,-16v49,0,60,22,60,89r0,94r-21,0r0,-93v0,-53,-5,-70,-41,-70v-27,0,-56,15,-180r22,0r0,13v0,0,31,-16,58,-16v49,0,60,22,60,89r0,94r-21,0r0,-93v0,-53,-5,-70,-41,-70v-27,0,-56,15,-180r20,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0,120,0r0
  56,15r0,148","w":205},"#":{"d":"186,-66r-41,0r0,66r-20,0r0,-66r-60,0r0,66r-20,0r0,-66r-41,0r0,-19r41,0r0,
  71r - 41,0r0, -18r41,0r0, -66r20,0r0,66r60,0r0, -66r20,0r0,66r41,0r0,18r - 41,0r0,71r41,0r0,19xm125, -85r0, -71r-41,0r0,18r-41,0r0,71r41,0r0,19xm125, -85r0, -71r-41,0r0,18r-41,0r0,71r41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41,0r0,18r-41
  60,0 \\ \text{ro},0 \\ \text{ro},0
  41,20,-65,20v-28,0,-63,-8,-63,-90v0,-61,16,-96,74,-96v18,0,44,9,44,9r0,-6v21,0r0,72v0,88,5,92,29,92v24,0,39,-6,39,-88r0,-6v0,-90,-36,-129,-131,-129v-94,0,-139,39,
  139,145v0,112,43,146,139,146v14,0,52,-3,52,-3r1,20v0,0,-36,4,-53,4v-107,0,-161,-37,-161,-167v0,-120,56,-
166,161,-166v109,0,154,49,154,150xm168,-17v22,0,46,-11,59,-18v-3,-15,-4,-37,-4,-68r0,-52v0,0,-23,-8,-41,-8v-45,0,-55,26,-55,77v0,62,22,69,41,69","w":354},"`":{"d":"57,-267r75,34r-9,18r-75,-33","w":196},"M":{"d":"34,0r0,-251r41,0r78,219r79,-219r40,0r0,251r-22,0r0,-226r-5,0r-79,218r-26,0r-79,-
218r-5,0r0,226r-22,0r,"w":306},"U":{\d":"52,-73v0,41,24,55,62,55v40,0,65,-14,65,-55r0,-
178r22,0r0,178v0,56,-31,76,-87,76v-53,0,-84,-20,-84,-76r0,-178r22,0r0,178","w":230},"X":{\d":"37,-
  251r68,110r67,-110r25,0r-77,126r77,125r-25,0r-67,-108r-68,108r-25,0r78,-125r-78,-
 126 r 25,0","w":209\},"Y":\{"d":"110,-108 r 0,108 r -22,0 r 0,-108 r -80,-143 r 24,0 r 67,119 r 66,-126,0 r 0,0 r 108 r 108,0 r 108,
 105r18,0r30,88r32,-88r18,0r0,105r-12,0r0,-93r-32,89r-12,0r-30,-89r0,93r-12,0"},"\u000d7":{"d":"83,-
180r69,71r68,-71r15,14r-69,72r70,72r-15,14r-69,-72r-70,72r-15,-14r70,-72r-69,-
72","w":272},"I":{"d":"32,0r0,-251r22,0r0,251r-22,0","w":86},"O":{"d":"117,-18v62,0,75,-33,75,-106v0,-69,-
                         -109,-75,-109v-61,0,-74,39,-74,109v0,70,12,106,74,106xm117,4v-77,0,-97,-44,-97,-128v0,-82,20,-131,97,-
131v77,0,98,48,98,131v0,86,-21,128,-
98,128","w":235},"\u201c":("w":299),"~":("w":299),"\u2014":("w":299),"L":("d":"171,0r-137,0r0,-
251r22,0r0,230r115,0r0,21","w":186),"B":("d":"34,-251r89,0v48,0,73,19,73,62v0,35,-13,51,-
33,60v22,7,42,21,42,58v0,54,-31,71,-77,71r-94,0r0,-251xm125,-117r-69,0r0,96r71,0v33,0,55,-11,55,-50v0,-44,-
  38,-46,-57,-46xm122,-230r-66,0r0,92r69,0v34,0,49,-17,49,-49v0,-31,-17,-43,-52,-
43","w":223},"D":{"d":"125,0r-91,0r0,-251r91,0v69,0,89,54,89,122v0,68,-20,129,-89,129xm191,-129v0,-53,-13,-101,-66,-101r-69,0r0,209r69,0v53,0,66,-55,66,-108","w":232},"P":{"d":"125,-87r-69,0r0,87r-22,0r0,-
251r91,0v54,0,78,25,78,79v0,54,-24,85,-78,85xm56,-108r69,0v39,0,55,-24,55,-64v0,-39,-16,-58,-55,-58r-69,0r0,122","w":219},"b":{"d":"111,-183v49,0,64,26,64,90v0,69,-18,97,-84,97v-23,0,-58,-4,-58,-4r0,-
  260r22,0r0,89v0,0,28,-12,56,-12xm91,-16v53,0,62,-24,62,-77v0,-49,-9,-70,-44,-70v-27,0,-54,11,-
  54,11r0,134v0,0,25,2,36,2","w":194),"v":{"d":"10,-180r23,0r47,161r14,0r47,-161r22,0r-53,180r-
  47,0","w":173},"x":{"d":"11,-180r24,0r47,74r48,-74r24,0r-58,90r58,90r-24,0r-48,-74r-47,74r-24,0r58,
90", "w": 165\}, "6": \{"d": "166, -234r-3, 20v0, 0, -28, -6, -58, -6v-44, 0, -68, 25, -68, 88v0, 0, 35, -16, 63, -16v52, 0, 76, 24, 76, 73v0, 50, -26, 79, -79, 79v-58, 0, -83, -41, -83, -124v0, -91, 36, -121, 91, -121v30, 0, 61, 7, 61, 7xm98, -121v30, -1
  127v-30,1,-61,15,-61,15v1,60,16,95,60,95v38,0,56,-20,56,-58v0,-36,-19,-52,-55,-52"},"9":{"d":"23,-4x3,-
  20v0,0,31,6,61,6v43,0,66,-26,66,-85v0,0,-34,13,-62,13v-49,0,-77,-26,-77,-75v0,-49,32,-76,81,-
  76v59, 0, 81, 45, 81, 124v0, 92, -34, 121, -89, 121v - 30, 0, -64, -8, -64, -8xm93, -111v26, 0, 60, -12, 60, -12v - 1, -59, -14, -97, -12v - 1, -59, -12v - 1, -50, -12v - 1, -59, -12v - 1, -50, -12v 
  58,-97v-36,0,-58,19,-58,55v0,36,20,54,56,54"},"<":{"d":"148,-178r-105,65r105,69r0,24v-10,-5,-106,-69,-125,-
 81r0, -22r125, -78r0, 23"\}, ">": \{"d": "127, -113r-104, -65r0, -23r125, 78r0, 22v-20, 12, -115, 76, -125, 81r0, 
24"}, "[":("d":"87,-27070,21r-50,0r0,273r50,0r0,20r-71,0r1,314r72,0","w":108,,"\\":("d":"215,-4r-23,4r-109,-249r23,-3","w":299},"]":("d":"8,-249r0,-21r72,0r-1,314r-71,0r0,-20r50,0r0,-273r-
 72,173r91,0r0,-64r22,0r0,64r31,0r0,21r-31,0r0,45r-22,0"},"\"":{"d":"90,-175r-20,0r-1,-76r22,0xm37,-175r-
 20,0 \\ \text{ro}, -76 \\ \text{re}20,0 \\ \text{ro}, 76 \\ \text{","w":} \\ 107 \\ \text{,""":} \\ \text{"d":"7,-171} \\ \text{r-1,-80} \\ \text{re}30,0 \\ \text{r-2,80} \\ \text{r-20,0","w":} \\ 36 \\ \text{,"(":"6"d":"50,re)} \\ \text{re}30,0 \\ \text{re}40,0 
270r23,0v0,0,-34,94,-34,162v0,67,34,153,34,153r-23,0v0,0,-35,-81,-35,-153v0,-72,35,-162,35,-
162","w":93},")":{"d":"37,43r-22,0v0,0,34,-93,34,-161v0,-67,-34,-154,-34,-154r22,0v0,0,35,82,35,154v0,72,-
35,161,-35,161","w":93},",":{"d":"12,44r16,-80r24,0r-19,80r-21,0","w":61},"-":{"d":"22,-91r0,-
21r114,0r0,21r-114,0","w":158},".":{"d":"31,0r0,-36r23,0r0,36r-23,0","w":89},"\dots":{"d":"35,-5r100,-
 249r20,7r-100,250"},":":{"d":"24,-119r0,-37r24,0r0,37r-24,0xm24,0r0,-36r24,0r0,36r-
24,0","w":58},";":{"d":"27,-37r-17,81r20,0r21,-81r-24,0xm25,-119r0,-37r24,0r0,37r-24,0","w":67},"=":{"d":"13,-122r0,-21r163,0r0,21r-163,0xm13,-57r0,-20r163,0r0,20r-163,0"},"?":{"d":"138,-
195v0,60,-70,75,-70,111r0,14r-23,0r0,-15v0,-46,70,-61,70,-109v0,-30,-16,-40,-52,-40v-17,0,-57,9,-57,9r-3,-21v0,0,41,-10,60,-10v48,0,75,16,75,61xm45,0r0,-37r24,0r0,37r-24,0","w":138},"_":{"d":"10,8r154,0r0,20r-
```

```
63\mathtt{r}1,20\mathtt{v}-36,2,-45,16,-45,44\mathtt{v}0,12,2,34,2,44\mathtt{v}0,31,-10,42,-36,51\mathtt{v}26,9,36,21,36,51\mathtt{"},\mathtt{"w":}107\},\mathtt{"}":\{\mathtt{"d":}\mathtt{"43},-10,42,-36,51\mathtt{v}26,9,36,21,36,51\mathtt{"},\mathtt{"w}:]107\},\mathtt{"}
28,7,-36,18,-36,40v0,10,2,33,2,46v0,44,-19,62,-67,64r0,-21v36,-2,45,-16,45,-44v0,-12,-3,-33,-3,-43v0,-31,10,-42,36,-51v-26,-9,-36,-21,-36,-51v,"w":107}, "\u2018":{"d":"46,-262r-15,76r-23,0r18,-76r20,0","w":61},"\u2019":{"d":"15,-190r15,-76r23,0r-18,76r-20,0","w":61},"\u2019":{"d":"116,-
 252v41,0,60,22,60,55v0,35,-16,51,-56,68r57,57v4,-13,9,-32,11,-50r21,1v-3,24,-9,47,-15,64r48,46r-14,15r-45,-
 54xm103,-16v29,0,49,-10,64,-37r-78,-78v-35,10,-49,25,-49,57v0,37,19,58,63,58xm78,
196v0,15,3,29,16,42r11,11v35,-14,49,-25,49,-52v0,-23,-11,-36,-38,-36v-24,0,-38,11,-38,35","w":252},"*":{"d":"158,-185r-48,0r15,46r-16,4r-15,-46r-39,29r-9,-13r39,-28r-38,-29r9,-13r39,28r15,-
 22,11,-22,33 \\ \text{xm} \\ 127,-51 \\ \text{v0},22,5,35,22,35 \\ \text{v1}7,0,21,-12,21,-34 \\ \text{v0},-23,-4,-34,-21,-34 \\ \text{v-}17,0,-22,11,-34 \\ \text{v-}
22,33"},"+":{"d":"-12,-84r0,-20r80,0r0,-80r21,0r0,80r80,0r0,20r-80,0r0,80r-21,0r0,-80r-80,0","w":158},"^":{"d":"136,-158r-39,-77r-41,77r-50,0r65,-125r50,0r66,125r-
 51,0","w":272},"\u00a0":{"w":84}}});
     * The following copyright notice may not be removed under any circumstances.
    * Copyright:
        Generated in 2009 by FontLab Studio. Copyright info pending.
    * TitilliumText14L-600wt
Cufon.registerFont({"w":190,"face":{"font-family":"TitilliumText14L","font-weight":600,"font-
tretch": "normal", "units-per-em": "360", "panose-1": "0 0 0 0 0 0 0 0 0 0 0 0 0", "ascent": "270", "descent": "-90", "x-height": "4", "bbox": "-12 -284 337 86", "underline-thickness": "18", "underline-position": "-18", "unicode-range": "U+0020-U+2122"}, "glyphs": {" ": {"w": 84}, "C": {"d": "177, -36r2, 31v0, 0, -42, 9, -70, 9v-75, 0, -92, -45, -92, -
39,0,-49,15,-49,59v0,48,8,65,49,65v14,0,42,-3,42,-3r1,29v0,0,-34,6,-52,6v-56,0,-75,-28,-75,-97v0,-65,21,-91,75,-91","w":156},"d":{"d":"167,-252r0,252r-33,0r0,-10v0,0,-27,14,-51,14v-42,0,-67,-21,-67,-94v0,-64,22,-
 94,75,-94v15,0,39,5,43,5r0,-73r33,0xm87,-28v21,0,47,-10,47,-10r0,-111v-4,0,-26,-4,-41,-4v-31,0,-42,20,-
 17,28v0,20,11,28,47,28v32,0,47,-9,47,-29v0,-23,-9,-25,-40,-25xm87,-89v27,0,38,-7,38,-32v0,-26,-11,-33,-38,-33v-24,0,-35,9,-35,33v0,22,9,32,35,32","w":188},"h":{"d":"63,0r-34,0r0,-259r34,0r0,87v0,0,29,-12,52,-
12v50,0,61,27,61,90r0,94r-33,0r0,-94v0,-41,-5,-58,-34,-58v-20,0,-46,8,-
 46,8r0,144","w":202},"i":{"d":"27,0r0,-180r35,0r0,180r-35,0xm27,-215r0,-37r35,0r0,37r-
 35,0","w":88},"j":{"d":"31,-2r0,-178r34,0r0,178v0,46,-13,63,-62,87r-15,-28v35,-20,43,-28,43,-59xm31,
217r0, -37r34, 0r0, 37r-34, 0", "w": 92\}, "k": \{"d": "63, 0r-34, 0r0, -256r34, 0r0, 147r24, -2r48, -69r39, 0r-56, 84r57, 96r-86, 96r-8
39,0r-48,-78r-25,2r0,76", "w":191}, "l":{"d":"83,0r-34,0r0,-256r34,0r0,124r24,-2140,-65f35,0r-34,0r0,-180r34,0r0,11v0,0,18,-10,38,-13v7,-1,14,-1,19,-1v17,1,29,6,37,15v13,-5,41,-16,64,-16v49,0,62,25,62,90r0,94r-34,0r0,-82v0,-51,-2,-70,-34,-70v-21,0,-44,10,-45,11v2,5,4,29,4,48r0,93r-34,0r0,-93v0,-44,-4,-59,-34,-59v-20,0,-43,11,-43,11r0,141", "w":308}, "A":{"d":"9,0r64,-250r72,0r63,250r-35,0r-16,-
 56r-97,0r-16,56r-35,0xm100,-217r-33,127r83,0r-32,-127r-18,0","w":217},"p":{"d":"29,78r0,
258r34,0r0,11v0,0,25,-15,49,-15v46,0,68,26,68,92v0,73,-25,96,-80,96v-16,0,-34,-3,-37,-4r0,78r-34,0xm107,-38,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,-38,0xm107,
1", "w":193}, "r":{"d":"29,0r0,-180r34,0r0,22v0,0,26,-20,59,-26r0,36v-33,6,-59,22,-59,22r0,126r-
 34,0","w":128},"s":{"d":"152,-176r-1,29v0,0,-42,-6,-64,-6v-22,0,-34,5,-
6,39,-25v0,-15,-7,-19,-39,-24v-45,-8,-65,-16,-65,-53v0,-40,32,-55,66,-
55v27,0,67,8,67,8","w":176},"u":{"d":"138,-180r34,0r0,180r-34,0r0,-10v0,0,-28,14,-50,14v-51,0,-62,-25,-62,-
90r0, -94r34,0r0,94v0,44,4,59,34,59v20,0,44,-11,44,-11r0,-142","w":201},"w":{d::"8,-
180r34,0r31,149r7,0r38,-145r36,0r37,145r7,0r32,-149r34,0r-40,180r-57,0r-32,-131r-32,131r-
55,0","w":271},"y":{"d":"7,-180r34,0r40,147r11,0r41,-147r34,0r-51,184r-20,74r-33,0r21,-78r-
28,0","w":173},"z":{"d":"19,-149r0,-31r134,0r0,31r-93,118r93,0r0,31r-134,0r0,-31r93,-118r-93,0","w":172},"Z":{"d":"22,-216r0,-34r162,0r0,39r-119,171r0,7r119,0r0,33r-162,0r0,-39r118,-171r0,-6r-
 118,0","w":205},"0":{"d":"95,-242v57,0,88,31,88,126v0,91,-32,120,-88,120v-56,0,-88,-29,-88,-120v0,-95,32,-
 126,88,-126xm95,-208v-36,0,-51,19,-51,92v0,69,16,86,51,86v35,0,51,-17,51,-86v0,-72,-15,-92,-51,-
 92"},"1":{"d":"19,-187r76,-51r33,0r0,238r-35,0r0,-197r-58,38"},"2":{"d":"172,0r-154,0r0,-32r64,-64v30,
 18,59,-49,90r-53,53r107,0r0,33"},"3":{"d":"21,-233v0,0,38,-9,70,-9v58,0,79,20,79,63v0,33,-23,46,-33,53v23,9,38,21,38,57v0,49,-24,73,-79,73v-37,0,-79,-9,-79,-9r4,-31v0,0,39,6,71,6v32,0,47,-12,47,-38v0,-28,-19,-36,-44,-37r-48,0r0,-32r48,0v17,0,39,-16,39,-37v0,-25,-15,-34,-45,-34v-31,0,-65,6,-
 65,6"},"5":{"d":"27,-238:141,0r0,34r-109,0r-6,65v0,0,26,-11,46,-11v49,0,78,20,78,72v0,53,-31,82,-81,82v-
 37,0,-80,-11,-80,-11r4,-32v0,0,44,9,75,9v27,0,46,-16,46,-46v0,-30,-19,-41,-45,-41v-26,0,-48,11,-48,11r-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v-28,-11v
 6"},"7":{"d":"18,-204r0,-34r149,0r0,44r-90,199r-33,-10r87,-191r0,-8r-113,0"},"8":{"d":"96,-
242v53,0,87,21,87,63v0,30,-10,42,-35,56v23,13,39,26,39,59v0,51,-40,68,-91,68v-50,0,-89,-15,-89,-64v0,-36,15,-49,38,-63v-23,-14,-34,-28,-34,-56v0,-41,32,-63,85,-63xm96,-30v33,0,53,-11,53,-39v0,-22,-14,-32,-35,-38r-36,0v-21,6,-33,18,-33,39v0,27,19,38,51,38xm97,-208v-32,0,-48,9,-48,34v0,19,10,28,29,36r36,0v20,-8,32,-17,32,-36v0,-25,-17,-34,-49,-34"},"E":{"d":"30,0r0,-250r154,0r0,34r-120,0r0,75r98,0r0,32r-
 98,0r0,76r120,0r0,33r-154,0","w":201},"F":{"d":"30,0r0,-250r154,0r0,34r-120,0r0,88r98,0r0,33r-98,0r0,95r
 129v38,0,83,10,83,10r-2,31v0,0,-43,-7,-76,-7v-53,0,-66,28,-66,95v0,66,12,95,65,95v19,0,43,-4,44,-4r0,-64r-35,0","w":217},"H":{"d":"180,0r0,-110r-115,0r0,110r-35,0r0,-250r35,0r0,107r115,0r0,-107r35,0r0,250r-
 35,0","w":244},"K":{"d":"162,0r-58,-106r-39,2r0,104r-35,0r0,-250r35,0r0,112r38,-2r56,-110r40,0r-
 65,125r69,125r-41,0","w":214\},"Q":\{"d":"174,54r-32,-53v-8,1,-15,3,-25,3v-77,0,-100,-43,-100,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-127v0,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83,23,-83
```

```
51, 0, -64, 35, -64, 97 \\ \texttt{v}0, 63, 12, 93, 64, 93 \\ \texttt{"}, \texttt{"w}": 233 \\ \texttt{3}, \texttt{"}R": \{\texttt{"d}": \texttt{"}128, -90 \\ \texttt{r}-6, 0 \\ \texttt{r}-57, 0 \\ \texttt{r}0, 90 \\ \texttt{r}-35, 0 \\ \texttt{r}0, -64, 0 \\ \texttt{r}-57, 0 \\ \texttt{r}0, -64, 0 \\ \texttt{r}-6, 0 \\ \texttt{
 58,0r0,94r58,0r34,0,46,-19,46,-48","w":223},"S":{"d":"168,-246r-3,32v0,0,-46,-6,-67,-6v-28,0,-44,10,-44,33v0,27,13,32,54,45v45,14,65,26,65,70v0,53,-28,76,-78,76v-27,0,-76,-9,-76,-9r3,-32v0,0,46,6,72,6v28,0,44,-10,44,-40v0,-24,-11,-30,-47,-40v-53,-17,-73,-28,-73,-75v0,-47,32,-68,80,-68v28,0,70,8,70,8","w":191},"T":{"d":"-2,-216r0,-34r180,0r0,34r-72,0r0,216r-35,0r0,-216r-
                                     ,"w":175},"V":{"d":"170,-250r36,0r-62,250r-72,0r-63,-250r37,0r53,217r18,0","w":215},"N":{"d":"30,0r0,-
  250r59,0r89,208r7,0r0,-208r35,0r0,250r-57,0r-91,-207r-7,0r0,207r-
  43,-8,-69,-18,-69,-64v0,-46,30,-60,78,-60r7,0r6,-42r13,0r-6,43v25,2,51,5,51,5r-1,12v0,0,-29,-3,-52,-5r-13,100v48,9,72,16,72,64v0,48,-27,68,-76,68v-4,0,-8,-1,-13,-1r-5,41v0,0,-12,-1,-12,-2xm163,-64v0,-39,-18,-
  45,-59,-52r-14,106r10,0v41,0,63,-16,63,-54xm36,-183v0,37,18,45,57,52r13,-98r-6,0v-41,0,-64,10,-
  64,46"},"!":{"d":"79,0r0,-48r37,0r0,48r-37,0xm80,-87r-1,-165r37,0r-1,165r-35,0"},"a":{"d":"159,-
  51,57,-54r51,-4r0,-13v0,-18,-10,-27,-27,-27v-27,0,-69,5,-69,5r-2,-30v0,0,46,-8,73,-8v39,0,59,18,59,60xm125,-84r-47,3v-19,1,-27,11,-27,28v0,18,8,27,22,27v23,0,52,-9,52,-9r0,-
  49","w":188},"o":{"d":"95,-184v57,0,79,34,79,93v0,60,-18,95,-79,95v-62,0,-79,-33,-79,-95v0,-60,20,-93,79,-
  250 v 0 , 76 , 1 , 133 , 1 , 210 v 0 , 57 , -21 , 66 , -71 , 66 r 0 , -33 v 27 , 0 , 36 , -4 , 36 , -36 r 0 , -207 r 34 , 0", "w": 111 \} , "t": {"d": "119 , -149 r -149
 46,11r0,141","w":203},"#":{"d":"188,-63r-38,0r0,63r-30,0r0,-63r-50,0r0,63r-30,0r0,-63r-38,0r0,-29r38,0r0,-
 55\mathtt{r} - 38,0\mathtt{r}0, -29\mathtt{r}38,0\mathtt{r}0, -63\mathtt{r}30,0\mathtt{r}0, 63\mathtt{r}50,0\mathtt{r}0, -63\mathtt{r}30,0\mathtt{r}0, 63\mathtt{r}38,0\mathtt{r}0, 29\mathtt{r} -38,0\mathtt{r}0, 55\mathtt{r}38,0\mathtt{r}0, 29\mathtt{x}\mathtt{m}120, -92\mathtt{r}0, -55\mathtt{r}-38,0\mathtt{r}0, -92\mathtt{r}0, -92\mathtt{r
 50,000,55550,000\}, "W": \{"d": "12,-250r36,0r43,214r9,0r45,-212r39,0r46,212r8,0r43,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-54,250r-58,0r-41,-214r36,0r-58,0r-41,-214r36,0r-58,0r-58,0r-41,-214r36,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-58,0r-5
198r-39,198r-59,0","w":328\},"@":\{"d":"337,-110r0,6v0,89,-24,108,-65,108v-21,0,-34,-4,-43,-19v-13,7,-40,18,-61,18v-35,0,-64,-15,-64,-90v0,-60,14,-96,71,-96v14,0,40,8,40,8r0,-5r33,0r0,72v0,74,5,79,24,79v20,0,31,-8,31,-75r0,-6v0,-84,-36,-118,-122,-118v-87,0,-129,41,-129,134v0,100,37,135,129,135v14,0,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,52,-4,
  4r1,33v0,0,-36,4,-53,4v-107,0,-164,-38,-164,-168v0,-117,62,-167,164,-167v108,0,156,51,156,151xm171,-
 30v16,0,34,-7,46,-12v-2,-13,-2,-30,-2,-53r0,-50v0,0,-20,-6,-33,-6v-36,0,-44,18,-44,64v0,48,16,57,33,57","w":354},"`":{"d":"53,-273r83,34r-12,30r-83,-32","w":196},"M":{"d":"30,0r0,
250r59,0r64,200r65,-200r58,0r0,250r-35,0r0,-207r-6,0r-64,198r-37,0r-64,-198r-5,0r0,207r-35,0","w":305\},"U": \{"d":"61,-78v0,36,21,47,53,47v33,0,55,-12,55,-47r0,-172r35,0r0,172v0,58,-32,81,-90,81v-57,0,-88,-23,-88,-81r0,-172r35,0r0,172","w":230\},"X": \{"d":"48,-250r57,99r56,-99r39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-39,0r-71,126r71,124r-31,124r-31,124r-31,124r-31,124r-31,124r-31,124
  56,-98r-57,98r-39,0r73,-124r-73,-126r39,0","w":209},"Y":{"d":"118,-107r0,107r-34,0r0,-107r-78,-
  143r39, 0r56, 104r55, -104r39, 0", "w": 201\}, "\\ \\ u2122": \{"d": "3, -212r0, -12r72, 0r0, 12r-30, 0r0, 92r-12, 0r0, -92r-12, 0
  30,0xm87,-119r0,-105r18,0r30,88r32,-88r18,0r0,105r-12,0r0,-93r-32,89r-12,0r-30,-89r0,93r-
 12,-97,-63,-97v-51,0,-64,35,-64,97v0,63,12,93,64,93xm117,4v-77,0,-100,-43,-100,-12v0,-83,23,-131,100,-
  131v77,0,99,48,99,131v0,85,-22,127,-
  99,127","w":233},"\u201c":{"w":299},"~":{"w":299},"\u2014":{"w":299},"L":{"d":168,0r-138,0r0,
250r35,0r0,217r103,0r0,33","w":181,"B":{"d:"30,-250r92,0v46,0,75,18,75,62v0,34,-11,50,-31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-31,60v22,8,37,23,37,58v0,51,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-30,70,-3
 25,-37,-44,-37xm120,-217r-56,0r0,75r58,0v27,0,39,-14,39,-40v0,-25,-14,-35,-41,-
  35", "w":221}, "D":\{"d":"116,0r-86,0r0,-250r86,0v77,0,96,46,96,121v0,76,-18,129,-96,129xm176,-129v0,-52,-9,-
  250 \\ \text{rg1}, 0 \\ \text{v}55, 0, 82, 28, 82, 83 \\ \text{v}0, 55, -27, 87, -82, 87 \\ \text{xm}65, -113 \\ \text{r}56, 0 \\ \text{v}32, 0, 46, -21, 46, -54 \\ \text{v}0, -33, -14, -49, -46, -49 \\ \text{r}-46, -49 \\ \text{
  56,0 \\ \text{100},103 \\ \text{1,w} \\ \text{1216}, \text{1b} \\ \text{1:} \\ \text{1d} \\ \text{1:} \\ \text{111},-184 \\ \text{v49},0,68,25,68,91 \\ \text{v0},73,-21,97,-86,97 \\ \text{v-}20,0,-64,-4,-64,-4r0,-98,000}
256r34,0r0,83v0,0,26,-11,48,-11xm93,-27v44,0,51,-20,51,-66v0,-43,-10,-59,-37,-59v-20,0,-44,7,-44,7r0,116v0,0,22,2,30,2","w":195},"v":{"d":"7,-180r35,0r39,152r12,0r39,-152r35,0r-49,180r-
  63,0","w":173},"x":{"d":"8,-180r36,0r39,66r39,-66r37,0r-54,90r54,90r-37,0r-39,-65r-39,65r-36,0r53,
  12 v 5 3, 0, 79, 24, 79, 75 v 0, 52, -30, 79, -83, 79 v -60, 0, -84, -42, -84, -123 v 0, -93, 34, -123, 92, -123 v 30, 0, 66, 8, 66, 8 x m 98, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123, -123,
 118v - 25, 1, -51, 11, -51, 11v0, 46, 12, 78, 49, 78v31, 0, 47, -15, 47, -46v0, -30, -15, -43, -45, -43"\}, "9": \{"d": "19, -4r3, -4r4, -
  32v0,0,34,6,64,6v39,0,56,-22,56,-67v0,0,-30,9,-53,9v-51,0,-79,-26,-79,-76v0,-50,34,-78,84,-
 78v61,0,84,47,84,125v0,93,-34,121,-92,121v-30,0,-67,-8,-67,-8xm92,-120v23,0,50,-9y-1,-46,-12,-80,-48,-80v-29,0,-48,16,-48,45v0,30,16,44,46,44"},"<":{"d":"148,-165r-92,53r92,56r0,36v-25,-13,-95,-57,-125,-
  74\texttt{r0}, -35\texttt{r}125, -72\texttt{r0}, 36\texttt{"}\}, \texttt{"}\texttt{"}\texttt{"}\texttt{"}\texttt{114}, -112\texttt{r}-91, -53\texttt{r0}, -36\texttt{r}125, 72\texttt{r0}, 35\texttt{v}-30, 17, -100, 61, -125, 74\texttt{r0}, 35\texttt{v}-30, 35\texttt{
 36"\},"[":\{"d":"94,-270r0,33r-46,0r0,248r46,0r0,33r-81,0r0,-314r81,0","w":108\},"\\":\{"d":"223,-2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,2r-38,
109,-251r37,-2","w":299},"]":{"d":"-8,-237r0,-33r81,0r0,314r-81,0r0,-33r47,0r0,-248r-47,0","w":108},"|":{"d":"76,58r0,-321r35,0r0,321r-35,0"},"4":{"d":"119,2r0,-42r-110,0r0,-28r67,-170r38,0r-
  65,165r70,0r0,-62r35,0r0,62r27,0r0,33r-27,0r0,42r-35,0"},"\"":{"d":"103,-167r-32,0r0,-83r33,0xm46,-167r-
  31,0r-1,-83r33,0","w":117},""":{"d":"1,-165r-1,-84r33,0r-1,84r-31,0","w":36},"(":{"d":"44,-270r37,0v0,0,-
  35,94,-35,162v0,67,35,153,35,153r-37,0v0,0,-35,-81,-35,-153v0,-72,35,-162,35,-
 162", "w":93\}, ")": \{"d":"44,43r-37,0v0,0,34,-93,34,-161v0,-67,-34,-154,-34,-154r37,0v0,0,35,82,35,154v0,72,-35,161,-35,161", "w":93\}, ",": \{"d":"5,44r18,-86r37,0r-21,86r-34,0","w":61\}, "-": \{"d":"24,-85r0,-33r111,0r0,33r-111,0","w":158\}, ".": \{"d":"24,0r0,-48r37,0r0,48r-37,0","w":89\}, "\dagger": \{"d":"28,-6r101,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-35,161,-
  251r32,12r-101,250"},":":{"d":"19,-112r0,-47r36,0r0,47r-36,0xm19,0r0,-48r36,0r0,48r-
 36,0","w":69},";":("d":"26,-46r-20,88r32,0r25,-88r-37,0xm23,-112r0,-47r37,0r0,47r-37,0","w":76},"=":("d":"10,-121r0,-32r167,0r0,32r-167,0xm10,-50r0,-31r167,0r0,31r-167,0"},"?":("d":"141,-
14,2,-35,2,-44v0,-19,-8,-30,-35,-38r0,-29v28,-7,35,-17,35,-36v0,-10,-2,-33,-2,-46v0,-45,22,-62,72,-
  28,7,-36,18,-36,37v0,10,3,33,3,46v0,45,-22,61,-72,63r0,-33v30,-2,36,-10,36,-32v0,-12,-3,-35,-3,-45v0,-30,10,-41,36,-50v-26,-9,-36,-22,-36,-51","w":114},"\u2018":{"d":"52,-262r-16,82r-36,0r20,-
  82r32,0","w":61},"\u2019":{"d":"9,-190r16,-82r35,0r-19,82r-32,0","w":61},"&":{"d":"116,
  31,28","w":252},"*":{"d":"161,-183r-47,0r0,20"},"%":{"d":"47,-252v29,0,42,17,42,51v0,31,-13,51,-42,51v-29,0,-43,-52v0,-32,14,-50,43,-50,x14,-50,43,-50,x14,-50,43,-50,x14,-50,43,-50,x14,-50,43,-50,x14,-50,43,-50,x14,-50,43,-50,x14,-50,43,-50,x14,-50,43,-50,x14,-50,43,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50,x14,-50
```

```
29v-13,0,-16,9,-16,29xm131,-52v0,19,3,30,16,30v13,0,16,-10,16,-30v0,-20,-3,-29,-16,-29v-13,0,-16,9,-16,29","+":"d":"-4,-84r0,-30r75,0r0,-75r31,0r0,75r75,0r0,30r-75,0r0,75r-31,0r0,-75r-75,0","w":173},"^":"d":"136,-158r-39,-77r-41,77r-50,0r65,-125r50,0r66,125r-51,0","w":234},"\\ \setminus u00a0":"w":84\}\});
```

Templates:

Chat.html:

```
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
 <meta name="description" content="Site Template Theme" />
cmeta hame="description content="steel rangiage frame" />
cmeta name="keywords" content="menus, website, template, your, key, words, here"/>
clink rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
clink href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
clink href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
      <!ink rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
<![endif]-->
<!-- [if IE 7]>
      k rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js'-%}"></script>
cscript type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
<script type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script>
<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></s
<script type="text/javascript" src="{% static 'js/fontconfig.js' %)">
<script type="text/javascript" src="{% static 'js/ddsmoothmenu.js' }">
 * Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
   This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
  This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
      accordionid: 'hcl',
      paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
      selectedli: [-1, true],
      collapsecurrent: false
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
      <div id="mainpage">
            <div id="mainpageheader"> <!-- Header Start -->
                   <div class="clear"></div>
                  <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
                              <a href="{% url 'index' %}">Logout</a>
```

```
<!--<li><a href="adminlogin.php">Admin</a>
                <a href="mechlogin.php">Mechanic</a>
                      <a href="portfolio-category.html">Gallery Categories</a>
                      <a href="portfolio-items.html">Gallery Items</a></or>
<a href="portfolio-recent.html">Recent Works</a></or>
<a href="portfolio-gallery.html">Slideshow Gallery</a></or>
                </1i>
                <a href="userlogin.php">User</a>-->
                </ul>
             <br style="clear: left" />
         </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header
<div class="clear"></div>
    !-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <!-- Block One -->
      <1i>>
         <div class="hpanel">
             <div class="hpanelimage">
             <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
             </div>
                <!-- Caption -->
         </div>
      </ul>
   </div>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
         <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
</style>
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block"
     data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
            Portfolio Block -->
      <div style="font-size:15px">
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
      <!-- The can be 3 column of info on your company -->
      </div>
         </div>
         <div class="mblogbox mblogspace"><!-- Info Block Two -->
             <div class="mblogtitle">
```

```
</div>
         </div>
         <div class="mblogbox mblogspace"><!-- Info Block Three -->
            <div class="mblogtitle">
         </div>
         <div class="clear"></div>
      </div>
   </div> <!-- Close Mainpage -->
   <!-- Footer start -->
   <div id="footer">
      <div id="footerwrap">
         <div class="footerminibox">
         </div>
         <div class="footerbox footerspace">
            <div class="footertext">
         <div class="footerflickrwrap flickrfooterspace">
            <div class="footertitle"></div>
<!-- Flickr Photos -->
            </div>
         </div>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
   </div>
   <div id="footerbarwrap">
   </div>
</div> <!-- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</html>
```

Expense1.html:

```
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
k href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
k static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
k href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
k rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->
      JOUERY Library
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>

<script type="text/javascript" src="{% static 'js/ddsmoothmenu.js' }">
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
```

```
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
/*************
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
  accordionid: 'hcl',
  paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
  selectedli: [-1, true],
  collapsecurrent: false
})
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
     <div id="mainpageheader"> <!-- Header Start -->
        <div class="clear"></div>
        <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
           <u1>
              <a href="{% url 'index' %}">Home</a>
              <!--<li><a href="adminlogin.php">Admin</a>
              </1i>
              <a href="mechlogin.php">Mechanic</a>
                   <a href="portfolio-category.html">Gallery Categories</a>
                   <a href="portfolio-gallery.html">Slideshow Gallery</a>
              </1i>
              <a href="userlogin.php">User</a>-->
             </ul>
           <br style="clear: left" />
        </div>
        <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
     </div> <!-- Close Header -->
<div class="clear"></div>
   <!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
     <u1>
         - Block One -->
     <1i>>
        <div class="hpanel">
           <div class="hpanelimage">
           <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
              <!-- Caption -->
        </div>
     </111>
   </div>
   <!-- End of Featured Block -->
  <div class="clear"></div>
```

```
<div style="text-align:center;">
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block"
data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
           Portfolio Block -->
      <div style="font-size:15px">
               <form name="f" method="post">
{% csrf_token %} 
Expense
>
<td>Date</td>
<input type="date" name="cdate">
</tr>
<tr>
Account
<ame="acc"><coption>cash</option>
   <option>account</option>
   <option>card</option>
</select>
<tr>
Category
<select name="cat">
   <option>food</option>
   <option>social life</option>
   <option>self-development</option>
   <option>transportation</option>
   <option>culture</option>
   <option>household</option>
   <option>apparel</option>
   <option>beauty</option>
   <option>health</option>
   <option>education</option>
   <option>gift</option>
   <option>other</option>
</select>
Amount
<input name="amt">
</tr>
<tr>
Description
<input name="descr">
<tr>
<input type="submit" name="submit">&nbsp;&nbsp;<input type="reset" />
</tr>
</form>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
      <!-- The can be 3 column of info on your company -->
      <div id="mblogwrap">
  <div class="mblogbox"><!-- Info Block One -->
            <div class="mblogtitle">
            </div>
         </div>
         <div class="mblogbox mblogspace"><!-- Info Block Two -->
            <div class="mblogtitle">
            </div>
```

```
</div>
         <div class="mblogbox mblogspace"><!-- Info Block Three -->
            <div class="mblogtitle">
            </div>
         </div>
         <div class="clear"></div>
      </div>
  </div> <!-- Close Mainpage -->
    !-- Footer start
  <div id="footer">
      <div id="footerwrap">
         <div class="footerminibox">
         </div>
         <div class="footerbox footerspace">
            <div class="footertext">
         </div>
         <div class="footerflickrwrap flickrfooterspace">
            <div class="footertitle"></div>
            <!-- Flickr Photos -->
            </div>
         </div>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
   </div>
   <div id="footerbarwrap">
  </div>
</div> <!-- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
</html>
```

Graph.html

```
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
   ink rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
<![endif]-->
<!-- [if IE 71>
   < ref = "stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->
<!-- JOHERY Library

script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>

script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>

<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
```

```
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
  accordionid: 'hc1',
  paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'}, selectedli: [-1, true],
  collapsecurrent: false
})
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
      <div id="mainpageheader"> <!-- Header Start -->
         <div class="clear"></div>
         <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
                <a href="{% url 'index' %}">Home</a>
                <!--<li><a href="mechlogin.php">Mechanic</a>
                      <a href="portfolio-category.html">Gallery Categories</a>
                      <a href="portfolio-items.html">Gallery Items</a><a href="portfolio-items.html">Gallery Items</a><a href="portfolio-recent.html">Recent Works</a></a>
                      <a href="portfolio-gallery.html">Slideshow Gallery</a>
                <a href="userlogin.php">User</a>-->
               </ul>
            <br style="clear: left" />
         </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
<div class="clear"></div>
   <!-- Accordion Featured Block -
   <div id="hc1" class="haccordion">
      <u1>
          Block One -->
      <1i>>
         <div class="hpanel">
            <div class="hpanelimage">
             <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
            </div>
         </div>
      <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
         <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
```

```
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
    style="display:inline-block
    data-ad-client="ca-pub-1845532317325027"
    data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
     </div>
          Portfolio Block -->
     <div style="font-size:15px">
<form name="f" method="post">
           {% csrf token %}
<tr>
Daily Chart
>
<td>Date</td>
<input type="date" name="cdate">
</tr>
<input type="submit" name="submit">
</form>
        <div class="clear"></div>
     </div>
     <div class="clear"></div>
     <!-- The can be 3 column of info on your company -->
     </div>
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Two -->
           <div class="mblogtitle">
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Three -->
           <div class="mblogtitle">
           </div>
        </div>
        <div class="clear"></div>
     </div>
  </div> <!-- Close Mainpage -->
   <!-- Footer start -->
  <div id="footer">
     <div id="footerwrap">
        <div class="footerminibox">
        </div>
        <div class="footerbox footerspace">
           <div class="footertext">
        </div>
        <div class="footerflickrwrap flickrfooterspace">
          <div class="footertitle"></div>
<!-- Flickr Photos -->
          </div>
        </div>
        <div class="clear"></div>
     </div>
     <div class="clear"></div>
  </div>
  <div id="footerbarwrap">
  </div>
```

```
</div> <!-- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
<script>
window.onload = function() {
var chart = new CanvasJS.Chart("chartContainer", {
   animationEnabled: true,
   title: {
      text: " EXPENSE DETAILS"
   data: [{
   {% if chart_type == "bar" %}
    type: "bar",
   {% elif chart_type == "pie" %}
type: "pie",
{% elif chart_type == "spline" %}
      type: "spline",
   {% endif %}
      startAngle: 240,
      yValueFormatString: "##0.00\"%\"",
      indexLabel: "{label} {y}",
      dataPoints: [
      {% for o in obj %}
         {y: {{o.bal}}}},
      {% endfor %}
  11
});
chart.render();
</script>
<div id="chartContainer" class="graph" style="height: 370px; width: 1020px; margin: 0px auto;margin-</pre>
left:100px;"></div>
<script src="https://canvasjs.com/assets/script/canvasjs.min.js"></script>
</body>
</html>
```

Graph1.html:

```
{% load static %}
 <html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
 <head>
 <title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
cmeta name="description" content="Site Template Theme" />
 <meta name="keywords" content="menus, website, template, your, key, words, here"/>
 <link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
clink href="{% static 'css/style:css 's' rel="stylesheet" type="text/css" />
clink href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" //
clink hre
 <link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
 <!--[if lte IE 6]>
          <!iink rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
 <![endif]-->
.
  k rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->
 <script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>

<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
<script type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script>
<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script>
</script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></
 <script type="text/javascript" src="{% static 'js/fontconfig.js' %}">//script>
 * Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
 * This notice MUST stay intact for legal use
 * Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
 <link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
 <script type="text/javascript" src="js/haccordion.js">
```

```
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
\mbox{\scriptsize \star} This notice MUST stay intact for legal use
 Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
  accordionid: 'hc1',
   paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
   selectedli: [-1, true],
   collapsecurrent: false
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
       <div id="mainpageheader"> <!-- Header Start -->
          <div class="clear"></div>
          <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
             <u1>
                 <a href="{% url 'index' %}">Logout</a>
                <!--<li><a href="mechlogin.php">Mechanic</a>
                       <a href="portfolio-category.html">Gallery Categories</a>
                       <a href="portfolio-items.html">Gallery Items</a>
<a href="portfolio-recent.html">Recent Works</a>
<a href="portfolio-gallery.html">Slideshow Gallery</a>
                    </117>
                 <a href="userlogin.php">User</a>-->
                <br style="clear: left" />
          </div>
          <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
       </div> <!-- Close Header -->
<div class="clear"></div>
   <!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <u1>
       <!-- Block One -->
          <div class="hpanel">
             <div class="hpanelimage">
             <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
                <!-- Caption -->
          </div>
      </div>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
         <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
```

/***********

```
<!-- Reponsive Ad -->
<ins class="adsbygoogle reponsive-ad"
    style="display:inline-block"
    data-ad-client="ca-pub-1845532317325027"
    data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
           Portfolio Block -->
      <div style="font-size:15px">
 <form name="f" method="post">
           {% csrf_token %}
Monthly Chart
<tr>
Year
="number" name="yr" min="2022" max="2050">
</tr>
<td>Month</td>
<input type="number" name="mon" min="1" max="12">
<tr>
<input type="submit" name="submit">
</form>
        <div class="clear"></div>
      </div>
      <div class="clear"></div>
      <!-- The can be 3 column of info on your company -->
      <div id="mblogwrap">
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Two -->
           <div class="mblogtitle">
        </div>
         <div class="mblogbox mblogspace"><!-- Info Block Three -->
           <div class="mblogtitle">
            </div>
         </div>
         <div class="clear"></div>
      </div>
   </div> <!-- Close Mainpage -->
   <!-- Footer start -->
   <div id="footer">
      <div id="footerwrap">
        <div class="footerminibox">
        </div>
        <div class="footerbox footerspace">
    <div class="footertext">
         <div class="footerflickrwrap flickrfooterspace">
           <div class="footertitle"></div>
<!-- Flickr Photos -->
           </div>
        </div>
        <div class="clear"></div>
      </div>
      <div class="clear"></div>
   </div>
   <div id="footerbarwrap">
```

```
</div>
</div>
         !-- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
<script>
window.onload = function() {
var chart = new CanvasJS.Chart("chartContainer", {
   animationEnabled: true,
   title: {
     text: " EXPENSE DETAILS"
   {% if chart_type == "bar" %}
   type: "bar",
{% elif chart_type == "pie" %}
  type: "pie",
{% elif chart_type == "spline" %}
      type: "spline",
   {% endif %}
      startAngle: 240,
      yValueFormatString: "##0.00\"%\"",
      indexLabel: "{label} {y}",
      dataPoints: [
      {% for o in obj %}
         {y: {{o.bal}}},
      {% endfor %}
      1
  }]
});
chart.render();
</script>
<div id="chartContainer" class="graph" style="height: 370px; width: 1020px; margin: 0px auto;margin-</pre>
left:100px; "></div>
<script src="https://canvasjs.com/assets/script/canvasjs.min.js"></script>
</body>
</html>
```

Index.html:

```
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
<!--[if lte IE 6]>
   <link rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
<! [endif]-->
<!--[if IE 71>
   <link rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->
<!-- JOUERY Library -->
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
```

```
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
 This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
   accordionid: 'hc1',
   paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
  selectedli: [-1, true], collapsecurrent: false
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
      <div id="mainpageheader"> <!-- Header Start -->
         <div class="clear"></div>
        <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
               <a href="homepage.php">Home</a>
               <!--<li><a href="adminlogin.php">Admin</a>
               <a href="mechlogin.php">Mechanic</a>
                    <a href="portfolio-category.html">Gallery Categories</a>
                    <a href="portfolio-items.html">Gallery Items</a></a></a></a></hr>
                     <a href="portfolio-gallery.html">Slideshow Gallery</a>
               <a href="userlogin.php">User</a>-->
              <br style="clear: left" />
        </div>
        <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header
<div class="clear"></div>
   <!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <1i>>
         <div class="hpanel">
            <div class="hpanelimage">
            <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
            </div>
        </div>
      </div>
       End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
        <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
```

```
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block
     data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
     </div>
           Portfolio Block -->
      <div style="font-size:15px">
               <form name="f" method="post">
            {% csrf_token %}
<tr>
User Login
<tr>
User Name (Emailid) 
<input name="uname">
>
Password
<input type="password" name="pwd">
</tr>
<tr>
<a href="user_regist.html">Register</a><input type="submit" name="submit">&nbsp; &nbsp; &nbsp; <input type="reset" />

</form>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
      <!-- The can be 3 column of info on your company -->
      <div id="mblogwrap">
        <div class="mblogbox"><!-- Info Block One -->
           <div class="mblogtitle">
           </div>
         </div>
        <div class="mblogbox mblogspace"><!-- Info Block Two -->
           <div class="mblogtitle">
        </div>
         <div class="mblogbox mblogspace"><!-- Info Block Three -->
            <div class="mblogtitle">
            </div>
        </div>
         <div class="clear"></div>
      </div>
   </div> <!-- Close Mainpage -->
   <div id="footer">
      <div id="footerwrap">
        <div class="footerminibox">
        </div>
        <div class="footerbox footerspace">
            <div class="footertext">
         <div class="footerflickrwrap flickrfooterspace">
           <div class="footertitle"></div>
<!-- Flickr Photos -->
           </div>
```

User_register.html:

```
{% load static %}
 <html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
 <head>
 <title>Customer Segmentation</title>
 <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
 <meta name="description" content="Site Template Theme" />
 <meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
 <link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
< static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
< link href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
 <link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
 <!--[if lte IE 6]>
         link rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
 <! [endif]-->
<!--[if IE 71>
         < rei="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
 <![endif]-->
  <!-- JQUERY Library
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script><
 caript type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script
<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></scr
Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
 * This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
 <link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
 <script type="text/javascript" src="js/haccordion.js">
 * Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
 * This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
    accordionid: 'hc1',
        paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'}, selectedli: [-1, true],
        collapsecurrent: false
})
</script>
 <body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
          <div id="mainpage">
```

```
<div id="mainpageheader"> <!-- Header Start -->
          <div class="clear"></div>
         <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
                <a href="{% url 'index' %}">Login</a>
                <!--<li><a href="adminlogin.php">Admin</a>
                <a href="mechlogin.php">Mechanic</a>
                   <u1>
                      <a href="portfolio-category.html">Gallery Categories</a>
                      <a href="portfolio-items.html">Gallery Items</a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a>
                      <a href="portfolio-gallery.html">Slideshow Gallery</a>
                </1i>
                <a href="userlogin.php">User</a>-->
                <br style="clear: left" />
         </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header
<div class="clear"></div>
    <!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <u1>
       <!-- Block One -->
      <1i>>
         <div class="hpanel">
             <div class="hpanelimage">
             <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
             </div>
                <!-- Caption -->
         </div>
      </ul>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
         <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
</style>
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block"
data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
           Portfolio Block -->
      <div style="font-size:15px">
                 <form name="f" method="post">
{% csrf_token %} 
>
User Registration
<tr>
User Name
<input name="uname">
</tr>
Password
```

```
<input type="password" name="pwd">
</tr>
Address
<textarea name="addr" rows="10" cols="21"></textarea>
</tr>
Email Id
<input name="email">
<tr>
Mobile Number
<input name="mno">
</tr>
>
<input type="submit" name="submit">&nbsp;&nbsp;<input type="reset" />
</tr>
</form>
        <div class="clear"></div>
     </div>
     <div class="clear"></div>
     <!-- The can be 3 column of info on your company -->
     <div id="mblogwrap">
        </div>
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Two -->
          <div class="mblogtitle">
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Three -->
           <div class="mblogtitle">
          </div>
        </div>
        <div class="clear"></div>
     </div>
  </div> <!-- Close Mainpage -->
   <!-- Footer start -->
  <div id="footer">
     <div id="footerwrap">
        <div class="footerminibox">
        </div>
        <div class="footerbox footerspace">
          <div class="footertext">
        <div class="footerflickrwrap flickrfooterspace">
          <div class="footertitle"></div>
<!-- Flickr Photos -->
          </div>
        </div>
        <div class="clear"></div>
     </div>
     <div class="clear"></div>
  </div>
  <div id="footerbarwrap">
</div> <!-- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</html>
```

Wallet.html:

```
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
<link rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->
<!-- JOUERY Library
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
<script type="text/javascript" src="{% static 'js/cuton-yui.js' %}"></script>
<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fontconfig.js' %}"></script>
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
/*************
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
  accordionid: 'hcl',
  paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
   selectedli: [-1, true],
  collapsecurrent: false
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
      <div id="mainpageheader"> <!-- Header Start -->
         <div class="clear"></div>
         <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
               <a href="{% url 'index' %}">Logout</a>
                  --<a href="mechlogin.php">Mechanic</a>
                     <a href="portfolio-category.html">Gallery Categories</a>
                      <a href="portfolio-items.html">Gallery Items</a>
                      <a href="portfolio-recent.html">Recent Works</a>
```

```
<a href="portfolio-gallery.html">Slideshow Gallery</a>
                 <a href="userlogin.php">User</a>-->
              </111>
            <br style="clear: left" />
        </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header --
<div class="clear"></div>
   <!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <u1>
      <!-- Block One -->
      <1i>>
         <div class="hpanel">
            <div class="hpanelimage">
            <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
            </div>
              <!-- Caption -->
        </div>
     </ul>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
        <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
</style>
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
    style="display:inline-block"
data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
      <!-- Portfolio Block -->
      <div style="font-size:15px">
   <form name="f" method="post">
           {% csrf_token %}
WALLET
{% for o in obj %}
      Balance: {{o.bal}}
         {% endfor %}
   </tr>
<div class="clear"></div>
      </div>
      <div class="clear"></div>
      <!-- The can be 3 column of info on your company -->
      <div id="mblogwrap">
        </div>
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Two -->
            <div class="mblogtitle">
            </div>
        </div>
```

```
<div class="mblogbox mblogspace"><!-- Info Block Three -->
            <div class="mblogtitle";
            </div>
         </div>
         <div class="clear"></div>
      </div>
  </div> <!-- Close Mainpage -->
   <!-- Footer start -->
   <div id="footer">
      <div id="footerwrap">
         <div class="footerminibox">
         </div>
         <div class="footerbox footerspace">
            <div class="footertext">
         </div>
         <div class="footerflickrwrap flickrfooterspace">
            <div class="footertitle"></div>
                Flickr Photos
           </div>
         </div>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
   </div>
   <div id="footerbarwrap">
  </div>
</div> <!-- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
```

Welcome.html:

```
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
<!--[if lte IE 6]>
       link rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
<! [endif]-->
<!--[if IE 71>
       <link rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
 <![endif]-->
<!-- JOUERY Library -->
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>

<script type="text/javascript" src="{% static 'js/Jquery.prettyphoto.js' %}"></script>
<script type="text/javascript" src="{% static 'js/Gutfon-yui.js' %}"></script>
<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fontconfig.js' %}"></script>
<script type="text/javascript" src="{% static 'js/ddsmoothmenu.js' }">
</script type="text/javascript" src="{% st
 * Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
```

```
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
 This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
   accordionid: 'hc1',
   paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
  selectedli: [-1, true], collapsecurrent: false
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
      <div id="mainpageheader"> <!-- Header Start -->
         <div class="clear"></div>
        <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
               <a href="homepage.php">Home</a>
               <!--<li><a href="adminlogin.php">Admin</a>
               <a href="mechlogin.php">Mechanic</a>
                    <a href="portfolio-category.html">Gallery Categories</a>
                    <a href="portfolio-items.html">Gallery Items</a></a></a></a></hr>
                     <a href="portfolio-gallery.html">Slideshow Gallery</a>
               <a href="userlogin.php">User</a>-->
              <br style="clear: left" />
        </div>
        <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header --:
<div class="clear"></div>
    :!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <u1>
      <!-- Block One -->
      <1i>>
         <div class="hpanel">
            <div class="hpanelimage">
            <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
            </div>
<!-- Caption -->
        </div>
      </ul>
   </div>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
        <style>
.reponsive-ad { width: 320px; height: 50px; }
```

```
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block"
     data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
           Portfolio Block -->
      <div style="font-size:15px">
                <form name="f" method="post">
            {% csrf token %}
<tr>
WELCOME TO DASHBOARD
</tr>
<a href="{% url 'expense1' %}">EXPENSE</a>
<a href="{% url 'graph' %}">DAILY</a>
<a href="{% url 'graph1' %}">MONTHLY</a>
<a href="{% url 'graph1' %}">MONTHLY</a>
<a href="{% url 'wallet' %}">WALLET</a>
<a href="{% url 'chat' %}">CHATBOT</a><a href="{% url 'index' %}">LOGOUT</a>
</form>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
      <!-- The can be 3 column of info on your company -->
      <div class="mblogtitle">
            </div>
         </div>
         <div class="mblogbox mblogspace"><!-- Info Block Two -->
            <div class="mblogtitle">
            </div>
         </div>
         <div class="mblogbox mblogspace"><!-- Info Block Three -->
            <div class="mblogtitle">
            </div>
         </div>
         <div class="clear"></div>
      </div>
   </div> <!-- Close Mainpage -->
   <!-- Footer start -->
   <div id="footer">
      <div id="footerwrap">
         <div class="footerminibox">
         <div class="footerbox footerspace">
            <div class="footertext">
         </div>
         <div class="footerflickrwrap flickrfooterspace">
            <div class="footertitle"></div>
            </div>
         </div>
         <div class="clear"></div>
      </div>
```

```
<div class="clear"></div>
   </div>
   <div id="footerbarwrap">
   </div>
</div> <
           -- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
</html>
PERSONAL:
Init .py
Settings.pv:
Django settings for personal project.
Generated by 'django-admin startproject' using Django 2.2.
For more information on this file, see https://docs.djangoproject.com/en/2.2/topics/settings/
For the full list of settings and their values, see https://docs.djangoproject.com/en/2.2/ref/settings/
import os
from pathlib import Path
# Build paths inside the project like this: os.path.join(BASE_DIR, ...)
#BASE_DIR = os.path.dirname(os.path.dirname(os.path.abspath(_file__)))
BASE DIR = Path( file ).resolve().parent.parent
# Quick-start development settings - unsuitable for production
# See https://docs.djangoproject.com/en/2.2/howto/deployment/checklist/
# SECURITY WARNING: keep the secret key used in production secret!
SECRET KEY = 'biluedg*c5h&z37j21ssrio8#n$n5(t6yzfg-#z+b(adr1b@#k'
# SECURITY WARNING: don't run with debug turned on in production!
DEBUG = True
ALLOWED HOSTS = []
# Application definition
INSTALLED APPS = [
     'django.contrib.admin',
     'django.contrib.auth',
     'django.contrib.contenttypes',
     'django.contrib.sessions',
     'django.contrib.messages',
     'django.contrib.staticfiles',
     'tracker',
MIDDLEWARE = [
     'django.middleware.security.SecurityMiddleware',
     'django.contrib.sessions.middleware.SessionMiddleware',
     'django.middleware.common.CommonMiddleware',
     'django.middleware.csrf.CsrfViewMiddleware',
     'django.contrib.auth.middleware.AuthenticationMiddleware',
     'django.contrib.messages.middleware.MessageMiddleware',
     'django.middleware.clickjacking.XFrameOptionsMiddleware',
ROOT_URLCONF = 'personal.urls'
TEMPLATES = [
    {
         'BACKEND': 'django.template.backends.django.DjangoTemplates',
         'DIRS': [(os.path.join(BASE DIR,'design/template'))],
         'APP_DIRS': True,
         'OPTIONS': {
              'context processors': [
                   'django.template.context_processors.debug',
                   'django.template.context processors.request',
                  'django.contrib.auth.context_processors.auth',
                  'django.contrib.messages.context_processors.messages',
             ],
        },
    },
```

```
WSGI_APPLICATION = 'personal.wsgi.application'
# https://docs.djangoproject.com/en/2.2/ref/settings/#databases
DATABASES = {
     'default': {
         'ENGINE': 'django.db.backends.mysql',
        'NAME': 'personal',
'USER': 'root',
        'PASSWORD': '',
'HOST': '127.0.0.1',
'PORT': '3306',
}
# Password validation
# https://docs.djangoproject.com/en/2.2/ref/settings/#auth-password-validators
AUTH PASSWORD VALIDATORS = [
         'NAME': 'django.contrib.auth.password validation.UserAttributeSimilarityValidator',
        'NAME': 'django.contrib.auth.password_validation.MinimumLengthValidator',
    },
        'NAME': 'django.contrib.auth.password validation.CommonPasswordValidator',
    }.
         \verb|'NAME': 'django.contrib.auth.password_validation.NumericPasswordValidator'|,
    },
1
# Internationalization
# https://docs.djangoproject.com/en/2.2/topics/i18n/
LANGUAGE CODE = 'en-us'
TIME ZONE = 'UTC'
USE I18N = True
USE_L10N = True
USE TZ = True
# Static files (CSS, JavaScript, Images)
# https://docs.djangoproject.com/en/2.2/howto/static-files/
STATIC URL = '/static/'
STATICFILES DIRS=[os.path.join(BASE DIR,'design/static')]
SET EMAIL USE TLS = True
SET_EMAIL_HOST='smtp.gmail.com'
SET_EMAIL_HOST_USER='customerproject404nf@gmail.com'
SET_EMAIL_HOST_PASSWORD='nowdlnospvmgsoth'
SET_EMAIL_PORT=587
SET_EMAIL_BACKEND = 'django.core.mail.backends.smtp.EmailBackend'
SET_DEFAULT_FROM_EMAIL = 'customerproject404nf@gmail.com'
EMAIL USE TLS = SET EMAIL USE TLS
EMAIL_HOST = SET_EMAIL_HOST
EMAIL_HOST_USER = SET_EMAIL_HOST_USER
EMAIL HOST PASSWORD = SET_EMAIL_HOST_PASSWORD
EMAIL PORT = SET_EMAIL PORT
EMAIL_BACKEND = SET_EMAIL_BACKEND
DEFAULT_FROM_EMAIL = SET_DEFAULT_FROM_EMAIL
Urls.py:
"""personal URL Configuration
The `urlpatterns` list routes URLs to views. For more information please see:
   https://docs.djangoproject.com/en/2.2/topics/http/urls/
Examples:
Function views
    1. Add an import: from my_app import views
```

```
2. Add a URL to urlpatterns: path('', views.home, name='home')
Class-based views

    Add an import: from other app.views import Home
    Add a URL to urlpatterns: path('', Home.as_view(), name='home')

Including another URLconf
     1. Import the include() function: from django.urls import include, path
     2. Add a URL to urlpatterns: path('blog/', include('blog.urls'))
from django.contrib import admin
from django.urls import path
from django.conf.urls import url
from tracker import views as user views
from django.conf.urls import url
urlpatterns = [
     path('admin/', admin.site.urls),
     url(r'^$', user_views.index, name="index"),
     url(r'', user_views.login, name="login"),
url(r'^expense/$', user_views.exp, name="exp"),
     # url(r'', user_views.login,name="login"),
# url(r'', user_views.expense,name="expense"),
TRACKER:
Migration
001 initial.py:
# Generated by Django 2.2 on 2022-11-17 09:21
from django.db import migrations, models
class Migration(migrations.Migration):
     initial = True
     dependencies = [
     operations = [
          migrations.CreateModel(
               name='ExpenseModel',
                fields=[
                     ('id', models.AutoField(auto created=True, primary key=True, serialize=False,
verbose_name='ID')),
                     ('email', models.CharField(max_length=250)),
                     ('cate', models.CharField(max_length=250)),
('account', models.CharField(max_length=250)),
('category', models.CharField(max_length=250)),
('amount', models.IntegerField()),
('descr', models.CharField(max_length=250)),
                     ('bal', models.IntegerField()),
               ],
          migrations.CreateModel(
                name='RegistrationModel',
                fields=[
                     ('id', models.AutoField(auto created=True, primary key=True, serialize=False,
verbose_name='ID')),
                     ('uname', models.CharField(max length=250)),
                     ('pwd', models.CharField(max_length=250)),
('addr', models.CharField(max_length=250)),
('email', models.CharField(max_length=250)),
                     ('mno', models.CharField(max_length=250)),
('bal', models.IntegerField()),
               ],
          ),
     ]
Admin.py:
from diango.contrib import admin
# Register your models here.
```

Apps.py:

```
from django.apps import AppConfig
class TrackerConfig(AppConfig):
    name = 'tracker'
models.py:
from django.db import models
# Create your models here.
class RegistrationModel(models.Model):
    uname=models.CharField(max_length=250)
    pwd=models.CharField(max_length=250)
    addr = models.CharField(max_length=250)
    email = models.CharField(max_length=250)
mno = models.CharField(max_length=250)
    bal = models.IntegerField()
class ExpenseModel(models.Model):
    email = models.CharField(max_length=250)
    cdate=models.CharField(max length=250)
    account=models.CharField(max length=250)
    category = models.CharField(max length=250)
    amount = models.IntegerField()
    descr = models.CharField(max_length=250)
    bal = models.IntegerField()
tests.py:
from django.test import TestCase
# Create your tests here.
Views.py:
from django.shortcuts import render, redirect, get object or 404
\textbf{from} \ \texttt{django.http} \ \textbf{import} \ \texttt{HttpResponse}
from tracker.models import RegistrationModel
from tracker.models import ExpenseModel
from django.db.models import Q
from personal.settings import DEFAULT_FROM_EMAIL
from django.core.mail import EmailMultiAlternatives
\textbf{from} \text{ random } \textbf{import} \text{ randint}
# Create your views here.
def exp(request):
    print("Expense")
    ba11=0
    if request.method == "POST":
      email= request.session['email']
      cdate = request.POST.get('cdate')
      account = request.POST.get('account')
     category = request.POST.get('category')
amount = request.POST.get('amount')
     descr = request.POST.get('descr')
      if ExpenseModel.objects.filter(email=email).exists():
             j = ExpenseModel.objects.get(email=email)
          if request.method == "POST":
              email = request.session['email']
cdate = request.POST.get('cdate')
              account = request.POST.get('account')
               category = request.POST.get('category')
               amount = request.POST.get('amount')
              descr = request.POST.get('descr')
bal = request.POST.get('bal')
              obj = get_object_or_404(RegistrationModel,email=email)
obj.bal = obj.bal-amount
              bal1=obj.bal-amount
              obj.save(update fields=["bal"])
     else:
return redirect('welcome.html')
    return render(request, 'expense.html')
def index(request):
    if request.method == "POST":
         email= request.POST.get('uname', '')
         pwd = request.POST.get('pwd', '')
```

```
enter = RegistrationModel.objects.get(email=email,pwd=pwd)
              return render(request, 'welcome.html')
         except:
             pass
    return render(request, 'index.html')
      return render (request, 'index.html')
def login(request):
    if request.method == "POST":
     uname = request.POST.get('uname')
     pwd = request.POST.get('pwd')
addr = request.POST.get('addr')
      email = request.POST.get('email')
     mno = request.POST.get('mno')
     bal=50000
     \textbf{if} \ \texttt{RegistrationModel.objects.filter(uname=uname).exists():}
          return HttpResponse("Already registered")
     if RegistrationModel.objects.create(uname=uname,pwd=pwd,addr=addr,email=email,mno=mno,bal=bal):
          subject = "Registration"
          text_content = ""
# otp = randint(1000, 9999)
          st="Registered successfully"
          request.session('email') = request.POST.get('email')
html_content = "<br/>
*p>Registration :<strong>" + str(st) + "</strong>
          from_mail = DEFAULT_FROM_EMAIL
          to_mail = [email]
          print(to_mail)
          msg = EmailMultiAlternatives(subject, text_content, from_mail, to_mail)
msg.attach_alternative(html_content, "text/html")
          if msg.send():
               sts = 'sent'
          return redirect('index.html')
    return render(request, 'user regist.html')
```

manage.py:

```
#!/usr/bin/env python
"""Django's command-line utility for administrative tasks."""
import os
import sys

def main():
    os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'personal.settings')
    try:
        from django.core.management import execute_from_command_line
    except ImportError as exc:
    raise ImportError(
        "Couldn't import Django. Are you sure it's installed and "
        "available on your PYTHONPATH environment variable? Did you "
        "forget to activate a virtual environment?"
    ) from exc
    execute_from_command_line(sys.argv)


if __name__ == '__main__':
```

Scratches and consoles.


External libraries:

OUTPUT:


Workspace page:




expense page:




Daily chart:



Monthly chart:



Wallet:



Chatbot page:

