
Personal Expense Tracker Application

Project development phase

Sprint-1

Date	29Oct2022
Team id	PNT2022TMID48343
Project Name	Project-Personal expense tracker
	application
Maximum Marks	20Marks

Structure Of The Project:



```
m managama maana
   personal
         🐞 __init__.py
         👼 settings.py
         arls.py
         🐌 wsgi.py
   tracker
      migrations
         __init__.py
         admin.py
         👸 apps.py
         illiamodels.py
         tests.py
         illa views.py
      db.sqlite3
      manage.py
External Libraries
Scratches and Consoles
```

DATABASE:

Personal.sql:

```
-- phpMyAdmin SQL Dump
-- version 4.0.4
-- http://www.phpmyadmin.net
-- Host: localhost
-- Generation Time: Nov 17, 2022 at 11:58 AM

-- Server version: 5.6.12-log
-- PHP Version: 5.4.12
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8 */;
-- Database: `personal`
CREATE DATABASE IF NOT EXISTS `personal` DEFAULT CHARACTER SET latin1 COLLATE latin1 swedish ci;
USE `personal`;
-- Table structure for table `auth_group`
CREATE TABLE IF NOT EXISTS `auth_group` (
  'id' int(11) NOT NULL AUTO_INCREMENT,
'name' varchar(150) NOT NULL,
PRIMARY KEY ('id'),
UNIQUE KEY 'name' ('name')
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO INCREMENT=1 ;
-- Table structure for table `auth group permissions`
CREATE TABLE IF NOT EXISTS `auth_group_permissions` (
  `id` int(11) NOT NULL AUTO_INCREMENT,
```

```
`group id` int(11) NOT NULL,
          permission_id` int(11) NOT NULL,
       PRIMARY KEY ('id'),
UNIQUE KEY `auth_group_permissions_group_id_permission_id_0cd325b0_uniq` (`group_id`, `permission_id`),
KEY `auth_group_permissio_permission_id_84c5c92e_fk_auth_perm` (`permission_id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1;
 -- Table structure for table `auth permission`
CREATE TABLE IF NOT EXISTS `auth_permission` (
        `id` int(11) NOT NULL AUTO_INCREMENT,
`name` varchar(255) NOT NULL,
`content_type_id` int(11) NOT NULL,
        `codename` varchar(100) NOT NULL,
       PRIMARY KEY (`id`),
       UNIQUE KEY `auth_permission_content_type_id_codename_01ab375a_uniq` (`content_type_id`,`codename`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=33 ;
 -- Dumping data for table `auth_permission`
INSERT INTO `auth_permission` (`id`, `name`, `content_type_id`, `codename`) VALUES
 INSERT INTO auth_permission ( 1a , name , cont. (1, 'Can add log entry', 1, 'add_logentry'), (2, 'Can change log entry', 1, 'change_logentry'), (3, 'Can delete log entry', 1, 'delete_logentry'), (4, 'Can view log entry', 1, 'view_logentry'), (5, 'Can add permission', 2, 'add_permission'), (6, 'Can add permission', 2, 'add_permission'), (7, 'Can add permission'), (8, 'Can add permission'), (8, 'Can add permission'), (9, 'Ca
 (6, 'Can change permission', 2, 'change permission'),
(7, 'Can delete permission', 2, 'delete permission'),
(8, 'Can view permission', 2, 'view_permission'),
 (19, 'Can add group', 3, 'add_group'),
(10, 'Can change group', 3, 'change_group'),
(11, 'Can delete group', 3, 'delete_group'),
(12, 'Can view group', 3, 'view_group'),
(13, 'Can add user', 4, 'add_user'),
 (14, 'Can change user', 4, 'change_user'),
(15, 'Can delete user', 4, 'delete_user'),
(16, 'Can view user', 4, 'view_user'),
 (17, 'Can add content type', 5, 'add_contenttype'),
(18, 'Can change content type', 5, 'change_contenttype'),
(19, 'Can delete content type', 5, 'delete_contenttype'),
(20, 'Can view content type', 5, 'view_contenttype'),
(21, 'Can add session', 6, 'add_session'),
(22, 'Can change session', 6, 'change_session'),
(23, 'Can delete session', 6, 'delete_session'),
(24, 'Can view session', 6, 'view_session'),
(25, 'Can add expense model', 7, 'add_expensemodel'),
(26, 'Can change expense model', 7, 'change_expensemodel'),
(27, 'Can delete expense model', 7, 'delete_expensemodel'),
(28, 'Can view expense model', 7, 'view_expensemodel'),
(29, 'Can add registration model', 8, 'add_registrationmodel'),
(30, 'Can change registration model', 8, 'change_registrationmodel'),
(31, 'Can delete registration model', 8, 'delete_registrationmodel'),
(32, 'Can view registration model', 8, 'view_registrationmodel');
  (21, 'Can add session', 6, 'add_session'),
 -- Table structure for table `auth user`
CREATE TABLE IF NOT EXISTS `auth user` (
        id int(11) NOT NULL AUTO INCREMENT,
          password varchar (128) NOT NULL,
           last login` datetime(6) DEFAULT NULL,
       `is_superuser` tinyint(1) NOT NULL,
        `username` varchar(150) NOT NULL,
       `first_name` varchar(30) NOT NULL,
`last name` varchar(150) NOT NULL,
        `email` varchar(254) NOT NULL,
       `is_staff` tinyint(1) NOT NULL,
`is_active` tinyint(1) NOT NULL
       `date_joined` datetime(6) NOT NULL,
PRIMARY KEY ('id'),
UNIQUE KEY 'username' ('username')
 ) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO INCREMENT=1 ;
 -- Table structure for table `auth user groups`
```

```
CREATE TABLE IF NOT EXISTS `auth user groups` (
    id int(11) NOT NULL AUTO_INCREMENT,
    `user_id` int(11) NOT NULL,
`group_id` int(11) NOT NULL,
group_id int(ii) NOT NODE,

PRIMARY KEY ('id'),

UNIQUE KEY `auth_user_groups_user_id_group_id_94350c0c_uniq` ('user_id', 'group_id'),

KEY `auth_user_groups_group_id_97559544_fk_auth_group_id' ('group_id')
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1;
-- Table structure for table `auth user user permissions`
CREATE TABLE IF NOT EXISTS `auth user_user_permissions` (
    id` int(11) NOT NULL AUTO INCREMENT,
    `user_id` int(11) NOT NULL,
    `permission_id` int(11) NOT NULL,
   PRIMARY KEY ('id'),
UNIQUE KEY `auth user_user_permissions_user_id_permission_id_14a6b632_uniq` (`user_id`, `permission_id`),
KEY `auth_user_user_permi_permission_id_1fbb5f2c_fk_auth_perm` (`permission_id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1;
-- Table structure for table `django admin log`
CREATE TABLE IF NOT EXISTS `django_admin_log` (
   'id' int(11) NOT NULL AUTO_INCREMENT,
'action_time' datetime(6) NOT NULL,
'object_id' longtext,
'object_repr' varchar(200) NOT NULL,
'action_flag' smallint(5) unsigned NOT NULL,
   `change_message` longtext NOT NULL,
`content_type_id` int(11) DEFAULT NULL,
`user_id` int(11) NOT NULL,
   PRIMARY KEY ('id'),
KEY `django_admin_log_content_type_id_c4bce8eb_fk_django_co` (`content_type_id`),
KEY `django_admin_log_user_id_c564eba6_fk_auth_user_id` (`user_id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=1;
-- Table structure for table `django content type`
CREATE TABLE IF NOT EXISTS `django content type` (
    id int(11) NOT NULL AUTO_INCREMENT,
`app_label` varchar(100) NOT NULL,
    `model` varchar(100) NOT NULL,
PRIMARY KEY ('id'),
UNIQUE KEY `django_content_type_app_label_model_76bd3d3b_uniq` ('app_label', `model')
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=9;
-- Dumping data for table `django content type`
INSERT INTO `django content type` (`id`, `app label`, `model`) VALUES
(1, 'admin', 'logentry'), (3, 'auth', 'group'),
(2, 'auth', 'permission'),
(4, 'auth', 'user'),
(5, 'contenttypes', 'contenttype'),
(6, 'sessions', 'session'),
(7, 'tracker', 'expensemodel'),
(8, 'tracker', 'registrationmodel');
-- Table structure for table `django_migrations`
CREATE TABLE IF NOT EXISTS `django migrations` (
   `id` int(11) NOT NULL AUTO_INCREMENT,
`app` varchar(255) NOT NULL,
    `name` varchar(255) NOT NULL,
   `applied` datetime(6) NOT NULL,
PRIMARY KEY ('id')
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO_INCREMENT=19 ;
-- Dumping data for table `django migrations`
```

```
INSERT INTO `django_migrations` (`id`, `app`, `name`, `applied`) VALUES
(1, 'contenttypes', '0001_initial', '2022-11-17 09:21:47.503519'),
(2, 'auth', '0001_initial', '2022-11-17 09:21:47.684539'),
(3, 'admin', '0001_initial', '2022-11-17 09:21:48.031488'),
 (4, 'admin', '0002_logentry_remove_auto_add', '2022-11-17 09:21:48.108485'),
(4, 'admin', '0002 logentry remove auto add', '2022-11-17 09:21:48.108485'),
(5, 'admin', '0003_logentry_add_action_flag_choices', '2022-11-17 09:21:48.20482'),
(6, 'contenttypes', '0002_remove_content_type_name', '2022-11-17 09:21:48.201480'),
(7, 'auth', '0002_alter_permission_name_max_length', '2022-11-17 09:21:48.239476'),
(8, 'auth', '0003_alter_user_email_max_length', '2022-11-17 09:21:48.279473'),
(9, 'auth', '0004_alter_user_username_opts', '2022-11-17 09:21:48.291472'),
(10, 'auth', '0005_alter_user_last_login_null', '2022-11-17 09:21:48.332475'),
(11, 'auth', '0006_require_contenttypes_0002', '2022-11-17 09:21:48.337469'),
(12, 'auth', '0007_alter_validators_add_error_messages', '2022-11-17 09:21:48.349502
 (12, 'auth', '0007_alter_validators_add_error_messages', '2022-11-17 09:21:48.349502'), (13, 'auth', '0008_alter_user_username_max_length', '2022-11-17 09:21:48.391465'), (14, 'auth', '0009_alter_user_last_name_max_length', '2022-11-17 09:21:48.431466'),
(15, 'auth', '0010_alter_group_name_max_length', '2022-11-17 09:21:48.45146 (15, 'auth', '0010_alter_group_name_max_length', '2022-11-17 09:21:48.475493'), (16, 'auth', '0011_update_proxy_permissions', '2022-11-17 09:21:48.489461'), (17, 'sessions', '0001_initial', '2022-11-17 09:21:48.515486'), (18, 'tracker', '0001_initial', '2022-11-17 09:21:48.620452');
-- Table structure for table `django_session`
CREATE TABLE IF NOT EXISTS `django session` (
   'session_key` varchar(40) NOT NULL,
'session_data` longtext NOT NULL,
'expire_date` datetime(6) NOT NULL,
PRIMARY KEY ('session_key'),
KEY `django_session_expire_date_a5c62663` ('expire_date')
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
-- Dumping data for table `django_session`
INSERT INTO `django session` (`session key`, `session data`, `expire date`) VALUES
 ('7nkrm3mb64alvym7qqtkwsr641jwbvb9',
 MzVkZTJmNTE5ZGMwN2U3ZTg3ZGRjNzJ1YzV1NjY0NDZkZjQ3NjQwNDp7ImVtYWlsIjoic3Npc29mdGRpdm1zaW9uQGdtYWlsLmNvbSJ9',
'2022-12-01 09:25:35.475990');
-- Table structure for table `tracker_expensemodel`
CREATE TABLE IF NOT EXISTS `tracker expensemodel` (
     `id` int(11) NOT NULL AUTO INCREMENT,
     `email` varchar(250) NOT NULL, `cdate` varchar(250) NOT NULL,
    cdate varchar(250) NOT NULL,
`account` varchar(250) NOT NULL,
`category` varchar(250) NOT NULL,
`amount` int(11) NOT NULL,
`descr` varchar(250) NOT NULL,
    `bal` int(11) NOT NULL,
PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO INCREMENT=1 ;
-- Table structure for table `tracker_registrationmodel`
CREATE TABLE IF NOT EXISTS `tracker registrationmodel` (
     `id` int(11) NOT NULL AUTO INCREMENT,
      `uname` varchar(250) NOT NULL,
    `pwd` varchar(250) NOT NULL,
`addr` varchar(250) NOT NULL,
`email` varchar(250) NOT NULL,
    `mno` varchar(250) NOT NULL,
'bal` int(11) NOT NULL,
PRIMARY KEY ('id')
) ENGINE=InnoDB DEFAULT CHARSET=latin1 AUTO INCREMENT=2 ;
-- Dumping data for table `tracker registrationmodel`
INSERT INTO `tracker_registrationmodel` (`id`, `uname`, `pwd`, `addr`, `email`, `mno`, `bal`) VALUES
(1, 'anu', 'anu', 'anu cottage', 'ssisoftdivision@gmail.com', '982734343', 50000);
```

__

```
-- Constraints for dumped tables
-- Constraints for table `auth group permissions`
ALTER TABLE `auth_group_permissions`
ADD CONSTRAINT `auth_group_permissio_permission_id_84c5c92e_fk_auth_perm` FOREIGN KEY (`permission_id`)
REFERENCES `auth_permission`
                                       (`id`),
ADD CONSTRAINT `auth_group_permissions_group_id_b120cbf9_fk_auth_group_id` FOREIGN KEY (`group_id`) REFERENCES `auth_group` (`id`);
-- Constraints for table `auth_permission`
ALTER TABLE `auth_permission`
ADD CONSTRAINT `auth_permission_content_type_id_2f476e4b_fk_django_co` FOREIGN KEY (`content_type_id`)
REFERENCES `django_content_type` (`id`);
-- Constraints for table `auth_user_groups`
ALTER TABLE `auth_user_groups`
ADD CONSTRAINT `auth_user_groups_group_id_97559544_fk_auth_group_id` FOREIGN KEY (`group_id`) REFERENCES
 `auth_group` (`id`),
  ADD CONSTRAINT `auth_user_groups_user_id_6a12ed8b_fk_auth_user_id` FOREIGN KEY (`user_id`) REFERENCES
`auth_user` (`id`);
-- Constraints for table `auth_user_user_permissions`
ALTER TABLE `auth_user_user_permissions`
ADD CONSTRAINT `auth_user_user_permi_permission_id_lfbb5f2c_fk_auth_perm` FOREIGN KEY (`permission_id`)
REFERENCES `auth_permission` (`id`),
ADD CONSTRAINT `auth_user_user_permissions_user_id_a95eadlb_fk_auth_user_id` FOREIGN KEY (`user_id`)
REFERENCES `auth_user`
                               (`id`);
-- Constraints for table `django_admin_log`
ALTER TABLE `django_admin_log
  ADD CONSTRAINT django_admin_log_user_id_c564eba6_fk_auth_user_id` FOREIGN KEY (`user_id`) REFERENCES
 auth_user` (`id`),
ADD CONSTRAINT `django_admin_log_content_type_id_c4bce8eb_fk_django_co` FOREIGN KEY (`content_type_id`) REFERENCES `django_content_type` (`id`);
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
Personal -Design:
```

STATIC:

CSS:

ddsmoothmenu.css:

```
.ddsmoothmenu{
background: none; /*background of menu bar (default state)*/
margin-top:32px;
float:right;
font-size:12px;
}
.menuphoto img { float:right; }
.ddsmoothmenu ul{
z-index:100;
margin: 0;
padding: 0;
list-style-type: none;
```

```
}
.ddsmoothmenu ul ul {
  border-bottom:10px solid #3B5C1F;
/*Top level list items*/
.ddsmoothmenu ul li{
position: relative;
display: inline;
float: left;
/*Top level menu link items style*/
.ddsmoothmenu ul li a{
display: block;
background: none; /*background of menu items (default state)*/
color: #fff;
padding: 8px 10px;
color: #2d2b2b;
text-decoration: none;
}
* html .ddsmoothmenu ul li a{ /*IE6 hack to get sub menu links to behave correctly*/
display: inline-block;
}
.ddsmoothmenu ul li a:link, .ddsmoothmenu ul li a:visited{
color: #A7A7A7;
. \texttt{ddsmoothmenu ul li a.selected} \{ \ / \texttt{*CSS class that's dynamically added to the currently active menu items' LI} \\
background: #171717;
color:#747474;
.ddsmoothmenu ul li a:hover{
background: #000; /*background of menu items during onmouseover (hover state)*/
color: #fff;
}
```

```
/*1st sub level menu*/
.ddsmoothmenu ul li ul{
background: #171717;
color:#fff;
position: absolute;
left: 0;
display: none; /*collapse all sub menus to begin with*/
visibility: hidden;
/*Sub \ level \ menu \ list \ items \ (undo \ style \ from \ Top \ level \ List \ Items) */
.ddsmoothmenu ul li ul li{
display: list-item;
float: none;
/*All subsequent sub menu levels vertical offset after 1st level sub menu */
.ddsmoothmenu ul li ul li ul{
top: 0;
}
/* Sub level menu links style */
.ddsmoothmenu ul li ul li a{
width: 180px; /*width of sub menus*/
padding: 10px;
margin: 0;
border-top-width: 0;
border-bottom: 1px dotted #2E2E2E;
}
.ddsmoothmenu ul li ul li a:link , .ddsmoothmenu ul li ul li a:visited {
color:#747474;
.ddsmoothmenu ul li ul li a:hover {
color:#fff;
}
/* Holly Hack for IE \*/
* html .ddsmoothmenu{height: 1%;} /*Holly Hack for IE7 and below*/
/* ######## CSS classes applied to down and right arrow images ######## */
```

```
.downarrowclass{
position: absolute;
top: 12px;
right: 7px;
.rightarrowclass{
position: absolute;
top: 12px;
right: 5px;
/* ######## CSS for shadow added to sub menus ####### */
.ddshadow{
position: absolute:
left: 0;
top: 0;
width: 0;
height: 0;
background: silver;
.toplevelshadow{    /*shadow opacity. Doesn't work in IE*/
opacity: 0.8;
galleria.css:
.galleria{list-style:none;width:200px}
.galleria li{display:block;width:80px;height:80px;overflow:hidden;float:left;margin:0 10px 10px 0}
.galleria li a{display:none}
.galleria li div{position:absolute;display:none;top:0;left:180px}
.galleria li div img{cursor:pointer}
.galleria li.active div img,.galleria li.active div{display:block}
.galleria li img.thumb{cursor:pointer;top:auto;left:auto;display:block;width:auto;height:auto}
galleria li .caption{display:block;padding-top:.5em}
* html .galleria li div span{width:400px} /* MSIE bug
   /* BEGIN DEMO STYLE */
   .caption{font-size:12px;line-height:28px;color:#3a3a3a;}
   .caption a { color:#3a3a3a; text-decoration:none; }
   .demo{margin-top:16px;}
   .gallery {width:942px;margin:0 auto; padding-left:2px;}
   .gallery li{width:84px;height:59px;border:3px double #111;margin: 0 2px;background:#000;margin-
top:40px;}
   .gallery li div{left:240px;}
   .gallery li div .caption{font:italic 0.7em/1.4 georgia,serif;}
     * BEGIN DEMO STYLE
   #main_image(margin:0 auto;height:434px;width:944px;padding:5px 0 0 4px; background:
url(../images/featured-image-bg.png) no-repeat top;}
#main_image img{height:430px;width:940px;}
   .nav{padding-top:15px;clear:both;font:80% 'helvetica neue',sans-serif;letter-spacing:3px;text-
transform:uppercase; }
   . info{text-align:left; width: 700px; margin: 30px auto; border-top: 1px dotted \#221; padding-top: 30px; }
   .info p{margin-top:1.6em;}
```

Haccordian.css:

```
/*Overall CSS for each Horizontal Accordion.
  Most settings should be kept as it.
  Customize each Accordion by styling each Accordion's ID attribute instead.
.haccordion{
padding: 0;
.haccordion ul{
margin: 0;
padding: 0;
list-style: none;
overflow: hidden; /*leave as is*/
}
.haccordion li{
margin: 0;
padding: 0;
display: block; /*leave as is*/
width: 100%; /*For users with JS disabled: Width of each content*/
\label{eq:height: 430px; /*For users with JS disabled: Height of each content*/
overflow: hidden; /*leave as is*/
float: left; /*leave as is*/
.haccordion li .hpanel{
width: 100%; /*For users with JS disabled: Width of each content*/
height: 430px; /*For users with JS disabled: Height of each content*/
.hpanelimage {
   float:right;
.hpanelcaption {
  margin-top:-100px;
   float:right;
   color:#fff;
  padding:15px;
   font-size:12px;
   line-height:18px;
```

```
background: #111;
   width: 500px;
.hpanelcaption a {color:#fff; }
.hpanelcaption a:hover {text-decoration:none;}
/*CSS for example Accordion #hc1*/
#hc1 {
margin-top:5px;
#hc1 li{
margin:0; /*Spacing between each LI container*/
}
#hc1 li .hpanel img{
width: 786px;
height:430px;
#hc1 li .hpanel{
padding: 0; /*Padding inside each content*/
background: #111;
/*CSS for example Accordion #hc2*/
#hc2 li{
margin:0 0 0 0; /*Spacing between each LI container*/
border: 0;
}
#hc2 li .hpanel{
padding: 0; /*Padding inside each content*/
Home-galleria.css:
.galleria{list-style:none;width:200px}
.galleria li{display:block;width:80px;height:80px;overflow:hidden;float:left;margin:0 10px 10px 0}
.galleria li a{display:none}
.galleria li div{position:absolute;display:none;top:0;left:180px}
.galleria li div img{cursor:pointer}
.galleria li.active div img,.galleria li.active div{display:block}
galleria li img.thumb{cursor:pointer;top:auto;left:auto;display:block;width:auto;height:auto}
.galleria li .caption{display:block;padding-top:.5em}
* html .galleria li div span{width:400px} /* MSIE bug */
   /* BEGIN DEMO STYLE */
```

```
.caption{font-size:12px;line-height:28px;color:#3a3a3a;}
    .caption a { color:#3a3a3a; text-decoration:none; }
    .demo{margin-top:16px;}
    .gallery {width:942px;margin:0 auto; } .gallery li{width:84px;height:59px;border:3px double #111;margin: 0 2px;background:#000;margin-
top:32px;}
   .gallery li div{left:240px;}
    .gallery li div .caption{}
   #main image{margin-left:-4px;height:434px;width:944px;padding:5px 0 0 4px; background:
url(../images/featured-image-bg.png) no-repeat top;}
   #main image img{height:430px;width:940px;}
    .nav{padding-top:15px;clear:both;font:80% 'helvetica neue',sans-serif;letter-spacing:3px;text-
transform:uppercase;}
    .info{text-align:left;width:700px;margin:30px auto;border-top:1px dotted #221;padding-top:30px;}
    .info p{margin-top:1.6em;}
le.css:
.ddsmoothmenu{
margin-top:12px;
#footerwrap {
  padding: 40px 0 40px 46px;
   background: #000;
le6.css:
.ddsmoothmenu{
margin-top:12px;
}
.footerflickrwrap { width:280px;float:left; margin:0;padding:0; margin-left:40px; }
#main_image{padding:0;background: url(../images/image-bgie.png) no-repeat top;}
. caption \{ padding-left: 5px; font-family: verdana; font-size: 10px; line-height: 28px; color: \#3a3a3a; \} \\
.gallery li{margin-top:10px;}
#contents .minishowcasewrap { width:610px;float:left; margin:0 0 20px 0;padding:0; }
.sidebaropts ul { line-height:12px; }
.sidebaropts ul ul { line-height:12px; }
.sidebaropts { padding:0;margin:0;line-height:12px; }
le7.css:
ddsmoothmenu{
margin-top:10px;
.footerflickrwrap { width:280px;float:left; margin:0;padding:0; margin-left:40px; }
    #footerwrap {
       padding: 40px 0 30px 46px;
Page-galleria.css:
.galleria{list-style:none;width:200px}
.galleria li{display:block;width:80px;height:80px;overflow:hidden;float:left;margin:0 10px 10px 0}
.galleria li a{display:none}
.galleria li div{position:absolute;display:none;top:0;left:180px}
.galleria li div img{cursor:pointer}
.galleria li.active div img,.galleria li.active div{display:block}
.galleria li img.thumb{cursor:pointer;top:auto;left:auto;display:block;width:auto;height:auto}
.galleria li .caption{display:block;padding-top:.5em}
* html .galleria li div span{width:400px} /* MSIE bug */
    /* BEGIN DEMO STYLE */
    .caption{font-size:12px;line-height:28px;color:#3a3a3a;}
   .caption a { color:#3a3a3a; text-decoration:none; }
.demo{margin-top:16px;}
    .gallery {width:596px;}
    .gallery li{width:58px;height:41px;border:2px double #111;margin: 0 2px;background:#000;margin-
top:26px;}
    .gallery li div{}
    .gallery li div .caption{}
    #main_image{height:430px;width:590px;padding:5px 0 0 0;}
    #main image img{height:430px;width:590px;}
```

```
.nav{padding-top:15px;clear:both;font:80% 'helvetica neue',sans-serif;letter-spacing:3px;text-
transform:uppercase; }
      .info{text-align:left;width:700px;margin:30px auto;border-top:1px dotted #221;padding-top:30px;}
      .info p{margin-top:1.6em;}
Portfolio-gallleria.css:
.galleria{list-style:none;width:200px}
.galleria li{display:block;width:80px;height:80px;overflow:hidden;float:left;margin:0 10px 10px 0}
.galleria li a{display:none}
.galleria li div{position:absolute;display:none;top:0;left:180px}
.galleria li div img{cursor:pointer}
.galleria li.active div img, galleria li.active div{display:block}
.galleria li img.thumb{cursor:pointer;top:auto;left:auto;display:block;width:auto;height:auto}
.galleria li .caption{display:block;padding-top:.5em;}
* html .galleria li div span{width:400px} /* MSIE bug
      /* BEGIN DEMO STYLE */
     .caption{font-size:12px;line-height:28px;color:#111;}
      .caption a { color:#3a3a3a; text-decoration:none; }
     .demo{margin-top:16px;}
      .gallery {width:942px;margin:0 auto; padding-left:2px;}
      .gallery li{width:84px;height:59px;border:3px double #111;margin: 0 2px;background:#000;margin-
top:40px;}
      .gallerv li div{left:240px;}
     .gallery li div .caption{}
     #main_image{margin:auto 0; text-align:center; display:block; }
     #main image img{margin:auto 0; text-align:center;}
      .nav{padding-top:15px;clear:both;font:80% 'helvetica neue',sans-serif;letter-spacing:3px;text-
transform:uppercase; }
      .info{text-align:left;width:700px;margin:30px auto;border-top:1px dotted #221;padding-top:30px;}
      .info p{margin-top:1.6em;}
prettyPhoto.css:
    This you can edit.
    div.light_rounded .pp_top .pp_left { background: url(../images/prettyPhoto/light rounded/sprite.pnq) -
88px -53px no-repeat; } /* Top left corner
     div.light_rounded .pp_top .pp_middle { background: #fff; } /* Top pattern/color */
div.light_rounded .pp_top .pp_right { background: url(../images/prettyPhoto/light_rounded/sprite.png) -
110px -53px no-repeat; } /* Top right corner */
    div.light_rounded .pp_content { background-color: #fff; } /* Content background */
div.light_rounded .pp_next:hover { background: url(../images/prettyPhoto/light_rounded/btnNext.png)
nter right no-repeat; cursor: pointer; } /* Next button */
     div.light_rounded .pp_previous:hover { background:
url(../images/prettyPhoto/light_rounded/btnPrevious.png) center left no-repeat; cursor: pointer; } /*
Previous button *
    {\tt div.light\_rounded .pp\_expand \{ background: url(../images/prettyPhoto/light\_rounded/sprite.png) - 31px - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 
26px no-repeat; cursor: pointer; } /* Expand button
     div.light_rounded .pp_expand:hover { background: url(../images/prettyPhoto/light_rounded/sprite.png) -
31px -47px no-repeat; cursor: pointer; } /* Expand button hove
div.light_rounded .pp_contract { background: url(../images/prettyPhoto/light_rounded/sprite.png) 0 -26px no-repeat; cursor: pointer; } /* Contract button */
div.light_rounded .pp_contract:hover { background: url(../images/prettyPhoto/light_rounded/sprite.png) 0 -47px no-repeat; cursor: pointer; } /* Contract button hover */
      div.light_rounded .pp_close { width: 75px; height: 22px; background:
url(../images/prettyPhoto/light_rounded/sprite.png) -lpx -lpx no-repeat; cursor: pointer; } /* Close button
     {\tt div.light\_rounded .pp\_arrow\_previous \{ background: url(../images/prettyPhoto/light\_rounded/sprite.png) \ 0 \}}
-71px no-repeat; } /
                                      The previous arrow in the bottom nav
          div.light_rounded pp_arrow_previous.disabled { background-position: 0 -87px; cursor: default; }
     div.light_rounded .pp_arrow_next { background: url(../images/prettyPhoto/light_rounded/sprite.png) -22px
-71px no-repeat; } /*
                                      The next arrow in the bottom nav
          div.light rounded .pp arrow next.disabled { background-position: -22px -87px; cursor: default; }
     div.light_rounded .pp_bottom .pp_left { background: url(../images/prettyPhoto/light_rounded/sprite.png)
-88px -80px no-repeat; }
                                           /* Bottom left
div.light_rounded .pp_bottom .pp_middle { background: #fff; } /* Bottom pattern/color */
div.light_rounded .pp_bottom .pp_right { background: url(../images/prettyPhoto/light_rounded/sprite.png)
-110px -80px no-repeat; } /* Bottom right corner */
     div.light rounded .pp loaderIcon { background: url(../images/prettyPhoto/light rounded/loader.gif)
center center no-repeat; } /* Loader icon *
         Dark Rounded Theme
```

```
div.dark rounded .pp top .pp left { background: url(../images/prettyPhoto/dark rounded/sprite.png) -88px
      div.dark_rounded .pp_top .pp_middle { background:
\verb|wrl(../images/prettyPhoto/dark_rounded/contentPattern.png)| top left repeat; } /* \textit{Top pattern/color */} | \texttt{Top patt
div.dark_rounded .pp_top .pp_right { background: url(../images/prettyPhoto/dark_rounded/sprite.png) - 110px -53px no-repeat; } /* Top right corner */
      {\tt div.dark\_rounded .pp\_content \{ background: url(.../images/prettyPhoto/dark\_rounded/contentPattern.png) \}}
top left repeat; } /*
                                            Content background *
div.dark_rounded .pp_next:hover { background: url(../images/prettyPhoto/dark_rounded/btnNext.png) center
right no-repeat; cursor: pointer; } /* Next button */
      div.dark rounded .pp previous:hover { background:
url(../images/prettyPhoto/dark rounded/btnPrevious.png) center left no-repeat; cursor: pointer; } /*
div.dark_rounded.pp_expand:hover { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -31px -47px no-repeat; cursor: pointer; } /* Expand button hover */
       div.dark_rounded .pp_contract { background: url(../images/prettyPhoto/dark_rounded/sprite.png) 0 -26px
no-repeat; cursor: pointer; } /* Contract button *,
     47px no-repeat; cursor: pointer; } /* Contract button hover */
div.dark rounded .pp close { width: 75px; height: 22px; background:
url(../images/prettyPhoto/dark_rounded/sprite.png) -1px -1px no-repeat; cursor: pointer; } /* Close button
      div.dark_rounded .currentTextHolder { color: #c4c4c4; }
      div.dark_rounded .pp_description { color: #fff; }
      div.dark rounded .pp arrow previous { background: url(../images/prettyPhoto/dark rounded/sprite.png) 0 -
71px no-repeat; } /*
                                           The previous arrow in the bottom nav
            div.dark rounded .pp arrow previous.disabled { background-position: 0 -87px; cursor: default; }
div.dark_rounded .pp_arrow_next { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -22px -71px no-repeat; } /* The next arrow in the bottom nav */
            div.dark rounded .pp arrow next.disabled { background-position: -22px -87px; cursor: default; }
      div.dark_rounded .pp_bottom .pp_left { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -
88px -80px no-repeat; }
                                                 /* Bottom left corner
      div.dark_rounded .pp_bottom .pp_middle { background:
div.dark_rounded .pp_bottom .pp_right { background: url(../images/prettyPhoto/dark_rounded/sprite.png) -
110px -80px no-repeat; } /*
                                                       * Bottom right corner
      \verb|div.dark_rounded.pp_loaderIcon| \{ | background: | url(../images/prettyPhoto/dark_rounded/loader.gif)| | center | cen
center no-repeat; } /* Loader icon */
          Dark Square Theme
      div.dark square .pp left ,
      div.dark_square .pp_middle,
      div.dark square .pp right,
      div.dark_square .pp_content { background: url(../images/prettyPhoto/dark_square/contentPattern.png) top
left repeat; }
      div.dark_square .currentTextHolder { color: #c4c4c4; }
      div.dark_square .pp_description { color: #fff; }
div.dark_square .pp_loaderIcon { background: url(../images/prettyPhoto/dark_rounded/loader.gif) center
center no-repeat; } /* Loader icon */
\label{linear_square_sprite_png} $$\operatorname{div.dark\_square/sprite.png}$ -31px -26px no-repeat; cursor: pointer; } /* {\it Expand button */} $$
      div.dark square .pp expand:hover { background: url(../images/prettyPhoto/dark_square/sprite.png) -31px -
47px no-repeat; cursor: pointer; } /* Expand button hover *
      div.dark_square .pp_contract { background: url(../images/prettyPhoto/dark_square/sprite.png) 0 -26px no-
repeat; cursor: pointer; } /* Contract button *,
div.dark_square .pp_contract:hover { background: url(../images/prettyPhoto/dark_square/sprite.png) 0 - 47px no-repeat; cursor: pointer; } /* Contract button hover */
     div.dark square .pp close { width: 75px; height: 22px; background:
url(../images/prettyPhoto/dark square/sprite.png) -1px -1px no-repeat; cursor: pointer; } /* Close button
\label{linear_square_sprite_png} \begin{tabular}{ll} $\tt div.dark\_square\_previous { background: url(../images/prettyPhoto/dark\_square/sprite.png) 0 -71px no-repeat; } /* The previous arrow in the bottom nav */ \\ \end{tabular}
            div.dark_square .pp_arrow_previous.disabled { background-position: 0 -87px; cursor: default; }
div.dark_square .pp_arrow_next { background: url(../images/prettyPhoto/dark_square/sprite.png) -22px -71px no-repeat; } /* The next arrow in the bottom nav */
            div.dark_square .pp_arrow_next.disabled { background-position: -22px -87px; cursor: default; }
      div.dark_square .pp_next:hover { background: url(../images/prettyPhoto/dark_square/btnNext.png) center
right no-repeat; cursor: pointer; } /* Next button
      div.dark square .pp previous:hover { background: url(../images/prettyPhoto/dark square/btnPrevious.png)
center left no-repeat; cursor: pointer; } /* Previous button *
            Light Square Theme
```

```
div.light_square .pp_left
          div.light_square .pp_middle,
         div.light_square .pp_right,
         div.light_square .pp_content { background: #fff; }
\label{light_square_sprite.png} $$ -31px -26px no-repeat; cursor: pointer; $$ /* Expand button */ $$ $$
div.light_square .pp_expand:hover { background: url(../images/prettyPhoto/light_square/sprite.png) -31px
-47px no-repeat; cursor: pointer; } /* Expand button hover */
div.light_square .pp_contract { background: url(../images/prettyPhoto/light_square/sprite.png) 0 -26px
no-repeat; cursor: pointer; } /* Contract button
          div.light square .pp contract:hover { background: url(../images/prettyPhoto/light square/sprite.png) 0 -
47px no-repeat; cursor: pointer; } /* Contract button hover */
    div.light_square .pp_close { width: 75px; height: 22px; background:
url(../images/prettyPhoto/light_square/sprite.png) -1px -1px no-repeat; cursor: pointer; } /* Close button
         {\tt div.light\_square .pp\_arrow\_previous \{ background: url(../images/prettyPhoto/light\_square/sprite.png) \ 0 - light\_square .pp\_arrow\_previous \} \ (a../images/prettyPhoto/light\_square/sprite.png) \ (a../images/prettyPhoto/light\_square/sprite.png) \ (b../images/prettyPhoto/light\_square/sprite.png) \ (b../ima
71px no-repeat; } /* The previous arrow in the bottom nav
                 div.light_square .pp_arrow_previous.disabled { background-position: 0 -87px; cursor: default; }
div.light_square.pp_arrow_next { background: url(../images/prettyPhoto/light_square/sprite.png) -22px -71px no-repeat; } /* The next arrow in the bottom nav */
                   div.light_square .pp_arrow_next.disabled { background-position: -22px -87px; cursor: default; }
         \verb|div.light_square .pp_next:| hover { background: url(.../images/prettyPhoto/light_square/btnNext.png) center for the content of the conten
right no-repeat; cursor: pointer; } /* Next button
    div.light_square .pp_previous:hover { background:
url(../images/prettyPhoto/light square/btnPrevious.png) center left no-repeat; cursor: pointer; } /*
 Previous button */
        DO NOT CHANGE
         div.pp_pic_holder a:focus { outline:none; }
          div.pp overlav {
                   background: #000;
                    left: 0;
                   position: absolute;
                    top: 0;
                    width: 100%;
                    z-index: 9500;
          div.pp pic holder {
                   display: none;
                    position: absolute;
                    width: 100px;
                    z-index: 10000;
                    .pp_top {
                             height: 20px:
                             position: relative;
                             * html .pp_top { padding: 0 20px; }
                              .pp_top .pp_left {
                                      height: 20px;
                                        left: 0;
                                       position: absolute;
                                        width: 20px;
                              .pp_top .pp_middle {
                                      height: 20px;
left: 20px;
                                      position: absolute;
                                       right: 20px;
                                        * html .pp_top .pp_middle {
                                                left: 0;
                                                position: static;
                              .pp_top .pp_right {
   height: 20px;
                                        left: auto;
                                      position: absolute;
                                        right: 0;
                                        top: 0;
                                       width: 20px;
                    .pp_content {
                             height: 40px;
```

```
position: relative;
   text-align: left;
   width: 100%;
   .pp_content .pp_details {
      display: none;
      margin: 10px 15px 2px 20px;
       .pp_description {
    display: none;
    float: left;
          margin: 0;
      .pp_nav {
   float: left;
          margin: 3px 0 0 0;
          .pp_nav p {
   float: left;
             margin: 2px 4px;
          .pp_nav a.pp_arrow_previous,
          .pp_nav a.pp_arrow_next {
   display: block;
   float: left;
   height: 15px;
             margin-top: 3px;
              overflow: hidden;
              text-indent: -10000px;
              width: 14px;
.pp_hoverContainer {
   left: 0;
   position: absolute;
   top: 0;
width: 100%;
   z-index: 2000;
a.pp_next {
   background: url(../images/prettyPhoto/light rounded/btnNext.png) 10000px 10000px no-repeat;
   display: block;
   float: right;
   height: 100%;
   text-indent: -10000px;
   width: 49%;
   background: url(../images/prettyPhoto/light_rounded/btnNext.png) 10000px 10000px no-repeat;
   display: block;
   float: left;
   height: 100%;
   text-indent: -10000px;
   width: 49%;
a.pp_expand,
a.pp_contract {
   cursor: pointer;
   display: none;
height: 20px;
   position: absolute;
   right: 30px;
   text-indent: -10000px;
   top: 10px;
   width: 20px;
   z-index: 20000;
a.pp_close {
   display: block;
   float: right;
text-indent: -10000px;
.pp bottom {
   height: 20px;
   position: relative;
   * html .pp_bottom { padding: 0 20px; }
   .pp_bottom .pp_left {
```

```
height: 20px;
             left: 0;
             position: absolute;
             width: 20px;
         .pp_bottom .pp_middle {
             height: 20px;
             left: 20px;
             position: absolute;
             right: 20px;
             * html .pp_bottom .pp_middle {
                left: 0;
                position: static;
          .pp bottom .pp right {
             height: 20px;
             left: auto;
             position: absolute;
             right: 0;
             top: 0;
             width: 20px;
      .pp_loaderIcon {
         display: none;
height: 24px;
          left: 50%;
         margin: -12px 0 0 -12px;
         position: absolute;
         top: 50%;
         width: 24px;
      #pp_full_res {
         display: none;
         line-height: 1 !important;
         margin: 0 auto;
         text-align: center;
         width: 100%;
      div.ppt {
         color: #fff;
         display: none;
         font-size: 17px;
         left: 0;
         position: absolute;
         top: 0;
         z-index: 9999;
  Miscellaneous
   .clearfix:after {
       content: ".";
       display: block;
       height: 0;
clear: both;
       visibility: hidden;
   .clearfix {display: inline-block;}
   /* Hides from IE-mac \*/
   * html .clearfix {height: 1%;}
   .clearfix {display: block;}
    /* End hide from IE-mac */
Slider.css:
    .container { width:940px; height:430px; background:#111; overflow:hidden; position:relative;
cursor:pointer; }
   .slides { position:absolute; top:0; left:0; }
   #loopedSlider { width:940px; position:relative; clear:both; }
ul.pagination { list-style-type:none; margin:0; padding:0; margin:9px auto; width:132px; }
   ul.pagination li { float:left; margin:0 5px; }
   ul.pagination a { display:block; width:12px; padding-top:12px; height:0; overflow:hidden; background-
image:url(../images/slider/pagination.png); background-position:0 0; background-repeat:no-repeat;}
   ul.pagination li.active a {background-position:0 -12px}
  a.previous { position:absolute; top:195px; left:-12px; } a.next { position:absolute; top:195px; right:-12px; }
   .slideimage {float:left;}
```

```
.slidecaption {
margin-top:-115px;
float:right;
color:#fff:
padding: 15px;
font-size:12px;
line-height:18px;
background: #111;
width: 500px;
.slidecaption a {color:#fff; }
.slidecaption a:hover {text-decoration:none;}
Style.css:
Theme Name: Studio Box HTML CSS Template
Theme URI: http://www.imaginemthemes.com/demo/studiobox/sb-classic/
Description: Theme Design by Mondre'
Version: 1.0
Author: Mondre
Author URI: http://www.imaginemthemes.com/
Tags: fixed width, two columns, widgets
   Studio Box CSS HTML v1.0
   http://www.imaginemthemes.com/demo/studiobox/sb-classic/
   This theme was designed and built by Mondre,
   you will find him at http://themeforest.net/user/imaginem
   in Themeforest
begin resets
html, body, div, span, applet, object, iframe, h1, h2, h3, h4, h5, h6, p, blockquote, pre, a, abbr, acronym, address, big, cite, code,
del, dfn, em, font, img, ins, kbd, q, s, samp,
small, strike, strong, sub, sup, tt, var,
dl, dt, dd, ol, ul, li,
fieldset, form, label, legend,
table, caption, tbody, tfoot, thead, tr, th, td {
   padding: 0;
   border: 0;
   outline: 0;
   font-family: inherit;
   font-style: inherit;
font-size: 100%;
   vertical-align: baseline;
Main Global Layout Settings
*{ padding: 0px; }
body, html{ height: 100%; margin: 0;height: auto; min-height: 100%; } body{ font-family:'Lucida Grande','Lucida Sans Unicode','Lucida Sans','DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
font-size: 62.5%; background: #000 url(../images/bg.png) repeat-x fixed 50% 0 ;}
a{ outline: none; text-decoration: none; }
a:hover{ text-decoration: underline; }
a img{ border: none; }
.clear {clear:both;}
.clearlast {clear:both;padding-bottom:35px;}
.clearlastgallery {clear:both;padding-bottom:55px;}
.ienoclear {clear:both;}
.clearfix:after { content: '
* html .clearfix{ height: 1%; }
                     { content: "."; visibility: hidden; display: block; height: 0px; clear: both; }
*+html .clearfix{ height: 1%; }
/* ----- Page Structure ----- */
#mainpagecontainer{ width: 1035px; margin: 0px auto; padding:0px; margin-top:10px;background: #fff
url(../images/main-bg.png) repeat-x top;}
#pagecontainer{ width: 1035px; margin: 0px auto; padding:0px; margin-top:10px;background: #fff
url(../images/other-bg.png) repeat-x top;}
#mainpage{ width: 940px; margin: 0px auto; padding-top:30px; }
#mainpageheader { padding-bottom:15px;}
#gallerypageheader { padding-bottom:55px;}
#header { padding-bottom:70px;}
#logo { margin:0;padding:0; margin-top:-20px; }
#rss { float:right; position:relative; top:15px; }
```

```
.twocolumn {width:600px; float:left;}
.noflashtop {margin-top:-50px;}
/* ----- Title -----
#categorytitle { font-size:22px; color:#7d7d7d; padding:12px 0 12px 0; margin:0 0 30px 0; border-bottom:1px
dotted #D1D1D1; width:600px;}
#fullwidth-categorytitle { font-size:22px; color:#7d7d7d; padding:12px 0 12px 0; margin:0 0 30px 0; border-
bottom:1px dotted #D1D1D1; width:940px;}
.subcategorytitle { font-size:18px; color:#111; padding:12px 0 12px 0; margin:0 0 10px 0; font-
weight:bold; }
/* ----- Featured ----- */
   #cubeshadow {
      height:440px;
      background: #fff url(../images/shadow.jpg) no-repeat bottom center;
/* ----- Mainpage Intro Text ----- */
#introwrap { width: 700px; }
   #introbig { font-size:22px; font-style:normal; font-weight:bold; letter-spacing:-1px; margin-
bottom: 15px; }
   #introsmall { font-family:Georgia, 'Times New Roman', serif; font-size:16px; font-style:italic; line-
height:19px; color:#969696;}
   #twitter {float:right; margin-right:60px;}
/* ----- Mainpage Portfolio ----- */
#mportfoliowrap {
   padding:10px 0 10px 0;
   margin: 25px 0 25px 0;
   .homeportfoliotitle { font-size:18px; color:#3a3a3a; font-style:normal; font-weight:bold; margin-
bottom: 15px; }
   .homeportfoliotitle a { color: #3a3a3a; font-weight: bold: }
   .homeportfoliotitle a:hover { color:#111; text-decoration:none; }
    .mportfoliotitle { font-size:18px; color:#3a3a3a; font-style:normal; font-weight:bold; margin-
bottom:15px;}
   .mportfoliotitle a { color:#3a3a3a; font-weight:bold; }
.mportfoliotitle a:hover { color:#111; text-decoration:none; }
.mportfoliobox {width:300px;float:left;}
   .mportfolio {}
      .mportfolio img { width:300px; height:138px;float:left;}
      .mportfoliospace { margin-left:20px;}
      .mportfoliobg { width:300px; height:138px; float:left; background: #111 url(../images/hover-
media.jpg) no-repeat top left;}
      mportfoliocatbg { width:300px; height:138px; float:left; background: #111 url(../images/hover-
category.jpg) no-repeat top left;}
.mportfoliobgvideo { width:300px; height:138px; float:left; background: #111 url(../images/hover-video.jpg) no-repeat top left;}
/* ----- Category Portfolio ----- */
.categoryportfoliowrap {
   padding:10px 0 10px 0;
margin: 5px 0 5px 0;
   #mblogwrap {
      padding: 0 0 12px 0;
margin: 25px 0 35px 0;
   .mblogbox {
      width:300px;
      float:left;
      .mblogtitle { font-size:18px; color:#3a3a3a; font-weight:bold; margin-bottom:10px;}
         .mblogtitle a { color:#3a3a3a; text-decoration:none;}
         .mblogtitle a:hover { color:#111; text-decoration:none;}
      .mblogtext { font-size:13px; line-height:20px; color:#7d7d7d;}
      .mblogspace { margin-left:20px; }
```

```
width:100%; margin: 35px 0 25px 0; padding: 0 0 15px 0; border-bottom:1px solid #e3e3e3;
   .articlewrap {
     width: 480px; float:left;
      .articles {
         .articleimage {
           float:left; width:135px;
            .articleimage img {
              border:5px solid #b2b2b2;
            }
               .articleimage img:hover {
                 border:5px solid #969696;
         .articletext {
            float:right; width:310px;
            font-size:13px; line-height:20px; color:#7d7d7d;
           margin-bottom:20px;
            .articletitle, .articletitle a {
              font-size:18px; font-weight:bold; margin-bottom:5px; color:#5D5D5D;
               .articletitle a:hover {
                 color:#111; text-decoration:none;
  #aboutwrap {
   width:940px; border-top:1px solid #e3e3e3; margin-top:10px;
      float:right;
      .abouttext {
         float:right; font-weight:bold;
         font-size:22px; line-height:20px; color:#464646;
         margin-bottom:5px; margin-top:25px;
      .abouthighlight {
         font-size:18px; font-style:normal;line-height:26px; color:#717171;
         \verb|margin-bottom:8px; \verb|margin-top:15px|; font-weight:normal|; \\
      .abouttitle, .abouttitle a {
         font-size:16px; font-weight:bold; margin-bottom:5px; color:#5D5D5D;
            .abouttitle a:hover {
                color:#111; text-decoration:none;
/* ----- Mainpage button ----- */
.blankbutton {
  background: #fff url(../images/blank_button.gif) no-repeat top left;
  float:right;
  width: 133px;
  height:31px;
  font-family:georgia, serif;
  font-size:11px;
  font-weight:bold;
  font-style:italic;
  padding:7px 0 0 22px;
  margin-top:20px;
  .blankbutton a {
     font-family:georgia, serif;
      font-size:11px;
      font-weight:bold;
     font-style:italic;
     text-decoration:none;
     color:#111;
   .blankbutton a:hover {
      font-family:georgia, serif;
      font-size:11px;
      font-weight:bold;
      font-style:italic;
      text-decoration:none;
      color:#0878aa;
/* ----- Portfolio Page ----- */
.portfoliopagerows {
  border-top:6px solid #b2b2b2;
```

```
padding: 0 0 20px 0;
   margin:0;
   .portfoliobox {width:240px;float:left;}
      .portfoliotitle { color:#111; font-size:13px; padding-top:10px;}
         .portfoliotitle a { color:#5D5D5D; text-decoration:none; font-weight:bold;}
         .portfoliotitle a:hover { color:#111; text-decoration:none;}
      .portfoliocontents { color: #919191; font-size:12px; font-weight:normal; padding-top:10px;}
#recentportfolio {
   padding: 10px 0 20px 0;
   .recent-portfolioitem { width:460px; float:left;}
.recentportfoliobg { width:460px; height:260px; float:left; background: #111 url(../images/recenthover-media.jpg) no-repeat top left;}
   .recent-contentblock {width:460px; float:right; padding-top:10px;}
   .recent-description {color:#919191; font-size:12px; font-weight:normal; padding-right:20px;}
   .recent-highlight {color:#111; font-size:19px; font-weight:normal; padding:0 20px 20px 0;}
      .recent-title { color:#171717; font-size:26px; padding:10px 0 20px 0; font-weight:bold;}
      .recent-title a { color:#212121; }
      .recent-title a:hover { color:#111; text-decoration:none;}
/* ----- Title and Blog Contents ----- */
#title { font-size:32px; font-style:normal; color:#3a3a3a; font-weight:bold; letter-spacing:-1px; margin-
bottom:15px; width:600px;}
#titleHighlight { font-size:18px; color:#3a3a3a; font-weight:normal; letter-spacing:0px; margin-
bottom:30px;line-height:28px; width:600px;}
#subtitle { font-size:22px; font-style:normal; color:#3a3a3a; font-weight:bold; letter-spacing:-1px;
margin-bottom:15px;}
#gallerycontents { margin-bottom:25px;}
#contents { font-size:13px; line-height:20px; color:#7d7d7d; padding-bottom:30px;}
  h1,h2,h3,h4,h5,h6 {
      font-weight:normal;
   #contents .posttitle { font-size:22px; font-style:normal; color:#111; font-weight:bold; letter-spacing:-
1px; margin-bottom:15px;}
   /* ----- Blog Content Alignment ----- */
   #contents .alignright {float:right; margin-left:15px;}
   #contents .alignleft {float:left; margin-right:15px;}
   #contents .aligncenter { clear:both; display:block; margin:0px auto; }
   /* ----- Blog Date, Comments and image styles ----- */
   #contents .datecomment { font-size:11px; font-style:normal; color:#111; }
   #contents datecomment a { font-size:11px; font-style:normal; color:#000; text-decoration:none; }
   #contents .datecomment a:hover { font-size:11px; font-style:normal; color:#111; }
   #contents .comments { font-size:11px; font-style:normal; font-weight:bold; color:#111; float:right;
padding:2px 6px 2px 6px;}
   #contents .comments a { color:#111; }
   #contents .comments a:hover { color:#000; }
   #contents img.image {border:1px solid #A2A2A2;padding:3px;}
   #contents img.bigimage {border:none;padding:0;}
   #contents .imagecaption {margin-top:-6px;padding:5px 10px;background:#111;color:#fff;font-
size:11px;}
   #contents em {font-style:italic;}
   #contents a {color:#111;text-decoration:underline;}
   #contents blockquote{
   margin: 0 0 22px 5px;
   padding: 0 15px;
   border-left: 5px solid #111;
   #contents ul, #contents ol{
   {\tt list-style-position:outside;}
   margin-left:20px;
   /* ----- Headings ----- */
   #contents h1 {font-size:28px;font-weight:bold;color:#111;}
   #contents h2 {font-size:24px;font-weight:bold;color:#111;}
   #contents h3 {font-size:20px;font-weight:bold;color:#111;}
   #contents h4 {font-size:18px;color:#111;}
   #contents h5 {font-size:16px;color:#111;}
   #contents h6 {font-size:14px;color:#111;}
   /* ----- Read more ----- */
```

```
#contents .readmorebutton {
   background: #fff url(../images/readmore button.gif) no-repeat top left;
   float:right;
   width: 133px;
   height: 31px;
   font-family:georgia, serif;
   font-size:11px;
   font-weight:bold;
   font-style:italic;
   padding:4px 0 0 25px;
   margin-top:0px; margin-bottom:20px;
   #contents .readmorebutton a {
      font-family:georgia, serif;
      font-size: 11px;
      font-weight:bold;
      font-style:italic;
      text-decoration:none;
      color: #111;
   #contents .readmorebutton a:hover {
      font-family:georgia, serif;
      font-size:11px;
      font-weight:bold;
      font-style:italic;
      text-decoration:none;
      color:#0878aa;
/* ----- Mini Showcase ----- */
   #contents .minishowcasewrap { width:600px;float:left; marqin:0 0 20px 0;padding:0; }
      #contents .minishowcase { list-style:none; margin:0;padding:0; } #contents .minishowcase li { float:left; padding:5px;margin:0 5px 10px
5px;background:#d1d1d1;border:1px solid #B9B9B9;}
      #contents .minishowcase li:hover { background:#dldldl;border:1px solid #747474;}
#contents .photoshowcase {width:127px; height:120px;float:left; }
   #contents .servicelist ul {
      list-style-image:
      url('../images/tick.gif');
      padding-bottom: 20px;
      #contents .servicelist ul li {
         padding-top:5px;
   #contents .starlist ul {
      list-style-image:
      url('../images/star.gif');
      padding-bottom: 20px;
      #contents .starlist ul li {
         padding-top:5px;
#sidebar {float:right; width:280px; }
   .sidebartitle { font-size:18px; font-style:normal; font-weight:bold; color:#3B5C1F; letter-spacing:0px;
margin-bottom:15px;}
   .sidebartextbox { font-size:13px; line-height:20px; color:#7d7d7d; padding-bottom:30px;}
   .sidebaropts { font-size:13px; line-height:18px; color:#7d7d7d; margin-top:-8px; margin-
bottom:10px;padding-top:5px; padding-bottom:30px;}
   .sidebaropts a:hover { color:#10707d7d;}
.sidebaropts a:hover { color:#111; text-decoration:none;}
          .sidebaropts ul { font-size:13px; line-height:18px; list-style:none; line-height:18px;
color:#7d7d7d; padding:0;margin:0; }
         .sidebaropts ul li { color:#7d7d7d; } .sidebaropts ul li a { color:#7d7d7d;padding:6px 0 5px 0;border-bottom:1px dotted #D1D1D1;
display:block; }
         .sidebaropts ul li a:hover { color:#111; text-decoration:none;}
             .sidebaropts ul ul li a { color:#7d7d7d; padding-left:15px; }
                .sidebaropts ul ul ul li a { color:#7d7d7d; padding-left:30px; }
                   .sidebaropts ul ul ul li a { color:#7d7d7d; padding-left:55px; }
/* ----- Table ---- */
table.studiotable {
   font-size:11px; text-align:center;
   color: #5D5D5D;
   border: 1px solid #fff;
   border-collapse: collapse;
table.studiotable th {
```

```
background: #D1D1D1;
   border: 1px solid #fff;
   padding: 8px; width:100px;
table.studiotable tr {
  background: #E8E8E8;
table.studiotable td {
   border: 1px solid #fff;
   padding: 8px; width:100px;
/* Contact Form Text Input Styles*/
#contact-float {
   float:left:
   #contact-wrapper {
      background: #efefef; width: 500px;
      padding:10px 10px 35px 35px; font-family:'Lucida Grande','Lucida Sans Unicode','Lucida Sans','DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
   #contact-wrapper p{
      color:#111;
   #contact-wrapper div {
      margin:1em 0;
   #contact-wrapper label {
      display:block;
      float:none;
      font-size:12px;
      width:auto;
   #contact-wrapper label.error {
      display:block;
      float:none;
      font-size:12px;
      width:auto;
      color: #FF3300;
   form#contactform input {
      border-color: #B7B7B7 #E8E8E8 #E8E8E8 #B7B7B7;
      border-style:solid;
      border-width:1px;
      padding:5px;
      font-size: 12px;
      color:#333;
      width: 450px;
      font-family: 'Lucida Grande', 'Lucida Sans Unicode', 'Lucida Sans', 'DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
   form#contactform input.submit-button {
      border-color: #B7B7B7 #E8E8E8 #E8E8E8 #B7B7B7;
      border-style:solid;
      border-width:1px;
      padding:5px;
      font-size:12px;
      background: #111;
      color:#fff;
      width:100px;
      font-family: 'Lucida Grande', 'Lucida Sans Unicode', 'Lucida Sans', 'DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
   form#contactform textarea {
      padding:5px;
      font-size:12px;
      width:450px;
      border-color: #B7B7B7 #E8E8E8 #E8E8E8 #B7B7B7;
      border-style:solid;
      border-width:1px;
      font-family: 'Lucida Grande', 'Lucida Sans Unicode', 'Lucida Sans', 'DejaVu Sans Condensed', Tahoma,
Arial, sans-serif;
   /* ----- Address ----- */
   .addressbox {
```

```
float:right;
      font-size:18px;
      line-height:22px;
      position:relative;
      right:168px; top:40px;
      margin-bottom:100px;
   .addresstitle {
      font-size: 18px;
      font-weight:bold;
      margin-bottom: 10px;
   .fulladdress {
      color:#464646;
      font-size:14px:
      margin-bottom:10px; margin-left:5px;
      .fulladdress ul {
        list-style:none;
         .fulladdress ul li {
/* ----- Footer ---- */
#footer{
background: #000;
   background: #000 url(../images/footer-bg.png) repeat-x bottom;
   .footerminibox {
     width:143px;
      float:left;
   .footerbox {
      width:286px;
      float:left;
      .aboutimage {float:left; }
      .aboutimage img {padding:0 18px 3px 0; width:80px;height:80px;margin-top:8px;}
   .footertitle { font-size:18px; margin-bottom:10px; color:#fff;}
   .footertext { font-size:12px; line-height:20px;color:#7d7d7d;}
   .footertext a{color:#E8E8E8;}
   .footertext a:hover {text-decoration:none;color:#fff;}
   /* ----- Footer list style ----- */
   .footerposts { font-size:12px; line-height:18px; color:#7d7d7d; margin-top:-8px;}
      .footerposts ul { list-style:none; font-size:12px; line-height:18px; color:#7d7d7d;
padding:0;margin:0; padding-top:5px;}
.footerposts ul li { font-size:12px; line-height:18px; color:#7d7d7d; border-bottom:1px dotted #2E2E2E; padding:6px 0 5px 0;}
.footerposts ul li a { font-size:12px; line-height:18px; color:#7d7d7d;}
      .footerposts ul li a:hover { font-size:12px; line-height:18px; color:#fff; text-decoration:none;}
   .footerspace { margin-left:20px; padding-left:20px; }
   /* ----- Flickr ---- */
   .flickrfooterspace { margin-left:60px; }
   .footerflickrwrap { width:280px;float:left; margin:0;padding:0; margin-left:80px; }
      .footerflickr ul { list-style:none; }
.footerflickr ul li { float:left; margin-right:38px; margin-bottom:38px; }
      .footerflickrimage {width: 40px; height:40px; }
   /* ----- Copyright style ----- */
   #footerbarwrap {
      padding: 20px 0 20px 35px;
      margin: 0;
      background: #070F04;
      font-size:12px;
      color: #565656;
      #footerbarwrap ul {
         font-family:verdana;
         font-size:10px;
         line-height:15px;
         color: #565656;
         list-style:none;margin:0;padding:0;
      #footerbarwrap ul li {
```

```
color: #565656;
                                             #footerbarwrap ul li a{
                                                                color: #fff;
  /*=== End of CSS ===*/
 IMAGES:
 Accordion:
 Image4.jpg.
 JS
 Common.js:
 $(document).readv(function(){
                      $("a[rel^='prettyPhoto']").prettyPhoto();
 });
 ddsmoothmenu.init({
                      mainmenuid: "smoothmenu1", //menu DIV id
                     orientation: 'h', //Horizontal or vertical menu: Set to "h" or "v"
                      classname: 'ddsmoothmenu', //class added to menu's outer DIV
                       //customtheme: ["#1c5a80", "#18374a"],
                     contentsource: "markup" // "markup" or ["container id", "path to menu file"]
 Hufon-yui.js:
       * Copyright (c) 2009 Simo Kinnunen.
* Licensed under the MIT license.
 var Cufon=(function() {var m=function() {return m.replace.apply(null,arguments)};var
 x=m.DOM={ready: (function() {var C=false, E={loaded:1, complete:1}; var
 B=[],D=function(){if(C){return}C=true;for(var
 F;F=B.shift();F()){}};if(document.addEventListener){document.addEventListener("DOMContentLoaded",D,false);w
  indow.addEventListener(\textbf{"pageshow"}, \textbf{D}, \textbf{false}) \} \textbf{if} (!window.opera\&\&document.readyState) \\ \{ (\textbf{function}() \\ \{ E[document.readyState) \\ \{ (\textbf{functi
  adyState]? \texttt{D():} setTimeout(arguments.callee, 10))))) \\ \textbf{if}(document.readyState\&\&document.createStyleSheet) \\ \textbf{{(functable functable for the functable functabl
  \textbf{ion} () \{ \textbf{try} \{ \texttt{document.body.doScroll} ("\textbf{left"}); \texttt{D}() \} \\ \textbf{catch} (\texttt{F}) \{ \texttt{setTimeout} (\texttt{arguments.callee, 1}) \} \}) () \} \\ \textbf{q} (\texttt{window}, "\textbf{load"}, \texttt{D}) \} \\ \textbf{d} (\texttt{window}, \texttt{window}, \texttt{D}) \} \\ \textbf{d} (\texttt{window}, \texttt{window}, \texttt{
 );  \textbf{return function}(F) \{ \textbf{if}(\texttt{!arguments.length}) \{ \texttt{D}() \} \\ \textbf{else}(\texttt{C?F}() : \texttt{B.push}(F) \} \} \}) (), \\ \textbf{root:function}() \{ \textbf{return function}() \} \} ) (), \\ \textbf{root:function}(F) \} ) (), \\ \textbf{root:function}(F) \} \} ) (), \\ \textbf{root:function}(F) \} \} ) (), \\ \textbf{root:function}(F) \} \} (), \\ \textbf{root:function}(F) \} \} (), \\ \textbf{root:function}(F) \} (), \\ \textbf{root
document.documentElement||document.body}};var
n=m.CSS={Size:function(C,B){this.value=parseFloat(C);this.unit=String(C).match(/[a-
  z%]*$/)[0]||"px";this.convert=function(D) {return D/B*this.value};this.convertFrom=function(D) {return
 D=C.className;C.className=D+(D&&" ")+B;return C},color:j(function(C) {var B={};B.color=C.replace(/^rgba\((.*?),\s*([\d.]+)\)/,function(E,D,F) {B.opacity=parseFloat(F);return"rgb("+D+")"});return B}),fontStretch:j(function(B) {if(typeof B=="number") {return B}}if(/%$/.test(B)) {return B})
 parseFloat (B) /100} return{"ultra-condensed":0.5, "extra-condensed":0.625, condensed:0.75, "semi-
  condensed":0.875, "semi-expanded":1.125, expanded:1.25, "extra-expanded":1.5, "ultra-
  expanded":2}[B]||1}),getStyle:function(C) {var B=document.defaultView;if(B&&B.getComputedStyle) {return new
 \verb|a(B.getComputedStyle(C, null))| if (C.currentStyle) { | return new | a(C.currentStyle) | return
 a(C.style)\}, gradient: j(function(F) \{var G=\{id:F, type:F. match(/^-([a-z]+)-gradient)(/)[1], stops:[]\}, C=F. substr(F. indexOf("(")). match(/([\d.]+=)?(#[a-f0-9]+|[a-z]+\(.*?\))|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+\(.*?\)|[a-f0-9]+|[a-z]+
  z]+)/ig); for(var E=0,B=C.length,D;E<B;++E){D=C[E].split("=",2).reverse();G.stops.push([D[1]||E/(B-
 1),D[0]])}return G}),hasClass:function(C,B){return
 \texttt{RegExp("(?:^{\\\})"+B+"(?=\\\)").test(C.className)),quotedList:j(function(E),quotedList))}, \\
```

D=[],C=/\s*((["'])([\s\s]*?[^\\])\2|[^,]+)\s*/g,B;while(B=C.exec(E)){D.push(B[3]||B[1])}return

```
D}),recognizesMedia:j(function(G) {var
 E=document.createElement("style"),D,C,B;E.type="text/css";E.media=G;try{E.appendChild(document.createTextNo
 \label{eq:continuous} $$ de(''/**/'') ) \cdot Catch(F) (C=g(''head'') [0] : C.insertBefore(E,C.firstChild); D=(E.sheet) | E.styleSheet) : B=D&&!D.disab | C=(''/**/'') | C=(''/*'') | C=(''/*'') | C=(''/*'') | C=(''/*'') | C=(''/*'') | C=(''/*'') | C
 \verb|led;C.removeChild(E);return B|), removeClass:function(D,C) \{varelease : function(D,C) \} \\
 B=RegExp("(?:^|\s+)"+C+"(?=\s+)","q");D.className=D.className.replace(B,"");return
 D}, supports:function(D,C) {var B=document.createElement("span").style;if(B[D]===undefined) {return
 false}B[D]=C;return B[D]===C},textAlign:function(E,D,B,C){if(D.get("textAlign")=="right"){if(B>0){E="
"+E}}else{if(B<C-1){E+=" "}}return E},textDecoration:function(G,F){if(!F){F=this.getStyle(G)}var</pre>
 C={underline:null,overline:null,"line-through":null};for(var
 B=G;B.parentNode&&B.parentNode.nodeType==1;) {var E=true; for(var D in
 C) {if(!k(C,D)||C[D]) {continue}if(F.get("textDecoration").indexOf(D)!=
  1) {C[D]=F.get("color")}E=false}if(E) {break}F=this.getStyle(B=B.parentNode)}return
 C}, textShadow:j(function(F){if(F=="none"){return null}var E=[],G={},B,C=0;var D=/(\#[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|[a-f0-9]+|
  z]+\(.*?\)|[a-z]+)|(-?[\d.]+[a-
   z * ] *) | , /ig; \\ while (B=D.exec(F)) { if (B[0]==",") {E.push(G); G={}; C=0} else { if (B[1]) {G.color=B[1]} else {G[["offX","offX"] {C-0} else { if (B[1]) {G.color=B[1]} else { if (B[1]) {G.color
  ffY","blur"][C++]]=B[2]}}E.push(G);return E}),textTransform:(function(){var
 B={uppercase:function(C) {return C.toUpperCase()},lowercase:function(C) {return
 {\tt C.toLowerCase()}\ , {\tt capitalize:function(C)}\ \{ {\tt return\ C.replace(/\backslash b./g,function(D)}\ \{ {\tt return\ C.replace()}\ \} .
 D.toUpperCase() }) } }; return function(E,D) {var C=B[D.get("textTransform")]; return
 C?C(E):E}})(), whiteSpace: (function() {var B={inline:1,"inline-block":1,"run-in":1}; return
function(E,C,D){if(B[C.get("display")]){return
E}if(!D.previousSibling){E=E.replace(/\s+\/,"")}if(!D.nextSibling){E=E.replace(/\s+\$/,"")}return
E}})();n.ready=(function(){var B=!n.recognizesMedia("all"),E=false;var D=[],H=function(){B=true;for(var)}
 \label{eq:KK=D.shift();K()){}} \\ ; var \ I=g("link") \\ , J=g("style") \\ ; function \ C(K) \\ \{return \ link") \\ , J=g("style") \\ ; function \ C(K) \\ \{return \ link"\} \\ \} \\ ; var \ I=g("link") \\ ; J=g("style") \\ ; function \ C(K) \\ \{return \ link"\} \\ \} \\ ; var \ I=g("link") \\ \} \\ \} \\ ; var \ I=g("link") \\ \} \\ ; var \ I=g("link")
 K.disabled||G(K.sheet,K.media||"screen")}function G(M,P){if(!n.recognizesMedia(P||"all"))}function
  true}if(!M||M.disabled) {return false}try{var Q=M.cssRules,0;if(Q) {search:for(var
 3:if(!G(O.styleSheet,O.media.mediaText)){return false}break;default:break search}}}}catch(N){}return
  true}function F(){if(document.createStyleSheet){return true}var
  L,K;for(K=0;L=I[K];++K) {if(L.rel.toLowerCase()=="stylesheet"&&!C(L)) {return
 false}}for(K=0;L=J[K];++K){if(!C(L)){return false}}return
  rguments.callee,10)}});return function(K){if(B){K()}else{D.push(K)}}})();function s(C){var
 B=this.face=C.face; this.glyphs=C.glyphs; this.w=C.w; this.baseSize=parseInt(B["units-per-
 em"],10);this.family=B["font-family"].toLowerCase();this.weight=B["font-weight"];this.style=B["font-
  style"]||"normal";this.viewBox=(function(){var E=B.bbox.split(/\s+/);var
  \texttt{D=\{minX:parseInt(E[0],10),minY:parseInt(E[1],10),maxX:parseInt(E[2],10),maxY:parseInt(E[3],10)\}; D. width=D. maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),maxx:parseInt(E[0],10),
  axX-D.minX;D.height=D.maxY-
 \texttt{D.minY;D.toString=function() \{return[this.minX,this.minY,this.width,this.height].join(" ")}; return[this.minX,this.width,this.height].} \\
 D})(); this.ascent=-parseInt(B.ascent,10); this.descent=-parseInt(B.descent,10); this.height=-
  this.ascent+this.descent}function f(){var
  C={},B={oblique:"italic",italic:"oblique"};this.add=function(D){(C[D.style]||(C[D.style]={}))[D.weight]=D};
  this.get=function(\texttt{H},\texttt{I}) \\ \{var \ \mathsf{G=C[H]||C[B[H]]||C.normal||C.italic||C.oblique;if(!G) } \\ \{return \ \mathsf{G=C[H]||C[B[H]||C.normal||C.italic||C.oblique;if(!G) } \\ \{return \ \mathsf{G=C[H]||C[H]||C[H]||C.normal||C.oblique;if(!G) } \\ \{return \ \mathsf{G=C[H]||C[H]||C[H]||C.normal||C.oblique;if(!G) } \\ \{return \ \mathsf{G=C[H]||C[H]||C[H]||C[H]||C[H]||C.oblique;if(!G) } \\ \{return \ \mathsf{G=C[H]||C[H]||C[H]||C[H]||C[H]||C[H]||C[H]||C[H]||C[H]||C[H]||C[H]||C
 \verb|null| = \{\texttt{normal}: 400, \texttt{bold}: 700\}[I] \mid | \texttt{parseInt}(I, 10); \texttt{if}(G[I]) \{\texttt{return } G[I] \} \\ \texttt{var} = \{\texttt{mormal}: 400, \texttt{bold}: 700\}[I] \mid \texttt{mormal}: 400, \texttt{mormal}:
 E={1:1,99:0}[I%100],K=[],F,D;if(E===undefined){E=I>400}if(I==500){I=400}for(var J in
 G) {if(!k(G,J)) {continue}J=parseInt(J,10);if(!F||J<F) {F=J}if(!D||J>D) {D=J}K.push(J)}if(I<F) {I=F}if(I>D) {I=D}
  \texttt{K.sort} (\texttt{function} (\texttt{M}, \texttt{L}) \{ \texttt{return} (\texttt{E?} (\texttt{M} \ge \texttt{L} \le \texttt{L} \ge \texttt{L}) ? \texttt{M} \le \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \le \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \ge \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \le \texttt{L} \ge \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L}) ? \texttt{M} \ge \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} = \texttt{L} \ge \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} = \texttt{L} = \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} = \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} = \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} : (\texttt{M} \ge \texttt{L} \ge \texttt{L} \ge \texttt{L} = \texttt{L} : (\texttt{M} \ge 
   \texttt{r()} \{ \texttt{function} \ \ \texttt{D(F,G)} \{ \texttt{if(F.contains)} \{ \texttt{return} \ \ \texttt{F.contains} (\texttt{G)} \} \\ \texttt{return} \ \ \texttt{F.compareDocumentPosition} (\texttt{G)} \ \texttt{\&16} \} \\ \texttt{function} \ \ \texttt{function} 
  B(G) \{ var \ F=G. \ related Target; if (!F||D(this,F)) \{ return \} C(this) \} function \ E(F) \{ C(this) \} function \} C(this) \} function \} C(this) function funct
 C(F) \{ setTimeout (function() \{m.replace(F,d.get(F).options,true)\},10) \} \\ this.attach=function(F) \{ if(F.onmouseenter===undefined) \{ q(F,"mouseover",B); q(F,"mouseout",B) \} \\ else \{ q(F,"mouseenter",E); q(F,"mouseleave",E) \} \} \\ functionu() \{ var C=[],D=\{\}; functionB(H) \{ var E=[],G; for(var F=0;G=H[F];++F) \{ E[F]=C[D[G]] \} \\ return
  E} this.add=function(F,E){D[F]=C.push(E)-1}; this.repeat=function(){var
  \texttt{E=arguments.length?B(arguments):C,F;for(var \ \textit{G=0;F=E[G++];)} \\  \{\texttt{m.replace(F[0],F[1],true)}\} \} \\  \{\texttt{function A()} \\  \{\texttt{varguments.length?B(arguments):C,F;for(var \ \textit{G=0;F=E[G++];)} } \\  \{\texttt{m.replace(F[0],F[1],true)}\} \} \\ \{\texttt{function A(),fine 
 D={},B=0;function C(E){return E.cufid||(E.cufid=++B)}this.get=function(E){var F=C(E);return
 D[F]||(D[F]={})}}function a(B){var D={},C={};this.extend=function(E){for(var F in
  \verb|E| \{ if (k(E,F)) \{ D[F] = E[F] \} \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this.get = function(E) \{ return \} return this \}; this \} return this \} return this \} return this \}; this \} return this \} re
 \texttt{D[E]} != \\ \texttt{undefined?D[E]} : \texttt{B[E]} ; \\ \texttt{this.getSize=function(F,E)} \{ \\ \texttt{return C[F]} | | (\texttt{C[F]=new}) \} \} 
 n.Size(this.get(F),E))};this.isUsable=function(){return !!B}}function
  q(C,B,D) {if(C.addEventListener) {C.addEventListener(B,D,false) }else{if(C.attachEvent) {C.attachEvent("on"+B,f
unction(){return D.call(C,window.event)})}}}function v(C,B){var D=d.get(C);if(D.options){return
C}if(B.hover&&B.hoverables[C.nodeName.toLowerCase()]){b.attach(C)}D.options=B;return C}function j(B){var
 C={};return function(D){if(!k(C,D)){C[D]=B.apply(null,arguments)}return C[D]}}function c(F,E){var
 B=n.quotedList(E.get("fontFamily").toLowerCase()),D;for(var C=0;D=B[C];++C){if(i[D]){return
  i[D].get(E.get("fontStyle"), E.get("fontWeight"))}}return null}function g(B){return
  \label{locument.getElementsByTagName(B)} function \ k(C,B) \\ \{return \ C.hasOwnProperty(B)\} \\ function \ h() \\ \{varnere \ C.hasOwnProperty(B)\} \\ function \ h
 B=\{\}, D, F; for (var E=0, C=arguments.length; D=arguments[E], E<C; ++E) \{for (F in D) \{if (k(D,F)) \{B[F]=D[F]\}\} \} return B\} function o(E, M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M===="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M===="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M===="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M===="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M===="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M===="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M==="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M==="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M==="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M==="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M==="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M==="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M==="") {return K} var M = (M, C, N, F, D) \{var K=document.createDocumentFragment(), H; if (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, F, D) {return K} var M = (M, C, N, 
 L=N.separate; var
   I=M. split(p[L]), B=(L=="words"); if(B&&t) \{if(/^{s}/.test(M)) \{I.unshift("")\}if(/^{s}/.test(M)) \{I.push("")\}\} for(v) \} 
  ar J=0,G=I.length;J<G;++J) {H=z[N.engine] (E,B?n.textAlign(I[J],C,J,G):I[J],C,N,F,D,J<G-
 1)\;; if\; (\texttt{H})\; \{\texttt{K}.\; appendChild\; (\texttt{H})\; \}\; return \;\; \texttt{K}\; function \;\; 1\; (\texttt{C},\texttt{J})\; \{var\;\; \texttt{B=n.getStyle}\; (\texttt{v}\; (\texttt{C},\texttt{J})\; )\; .\; extend\; (\texttt{J})\; ; var\;\; \texttt{L}\; (\texttt{L})\; function\;\; 1\; function\; 1\; function\;\; 1\; function\; 1\; function\; 1\; function\; 1\; function\; 1\; function\; 1\; function\;\; 1\;
D=c(C,B),E,H,G,F,I;for(E=C.firstChild;E;E=G){H=E.nodeType;G=E.nextSibling;if(H==3){if(F){F.appendData(E.data);C.removeChild(E)}else{F=E}if(G){continue}}if(F){C.replaceChild(o(D,n.whiteSpace(F.data,B,F),B,J,E,C),F);
  F=null}if(H==1&&E.firstChild) {if(n.hasClass(E,"cufon")) {z[J.engine](D,null,B,J,E,C)}else{arguments.callee(E
  ,J)}}}yar t=" ".split(/\s+/).length==0;var d=new A();var b=new r();var y=new u();var e=false;var
    z = \{\}\ , i = \{\}\ , w = \{enable Text Decoration: false\ , engine: null\ , force Hit Area: false\ , hover: false\ , hoverables: \{a: true\}\ , printered for the control of the control of
  table:true,selector:(window.Sizzle||(window.jQuery&&function(B){return
  jQuery(B)})||(window.dojo&&dojo.query)||(window.Ext&&Ext.query)||(window.$$&&function(B){return
  $$(B)})||(window.$&&function(B){return $(B)})||(document.querySelectorAll&&function(B){return
 document.querySelectorAll(B)})||g),separate:"words",textShadow:"none"};var
 p={words:/[^\$\u00a0]+/,characters:"",none:/^/};m.now=function(){x.ready();return
  m;m.refresh=function(){y.repeat.apply(y,arguments);return m};m.registerEngine=function(C,B){if(!B){return
 m\z[C]=B;return m.set("engine",C)\};m.registerFont=function(D){var B=new s(D),C=B.family;if(!i[C]){i[C]=new
 f()}i[C].add(B);return
 m.set("fontFamily",'"'+C+'"')};m.replace=function(D,C,B){C=h(w,C);if(!C.engine){return}}
 m}if(!e) {n.addClass(x.root(), "cufon-active cufon-
  loading"); n.ready(function() { n.addClass(n.removeClass(x.root(), "cufon-loading"), "cufon-
```

```
ready")});e=true}if(C.hover){C.forceHitArea=true}if(typeof
C.textShadow=="string") {C.textShadow=n.textShadow(C.textShadow)}if(typeof C.color=="string"&&/^-
 /.test(C.color)){C.textGradient=n.gradient(C.color)}if(!B){y.add(D,arguments)}if(D.nodeType||typeof
D=="string") {D=[D]}n.ready(function() {for(var F=0,E=D.length;F<E;++F) {var G=D[F];if(typeof
G=="string") {m.replace(C.selector(G),C,true)}else{1(G,C)}});return m};m.set=function(B,C) {w[B]=C;return
m};return m})();Cufon.registerEngine("canvas",(function(){var
b=document.createElement("canvas");if(!b||!b.getContext||!b.getContext.apply){return}b=null;var
 a=Cufon.CSS.supports("display","inline-block");var
 \textbf{e=!a\&\&(document.compatMode=="BackCompat"||/frameset|transitional/i.test(document.doctype.publicId));} varable also be a compatMode and the compatMode are also be a compatMode are also be a compatMode and the compatMode are also be a compatMode and the compatMode are also be a compatMode and the compatMode are also be a compatMode are also be a compatMode and the compatMode are also be a c
 f=document.createElement("style");f.type="text/css";f.appendChild(document.createTextNode((".cufon-
canvas{text-indent:0;}@media screen,projection{.cufon-canvas{display:inline;display:inline.
block; position: relative; vertical-align: middle; "+(e?"": "font-size: 1px; line-height: 1px; ")+"}.cufon-canvas
 .cufon-alt{display:-moz-inline-box;display:inline-block;width:0;height:0;overflow:hidden;text-indent:-
 10000in; } "+(a?".cufon-canvas canvas {position:relative; } ": ".cufon-canvas
\verb|canvas| position:absolute; \verb| ") + "| emedia print{.cufon-canvas| padding:0; | .cufon-canvas| padding:0; | .cu
canvas{display:none;}.cufon-canvas .cufon-
 alt(display:inline;)}").replace(/;/g,"!important;")));document.getElementsByTagName("head")[0].appendChild(
 f); function d(p,h) {var n=0, m=0; var g=[], o=/([mrvxe])([^a-z]*)/g,k; generate: for (var j=0; k=0. exec(p); ++j) {var m=0}
l=k[2].split(","); switch(k[1]) \{ case "v":g[j] = \{m: "bezierCurveTo", a: [n+\sim\sim 1[0], m+\sim\sim 1[1], n+\sim\sim 1[2], m+\sim\sim 1[3], n+\sim\sim 1[3], n+\sim 1[3], n+
n=~~1[0],m=~~1[1]]};break;case"x":g[j]={m:"closePath"};break;case"e":break
generate $$h[g[j].m].apply(h,g[j].a)$ return $g$ function $c(m,k) \{for(var j=0,h=m.length;j<h;++j) \{var g=m[j];k[g.m].apply(k,g.a)\}\} return $function(ah,H,Z,D,L,ai) \{var n=(H===null);if(n) \{H=L.alt\}var n=(H==null);if(n) \{H=L.alt\}var n=(H==null);if(n) \{H=L.alt\}var n=(H==null);if(n) \{H=L.alt\}var n=(H=null);if(n) \{H=null);if(n) \{H=null
 J=ah.viewBox;var p=Z.getSize("fontSize",ah.baseSize);var
 X=Z.get("letterSpacing");X=(X=="normal")?0:p.convertFrom(parseInt(X,10));var K=0,Y=0,W=0,F=0;var
 I=D.textShadow,U=[];if(I){for(var ag=I.length;ag--;){var O=I[ag];var
T=p.convertFrom(parseFloat(O.offX));var
 R = p. \\ convertFrom \\ [parseFloat(O.offY)); \\ U[ag] = [T,R]; \\ if(R < K) \\ \{K = R\} \\ if(T > Y) \\ \{Y = T\} \\ if(R > W) \\ \{W = R\} \\ if(T < F) \\ \{F = T\} \\ \} \\ vare for the parseFloat(O.offY)); \\ U[ag] = [T,R]; \\ if(R < K) \\ \{K = R\} \\ if(T > Y) \\ \{Y = T\} \\ if(R > W) \\ \{W = R\} \\ if(T < F) \\ \{F = T\} \\ \} \\ vare for the parseFloat(O.offY)); \\ U[ag] = [T,R]; \\ if(R < K) \\ \{K = R\} \\ if(T > Y) \\ \{Y = T\} \\ if(R > W) \\ \{X = R\} \\ if(T < F) \\ \{X = T\} \\ \{
al=Cufon.CSS.textTransform(H,Z).split(""),B;var o=ah.glyphs,E,r,ac;var h=0,v,N=[];for(var
 ag=0, ae=0, ab=al.length; ag < ab; ++ag) \\ \{E=o[B=al[ag]] \\ | lah.missingGlyph; if (!E) \\ \{continue\} \\ if (r) \\ \{h-=ac=r[B] \\ | l0; N[ae-ac] \\ | lah.missingGlyph; if (!E) \\ \{continue\} \\ | lah.missingGlyph; if (!E) 
1] -= ac} + v - N[ae + +] = - (E.w||ah.w) + X; r - E.k} if (v == undefined) {return null} Y + = J.width - v; F + = J.minX; vared if the content of the con
canvas";C.alt=H;q=document.createElement("canvas");C.appendChild(q);if(D.printable) {var
ad=document.createElement("span");ad.className="cufon-
alt";ad.appendChild(document.createTextNode(H));C.appendChild(ad)}}var am=C.style;var Q=q.style;var
 m=p.convert(J.height);var ak=Math.ceil(m);var V=ak/m;var
P=V*Cufon.CSS.fontStretch(Z.get("fontStretch")); var S=h*P; var aa=Math.ceil(p.convert(S+Y-F)); var
 t=Math.ceil(p.convert(J.height-
\texttt{K+W})); \texttt{q.width} = \texttt{aa;q.height} = \texttt{t;Q.width} = \texttt{aa+"px";Q.height} = \texttt{t+"px";K+=J.minY;Q.top} = \texttt{Math.round(p.convert(K-Lorent Follows))} = \texttt{top-Math.round(p.convert(K-Lorent Follows))} = \texttt{top-Math.round(p.convert(K-Lor
ah.ascent))+"px";Q.left=Math.round(p.convert(F))+"px";var
A=Math.ceil(p.convert(S))+"px";if(a){am.width=A;am.height=p.convert(ah.height)+"px"}else{am.paddingLeft=A;a
m.paddingBottom=(p.convert(ah.height)-1)+"px"}var
 aj=q.getContext("2d"),M=m/J.height;aj.scale(M,M*V);aj.translate(-F,-K);aj.lineWidth=ah.face["underline-
 thickness"];aj.save();function
s(i,g) {aj.strokeStyle=g;aj.beginPath();aj.moveTo(0,i);aj.lineTo(h,i);aj.stroke()}var
u=D.enableTextDecoration?Cufon.CSS.textDecoration(ai,Z):{};if(u.underline){s(-ah.face["underline-
position"],u.underline) }if(u.overline) {s(ah.ascent,u.overline) }function af() {aj.scale(P,1);for(var
 x=0, k=0, g=al.length; x < g; ++x) {var}
 "+y.d,aj)}aj.fill()}aj.translate(N[k++],0)}aj.restore()}if(I){for(var ag=I.length;ag--;){var
O=I[ag];aj.save();aj.fillStyle=O.color;aj.translate.apply(aj,U[ag]);af()}}var z=D.textGradient;if(z){var G=z.stops,w=aj.createLinearGradient(0,J.minY,0,J.maxY);for(var
 ag=0, ab=G. length; ag < ab; ++ag) \\ \{w. addColorStop. apply \\ (w, G[ag]) \\ \} aj. fillStyle=w \\ \} else \\ \{aj. fillStyle=Z. get ("color") \\ \} else \\ \{aj.
 af();if(u["line-through"]){s(-ah.descent,u["line-through"])}return
C}})());Cufon.registerEngine("Vml",(function(){var
 e=document.namespaces;if(!e){return}e.add("cvml","urn:schemas-microsoft-com:vml");e=null;var
b=document.createElement("cvml:shape");b.style.behavior="url(#default#VML)";if(|b.coordsize){return}b=null;
 var g=(document.documentMode||0)<8;document.write(('<style type="text/css">.cufon-vml-canvas{text-
 screen{cvml\\:shape,cvml\\:rect,cvml\\:fill,cvml\\:shadow{behavior:url(#default#VML);display:block;antialia
s:true;position:absolute;}.cufon-vml-canvas{position:absolute;text-align:left;}.cufon-vml{display:inline-block;position:relative;vertical-align:'+(g?"middle":"text-bottom")+";}.cufon-vml .cufon-
alt{position:absolute;left:-10000in;font-size:lpx;}a .cufon-vml{cursor:pointer}}@media print{.cufon-vml
 *{display:none;}.cufon-vml .cufon-alt{display:inline;}}</style>").replace(/;/g,"!important;"));function
 c(h,i) \{ return \ a(h,/(?:em|ex|\$) \$|^[a-z-]+\$/i.test(i)?"lem":i) \} function \ a(k,l) \{ if(/px\$/i.test(l)) \{ return \ a(h,l) \} \} function \ a(k,l) \} 
parseFloat(1)}var
 j=k.style.left,i=k.runtimeStyle.left;k.runtimeStyle.left=k.currentStyle.left;k.style.left=l.replace("%","em
 "); var h=k.style.pixelLeft;k.style.left=j;k.runtimeStyle.left=i;return h}var f={};function d(o){var
p=o.id;if(!f[p]) {var
m=o.stops,n=document.createElement("cvml:fill"),h=[];n.type="gradient";n.angle=180;n.focus="0";n.method="si
 gma";n.color=m[0][1];for(var l=1,i=m.length-1;l<i;++1){h.push(m[1][0]*100+"
 "+m[l][1]) \\ \label{eq:members} $$ n.colors=h.join(","); n.color2=m[i][1]; f[p]=n$ return $f[p]$ return function(aj,K,ad,G,O,ak,ab)$ (varange) $$ and $f(p)$ (varange) $$ and $f(p)$ (varange) $$ and $f(p)$ (varange) $$ and $f(p)$ (varange) $$ an
o=(K===null);if(o){K=O.alt}var M=aj.viewBox;var q=ad.computedFontSize||(ad.computedFontSize=new
Cufon.CSS.Size(c(ak,ad.get("fontSize"))+"px",aj.baseSize));var
 aa=ad.computedLSpacing;if(aa==undefined){aa=ad.get("letterSpacing");ad.computedLSpacing=aa=(aa=="normal")?0
  :~~q.convertFrom(a(ak,aa))}var
C,r;if(o){C=0;r=0.firstChild}else{C=document.createElement("span");C.className="cufon cufon-
 vml";C.alt=K;r=document.createElement("span");r.className="cufon-vml-
\verb|canvas"; C.appendChild(r); if (G.printable) { var ag=document.createElement("span"); ag.className="cufon-right" ag.className=
alt"; ag.appendChild(document.createTextNode(K)); C.appendChild(ag)}if(!ab){C.appendChild(document.createElem
ent("cvml:shape"))}}var ap=C.style;var V=r.style;var m=q.convert(M.height),am=Math.ceil(m);var Z=am/m;var
 T=Z*Cufon.CSS.fontStretch(ad.get("fontStretch")); var
 Y=M.minX,X=M.minY;V.height=am;V.top=Math.round(q.convert(X-
\verb|aj.ascent|| ) \ ; \\ V. \texttt{left=Math.round} \ (\texttt{q.convert} \ (\texttt{Y})) \ ; \\ \texttt{ap.height=q.convert} \ (\texttt{aj.height}) + \\ \texttt{"px"} \ ; \\ \texttt{var} \ ; \\
 v=G.enableTextDecoration?Cufon.CSS.textDecoration(ak,ad):{};var J=ad.get("color");var
ao=Cufon.CSS.textTransform(K,ad).split(""),B;var p=aj.glyphs,H,s,af;var h=0,P=[],W=0,x;var
 z,L=G.textShadow;for(var
```

```
1] -= af \} \\ h += x = P[ah ++] = \sim (H.w||aj.w) + aa; \\ s = H.k \} \\ if(x == = undefined) \\ \{return \ null\} \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + h + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (M.width - x); \\ var \ A = -Y + (
an=q.convert(A*T),ac=Math.round(an);var S=A+","+M.height,n;var N="r"+S+"ns";var
 y=G.textGradient&&d(G.textGradient);for(ai=0,ah=0;ai<ae;++ai){H=p[ao[ai]]||aj.missingGlyph;if(!H){continue}
if(o){z=r.childNodes[ah]; while(z.firstChild){z.removeChild(z.firstChild)}}else{z=document.createElement("cv
ml:shape");r.appendChild(z)}z.stroked="f";z.coordsize=S;z.coordorigin=n=(Y-
W)+","+X;z.path=(H.d?"m"+H.d+"xe":"")+"m"+n+N;z.fillcolor=J;if(y){z.appendChild(y.cloneNode(false))}var
al=z.style;al.width=ac;al.height=am;if(L){var u=L[0],t=L[1];var F=Cufon.CSS.color(u.color),D;var
R=document.createElement("cvml:shadow");R.on="t";R.color=F.color;R.offset=u.offX+","+u.offY;if(t){D=Cufon.C
SS.color(t.color); R.type="double"; R.color2=D.color; R.offset2=t.offX+", "+t.offY\\ R.opacity=F.opacity||(D&&D.opacity=F.opacity)||(D&&D.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity=F.opacity
pacity) | |1;z.appendChild(R) } W+=P[ah++] } var
Q=z.nextSibling,w,E;if(G.forceHitArea) {if(!Q) {Q=document.createElement("cvml:rect");Q.stroked="f";Q.classNa
me="cufon-vml-
cover";w=document.createElement("cvml:fill");w.opacity=0;Q.appendChild(w);r.appendChild(Q)}E=Q.style;E.widt
h=ac; E. height=am \} else \{if(Q) \{r. removeChild(Q)\} \} ap. width=Math. max(Math.ceil(q.convert(h*T)), 0); if(g) \{varanteelse \} approximately approximately
U=ad.computedYAdjust;if(U===undefined) {var

I=ad.get("lineHeight");if(I=="normal") {I="lem"}else{if(!isNaN(I)) {I+="em"}}ad.computedYAdjust=U=0.5*(a(ak,I
)-parseFloat(ap.height))}if(U){ap.marginTop=Math.ceil(U)+"px";ap.marginBottom=U+"px"}}return C}})));
ddsmoothmenu.js:
 //** Smooth Navigational Menu- By Dynamic Drive DHTML code library: http://www.dynamicdrive.com
//** Script Download/ instructions page: http://www.dynamicdrive.com/dynamicindex1/ddlevelsmenu/
 //** Menu created: Nov 12, 2008
 //** Dec 12th, 08" (v1.01): Fixed Shadow issue when multiple LIs within the same UL (level) contain sub
menus: http://www.dynamicdrive.com/forums/showthread.php?t=39177&highlight=smooth
 //** Feb 11th, 09" (v1.02): The currently active main menu item (LI A) now gets a CSS class of ".selected",
including sub menu items.
//** Mav 1st, 09" (v1.3):
 //** 1) Now supports vertical (side bar) menu mode- set "orientation" to 'v'
 //** 2) In IE6, shadows are now always disabled
 //** July 27th, 09" (v1.31): Fixed bug so shadows can be disabled if desired.
var ddsmoothmenu={
 //Specify full URL to down and right arrow images (23 is padding-right added to top level LIs with drop
 arrowimages: {down:['downarrowclass', 'images/down.gif', 23], right:['rightarrowclass',
 'images/right.gif']},
transition: {overtime:300, outtime:300}, //duration of slide in/ out animation, in milliseconds
shadow: {enable:false, offsetx:5, offsetv:5},
 detectwebkit: navigator.userAgent.toLowerCase().indexOf("applewebkit")!=-1, //detect WebKit browsers
 (Safari, Chrome etc)
detectie6: document.all && !window.XMLHttpRequest,
getajaxmenu:function($, setting){ //function to fetch external page containing the panel DIVs
         var $menucontainer=$('#'+setting.contentsource[0]) //reference empty div on page that will hold menu
         $menucontainer.html("Loading Menu...")
         $.ajax({
```

```
url: setting.contentsource[1], //path to external menu file
            async: true.
            error:function(ajaxrequest){
                  $menucontainer.html('Error fetching content. Server Response: '+ajaxrequest.responseText)
            },
            success: function (content) {
                  $menucontainer.html(content)
                  ddsmoothmenu.buildmenu($. setting)
     })
},
buildmenu: function ($, setting) {
      var smoothmenu=ddsmoothmenu
       \begin{tabular}{ll} \be
      $mainmenu.parent().get(0).className=setting.classname || "ddsmoothmenu"
      var $headers=$mainmenu.find("ul").parent()
      $headers.hover(
            function(e){
                  $(this).children('a:eq(0)').addClass('selected')
            },
            function(e){
                  $(this).children('a:eq(0)').removeClass('selected')
      $headers.each(function(i){ //loop through each LI header
            var $curobj=$(this).css({zIndex: 100-i}) //reference current LI header
            var $subul=$(this).find('ul:eq(0)').css({display:'block'})
            \textbf{this.} \texttt{ dimensions=\{w:this.} \texttt{ offsetWidth, h:this.} \texttt{ offsetHeight, subulw:\$subul.outerWidth(), h:this.} \\
subulh:$subul.outerHeight()}
             this.istopheader=$curobj.parents("ul").length==1? true : false //is top level header?
            subul.css(\{top: this. is topheader \ \&\& \ setting. or ientation! = 'v'? \ this. \_dimensions. h + "px" : 0\})
            $curobj.children("a:eq(0)").css(this.istopheader? {paddingRight: smoothmenu.arrowimages.down[2]} :
\{\}).append( //add arrow images
                  '<img src="'+ (this.istopheader && setting.orientation!='v'? smoothmenu.arrowimages.down[1] :
smoothmenu.arrowimages.right[1])
                  +'" class="' + (this.istopheader && setting.orientation!='v'? smoothmenu.arrowimages.down[0] :
smoothmenu.arrowimages.right[0])
                   + '" style="border:0;" />'
            )
            if (smoothmenu.shadow.enable) {
                  this. shadowoffset={x:(this.istopheader?$subul.offset().left+smoothmenu.shadow.offsetx :
this._dimensions.w), y:(this.istopheader? $subul.offset().top+smoothmenu.shadow.offsety :
$curobj.position().top)} //store this shadow's offsets
                  if (this.istopheader)
                         $parentshadow=$(document.body)
```

```
else{
              var $parentLi=$curobj.parents("li:eq(0)")
              $parentshadow=$parentLi.get(0).$shadow
          this.$shadow=$('<div class="ddshadow'+(this.istopheader? ' toplevelshadow' :
''')+'"></div>').prependTo($parentshadow).css({left:this_shadowoffset.x+'px', top:this_shadowoffset.y+'px'}) //insert shadow DIV and set it to parent node for the next shadow div
       $curobj.hover(
           function(e){
              var $targetul=$(this).children("ul:eq(0)")
              this. offsets={left:$(this).offset().left, top:$(this).offset().top}
              var menuleft=this.istopheader && setting.orientation!='v'? 0 : this. dimensions.w
              \verb|menuleft=(this._offsets.left+menuleft+this._dimensions.subulw>$(window).width())?|
(this.istopheader && setting.orientation!='v'? -this._dimensions.subulw+this._dimensions.w : -this._dimensions.w) : menuleft //calculate this sub menu's offsets from its parent
              if ($targetul.queue().length<=1) { //if 1 or less queued animations</pre>
\label{thm:monotone} $$ $ targetul.css({left:menuleft+"px", width:this._dimensions.subulw+'px'}).animate({height:'show',opacity:'show'}, $$
ddsmoothmenu.transition.overtime)
                 if (smoothmenu.shadow.enable) {
                     var shadowleft=this.istopheader? $targetul.offset().left+ddsmoothmenu.shadow.offsetx :
menuleft
                     var shadowtop=this.istopheader?$targetul.offset().top+smoothmenu.shadow.offsety :
this. shadowoffset.y
                     if (!this.istopheader && ddsmoothmenu.detectwebkit) { //in WebKit browsers, restore
shadow's opacity to full
                         this.$shadow.css({opacity:1})
                     }
this.$shadow.css({overflow:'', width:this._dimensions.subulw+'px', left:shadowleft+'px',
top:shadowtop+'px'}).animate({height:this._dimensions.subulh+'px'}, ddsmoothmenu.transition.overtime)
              }
          function(e) {
              var $targetul=$(this).children("ul:eg(0)")
              $targetul.animate({height:'hide', opacity:'hide'}, ddsmoothmenu.transition.outtime)
              if (smoothmenu.shadow.enable) {
                 if (ddsmoothmenu.detectwebkit) { //in WebKit browsers, set first child shadow's opacity to 0,
as "overflow:hidden" doesn't work in them
                     this.$shadow.children('div:eq(0)').css({opacity:0})
                  this.$shadow.css({overflow:'hidden'}).animate({height:0}, ddsmoothmenu.transition.outtime)
       ) //end hover
    }) //end $headers.each()
   $mainmenu.find("ul").css({display:'none', visibility:'visible'})
},
```

```
init:function(setting){
   if (typeof setting.customtheme=="object" && setting.customtheme.length==2){ //override default menu
colors (default/hover) with custom set?
      var mainmenuid='#'+setting.mainmenuid
      var mainselector=(setting.orientation=="v")? mainmenuid : mainmenuid+', '+mainmenuid
      document.write('<style type="text/css">\n'
         +mainselector+' ul li a {background:'+setting.customtheme[0]+';}\n'
         +mainmenuid+' ul li a:hover {background: '+setting.customtheme[1]+';}\n'
      +'</style>')
   this.shadow.enable=(document.all && !window.XMLHttpRequest)? false : this.shadow.enable //in IE6, always
disable shadow
   jQuery(document).ready(function($) { //ajax menu?
      if (typeof setting.contentsource=="object") { //if external ajax menu
         ddsmoothmenu.getajaxmenu($, setting)
      else{ //else if markup menu
        ddsmoothmenu.buildmenu($, setting)
  })
} //end ddsmoothmenu variable
//Initialize Menu instance(s):
Fedeinout.js
// JavaScript Document for Fade in Out effect
$(document).ready(function () {
if ($.browser.msie && $.browser.version < 7) return; // Don't execute code if it's IE6 or below cause it
doesn't support it.
  $(".fade").fadeTo(1, 1);
  $(".fade").hover(
    function () {
      $(this).fadeTo("fast", 0.33);
   function () {
      $(this).fadeTo("slow", 1);
   }
  );
  $(".fadeaccordion").fadeTo(1, 0.8);
```

```
$(".fadeaccordion").hover(
   function () {
     $(this).fadeTo("fast", 1);
   function () {
    $(this).fadeTo("fast", 0.8);
 );
  $(".overlay").fadeTo(1, 0.5);
  $(".captionfade").fadeTo(1, 0.8);
  $(".captionfade").hover(
   function () {
     $(this).fadeTo("fast", 0.9);
   function () {
    $(this).fadeTo("slow", 0.8);
   }
 );
 $(".invfade").fadeTo(1, 0.5);
 $(".invfade").hover(
   function () {
    $(this).fadeTo("fast", 1);
   },
   function () {
    $(this).fadeTo("slow", 0.5);
 );
  $(".photofade").fadeTo(1, 1);
 $ (".photofade") .hover(
   function () {
    $(this).fadeTo("fast", 0.88);
   function () {
     $(this).fadeTo("fast", 1);
 );
});
```

Fontconfig.js:

```
Fonts class replacements for Cufon
Cufon.replace('.homeportfoliotitle' , { hover: 'true' });
Cufon.replace('.mportfoliotitle' , { hover: 'true' });
Cufon.replace('.abouttext');
Cufon.replace('.footertitle');
Cufon.replace('.abouthighlight');
Cufon.replace('.mblogtitle' , { hover: 'true' });
Cufon.replace('.articletitle' , { hover: 'true' });
Cufon.replace('#title');
Cufon.replace('#titleHighlight');
Cufon.replace('.sidebartitle');
Cufon.replace('.sidebartitle');
Cufon.replace('#categorytitle');
Cufon.replace('#fullwidth-categorytitle');
Cufon.replace('.subcategorytitle');
Cufon.replace('.recent-highlight');
Cufon.replace('.recent-title', { hover: 'true' });
Cufon.replace('.recent-title', { hover: 'true' });
Cufon.replace('#subtitle');
Cufon.replace('.addresstitle');
Cufon.replace('.fulladdress ul li');
Cufon.replace('#contents h1');
Cufon.replace('#contents h2');
Cufon.replace('#contents h3');
Cufon.replace('#contents h4');
Cufon.replace('#contents h5');
Cufon.replace('#contents h6');
galleria-init1.js:
$ (document) .ready(function() {
     var INTERVAL = 6000;
     var slideshow timer = null;
     var is sliding = null;
     function slideShow()
          is sliding = true;
          $.galleria.next();
          is_sliding = false;
     }
     $('.gallery_unstyled').addClass('gallery'); // adds new class name to maintain degradability
     $('ul.gallery').galleria({
          history : false, // activates the history object for bookmarking, back-button etc.
          clickNext : true, // helper for making the image clickable
          insert
                          : '#main_image', // the containing selector for our main image
          onImage : function(image,caption,thumb) { // let's add some image effects for demonstration
purposes
               // fade in the image and caption
               image.css('display', 'none').fadeIn(1000);
               caption.css('display','none').fadeIn(1000);
               // fetch the thumbnail container
```

```
// fade out inactive thumbnail
         _li.siblings().children('img.selected').fadeTo(500,0.3);
        // fade in active thumbnail
         thumb.fadeTo('fast',1).addClass('selected');
         // add a title for the clickable image
         //image.attr('title','Next image >>');
        if (is_sliding== null)
            slideshow_timer = window.setInterval(slideShow, INTERVAL);
            is_sliding = false;
         } else if (!is_sliding)
            window.clearInterval(slideshow timer);
            slideshow timer = null;
      },
      onThumb : function(thumb) { // thumbnail effects goes here
        // fetch the thumbnail container
        var li = thumb.parents('li');
        // if thumbnail is active, fade all the way.
         var _fadeTo = _li.is('.active') ? '1' : '0.3';
         // fade in the thumbnail when finnished loading
         thumb.css({display:'none',opacity:_fadeTo}).fadeIn(1500);
        // hover effects
         thumb.hover(
            function() { thumb.fadeTo('fast',1); },
           function() { _li.not('.active').children('img').fadeTo('fast',0.3); } // don't fade out if the
parent is active
   });
galleria-init2.js:
```

var li = thumb.parents('li');

```
$ (document) .ready(function() {
   var INTERVAL = 6000;
   var slideshow_timer = null;
   var is_sliding = null;
   function slideShow()
     is sliding = true;
     $.galleria.next();
     is_sliding = false;
   $('.gallery unstyled').addClass('gallery'); // adds new class name to maintain degradability
   $('ul.gallery').galleria({
      history : false, // activates the history object for bookmarking, back-button etc.
      clickNext : false, // helper for making the image clickable
              : '#main_image', // the containing selector for our main image
      onImage : function(image,caption,thumb) { // let's add some image effects for demonstration
purposes
        // fade in the image and caption
         image.css('display', 'none').fadeIn(1000);
         caption.css('display','none').fadeIn(1000);
        // fetch the thumbnail container
         var _li = thumb.parents('li');
         // fade out inactive thumbnail
         _li.siblings().children('img.selected').fadeTo(500,0.3);
        // fade in active thumbnail
         thumb.fadeTo('fast',1).addClass('selected');
         // add a title for the clickable image
         //image.attr('title','Next image >>');
         if (is_sliding== null)
            slideshow_timer = window.setInterval(slideShow, INTERVAL);
            is sliding = false;
         } else if (!is_sliding)
```

```
window.clearInterval(slideshow_timer);
            slideshow_timer = null;
      },
      onThumb : function(thumb) { // thumbnail effects goes here
        // fetch the thumbnail container
         var _li = thumb.parents('li');
         // if thumbnail is active, fade all the way.
         var _fadeTo = _li.is('.active') ? '1' : '0.3';
         // fade in the thumbnail when finnished loading
         thumb.css({display:'none',opacity:_fadeTo}).fadeIn(1500);
         // hover effects
         thumb.hover(
            function() { thumb.fadeTo('fast',1); },
           function() { _li.not('.active').children('img').fadeTo('fast',0.3); } // don't fade out if the
parent is active
         )
      1
  });
});
haccordion.js:
/* Horizontal Accordion script
* Created: Oct 27th, 2009. This notice must stay intact for usage
* Author: Dynamic Drive at http://www.dynamicdrive.com/
* Visit http://www.dynamicdrive.com/ for full source code
var haccordion={
   //customize loading message if accordion markup is fetched via Ajax:
   ajaxloadingmsg: '<div style="margin: lem; font-weight: bold"><img src="images/ajaxloadr.gif"
style="vertical-align: middle" /></div>',
   accordioninfo: {}, //class that holds config information of each haccordion instance
   expandli:function(accordionid, targetli) {
      var config=haccordion.accordioninfo[accordionid]
      var $targetli=(typeof targetli=="number")? config.$targetlis.eq(targetli) : (typeof
targetli=="string")? jQuery('#'+targetli) : jQuery(targetli)
      if (typeof config.$lastexpanded!="undefined") //targetli may be an index, ID string, or DOM reference
```

```
to LI
        last opened content
    $targetli.stop().animate({width:$targetli.data('hpaneloffsetw')}, config.speed) //expand current
content
     config.$lastexpanded=$targetli
  },
  urlparamselect:function(accordionid) {
     var result=window.location.search.match(new RegExp(accordionid+"=(\\d+)", "i")) //check for
"?accordionid=index" in URL
     if (result!=null)
        result=parseInt(RegExp.$1)+"" //return value as string so 0 doesn't test for false
     return result //returns null or index, where index is the desired selected hoontent index
  },
  getCookie:function(Name) {
     var re=new RegExp(Name+"=[^;]+", "i") //construct RE to search for target name/value pair
     if (document.cookie.match(re)) //if cookie found
        return document.cookie.match(re)[0].split("=")[1] //return its value
     return null
  },
  setCookie:function(name, value) {
     document.cookie = name + "=" + value + "; path=/"
  },
  loadexternal:function($, config){ //function to fetch external page containing the entire accordion
content markup
     var $hcontainer=$('#'+config.ajaxsource.container).html(this.ajaxloadingmsg)
     $.ajax({
        url: config.ajaxsource.path, //path to external content
        async: true,
        error:function(ajaxrequest){
           $hcontainer.html('Error fetching content.<br/><br/> />Server Response: '+ajaxrequest.responseText)
        success:function(content){
           $hcontainer.html(content)
           haccordion.init($, config)
     })
```

},

```
init:function($, config){
                 var $targetlis=$('#'+config.accordionid).find('ul:eq(0) > li') //find top level LIS
                 config.$targetlis=$targetlis
                 config.selectedli=config.selectedli || [] //set default selectedli option
                 config.speed=config.speed || "normal" //set default speed
                 $targetlis.each(function(i){
                       var $target=$(this).data('pos', i) //give each li an index #
$target.mouseenter(function() {
                                  haccordion.expandli(config.accordionid, this)
                             config.$lastexpanded=$(this)
                       })
                       if (config.collapsecurrent) { //if previous content should be contracted when expanding current
                             $target.mouseleave(function(){
                                   (this).stop().animate(\{width:config.paneldimensions.peekw\}, config.speed) //contract
previous content
                            })
                       }
                 }) //end $targetlis.each
                 var selectedli=haccordion.urlparamselect(config.accordionid) || ((config.selectedli[1] &&
haccordion.getCookie(config.accordionid))? parseInt(haccordion.getCookie(config.accordionid)):
config.selectedli[0])
                 selectedli=parseInt(selectedli)
                 if (selectedli>=0 && selectedli<config.$targetlis.length){ //if selectedli index is within range
                       config.$lastexpanded=$targetlis.eq(selectedli)
                       \verb|config.$| last expanded.css('width', config.$| last expanded.data('hpaneloffsetw'))| // expand selected | last expanded.data('hpaneloffsetw')| // expand | last expanded.data('hpaneloffsetw')| // expanded.data('hpaneloffsetw')| //
                 $(window).bind('unload', function(){ //clean up and persist on page unload
                       haccordion.uninit($, config)
                 }) //end window.onunload
      }.
      uninit:function($, config){
            var $targetlis=config.$targetlis
            var expandedliindex=-1 //index of expanded content to remember (-1 indicates non)
            $targetlis.each(function() {
                 var $target=$(this)
                 $target.unbind()
                 if ($target.width() == $target.data('hpaneloffsetw'))
                       expandedliindex=$target.data('pos')
            })
            if (config.selectedli[1]==true) //enable persistence?
                 haccordion.setCookie(config.accordionid, expandedliindex)
      },
```

```
setup: function (config) {
      //Use JS to write out CSS that sets up initial dimensions of each LI, for JS enabled browsers only
      document.write('<style type="text/css">\n')
      document.write('#'+config.accordionid+' li{width: '+config.paneldimensions.peekw+';\nheight:
'+config.paneldimensions.h+';\n}\n')
      document.write('#'+config.accordionid+' li .hpanel{width: '+config.paneldimensions.fullw+';\nheight:
'+config.paneldimensions.h+';\n}\n')
      document.write('<\/style>')
      jQuery(document).ready(function($) { //on Dom load
         if (config.ajaxsource) //if config.ajaxsource option defined
             haccordion.loadexternal($, config)
         else
             haccordion.init($, config)
      }) //end DOM load
   }
<u>Jquery.galleria.j</u>s:
* Galleria (http://monc.se/kitchen)
 * Galleria is a javascript image gallery written in jQuery.
   It loads the images one by one from an unordered list and displays thumbnails when each image is loaded.
 * It will create thumbnails for you if you choose so, scaled or unscaled,
 * centered and cropped inside a fixed thumbnail box defined by CSS.
 * The core of Galleria lies in it's smart preloading behaviour, snappiness and the fresh absence
 * of obtrusive design elements. Use it as a foundation for your custom styled image gallery.
 * MAJOR CHANGES v.FROM 0.9
 * Galleria now features a useful history extension, enabling back button and bookmarking for each image.

* The main image is no longer stored inside each list item, instead it is placed inside a container

* onImage and onThumb functions lets you customize the behaviours of the images on the site
 * Tested in Safari 3, Firefox 2, MSIE 6, MSIE 7, Opera 9
 * Version 1.0
 * Februari 21, 2008
 * Copyright (c) 2008 David Hellsing (http://monc.se)
 * Licensed under the GPL licenses.
 * http://www.gnu.org/licenses/gpl.txt
; (function($) {
var $$;
 * @desc Convert images from a simple html  into a thumbnail gallery
 * @author David Hellsing
 * @version 1.0
 * @name Galleria
 * @type jQuery
 * @cat plugins/Media
 * @example $('ul.gallery').galleria({options});
   @desc Create a a gallery from an unordered list of images with thumbnails
 * Coptions
     insert:
                (selector string) by default, Galleria will create a container div before your ul that holds
the image.
                You can, however, specify a selector where the image will be placed instead (f.ex
'#main img')
    history: Boolean for setting the history object in action with enabled back button, bookmarking etc.
```

```
* onImage: (function) a function that gets fired when the image is displayed and brings the jQuery
image object.
               You can use it to add click functionality and effects. f.ex onImage(image) { image.css('display','none').fadeIn(); } will fadeIn each image that is
displayed
   onThumb: (function) a function that gets fired when the thumbnail is displayed and brings the jQuery
thumb object.
               Works the same as onImage except it targets the thumbnail after it's loaded.
**/
$$ = $.fn.galleria = function($options) {
   // check for basic CSS support
   if (!$$.hasCSS()) { return false; }
    / init the modified history object
   $.historyInit($$.onPageLoad);
   // set default options
   var $defaults = {
  insert : '.galleria_container',
      history
                  : true,
                 true,
function(image,caption,thumb) {},
function(thumb) {}
      clickNext
      onImage
      onThumb
   };
   // extend the options
   var $opts = $.extend($defaults, $options);
   // bring the options to the galleria object
for (var i in $opts) {
     $.galleria[i] = $opts[i];
   // if no insert selector, create a new division and insert it before the {\it ul}
   var _insert = ( $($opts.insert).is($opts.insert) ) ?
     $($opts.insert) :
      jQuery(document.createElement('div')).insertBefore(this);
   // create a wrapping div for the image
   var _div = $(document.createElement('div')).addClass('galleria_wrapper');
   // create a caption span
   var _span = $(document.createElement('span')).addClass('caption');
   // inject the wrapper in in the insert selector
   _insert.addClass('galleria_container').append(_div).append(_span);
   return this.each(function() {
      // add the Galleria class
      $(this).addClass('galleria');
      // loop through list
      $(this).children('li').each(function(i) {
         // bring the scope
         var _container = $(this);
          // build element specific options
         var _o = $.meta ? $.extend({}, $opts, _container.data()) : $opts;
         // remove the clickNext if image is only child
         o.clickNext = $(this).is(':only-child') ? false : o.clickNext;
          // try to fetch an anchor
         var _a = $(this).find('a').is('a') ? $(this).find('a') : false;
          // reference the original image as a variable and hide it
         var _img = $(this).children('img').css('display','none');
          // extract the original source
         var _src = _a ? _a.attr('href') : _img.attr('src');
         // find a title
         var _title = _a ? _a.attr('title') : _img.attr('title');
         // find a Description
         var _longdesc = _a ? _a.attr('longdesc') : _img.attr('longdesc');
          // create loader image
         var _loader = new Image();
```

```
// check url and activate container if match
          if (_o.history && (window.location.hash && window.location.hash.replace(/\#/,'') == _src)) {
             container.siblings('.active').removeClass('active');
container.addClass('active');
           // begin loader
          $ ( loader).load(function () {
               / try to bring the alt
              $(this).attr('alt',_img.attr('alt'));
              // the image is loaded, let's create the thumbnail
              var _thumb =
                  a.find('img').addClass('thumb noscale').css('display','none') :
                  _ img.clone(true).addClass('thumb').css('display','none');
              if ( a) { a.replaceWith( thumb); }
              if (!_thumb.hasClass('noscale')) { // scaled tumbnails!
    var w = Math.ceil( _img.width() / _img.height() * _container.height() );
    var h = Math.ceil( _img.height() / _img.width() * _container.width() );
                  if (w < h) {
_thumb.css({ height: 'auto', width: _container.width(), marginTop: -(h-_container.height())/2 });
                 } else {
                      thumb.css({ width: 'auto', height: container.height(), marginLeft: -(w-
_container.width())/2 });
              } else { // Center thumbnails.
    // a tiny timer fixed the width/height
                 window.setTimeout(function() {
                     _thumb.css({
                        marginLeft: -( _thumb.width() - _container.width() )/2,
marginTop: -( _thumb.height() - _container.height() )/2
                 }, 1);
              // add the rel attribute
              _thumb.attr('rel',_src);
              // add the title attribute
              _thumb.attr('title',_title);
              // add the click functionality to the thumb
              _thumb.click(function() {
                $.galleria.activate(_src);
              });
              // hover classes for IE6
              _thumb.hover(
                 function() { $(this).addClass('hover'); },
                 function() { $(this).removeClass('hover'); }
              _container.hover(
                 function() { _container.addClass('hover'); },
function() { _container.removeClass('hover'); }
              // prepend the thumbnail in the container
              container.prepend( thumb);
              // show the thumbnail
_thumb.css('display','block');
              // call the onThumb function
              _o.onThumb(jQuery(_thumb));
               // check active class and activate image if match
              if (_container.hasClass('active')) {
                 $.galleria.activate(_src);
                 //_span.text(_title);
              // finally delete the original image
              img.remove();
          }).error(function () {
              // Error handling
               container.html('<span class="error" style="color:red">Error loading image: '+ src+'</span>');
          }).attr('src', _src);
```

```
});
  });
};
 * @name NextSelector
 * @desc Returns the sibling sibling, or the first one
$$.nextSelector = function(selector) {
   return $(selector).is(':last-child') ?
          \$(selector).siblings(':first-child'):
          $(selector).next();
};
/**
 * @name previousSelector
 * @desc Returns the previous sibling, or the last one
**/
$$.previousSelector = function(selector) {
   return $(selector).is(':first-child')
          $(selector).siblings(':last-child') :
           $(selector).prev();
};
/**
 * @name hasCSS
 * @desc Checks for CSS support and returns a boolean value
$$.hasCSS = function() {
   $('body').append(
      scappend(
$(document.createElement('div')).attr('id','css_test')
.css({ width:'1px', height:'1px', display:'none' })
   var _v = ($('#css_test').width() != 1) ? false : true;
   $('#css_test').remove();
   return _v;
 * @name onPageLoad
 * @desc The function that displays the image and alters the active classes
 * Note: This function gets called when:
 * 1. after calling $.historyInit();
 * 2. after calling $.historyLoad();
* 3. after pushing "Go Back" button of a browser
$$.onPageLoad = function(_src) {
   // get the wrapper
var _wrapper = $('.galleria_wrapper');
    // get the thumb
   var _thumb = $('.galleria img[rel="'+_src+'"]');
   if ( src) {
       // new hash location
      if ($.galleria.history) {
         window.location = window.location.href.replace(/\#.*/,'') + '#' + _src;
      // alter the active classes
       thumb.parents('li').siblings('.active').removeClass('active');
      _thumb.parents('li').addClass('active');
       // define a new image
      var _img = $(new Image()).attr('src',_src).addClass('replaced');
      \ensuremath{//} empty the wrapper and insert the new image
```

```
wrapper.empty().append( img);
       // Get the link from the alt attribute of the image
       var link = _thumb.attr('alt')
        // fire the onImage function to customize the loaded image's features
       $.galleria.onImage(_img,_wrapper.siblings('.caption'),_thumb);
        // add clickable image helper
       if($.galleria.clickNext) {
              img.css('cursor', 'pointer').click(function() { $.galleria.next(); })
           img.css('cursor', 'pointer').click(function() { window.location = link; })
           // insert the caption
_wrapper.siblings('.caption').html(unescape(_thumb.attr('longdesc'))).css('cursor', 'pointer').click(function() { window.location = link; });
         _wrapper.siblings('.caption').html(unescape(_thumb.attr('longdesc')));
   } else {
       // clean up the container if none are active
       _wrapper.siblings().andSelf().empty();
        // remove active classes
       $('.galleria li.active').removeClass('active');
   }
    // place the source in the galleria.current variable
   $.galleria.current = _src;
}
/**
 * @name jQuery.galleria
   @desc The global galleria object holds four constant variables and four public methods:
          $.galleria.history = a boolean for setting the history object in action with named URLs $.galleria.current = is the current source that's being viewed.
          \$.galleria.clickNext = boolean helper for adding a clickable image that leads to the next one in
line
          $.galleria.next() = displays the next image in line, returns to first image after the last.
          $.galleria.next() - displays the next image in line, returns to last image after the first. $.galleria.activate(_src) = displays an image from _src in the galleria container. $.galleria.onImage(image,caption) = gets fired when the image is displayed.
**/
$.extend({galleria : {
   current : '',
   onImage : function(){},
   activate : function(_src) {
       if ($.galleria.history) {
          $.historyLoad( src);
       } else {
          $$.onPageLoad(_src);
       }
   next : function() {
var _next = $($$.nextSelector($('.galleria
img[rel="'+$.galleria.current+'"]').parents('li'))).find('img').attr('rel');
      $.galleria.activate(_next);
   prev : function() {
var _prev = $($$.previousSelector($('.galleria
img[rel="+$.galleria.current+'"]').parents('li'))).find('img').attr('rel');
       $.galleria.activate( prev);
});
}) (jQuery);
 * Packed history extension for jQuery
 * Credits to http://www.mikage.to/
**/
```

jQuery.extend({historyCurrentHash:undefined,historyCallback:undefined,historyInit:function(callback){jQuery.historyCallback=callback;var current_hash=location.hash;jQuery.historyCurrentHash=current_hash;if(jQuery.browser.msie){if(jQuery.historyCurrentHash=current_hash;if(jQuery.browser.msie)}

```
CurrentHash==''){jQuery.historyCurrentHash='#'}$("body").prepend('<iframe id="jQuery history"
 style="display: none;"></iframe>');var ihistory=$("#jQuery_history")[0];var
 iframe=ihistory.contentWindow.document;iframe.open();iframe.close();iframe.location.hash=current_hash}else
if($.browser.safari){jQuery.historyBackStack=[];jQuery.historyBackStack.length=history.length;jQuery.historyForwardStack=[];jQuery.isFirst=true}jQuery.historyCallback(current hash.replace(/^#/,''));setInterval(jQuery.historyCallback)
 ry.historyCheck, 100)},historyAddHistory: function(hash){jQuery.historyBackStack.push(hash);jQuery.historyFor
 wardStack.length=0; this.isFirst=true}, historyCheck: function() {if(jQuery.browser.msie) { var
 ihistory=$("#jQuery_history")[0];var iframe=ihistory.contentDocument||ihistory.contentWindow.document;var
current_hash=iframe.location.hash;if(current_hash!=jQuery.historyCurrentHash) {location.hash=current_hash;jQ
uery.historyCurrentHash=current_hash;jQuery.historyCallback(current_hash.replace(/^#/,''))}}else
if($.browser.safari){if(!jQuery.dontCheck){var historyDelta=history.length-
 jQuery.historyBackStack.length; if (historyDelta) {jQuery.isFirst=false; if (historyDelta<0) {for (var
  i=0;i<Math.abs(historyDelta);i++)jQuery.historyForwardStack.unshift(jQuery.historyBackStack.pop())}else(for
  (var i=0;i<historyDelta;i++)jQuery.historyBackStack.push(jQuery.historyForwardStack.shift()))var</pre>
cachedHash=jQuery.historyBackStack[jQuery.historyBackStack.length-
1];if(cachedHash!=undefined){jQuery.historyCurrentHash=location.hash;jQuery.historyCallback(cachedHash)}}el
 se if (jQuery.historyBackStack[jQuery.historyBackStack.length-
 1] = = undefined \&\&! jQuery.isFirst) \\ \{ \textbf{if} (document.URL.indexOf('\#') >= 0) \\ \{ jQuery.historyCallback(document.URL.split('\#') >= 0) \\ \{ jQuery.historyCallback(document.Split('\#') >= 0) \\ \{ 
  '#')[1])}else{var current hash=location.hash;jQuery.historyCallback('')}jQuery.isFirst=true}}}else{var
current_hash=location.hash;if(current_hash!=jQuery.historyCurrentHash) {jQuery.historyCurrentHash=current_ha
sh;jQuery.historyCallback(current_hash.replace(/^#/,''))}}, historyLoad:function(hash) {var
newhash;if(jQuery.browser.safari) {newhash=hash}else{newhash='#'+hash;location.hash=newhash}jQuery.historyCu
 rrentHash=newhash; if (jQuery.browser.msie) {var ihistory=$("#jQuery history") [0]; var
 iframe=ihistory.contentWindow.document;iframe.open();iframe.close();iframe.location.hash=newhash;jQuery.his
 tory Callback (hash) \} \textbf{else if} (j Query.browser.safari) \\ \{j Query.dont Check = \textbf{true}; \textbf{this}.history Add History (hash); \textbf{var} \\ (hash) \\
 \texttt{fn=function()} \ \{j \ \texttt{Query.dontCheck=false}\}; \\ \texttt{window.setTimeout(fn,200)}; \\ j \ \texttt{Query.historyCallback(hash)}; \\ \texttt{location.hash=function()}\} \\ \texttt{volume function()} \ \texttt{volume function()}; \\ \texttt{volume function()} \ \texttt{volume function()}; \\ \texttt{volume function()}
newhash}else{jQuery.historyCallback(hash)}});
```

<u>Jquery.prettyphoto.js:</u>

```
Class: prettyPhoto
   Use: Lightbox clone for jQuery
   Author: Stephane Caron (http://www.no-margin-for-errors.com)
   Version: 2.5.2
(function($) {
   $.prettyPhoto = {version: '2.5'};
   $.fn.prettyPhoto = function(settings) {
      settings = jQuery.extend({
          animationSpeed: 'normal', /* fast/slow/normal */
          padding: 40, /* padding for each side of the picture */ opacity: 0.80, /* Value between 0 and 1 */
          showTitle: true, /* true/false */
          allowresize: true, /* true/false */
          counter_separator_label: '/', /* The separator for the gallery counter 1 "of" 2 */
theme: 'dark_rounded', /* light_rounded / dark_rounded / light_square / dark_square */
callback: function(){}
      }, settings);
       // Fallback to a supported theme for IE6
      if($.browser.msie && $.browser.version == 6){
    settings.theme = "light_square";
      if($('.pp_overlay').size() == 0) {
          _buildOverlay(); // If the overlay is not there, inject it!
          // Set my global selectors
$pp_pic_holder = $('.pp_pic_holder');
          $ppt = $('.ppt');
       // Global variables accessible only by prettyPhoto
      var doresize = true, percentBased = false, correctSizes,
        / Cached selectors
      $pp_pic_holder, $ppt, settings,
       // prettyPhoto container specific
      pp_contentHeight, pp_contentWidth, pp_containerHeight, pp_containerWidth, pp_type = 'image',
       //Gallery specific
      setPosition = 0,
       // Global elements
      $scrollPos = _getScroll();
       // Window/Kevboard events
      $ (window) .scroll(function() { $scrollPos = _getScroll(); _centerOverlay(); });
      $ (window) .resize(function() { centerOverlay(); resizeOverlay(); });
      $ (document) . keydown (function (e) {
          switch (e.keyCode) {
             case 37:
                 $.prettyPhoto.changePage('previous');
```

```
break;
                    $.prettyPhoto.changePage('next');
                    break:
                case 27:
                    $.prettyPhoto.close();
                    break;
         });
        // Bind the code to each links
        $ (this) .each (function() {
            $(this).bind('click',function(){
                link = this; // Fix scoping
                  // Find out if the picture is part of a set
                theRel = $(this).attr('rel');
                galleryRegExp = /[(?:.*)]/;
                theGallery = galleryRegExp.exec(theRel);
                // Build the gallery array
                var images = new Array(), titles = new Array(), descriptions = new Array();
                if(theGallery) {
                    $('a[rel*='+theGallery+']').each(function(i){
                        if($(this)[0] === $(link)[0]) setPosition = i; // Get the position in the set
images.push($(this).attr('href'));
titles.push($(this).find('img').attr('alt'));
                        descriptions.push($(this).attr('title'));
                    });
                }else{
                    images = $(this).attr('href');
titles = ($(this).find('img').attr('alt')) ? $(this).find('img').attr('alt') : '';
descriptions = ($(this).attr('title')) ? $(this).attr('title') : '';
                $.prettyPhoto.open(images,titles,descriptions);
                return false;
           });
        });
        * Opens the prettyPhoto modal box.
        * @param image {String, Array} Full path to the image to be open, can also be an array containing full
images paths.
          @param title {String,Array} The title to be displayed with the picture, can also be an array
containing all the titles.
        * \hat{\mathbb{Q}}param description (String,Array) The description to be displayed with the picture, can also be an
array containing all the descriptions.
        $.prettyPhoto.open = function(gallery_images,gallery_titles,gallery_descriptions) {
                     fix the bug with
            if($.browser.msie && $.browser.version == 6){
               $('select').css('visibility','hidden');
              // Hide the flash
            $('object,embed').css('visibility','hidden');
             // Convert everything to an array in the case it's a single item
            images = $.makeArray(gallery_images);
            titles = $.makeArray(gallery_titles);
descriptions = $.makeArray(gallery_descriptions);
            if($('.pp_overlay').size() == 0) {
                 _buildOverlay(); // If the overlay is not there, inject it!
            }else{
                  / Set my global selectors
                $pp pic holder = $('.pp pic holder');
                $ppt = $('.ppt');
            $pp pic holder.attr('class','pp pic holder ' + settings.theme); // Set the proper theme
            isSet = ($(images).size() > 0) ? true : false; // Find out if it's a set
            _getFileType(images[setPosition]); // Set the proper file type
            _centerOverlay(); // Center it
            // Hide the next/previous links if on first or last images.
            _checkPosition($(images).size());
            $('.pp_loaderIcon').show(); // Do I need to explain?
             \$ (\texttt{'div.pp\_overlay'}). \texttt{show()}. fade To (\texttt{settings.animationSpeed, settings.opacity}, \ \textbf{function}() \ \{ \texttt{settings.animationSpeed, settings.opacity}, \ \textbf{function}() \ \{ \texttt{settings.opacity}, \ \textbf{function}() \ \} \ \}
```

```
$pp pic holder.fadeIn(settings.animationSpeed, function() {
                  $pp_pic_holder.find('p.currentTextHolder').text((setPosition+1) +
settings.counter_separator_label + $(images).size());
                    / Set the description
                  if(descriptions[setPosition]){
                      \label{prop_pic_holder.find('.pp_description').show().html(unescape(descriptions[setPosition]));}
                  }else{
                     $pp_pic_holder.find('.pp_description').hide().text('');
                    / Set the title
                  if(titles[setPosition] && settings.showTitle) {
                      hasTitle = true;
                      $ppt.html(unescape(titles[setPosition]));
                  }else{
                     hasTitle = false;
                  // Inject the proper content
if(pp_type == 'image') {
    // Set the new image
                      imgPreloader = new Image();
                      // Preload the neighbour images
                      nextImage = new Image();
                      if(isSet && setPosition > $(images).size()) nextImage.src = images[setPosition + 1];
                      prevImage = new Image();
                      if(isSet && images[setPosition - 1]) prevImage.src = images[setPosition - 1];
                      pp_typeMarkup = '<img id="fullResImage" src="" />';
                      $pp_pic_holder.find('#pp_full_res')[0].innerHTML = pp_typeMarkup;
                      $pp_pic_holder.find('.pp_content').css('overflow','hidden');
                      $pp_pic_holder.find('#fullResImage').attr('src',images[setPosition]);
                      imgPreloader.onload = function() {
                         correctSizes = _fitToViewport(imgPreloader.width,imgPreloader.height);
                     _showContent();
};
                      imgPreloader.src = images[setPosition];
                  }else{
                         Get the dimensions
                      movie width = ( parseFloat(grab param('width',images[setPosition])) ) ?
grab_param('width',images[setPosition]) : "425";
movie_height = ( parseFloat(grab_param('height',images[setPosition])) ) ?
grab_param('height',images[setPosition]) : "344";
                       / If the size is % based, calculate according to window dimensions
                     if(movie_width.indexOf('%') != -1 || movie_height.indexOf('%') != -1){
   movie_height = ($(window).height() * parseFloat(movie_height) / 100) - 100;
   movie_width = ($(window).width() * parseFloat(movie_width) / 100) - 100;
                         percentBased = true;
                      movie height = parseFloat(movie height);
                     movie width = parseFloat(movie width);
                      if (pp type == 'quicktime') movie height+=13; // Add space for the control bar
                       // Fit item to viewport
                      correctSizes = _fitToViewport(movie_width,movie_height);
                      if(pp type == 'youtube') {
                         pp_typeMarkup = '<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
width="'+correctSizes['width']+'" height="'+correctSizes['height']+'">>param name="allowfullscreen"
value="true" /><param name="allowscriptaccess" value="always" /><param name="movie"
value="http://www.youtube.com/v/'+grab_param('v', images[setPosition])+'" /><embed
src="http://www.youtube.com/v/'+grab_param('v', images[setPosition])+'" type="application/x-shockwave-flash"
allowfullscreen="true" allowscriptaccess="always" width="'+correctSizes['width']+'"
height="'+correctSizes['height']+'"></embed></object>';
                     }else if(pp_type == 'quicktime') {
    pp_typeMarkup = '<object classid="clsid:02BF25D5-8C17-4B23-BC80-D3488ABDDC6B"</pre>
codebase="http://www.apple.com/qtactivex/qtplugin.cab" height="'+correctSizes('height')+'" width="'+correctSizes['width']+'"><param name="src" value="'+images[setPosition]+'"><param name="autoplay"
value="true"><param name="type" value="video/quicktime"><embed src="'+images[setPosition]+'"
height="'+correctSizes['height']+'" width="'+correctSizes['width']+'" autoplay="true"
type="video/quicktime" pluginspage="http://www.apple.com/quicktime/download/"></embed></object>';
                      }else if(pp_type == 'flash'){
                          flash_vars = images[setPosition];
                          flash_vars = flash_vars.substring(images[setPosition].indexOf('flashvars') +
10, images[setPosition].length);
                         filename = images[setPosition];
```

```
filename = filename.substring(0,filename.indexOf('?'));
pp_typeMarkup = '<object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
width="'+correctSizes['width']+'" height="'+correctSizes['height']+'"><param name="allowfullscreen"
value="true" /><param name="allowscriptaccess" value="always" /><param name="movie"
value="'+filename+'?'+flash_vars+'" /><embed src="'+filename+'?'+flash_vars+'" type="application/x-</pre>
shockwave-flash" allowfullscreen="true" allowscriptaccess="always" width="'+correctSizes['width']+'"
height="'+correctSizes['height']+'"></embed></object>';
                      }else if(pp_type == 'iframe') {
                         movie_url = images[setPosition];
movie_url = movie_url.substr(0,movie_url.indexOf('iframe')-1);
                          pp typeMarkup = '<iframe src ="'+movie url+'" width="'+(correctSizes['width']-10)+'"
height="'+(correctSizes['height']-10)+'" frameborder="no"></iframe>';
                      // Show content
                     _showContent();
              });
          });
       ^{\star} Change page in the prettyPhoto modal box
       * <code>@param direction {String} Direction of the paging, previous or next.</code>
       $.prettyPhoto.changePage = function(direction){
           if(direction == 'previous') {
    setPosition--;
               if (setPosition < 0) {</pre>
                  setPosition = 0;
                  return;
           }else{
               if($('.pp_arrow_next').is('.disabled')) return;
               setPosition++;
             / Allow the resizing of the images
           if(!doresize) doresize = true;
            hideContent();
           $ ('a.pp_expand,a.pp_contract').fadeOut(settings.animationSpeed,function() {
               $(this).removeClass('pp_contract').addClass('pp_expand');
               $.prettyPhoto.open(images, titles, descriptions);
       };
       * Closes the prettyPhoto modal box.
       $.prettyPhoto.close = function(){
           $pp_pic_holder.find('object,embed').css('visibility','hidden');
           \verb§('div.pp_pic_holder,div.ppt').fadeOut(settings.animationSpeed);\\
           $('div.pp_overlay').fadeOut(settings.animationSpeed, function(){
               $('div.pp_overlay,div.pp_pic_holder,div.ppt').remove();
              // To fix the bug with IE select boxes
if($.browser.msie && $.browser.version == 6){
                  $('select').css('visibility','visible');
               // Show the flash
              $('object,embed').css('visibility','visible');
              setPosition = 0;
               settings.callback();
           });
           doresize = true;
       ^{\star} Set the proper sizes on the containers and animate the content in.
       _showContent = function(){
           $('.pp_loaderIcon').hide();
           if($.browser.opera) {
              windowHeight = window.innerHeight;
windowWidth = window.innerWidth;
           }else{
               windowHeight = $(window).height();
               windowWidth = $(window).width();
```

```
// Calculate the opened top position of the pic holder
projectedTop = $scrollPos['scrollTop'] + ((windowHeight/2) - (correctSizes['containerHeight']/2));
if(projectedTop < 0) projectedTop = 0 + $pp_pic_holder.find('.ppt').height();</pre>
           // Resize the content holder
$pp_pic_holder.find('.pp_content').animate({'height':correctSizes['contentHeight']},settings.animationSpeed
            // Resize picture the holder
          $pp_pic_holder.animate({
               top': projectedTop,
              'left': ((windowWidth/2) - (correctSizes['containerWidth']/2)),
'width': correctSizes['containerWidth']
          }, settings.animationSpeed, function() {
              $pp_pic_holder.width(correctSizes['containerWidth']);
$pp pic holder.find('.pp hoverContainer,#fullResImage').height(correctSizes['height']).width(correctSizes['
width']);
               // Fade the new image
              $pp_pic_holder.find('#pp_full_res').fadeIn(settings.animationSpeed);
               // Show the nav
if(isSet && pp_type=="image") {
$pp_pic_holder.find('.pp_hoverContainer').fadeIn(settings.animationSpeed); }else{
$pp pic holder.find('.pp_hoverContainer').hide(); }
              $pp_pic_holder.find('.pp_details').fadeIn(settings.animationSpeed);
               // Show the title
              if(settings.showTitle && hasTitle) {
                  $ppt.css({
                     'top'
                            : $pp_pic_holder.offset().top - 20,
                     'left' : $pp_pic_holder.offset().left + (settings.padding/2),
'display' : 'none'
                 }):
                 $ppt.fadeIn(settings.animationSpeed);
               // Fade the resizing link if the image is resized
              \textbf{if} (\texttt{correctSizes['resized']}) ~~ \$ (\texttt{'a.pp\_expand,a.pp\_contract'}) ~. \texttt{fadeIn} (\texttt{settings.animationSpeed}); \\
                / Once everything is done, inject the content if it's now a photo
              if(pp_type != 'image') $pp_pic_holder.find('#pp_full_res')[0].innerHTML = pp_typeMarkup;
          });
       };
       * Hide the content...DUH!
       function hideContent() {
              Fade out the current picture
          $pp_pic_holder.find('.pp_hoverContainer,.pp_details').fadeOut(settings.animationSpeed);
          $pp_pic_holder.find('#pp_full_res object, #pp_full_res embed').css('visibility', 'hidden');
          $pp pic holder.find('#pp full res').fadeOut(settings.animationSpeed, function() {
              $('.pp_loaderIcon').show();
          });
           // Hide the title
          $ppt.fadeOut(settings.animationSpeed);
       * Check the item position in the gallery array, hide or show the navigation links
* @param setCount {integer} The total number of items in the set
       function checkPosition(setCount){
              If at the end, hide the next link
          if(setPosition == setCount-1) {
              $pp_pic_holder.find('a.pp_next').css('visibility','hidden');
$pp_pic_holder.find('a.pp_arrow_next').addClass('disabled').unbind('click');
          |else{
              $pp_pic_holder.find('a.pp_next').css('visibility','visible');
$pp_pic_holder.find('a.pp_arrow_next.disabled').removeClass('disabled').bind('click',function(){
                 $.prettyPhoto.changePage('next');
                 return false;
             });
            / If at the beginning, hide the previous link
          if(setPosition == 0) {
              $pp pic holder.find('a.pp_previous').css('visibility','hidden');
              $pp_pic_holder.find('a.pp_arrow_previous').addClass('disabled').unbind('click');
           }else{
```

```
$pp pic holder.find('a.pp_previous').css('visibility','visible');
pp\_pic\_holder.find('a.pp\_arrow\_previous.disabled').removeClass('disabled').bind('click',function()) = (a.pp\_arrow\_previous.disabled').previous.disabled').previous.disabled') = (a.pp\_arrow\_previous.disabled').previous.disabled') = (a.pp\_arrow\_previous.disabled') = (a.pp\_arrow\_previous.disable
                                 $.prettyPhoto.changePage('previous');
                                return false;
                         });
                    };
                     ^{\prime\prime} Hide the bottom nav if it's not a set.
                    if(setCount > 1) {
                         $('.pp_nav').show();
                    }else{
                         $('.pp_nav').hide();
             };
              * Resize the item dimensions if it's bigger than the viewport
              * @param width {integer} Width of the item to be opened
             * @param height (integer) Height of the item to be opened

* @return An array containin the "fitted" dimensions
             function _fitToViewport(width,height) {
                    hasBeenResized = false;
                    _getDimensions(width, height);
                    // Define them in case there's no resize needed
                    imageWidth = width;
                    imageHeight = height;
                    windowHeight = $(window).height();
windowWidth = $(window).width();
                    if( ((pp_containerWidth > windowWidth) || (pp_containerHeight > windowHeight)) && doresize &&
settings.allowresize && !percentBased) {
                          hasBeenResized = true;
                          notFitting = true;
                          while (notFitting) {
                                 if((pp containerWidth > windowWidth)){
                                        imageWidth = (windowWidth - 200);
imageHeight = (height/width) * imageWidth;
                                 }else if((pp_containerHeight > windowHeight)){
  imageHeight = (windowHeight - 200);
  imageWidth = (width/height) * imageHeight;
                                 }else{
                                      notFitting = false;
                                 pp containerHeight = imageHeight;
                                 pp_containerWidth = imageWidth;
                          _getDimensions(imageWidth,imageHeight);
                    return {
                           width:imageWidth,
                          height:imageHeight,
                           \verb|containerHeight:pp_containerHeight|,\\
                          \verb|containerWidth:pp_containerWidth|,\\
                          contentHeight:pp_contentHeight,
contentWidth:pp_contentWidth,
                           resized:hasBeenResized
                   };
             };
              * Get the containers dimensions according to the item size
              * @param width {integer} Width of the item to be opened
              * @param height {integer} Height of the item to be opened
             function getDimensions(width, height) {
                    $pp_pic_holder.find('.pp_details').width(width).find('.pp_description').width(width -
parseFloat($pp_pic_holder.find('a.pp_close').css('width'))); /* To have the correct height */
// Get the container size, to resize the holder to the right dimensions
    pp_contentHeight = height + $pp_pic_holder.find('.pp_details').height() +
parseFloat($pp_pic_holder.find('.pp_details').css('marginTop')) +
parseFloat($pp_pic_holder.find('.pp_details').css('marginBottom'));
                    pp contentWidth = width;
                    pp_containerHeight = pp_contentHeight + $pp_pic_holder.find('.ppt').height() +
function _getFileType(itemSrc) {
```

```
if (itemSrc.match(/youtube\.com\/watch/i)) {
              pp_type = 'youtube';
           }else if(itemSrc.indexOf('.mov') != -1){
           pp_type = 'quicktime';
}else if(itemSrc.indexOf('.swf') != -1) {
              pp_type = 'flash';
           }else if(itemSrc.indexOf('iframe') != -1) {
              pp_type = 'iframe'
          pp_type = 'image';
};
       function _centerOverlay() {
           if($.browser.opera) {
   windowHeight = window.innerHeight;
              windowWidth = window.innerWidth;
           }else{
              windowHeight = $(window).height();
              windowWidth = $(window).width();
           if (doresize) {
               $pHeight = $pp_pic_holder.height();
              $pWidth = $pp_pic_holder.width();
              $tHeight = $ppt.height();
              projectedTop = (windowHeight/2) + $scrollPos['scrollTop'] - ($pHeight/2);
              if(projectedTop < 0) projectedTop = 0 + $tHeight;</pre>
              $pp pic holder.css({
                  'top': projectedTop,
'left': (windowWidth/2) + $scrollPos['scrollLeft'] - ($pWidth/2)
                  'top' : projectedTop - $tHeight,
'left' : (windowWidth/2) + $scrollPos['scrollLeft'] - ($pWidth/2) + (settings.padding/2)
              });
          };
       function _getScroll() {
   if (self.pageYOffset) {
              scrollTop = self.pageYOffset;
              scrollLeft = self.pageXOffset;
           } else if (document.documentElement && document.documentElement.scrollTop) { // Explorer 6 Strict
              scrollTop = document.documentElement.scrollTop;
              scrollLeft = document.documentElement.scrollLeft;
           } else if (document.body) \{// \text{ all other Explorers}\}
              scrollTop = document.body.scrollTop;
scrollLeft = document.body.scrollLeft;
           return {scrollTop:scrollTop,scrollLeft:scrollLeft};
       function resizeOverlay() {
           $('div.pp_overlay').css({
              'height': $ (document) . height(),
              'width': $ (window) .width()
          });
       };
       function buildOverlay(){
           toInject = "";
           // Build the background overlay div
           toInject += "<div class='pp_overlay'></div>";
           // Basic HTML for the picture holder toInject += '<div class="pp_tic_holder"><div class="pp_top"><div class="pp_left"></div><div
class="pp_middle"></div><div class="pp_right"></div><div class="pp_content"><a href="#" class="pp_expand" title="Expand the image">Expand</a><div class="pp_loaderIcon"></div><div class="pp_loaderIcon"></div><div
class="pp_hoverContainer"><a class="pp_next" href="#">next</a><a class="pp_previous"
href="#">previous</a></div><div id="pp_full_res"></div><div class="pp_details clearfix"><a class="pp_close"
href="#">Close</a><div class="pp_nav"><a href="#"
class="pp_arrow_previous">Previous</a>0'+settings.counter_separator_label+'0<a href="#"
class="pp_arrow_next">Next</a></div></div></div></div><div class="pp_bottom"><div class="pp_left"></div><div><div
class="pp_middle"></div><div class="pp_right"></div></div>';
           // Basic html for the title holder
toInject += '<div class="ppt"></div>';
           $('body').append(toInject);
           // So it fades nicely
```

```
// Set my global selectors
$pp_pic_holder = $('.pp_pic_holder');
$ppt = $('.ppt');
                                           $('div.pp_overlay').css('height',$(document).height()).hide().bind('click',function(){
                                                        $.prettyPhoto.close();
                                          $('a.pp close').bind('click',function(){ $.prettyPhoto.close(); return false; });
                                          $('a.pp_expand').bind('click',function() {
                                                         $this = $(this);
                                                                     Expand the image
                                                        if($this.hasClass('pp_expand')){
                                                                       $this.removeClass('pp_expand').addClass('pp_contract');
                                                                        doresize = false;
                                                         }else{
                                                                      $this.removeClass('pp_contract').addClass('pp_expand');
                                                                      doresize = true;
                                                        hideContent();
 $pp_pic_holder.find('.pp_hoverContainer, #pp_full_res,
.pp_details').fadeOut(settings.animationSpeed,function(){
                                                                      $.prettyPhoto.open(images, titles, descriptions);
                                                        return false;
                                          });
                                           $pp_pic_holder.find('.pp_previous, .pp_arrow_previous').bind('click',function(){
                                                          $.prettyPhoto.changePage('previous');
                                                        return false;
                                          $pp pic holder.find('.pp_next, .pp_arrow_next').bind('click',function() {
                                                          $.prettyPhoto.changePage('next');
                                                        return false;
                                          });
                                          $pp_pic_holder.find('.pp_hoverContainer').css({
                                                            'margin-left': settings.padding/2
                                         });
                           };
               };
               function grab param(name, url) {
                       var regex = new RegExp( regexS );
                       var results = regex.exec( url );
if( results == null )
                              return "";
                        else
                               return results[1];
}) (iOuerv);
jquery.validate.pack.js:
    * jQuery validation plug-in 1.5.5
             http://bassistance.de/jquery-plugins/jquery-plugin-validation/http://docs.jquery.com/Plugins/Validation
        * Copyright (c) 2006 - 2008 Jörn Zaefferer
       * $Id: jquery.validate.js 6403 2009-06-17 14:27:16Z joern.zaefferer $
              Dual licensed under the MIT and GPL licenses:
                         http://www.opensource.org/licenses/mit-license.php
                        http://www.gnu.org/licenses/gpl.html
 \begin{array}{l} \texttt{eval} \left( \textbf{function} \left( p, a, c, k, e, r \right) \left\{ e = \textbf{function} \left( c \right) \left\{ \textbf{return} \left( c < a?'' : e \left( parseInt \left( c / a \right) \right) \right\} + \left( \left( c - c % a \right) > 35?\$tring.fromCharCode \left( c + 29 \right) : c.toString (36) \right) \right\} \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] = k \left[ c \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] = k \left[ c \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] = k \left[ c \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] = k \left[ c \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] = k \left[ c \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \left\{ \textbf{while} \left( c - - \right) r \left[ e \left( c \right) \right] \right\} \right] \\ \textbf{if} \left( ! '' . replace \left( / ^ / , String \right) \right] \\ \textbf
 RegExp('\\b'+e(c)+'\\b','g'),k[c]);return p}('(7($){$.H($.2M,{1F:7(d){1(!6.F){d&&d.2p&&30.1z&&1z.57("3B 2B,
4L \ 't \ 1F, \ 6e \ 3B"); 8 \ q \ c = \$ \ 17(6[0], \ 'u \ '); 1(c) \ \{8c\}c = 2c \ \$.u(d, 6[0]); \$.17(6[0], \ 'u \ ', c); 1(c.p. 3C) \ \{6.3w("1x, c), \ (0, 0, 0)\}; 1(c.p. 3C) \ (0, 0, 0); 1(c.p. 3
3n").1m(".4H").3e(7(){c.3b=w});1(c.p.2I){6.3w("1x,
3n").1m(":20").3e(7)($c.10=6$)).6.20(7)(b)($1(c.p.2p)b.5Y();7.21()($1(c.p.2I)(1(c.1U)(q a=$("<1x 1k=\'5x\'/>").1t("v",c.1U.v).3L(c.1U.R).56(c.V))c.p.2I.Z(c,c.V);1(c.1U)(a.3F())8 L)8 w}1(c.3b)(c.3b=L;8)
21() \\ 1(c.N()) \\ 1(c.1g) \\ \{c.1v=w; 8 \\ L\} \\ 8 \\ 21() \\ 1b \\ \{c.2w(); 8 \\ L\} \}) \\ 18 \\ 2() \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\ 10, \\
```

\$('div.pp_overlay').css('opacity',0);

```
b=w;q a=$(6[0].N).1F();6.P(7(){b&=a.J(6)});8 b},4G:7(c){q}
 i=\$.17\,(\texttt{f.N},\'u\')\,.\texttt{p;q}\ d=i\,.1h\,;q
    c = \$. u. 36 (f) ; 2q(h) (le"lf": \$. H(c, \$. u. lJ(k)); d[f.v] = c; l(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F": l(!k) {Q(k. I) i. I[f.v] = \$. H(i. I[f.v], k. I); 2L; le"3F"
 d[f.v];8 c q e={};$.P(k.1T(/\s/),7(a,b){e[b]=c[b];Q c[b]});8 e}q
 g=$.u.41($.H({},$.u.3Y(f),$.u.3X(f),$.u.3S(f),$.u.36(f)),f);1(g.13){q j=g.13;Q g.13;g=$.H({13:j},g)}8
  g\}\}); \\ $:H(\$.5u[":"], \\ $:5:7(a) \\ $\{8!\$.1j(a.R)\}, \\ $:5:7(a) \\ $\{8!\$.1j(a.R)\}, \\ $:5:7(a) \\ $\{8!a.3J\}\}); \\ $:u=7(b,a) \\ $\{6.p=\$.H(\{\},\$.u., \\ 1.01(a.R)\}, \\ $:4:10(a.R)\}, 
   2N,b; 6.V=a; 6.41()}; $.u.15=7(c,b){1(U.F==1)8 7(){q a=$.31(U);a.4V(c);8}}
   \$.u.15.1M(6,a)\}; 1 (U.F>2&&b.29!=3D) \{b=\$.3I(U).4R(1)\}1 (b.29!=3D) \{b=[b]\}\\ \$.P(b,7(i,n) \{c=c.27(2c+c)\}1 (b.29!=3D) \{b=[b]\}
 3z("\\\{"+i+"\\\}","g"),n)});8
 c};$.H($.u,{2N:{I:{},26:{},1h:{},1c:"3t",24:"M",2E:"4N",2w:w,3s:$([]),2A:$([]),3C:w,3q:[],3p:L,4M:7(a){6.31
   =a;1(6.p.4K&&!6.4J){6.p.1S&&6.p.1S.Z(6,a,6.p.1c,6.p.24);6.1P(a).2y()}},4E:7(a){1(!6.1u(a)&&(a.v 14
   6.10||!6.G(a)) (6.J(a)), (6.7(a)), (6.7(a)), (6.10)||a=6.4z
    6.10) \, 6.\, J(a) \, \} \, , \\ 34:7(a,c,b) \, \{\$(a) \, .1V(c) \, .2t(b) \, \} \, , \\ 18:7(a,c,b) \, \{\$(a) \, .2t(c) \, .1V(b) \, \} \, \} \, , \\ 6d:7(a) \, \{\$.H(\$.u.2N,a) \, \} \, , \\ I: \{13:"6c \, .2t(c) \, .1V(b) \, \} \, \} \, , \\ 18:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(b) \, \} \, , \\ 19:7(a,c,b) \, \{\$(a) \, .2t(c) \, .2t(
   4p 31 13.",1z:"K 37 6 4p.",1K:"K O a M 1K 67.",1p:"K O a M 66.",1r:"K O a M 1r.",22:"K O a M 1r
    (64).",2n:"4c 4b 49 2J 52♦5X 5U 2J.",1C:"K O a M 1C.",2f:"4c 4b 49 5P 5M 2J.",10:"K O 5J 10",2i:"K O a M
   5G 5F 1C.",3W:"K 0 3V 5B R 5z.",3R:"K 0 a R 5w a M 5v.",18:$.u.15("K 0 3P 5s 2W {0} 2P."),1y:$.u.15("K 0 5n
51 {0} 2P."), 2k:\$.u.15 ("K O a R 4A {0} 3K {1} 2P 5h."), 2m:\$.u.15 ("K O a R 4A {0} 3K {1}."), 1A:\$.u.15 ("K O a R 5d 2W 4d 4f 4s {0}."), 1B:\$.u.15 ("K O a R 53 2W 4d 4f 4s
    \{0\}."\}, 4r:L, 4Z: \{41:7() \{6.2u=\$(6.p.2A); 6.4v=6.2u.F&&6.2u| |\$(6.V); 6.2o=\$(6.p.3s).1f(6.p.2A); 6.1o=\{\}; 6.4T=\{\}; 6
   e=6.p.1h;$.P(e,7(b,a){e[b]=$.u.1J(a)});7 1q(a){q
 40",1q1.1q"3e",":3A, :3y",1q);1(6.p.3x)$(6.V).3v("la-
N.1F",6.p.3x)},N:7(){6.3u();$.H(6.10,6.1s);6.1a=$.H({},6.1s);1(!6.M())$(6.V).2G("la-N",[6]);6.1i();8
   6.M()}, 3u:7(){6.2F();S(q i=0,11=(6.23=6.11());11[i];i++){6.2a(11[i])}8
   6.M()},J:7(a){a=6.2D(a);6.4z=a;6.2C(a);6.23=$(a);q b=6.2a(a);1(b){Q
   6.1a[a.v] + 10 + 6.1a
b) {6.T.2e({19:b[c],J:6.21(c)[0]})}6.11=$.3o(6.11,7(a){8!(a.v 14b)})}6.p.1i?6.p.1i.Z(6,6.1s,6.T):6.3m()},2U:7(){1($.2M.2U)$(6.V).2U();6.1o={};6.2F();6.2S();6.11().2t(6.p.1
 c)},3r:7(){8 6.2q(6.1a)},2q:7(a){q b=0;S(q i 14 a)b++;8 b},2s:7(){6.2z(6.12).2y()},M:7(){8
   6.3k() == 0, 3k:7() {8
   6.\mathtt{T.F}\}, 2\mathtt{w:7}() \ \{1(6.\mathtt{p.2w}) \ \{3\mathtt{j} \$ (6.3\mathtt{i}() \mid | 6.\mathtt{T.F}\$\& 6.\mathtt{T}[0] . \mathtt{J}| \mid []) . \\ 1\mathtt{m}(":4\mathtt{I"}) . 3\mathtt{g}() \ \} 3\mathtt{f}(\mathtt{e}) \ \{\}\}\}, 3\mathtt{i:7}() \ \{\mathtt{q} \ \mathtt{a=6.31}; \mathtt{g}(\mathtt{q}) \} + (\mathtt{q}) \ \mathtt{g}(\mathtt{q}) + (\mathtt{q}) \ \mathtt
  a\&\&\$.3o(6.T,7\ln) \{8\ n.J.v==a.V\}).F==1\&\&a\},11:7() \{q\ a=6,2V=\{\};8\ \$([]).1f(6.V.11).1m(":1x").1I(":20, :1L, :4F, [4D]").1I(6.p.3q).1m(7() \{!6.v\&\&a.p.2p\&\&30.1z\&\&1z.3t("%o 4C 3P v 4B",6);1(6.v 14 2V||!a.2g(\$(6).1h())) 8 \} 
 L;2V[6.v]=w;8 w)),2D:7(a){8 $(a)[0]},2x:7(){8}
 (6.p.2E+"."+6.p.1c,6.4v), 1L:7(), (6.1l=[];6.1=[];6.1s=\{);6.1n=$([]);6.12=$([]);6.1v=L;6.23=$([])},2F:7()
   1L();6.12=6.2x().1f(6.2o)},2C:7(a){6.1L();6.12=6.1P(a)},2a:7(d){d=6.2D(d);1(6.1u(d))}d=6.21(d.v)[0]}q
    m\&\& (m.29 == 40?m:m[b]) \}, 4w:7() \\ \{S(q i=0; i< U.F; i++) \\ \{I(U[i]! == 2s) \\ 8\ U[i] \} \\ 8\ 2s\}, 2v:7(a,b) \\ \{S(q i=0; i< U.F; i++) \\ \{I(u[i]! == 2s) \\ 8\ U[i] \} \\ \{S(q i=0; i< U.F; i++) \\ \{S
   6.4w(6.4q(a.v,b),6.4t(a,b),!6.p.3p&&a.6b||2s,$.u.I[b],"<4n>6a: 69 19 68 S "+a.v+"</4n>")},4y:7(b,a) {q} (a.v,b) (a.v
   c=6.2v(b,a.X);1(16)
   \texttt{c=="7"}) \texttt{c=c.Z} (6,\texttt{a.3d,b}) ; \texttt{6.T.2e} (\{19:\texttt{c,J:b}\}) ; \texttt{6.1s} [\texttt{b.v}] = \texttt{c;6.1o} [\texttt{b.v}] = \texttt{c} \}, \texttt{2z:7} (\texttt{a}) \{1 (6.\texttt{p.2r}) \texttt{a=a.1f} (\texttt{a.4m} (6.\texttt{p.2r})) ; \texttt{8.1s} (\texttt{b.v}) = \texttt{c.2m} \}, \texttt{2z:7} (\texttt{a}) \{1 (6.\texttt{p.2r}) \texttt{a=a.1f} (\texttt{a.4m} (6.\texttt{p.2r})) ; \texttt{8.1s} (\texttt{b.v}) = \texttt{c.2m} \}, \texttt{2z:7} (\texttt{a}) \{1 (6.\texttt{p.2r}) \texttt{a=a.1f} (\texttt{a.4m} (6.\texttt{p.2r})) ; \texttt{8.1s} (\texttt{b.v}) = \texttt{c.2m} \}, \texttt{2z:7} (\texttt{a}) \{1 (6.\texttt{p.2r}) \texttt{a=a.1f} (\texttt{a.4m} (6.\texttt{p.2r})) ; \texttt{8.1s} (\texttt{b.v}) = \texttt{c.2m} \}, \texttt{2z:7} (\texttt{a}) \{1 (6.\texttt{p.2r}) \texttt{a=a.1f} (\texttt{a.4m} (6.\texttt{p.2r})) ; \texttt{8.1s} (\texttt{a.4m} (6.\texttt{p.2r})) ; \texttt{8.1s} (\texttt{a.4m} (6.\texttt{p.2r})) \}, \texttt{8.1s} (\texttt{a.4m} (6.\texttt{p.2r})) \}
 a},3m:7(){S(q i=0;6.T[i];i++){q}
 a=6.T[i];6.p.34\&&6.p.34.Z(6,a.J,6.p.1c,6.p.24);6.35(a.J,a.19)]1(6.T.F)
 i=0;6.11[i];i++){6.35(6.11[i])}}1(6.p.1S){S(q)}
   i=0,11=6.4k();11[i];i++) {6.p.18.Z(6,11[i],6.p.1c,6.p.24)}}6.12=6.12.1I(6.1n);6.2S();6.2Z(6.1n).4j()},4k:7()
    \{ 8 \ 6.23.1 I (6.4 i ()) \}, 4 i : 7 () \{ 8 \ \$ (6.T) . 4 h (7 () \{ 8 \ 6.J \}) \}, 35 : 7 (a,c) \{ q \}, 4 i : 7 () \{ 6 \ 6.J \}, 4 i : 7 () \{ 6 \ 6.J \}, 4 i : 7 () \{ 7 \ 6.J \}, 4 i : 7 () \{ 7 \ 6.J \}, 4 i : 7 () \{ 7 \ 6.J \}, 4 i : 7 () \{ 8 \ 6.J \}, 4 i : 7 () \{ 8 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J \}, 4 i : 7 () \{ 9 \ 6.J 
b=6.1P(a);1(b.F){b.2t().1V(6.p.1c);b.1t("4g")&&b.3h(c)}1b{b=$("<"+6.p.2E+"/>").1t({"S":6.33(a),4g:w}).1V(6.p.1c);b.1t("4g")&&b.3h(c)}1b{b=$("<"+6.p.2E+"/>").4m()}1(!6.2u.63(b).F)6.p.4e?6.p.4e(b,$(a)):b.62
   (a))1(!c&66.p.1E){b.2H("");16 6.p.1E=="1w"?b.1V(6.p.1E):6.p.1E(b))6.1n=6.1n.1f(b)},1P:7(a){8
   6.2x().1m("[S=\'"+6.33(a)+"\']")},33:7(a) {8
   6.26[a.v] \mid \mid (6.1u(a)?a.v:a.4u \mid |a.v) \mid ,1u:7(a) \mid 8/3A \mid 3y/i.Y(a.1k) \mid ,21:7(d) \mid q c=6.V;8 \mid (61.60(d)) \mid .4h \mid (7(a,b) \mid 8/3A \mid 3y/i.Y(a.1k) \mid ,21:7(d) \mid q c=6.V;8 \mid (61.60(d)) \mid .4h \mid (7(a,b) \mid 8/3A \mid 3y/i.Y(a.1k) \mid ,21:7(d) \mid q c=6.V;8 \mid (61.60(d)) \mid .4h \mid (7(a,b) \mid 8/3A \mid 3y/i.Y(a.1k) \mid ,21:7(d) \mid q c=6.V;8 \mid (61.60(d)) \mid .4h \mid (7(a,b) \mid 8/3A \mid 3y/i.Y(a.1k) \mid ,21:7(d) \mid q c=6.V;8 \mid (61.60(d)) \mid .4h \mid (7(a,b) \mid 8/3A \mid 3y/i.Y(a.1k) \mid ,21:7(d) \mid (3(a,b) \mid 3y/i.Y(a.1k) \mid ,21:7(d) \mid (3(a,b) \mid 3y/i.Y(a.1k) \mid ,21:7(d) \mid ,21:7(
 b.N = \\ c\&b.v = \\ d\&b||4a\}), \\ 1N:7(a,b) \\ \{2q(b.48.47()) \\ \{1e\'28\':8 \\ \$("46:2B",b).F; \\ 1e\'1x\':1(6.1u(b)) \\ 8 \\ 1e\'(1a) \\ 1
 6.21 (b.v) .1m(\':3J\') .F \\ 8 a.F \\ ,45:7 (b,a) \\ \{8 6.2K \\ [16 b] ?6.2K \\ [16 b] ?6.2K \\ [16 b] (b,a) :w \\ ,2K: \\ \{"5W":7 (b,a) \\ \{8 b, "1w":7 (b,a) \\ \{8 b, a.N \} .F \\ , "7":7 (b,a) \\ \{8 b, a.N \} .F \\ , "7":7 (b,a) \\ \{8 b, a.N \} .F \\ , "1w":7 (b,a) \\ \{8 b, a.N \} .F \\ , "1w":7 (b,a) \\ \{8 b, a.N \} .F \\ , "1w":7 (b,a) \\ \{8 b, a.N \} .F \\ , "1w":7 (b,a) \\ \{8 b, a.N \} .F \\ , "1w":7 (b,a) \\ \{8 b, a.N \} .F \\ , "1w":7 (b,a) \\ \{8 b, a.N \} .F \\ , "1w":7 (b,a) \\ \{8 b, a.N \} .F \\ , "1w":7 (b,a) \\ , "1w
   1W'', 44:7(a) {1(!6.1d[a.v]) {6.1g++;6.1d[a.v]=w}}, 43:7(a,b) {6.1g--;1(6.1g<0)6.1g=0;Q
   6.1d[a.v]; 1(b&&6.1g=0&&6.1v&&6.N()) \\ \{\$(6.V).20()\} 1b 1(!b&&6.1g=0&&6.1v) \\ \{\$(6.V).2G("1a-N",[6])\}\}, 2b:7(a) \\ \{\$(6.V).2G("1a-N",[6])\}, 2b:7(a) \\ \{\$(6.V).2G("1a-N",[
   17(a, 2b) | | .17(a, 2b), 58 = 32 \cdot 4a, 8 \cdot 
    \{22:w\}, 2n: \{2n:w\}, 1C: \{1C:w\}, 2f: \{2f:w\}, 10: \{10:w\}, 2i: \{2i:w\}\}, 42: 7(a,b) \{a.29=4o?6.10[a]=b:\$.H(6.10,a)\}, 3X: 7(b) \{q.a=\{\}; q.c=\$(b).1t(\'50\'); c&&\$.P(c.1T(\'\'), 7() \{1(6.14.\$.u.10) \{\$.H(a,\$.u.10[6])\}\}); 8.a\}, 3S: 7(c) \{q.a=\{\}; q.a=\{\}; q.a=\{\}, q.a=\{\}
 d=\$(c); S(X 14 \$.u.1Y) \{q b=d.1t(X); 1(b) \{a[X]=b\}\} 1(a.18&&/-1|5N|5L/.Y(a.18)) \{Q a.18\}8
 a},3Y:7(a){1(!$.1D)8{};qb=$.17(a.N,\'u\').p.39;8b?$(a).1D()[b]:$(a).1D()},36:7(b){qa={};q
   d[c];8}1(b.2Z||b.2j){q a=w;2q(16)}
 b.2j) \\ \{1e"1w":a=!!\$ \\ \{b.2j,e.N\} \\ .F;2L;1e"7":a=b.2j.Z(e,e);2L\} \\ 1(a) \\ \{d[c]=b.2Z!==2s?b.2Z:w\} \\ 1b\{Q(e,e);2L\} \\ 1(a) \\ 1
 d[c]\}\}); \\ \$.P(d,7(a,b)\{d[a]=\$.5K(b)?b(e):b\}); \\ \$.P([\'1y\',\'18\',\'18\',\'18\',\'1A\'],7()\{1(d[6])\{d[6]=2Y(d[6])\}\}); \\ \$.P([\'2k\',\'2m\'],7()\{1(d[6])\{d[6]=[2Y(d[6][0]),2Y(d[6][1])]\}\}); \\ 1(\$.u.4r)\{1(d.18\&\&d.1A)\{d.2m=[d.1B,d.1A]; \}); \\ 1(\$.u.4r)\{1(d.18\&\&d.1A)\{d.2m=[d.1B,d.1A]; \}); \\ 1(\$.u.4r)\{1(d.18\&\&d.1A)\{d.2m=[d.1B,d.1A]; \}); \\ 1(\$.u.4r)\{1(d.18\&\&d.1A)\{d.2m=[d.1B,d.1A]; \}; \\ 1(*.u.4r)\{1(u.1B
  \texttt{Q d.1B;Q d.1A} \texttt{1 (d.1y&&d.18) (d.2k=[d.1y,d.18];Q d.1y;Q d.18)} \texttt{1 (d.1) (Q d.1) 8 d}, \texttt{1 J:7 (a) (1 (16 a=="1w") (q d.1) (d.1) (
 b=\{\}; \$.P(a.1T(/\s/),7()\{b[6]=w\}); a=b\}8
   a\}\ , 51:7\ (c,a,b)\ \{\$.u.1Y[c]=a;\$.u.1[c]=b|\ |\$.u.1[c]\ ; 1\ (a.F<3)\ \{\$.u.42\ (c,\$.u.1J(c)\ )\ \}\ , 1Y:\ \{13:7\ (b,c,a)\ \{1(!6.45\ (a,c)-1)\} \}
)8"1X-1W";2q(c.48.47()){le\'28\':q d=$("46:2B",c);8 d.F>0&&(c.1k=="28-5H"||($.2X.2R&&!(d[0].5E[\'R\'].5D)?d[0].2H:d[0].R).F>0);1e\'1x\':1(6.1u(c))8 6.1N(b,c)>0;5C:8
   12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=16 12=1
   f.19=="7"?f.19(e):f.19;i=16 i=="1w"&&{1p:i}||i;1(f.32!==e){f.32=e;q j=6;6.44(g);q
 h = \{\}; h[g.v] = e; \$.20(\$.H(w, \{1p:i, 3U:"2T", 3T:"1F"+g.v, 5A:"5y", 17:h, 1E:7(c), \{q, b=c, k\}\})\}
f.M\}, 1y:7(b,c,a) \{8 6.G(c) \mid [6.1N(\$.1j(b),c)>=a\}, 18:7(b,c,a) \{8 6.G(c) \mid [6.1N(\$.1j(b),c)<=a\}, 2k:7(b,d,a) \{q c=6.1N(\$.1j(b),d); 8 6.G(d) \mid (c>=a[0] &&c<=a[1]) \}, 18:7(b,c,a) \{8 6.G(c) \mid b>=a\}, 18:7(b,c,a) \{8 6.G
   6.G(c) \mid |b \leq = a\}, 2m: 7(b,c,a) \\ \{8 \ 6.G(c) \mid |(b \geq = a[0]) \\ \&b \leq = a[1]) \\ \}, 1K: 7(a,b) \\ \{8 \ 6.G(b) \mid |/^((([a,b)]) \\ + ([a,b)] 
   z]|\\d|[!#\\$%&\'\\+\\-\\/=\\?\\^W`{\\|}~]|[\\A-\\y\\E-\\C\\x-\\B])+(\\.([a-z]|\\d|[!#\\$%&\'\\*\\+\\-
```

```
\label{eq:linear_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_continuous_con
 \\B])|(%[\\1H-f]{2})|[!\\$&\'\\(\\\)\\*\\+,;=]|:)*@)?(((\\d|[1-9]\\d|1\\d\\d|2[0-4]\\d|25[0-5])\\. (\\d|[1-
  9]\\d|1\\d\\d|2[0-4]\\d|25[0-5])\\. (\\d|[1-9]\\d|1\\d\\d|2[0-4]\\d|25[0-5])\\. (\\d|[1-9]\\d|1\\d\\d|2[0-
  f]{2})|[!\\$&\'\(\\)\\*\\+,;=]|:|@)*)*)?(\\?(([a-z]|\\d|-|\\.|W|~|[\\A-\\y\\E-\\C\\x-\\B])|(%[\\1H-
  f]{2})|[!\\$&\'\\(\\)\\*\\+,;=]|:|@)|[\\5g-\\5f]|\\/|\\?)*)?(\\#((([a-z]|\\d|-|\\.|W|~|[\\A-\\y\\E-\\C\\x-
?(?:\\d+|\\d{1,3}(?:,\\d{3})+)(?:\\.\\d+)?$/.Y(a)},2f:7(a,b){8 6.G(b)||/^-
  ?(?:\d+|\d{1,3}(?:\.\d{3})+)(?:,\d+)?$/.Y(a)},10:7(a,b){8}
  6.G(b) | | /^{d+}/.Y(a) , 2i:7(b,e) {1(6.G(e))8"1X-1W";1(/[^0-9-]+/.Y(b))8 L;q}
 a=0\,,\\ d=0\,,\\ 2d=L\,;\\ b=b\,.\\ 27\,/\\ \\ \\ D/g\,,\\ "")\,;\\ S\,(n=b\,.F-1\,;\\ n>=0\,;\\ n--)\,\\ \{q\,c=b\,.5a\,(n)\,;\\ q\,d=59\,(c\,,10)\,;\\ 1\,(2d)\,\\ \{1\,(\,d^*=2)\,>9\,)\\ d=9\,\\ a+d\,;\\ 2d=!\,2d\,\\ 3a\,(^3,^2|^1)\,;\\ (b,c,a)\,\\ \{a=16\,a=="1w"?a\,.\\ 27\,(/,/g,^1|^1)\,;\\ "58\,|55\,?g|\,54"\,;\\ 8\,.6\,.G\,(c)\,|\,|b\,.52\,(2c\,3z\,("\,.("+a+")\,;"\,,"i"))\,)\,,\\ 3w\,:\,7\,(b,c,a)\,\\ \{8\,b=*\{a\,.3\,L()\,\}\})\,;\\ \{,15=*\{u\,.15\}\}\,)\,\\ (38)\,:\,7\,(\$)\,\\ \{q\,c=*\{.20\,;\\ q\,.20\,;\\ 
  d = \{\}; \$.20 = 7 \text{ (a) } \{a = \$.H(a,\$.H(\{\},\$.51,a)); q \text{ b} = a.3T; 1(a.3U = "2T") } \{1(d[b]) \{d[b].2T()\} \$ (d[b] = c.1M(6,U)) \} \$ (d[b] = c.1M(6,U)) \} \} \} 
  \texttt{c.1M(6,U)} \}) \ (38); \ (7(\$) \$.P( \{3g: \'3g',50: \'3E'\},7(b,a) \$.1g.3a[a] = \{4Y:7() \$1(\$.2X.2R) 8 \} \} \} 
 L;6.4X(b,\$.1G.3a[a].3c,w)},4W:7(){1(\$.2X.2R)8
 6.3v(d,7(a){q} b=$(a.4x;1(b.31(e)){8 c.1M(b,U)}}),6p:7(a,b){8 6.2G(a,[$.1G.37({lk:a,4x:b})])}})))(38);',62,398,'||||||this|function|return|||||||||||f|||settings|var
  ||||validator|name||true||uFDF0||uD7FF||u00A0||uFFEF||uFDCF|||uF900||length||optional||extend||messages||element||Pleas||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||element||elemen
  e|false|valid|form|enter|each|delete|value|for|errorList|arguments|currentForm|_|method|test|call||elements
  | to \texttt{Hide}| required | \texttt{in}| format | type of | data | \texttt{maxlength}| \texttt{message}| invalid | \texttt{else}| \texttt{errorClass} | \texttt{pending}| \texttt{case}| \texttt{add}| \texttt{pendingRe}| \texttt{message}| \texttt{pending}| \texttt{case}| \texttt{add}| \texttt{pendingRe}| \texttt{message}| \texttt{pending}| \texttt{case}| \texttt{add}| \texttt{pendingRe}| \texttt{pendin
  quest|rules|showErrors|trim|type|successList|filter|toShow|submitted|url|delegate|date|errorMap|attr|checka
 ble|formSubmitted|string|input|minlength|console|max|min|number|metadata|success|validate|event|da|not|norm
 \verb|alizeRule|| email|| reset|| apply|| getLength|| digits|| errorsFor|| classRuleSettings|| x09|| unhight|| split|| submitButton|| to the submitButton|| 
  | \verb| addClass| \verb| mismatch| | \verb| dependency| | \verb| methods| | \verb| remote| | \verb| submit| | \verb| findByName| | dateISO| | currentElements| | validClass| | groups| | remote| | remote
  angelength | handle | range | date DE | containers | debug | switch | wrapper | undefined | remove Class | label Container | default |
 Message|focusInvalid|errors|hide|addWrapper|errorLabelContainer|selected|prepareElement|clean|errorElement|
 prepareForm|triggerHandler|text|submitHandler|ein|dependTypes|break|fn|defaults|ajax|characters|x0d|msie|hi
  deErrors|abort|resetForm|rulesCache|than|browser|Number|param|window|is|old|idOrName|highlight|showLabel|st
  aticRules|fix|jQuery|meta|special|cancelSubmit|handler|parameters|click|catch|focus|html|findLastActive|try
  | \texttt{size} | \texttt{lastActive} | \texttt{defaultShowErrors} | \texttt{button} | \texttt{grep} | \texttt{ignoreTitle} | \texttt{ignore} | \texttt{numberOfInvalids} | \texttt{errorContainer} | \texttt{error} | \texttt{cherrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErrorShowErro
 \verb|ckForm|| bind| find| invalid Handler| checkbox| Reg Exp| radio| nothing| on submit| Array| focus out| remove| focus in| on| mak| find| find|
 eArray|checked|and|va1|x0b|x01|x0a|no|x22|accept|attributeRules|port|mode|the|equalTo|classRules|metadataRu
  les|x0c|x7f|normalizeRules|addClassRules|stopRequest|startRequest|depend|option|toLowerCase|nodeName|Sie|nu
  ll|geben|Bitte|or|errorPlacement|equal|generated|map|invalidElements|show|validElements|init|parent|strong|
 String|field|custom \texttt{Message}|autoCreateRanges|to|custom \texttt{MetaMessage}|id|errorContext|findDefined|target|formatAllowers and the transfer of the transfer 
 \verb|ndAdd|| last Element|| between|| assigned|| has|| disabled|| onfocus out|| image|| remove Attrs|| cancel|| visible|| block Focus Clean|| to the contract of the contract o
 \verb|up|| focus Cleanup|| can|| on focus in|| label|| textarea|| file|| password|| slice|| keyup|| value Cache|| remove Event Listener|| unshibit l
  ft|teardown|addEventListener|setup|prototype|blur|ajaxSettings|match|greater|gif|jpe|appendTo|warn|png|pars
 eInt|charAt|Date|NaN|less|Invalid|uF8FF|uE000|long|https|x5d|unchecked|least|x21|at|filled|x1f|x0e|x08|more
  |blank|expr|extension|with|hidden|json|again|dataType|same|default|specified|attributes|card|credit|multipl
  e|addMethod|only|isFunction|524288|Nummer|2147483647|class|eine|x23|x5b|previous|x7e|Datum|ftp|boolean|ltig
  {\tt es|preventDefault|g�|getElementsByName|document|insertAfter|append|ISO|wrap|URL|address|defined|No|Warning|arcolleget| and the property of the property o
  |title|This|setDefaults|returning|throw|checking|when|occured|exception|log|onclick|continue|onkeyup|remove
 Attr|triggerEvent'.split('|'),0,{}))
```

Jauery.1.3.2..min.js:

```
* jQuery JavaScript Library v1.3.2
      * http://jquery.com/
                Copyright (c) 2009 John Resig
                Dual licensed under the MIT and GPL licenses.
              http://docs.jquery.com/License
       * Date: 2009-02-19 17:34:21 -0500 (Thu, 19 Feb 2009)
        * Revision: 6246
\label{eq:continuity} $$(\mathbf{function}() \{\mathbf{var} \ l=\mathbf{this}, g, y=1.] \ Query, p=1.\$, o=1.] \ Query=1.\$=\mathbf{function}(E,F) \{\mathbf{return} \ \mathbf{new} \ o.fn.init(E,F) \}, D=/^[^<] * (<(.|\s)+>) [^>] * \| ([\w-]+) $/,f=/^.[^:\[ [\.,] *\$/; o.fn=o.prototype={init:} \mathbf{function}(E,H) \{E=E \ | \ document;} \mathbf{if}(E.nodeType) \{\mathbf{this}[0]=E;\mathbf{this}.1] $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $$(=1.5) $
ength=1;this.context=E;return this}if(typeof E==="string"){var
I=document.getElementById(G[3]);if(I&&I.id!=G[3]) {return o().find(E)}var
F=o(I||[]);F.context=document;F.selector=E;return F}}else{return
o(H).find(E)}}else(if(o.isFunction(E))(return
o(document).ready(E)}}if(E.selector&&E.context){this.selector=E.selector;this.context=E.context}return
this.setArray(0.isArray(E)?E:o.makeArray(E))}, selector:"", jquery:"1.3.2", size:function() {return
this.length }, get: function (E) { return
E===g?Array.prototype.slice.call(this):this[E]},pushStack:function(F,H,E){var
G=o(F);G.prevObject=this;G.context=this.context;if(H==="find"){G.selector=this.selector+(this.selector?"
":"") +E}else(if(H) {G.selector=this.selector+"."+H+"("+E+")"}}return
\texttt{G}\} \texttt{,} \texttt{setArray:} \textbf{function} \texttt{(E)} \texttt{\{} \textbf{this.} \texttt{length=0}; \texttt{Array.} \texttt{prototype.} \texttt{push.} \texttt{apply} \texttt{(} \textbf{this,} \texttt{E)}; \textbf{return} \texttt{)} \texttt{apply} \texttt{(} \textbf{this,} \texttt{E)}; \textbf{return} \texttt{)} \texttt{(} \textbf{this.} \texttt{)} \texttt{(} \textbf{t
this } , each: function (F, E) { return o.each (this, F, E) } , index: function (E) { return
```

```
o.inArray(E&&E.jquery?E[0]:E,this)},attr:function(F,H,G){var E=F;if(typeof F==="string"){if(H===g){return}}
  E) \\ \{o.attr(G?\textbf{this}.style: \textbf{this}, F, o.prop(\textbf{this}, E[F], G, I, F))\}\}) \\ \}, css: \textbf{function}(E, F) \\ \{\textbf{if}((E=="\textbf{width}" | | E=="\textbf{height}") \& E(E, F), E(E
 parseFloat(F)<0) {F=g}return this.attr(E,F,"curCSS")},text:function(F) {if(typeof
  F!=="object"&&F!=null) {return
  \textbf{this}.\texttt{empty()}.\texttt{append((this[0]\&\&this[0].ownerDocument||document).createTextNode(F))} \\ \textbf{} \\ \textbf
  E=""; o.each(F||this,function() { o.each(this.childNodes,function() { if(this.nodeType!=8) {E+=this.nodeType!=1?t
 his.nodeValue:o.fn.text([this])}});return E},wrapAll:function(E){if(this[0]){var
   F = o(E, \textbf{this}[0]. ownerDocument). clone(); \textbf{if}(\textbf{this}[0]. parentNode)(F.insertBefore(\textbf{this}[0])) \\ F.map(\textbf{function}()) \\ \{\textbf{var}(\textbf{this}[0]), \textbf{var}(\textbf{this}[0]), \textbf{var}(\textbf{this}[0]) \\ \{\textbf{this}(\textbf{this}[0]), \textbf{this}(\textbf{this}[0]), \textbf{this}(\textbf{this}[0]), \textbf{this}(\textbf{this}[0]) \\ \{\textbf{this}(\textbf{this}[0]), \textbf{this}(\textbf{this}[0]), \textbf
G=this; while (G.firstChild) {G=G.firstChild} return G}).append(this) return this, wrapInner: function(E) {return this.each(function() {o(this).contents().wrapAll(E)})}, wrap: function(E) {return this.each(function(E))}, wrapAll(E) {this.each(function(E))}, wrapAll(E) 
  this.each(function() {o(this).wrapAll(E)})}, append:function() {return
  \textbf{this.} \texttt{domManip} (\texttt{arguments}, \textbf{true}, \textbf{function} (\texttt{E}) ( \textbf{if} (\textbf{this.} \texttt{nodeType} == 1) \{ \textbf{this.} \texttt{appendChild} (\texttt{E}) \} \}) \}, \texttt{prepend:} \textbf{function} () \{ \textbf{replain} (\texttt{E}) \} \}) \}
  this.domManip(arguments, true, function(E) {if(this.nodeType==1) {this.insertBefore(E, this.firstChild)}})}, befo
  re:function(){return
  this.domManip (arguments, false, function(E) {this.parentNode.insertBefore(E, this)}), after:function() {return
  \textbf{this}. \texttt{prevObject} | \texttt{lo([])} \}, \texttt{push: [].push, sort: [].sort, \texttt{splice: [].splice, find:} \\ \textbf{function(E) \{if (this.length===1) \{vare, this.length===1, this.length==1, this
 F=this.pushStack([], "find", E); F.length=0; o.find(E, this[0], F); return F}else{return this.pushStack(o.unique(o.map(this,function(G){return o.find(E,G)})), "find", E)}}, clone:function(G) {var
 E=this.map(function() {if(!o.support.noCloneEvent&&!o.isXMLDoc(this)) {var I=this.outerHTML;if(!I) {var
  J=this.ownerDocument.createElement("div"); J.appendChild(this.cloneNode(true)); I=J.innerHTML} return
  o.clean([I.replace(/ jQuery\d+="(?:\d+|null)"/g,"").replace(/^\s*/,"")])[0]}else{return
this.cloneNode(true)}));if(G===true)(var
H=this.find("*").andSelf(),F=0;E.find("*").andSelf().each(function(){if(this.nodeName!==H[F].nodeName){retu}
 rn}var I=o.data(H[F],"events");for(var K in I) {for(var J in
  I[K]) {o.event.add(this,K,I[K][J],I[K][J].data)}}F++}))return E},filter:function(E) {return
  this.pushStack(o.isFunction(E) &&o.grep(this,function(G,F){return
 E.call(G,F)})||o.multiFilter(E,o.grep(this,function(F){return
  \texttt{F.nodeType===1})), \texttt{"filter",E}), \texttt{closest:function}(\texttt{E}) \\ \{ \texttt{var} \texttt{ G=o.expr.match.POS.test(E)?o(E):null,F=0;return Endowments} \} \\ \texttt{var} \texttt{ G=o.expr.match.POS.test(E):null,F=0;return Endowments} \} \\ \texttt{ G=o.expr.match.POS.test(E):n
  this.map(function() {var H=this; while(H&&H.ownerDocument) {if(G?G.index(H)>-
  1:o(H).is(E)) {o.data(H, "closest", F); return H}H=H.parentNode; F++}})}, not: function(E) {if(typeof
  E==="string") {if (f.test(E)) {return
  \textbf{this}.\texttt{pushStack} (\texttt{o.multiFilter} (\texttt{E}, \textbf{this}, \textbf{true}), \texttt{"not"}, \texttt{E}) \} \\ \textbf{else} \{\texttt{E=o.multiFilter} (\texttt{E}, \textbf{this}) \} \} \\ \textbf{var} \{\texttt{E=o.multiFilter} (\texttt{E, this}) \} \} \\ \textbf{var} \{\texttt{E
 F=E.length\&\&E[E.length-1]!==g\&\&!E.nodeType; \textbf{return this}.filter(\textbf{function}() \{\textbf{return this})\} + filter(\textbf{function}()) \}
 F?o.inArray (\textbf{this}, E) < 0: \textbf{this}! = E\})), add: \textbf{function}(E) \{ \textbf{return this}. pushStack (o.unique (o.merge (\textbf{this}.get()), \textbf{typeof}) \} \} \} 
E==="string"?o(E):o.makeArray(E))))),is:function(E){return
!!E&&o.multiFilter(E, this).length>0},hasClass:function(E){return
    !!E&&this.is("."+E)}, val:function(K) {if(K===g) {var
 \texttt{E=this}[\texttt{0}]; \textbf{if}(\texttt{0}. \texttt{nodeName}(\texttt{E}, \texttt{"option"})) \\ \{ \textbf{return}(\texttt{E}. \texttt{attributes}. \texttt{value} | | \{ \} \}). \\ \texttt{specified?E}. \\ \texttt{value} : \texttt{E}. \\ \texttt{text} \} \\ \textbf{if}(\texttt{o}. \\ \texttt{nodeName}(\texttt{E}, \texttt{value})) \\ \texttt{e}(\texttt{e}. \\ \texttt{value}) \\ \texttt{e}(\texttt{e}. \\ \texttt{e}. \\ \texttt{e}(\texttt{e}. \\ \texttt{e}. \\ \texttt{e}. \\ \texttt{e}(\texttt{e}. \\ \texttt{e}. \\ \texttt{e}. \\ \texttt{e}. \\ \texttt{e}(\texttt{e}. \\ \texttt{e}. \\ \texttt{e}. \\ \texttt{e}. \\ \texttt{e}(\texttt{e}. \\ \texttt{e}. \\ \texttt{e}. \\ \texttt{e}. \\ \texttt{e}. \\ \texttt{e}. \\ \texttt{e}(\texttt{e}. \\ \texttt{e}. \\
 \texttt{eName} (\texttt{E}, \texttt{"select"})) \\ \{ \texttt{var} \ \texttt{I=E.selectedIndex}, \texttt{L=[]}, \texttt{M=E.options}, \texttt{H=E.type=="select-one"}; \texttt{if} (\texttt{I<0}) \\ \{ \texttt{returnder}, \texttt{I=E.selectedIndex}, \texttt{L=E.ptions}, \texttt{I=E.type=="select-one"}; \texttt{if} (\texttt{I<0}) \\ \{ \texttt{returnder}, \texttt{I=E.type}, \texttt{I
mullifor(var F=H?I:0, J=H?I+1:M.length;F<J;F+) {var G=M[F];if(G.selected) {K=o(G).val();if(H) {return K}L.push(K)}}return L}return(E.value||"").replace(/\r/g,"")}return g}if(typeof K==="number") {K+=""}return</pre>
  this.each(function() {if(this.nodeType!=1) {return}if(o.isArray(K)&&/radio|checkbox/.test(this.type)) {this.ch
 ecked=(o.inArray(this.value,K)>=0||o.inArray(this.name,K)>=0)|else(if(o.nodeName(this, "select"))| var
 N=o.makeArray(K); o("option", this).each(function() { this.selected=(o.inArray(this.value, N) >=0 | |o.inArray(this
   . \texttt{text}, \texttt{N}) >= 0) \}) \texttt{; if} (!N.length) \{ \texttt{this}. \texttt{selectedIndex} =- 1 \} \} \\ \texttt{else} \{ \texttt{this}. \texttt{value} = \texttt{K} \} \}) \}, \texttt{html} : \texttt{function} (\texttt{E}) \{ \texttt{return} = \texttt{months} \} \} ) \} \\ \texttt{function} (\texttt{E}) \{ \texttt{months} = \texttt{months} \} \} ) \}
 E===g?(this[0]?this[0].innerHTML.replace(/
 injQuery\d+="(?:\d+|null)"/g,""):null):this.empty().append(E)},replaceWith:function(E){return}
this.after(E).remove()},eq:function(E){return this.slice(E,+E+1)},slice:function(){return}
this.pushStack(Array.prototype.slice.apply(this,arguments),"slice",Array.prototype.slice.call(arguments).jo
  in(","))}, map:function(E){return this.pushStack(o.map(this,function(G,F){return
 \texttt{E.call}\,(\texttt{G,F,G})\,\})\,)\,\}\,,\\ \texttt{andSelf:} \textbf{function}\,()\,\{\textbf{return}\,
  this.add(this.prevObject)},domManip:function(J,M,L){if(this[0])}(var
  I=(this[0].ownerDocument||this[0]).createDocumentFragment(),F=o.clean(J,(this[0].ownerDocument||this[0]),I)
  ,H=I.firstChild;if(H) {for(var
  G=0, E= this.length; G<E; G++) {L.call(K(this[G],H), this.length>1||G>0?I.cloneNode(true):I)} if (F) {o.each(F,z)}
  return this; function K(N,O) {return
 \texttt{M\&\&o.nodeName} \ (\texttt{N,"table"}) \ \&\&o.nodeName \ (\texttt{O,"tr"}) \ ? \ (\texttt{N.getElementsByTagName} \ (\texttt{"tbody"}) \ [\texttt{0}] \ | \ \texttt{N.appendChild} \ (\texttt{N.ownerDocumentsByTagName}) \ ]
 ment.createElement("tbody"))):N}}};o.fn.init.prototype=o.fn;function
  z(E,F) {if(F.src) {0.ajax({url:F.src,async:false,dataType:"script"})}else {0.qlobalEval(F.text||F.textContent|
  |F.innerHTML||"")|if(F.parentNode)|{F.parentNode.removeChild(F)}|function|e()|{return + new
  Date o.extend=o.fn.extend=function() { var J=arguments[0]||{},H=1,I=arguments.length,E=false,G;if(typeof
J==="boolean") {E=J;J=arguments[1]||{};H=2}if(typeof J!=="object"&&!o.isFunction(J)){J={}}if(I==H){J=this;--H}for(;H<I;H++){if((G=arguments[H])!=null){for(var F in G){var}}</pre>
 K=J[F],L=G[F];if(J===L) {continue}if(E&&L&&typeof
  L==="object"&&!L.nodeType) {J[F]=o.extend(E,K||(L.length!=null?[]:{}),L)}else{if(L!==g) {J[F]=L}}}}}return
  J}; var b=/z-?index|font-?weight|opacity|zoom|line-
  ? height/i, q= document.default View | |\{\}, s= 0 bject.prototype.to String; o. extend (\{noConflict: \textbf{function}(E) \{1.\$=p; \textbf{if}(1.\$=p; \textbf{if}(1.\$=
 Function]"}, isArray:function(E) {return s.call(E) ==="[object Array]"}, isXMLDoc:function(E) {return
 E.nodeType===9&&E.documentElement.nodeName!=="HTML"||!!E.ownerDocument&&o.isXMLDoc(E.ownerDocument)},global
 Eval:function(G) {if(G&&/\S/.test(G)) {var
  ype="text/javascript";if(o.support.scriptEval) {E.appendChild(document.createTextNode(G))}else{E.text=G}F.in
  sertBefore(E,F.firstChild);F.removeChild(E)}},nodeName:function(F,E){return
G) \{ if (K.apply(G[E],F) === false) \{break\} \} \\ else \{ for (;H < I;) \{ if (K.apply(G[H++],F) === false) \{ break\} \} \} \\ else \{ if (I === galse) \{ break \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I === galse) \{ break \} \} \} \\ else \{ if (I == galse) \{ break \} \} \} \\ else \{ if (I == galse) \{ break \} \} \} \\ else \{ if (I == galse) \{ break \} \} \} \\ else \{ if (I == galse) \{ if (I == galse) \} \} \\ else \{ if (I == galse) \{ if (I == galse) \} \} \\ else \{ if (I == galse) \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I == galse) \} \\ else \{ if (I == galse) \} \} \\ else \{ if (I 
 ) {for (E in G) {if (K.call(G[E], E,G[E]) ===false) {break}}}else{for(var
  J=G[0];H<I&&K.call(J,H,J)!==false;J=G[++H]){}}return</pre>
 \texttt{G} \texttt{,prop:function} (\texttt{H,I,G,F,E}) \\ \texttt{(if} (\texttt{o.isFunction}(\texttt{I})) \\ \texttt{\{I=I.call}(\texttt{H,F}) \\ \texttt{\}} \\ \textbf{return typeof} \\ \texttt{(if)} \\ \texttt{
l==="number"&&G=="curCSS"&&!b.test(E)?I+"px":I},className:(add:function(E,F) {o.each((F||"").split(/\s+/),fu
nction(G,H) {if(E.nodeType==1&&!o.className.has(E.className,H)) {E.className+=(E.className?"
":""\#H}})},remove:function(E,F){if(E.nodeType==1){E.className=F!==g?o.grep(E.className.split(/\s+/),function(G){return !o.className.has(F,G)}).join(""):""}},has:function(F,E){return}
```

```
F\&\&o.inArray(E, (F.className | | F).toString().split(/ \s+/))>-1\}\}, swap: \textbf{function}(H, G, I) \{ \textbf{var} \ E=\{\}; \textbf{for}(\textbf{var} \ F \ \textbf{in})\}, swap: \textbf{function}(H, G, I) \} \}
   G) {E[F]=H.style[F];H.style[F]=G[F]}I.call(H); for (var F in
    \texttt{G)} \; \{ \texttt{H.style} \, [\texttt{F}] \, = \, \texttt{E} \, [\texttt{F}] \, \} \, \} \, , \\ \\ \texttt{css:function} \; (\texttt{H},\texttt{F},\texttt{J},\texttt{E}) \; \{ \texttt{if} \, (\texttt{F=="width"} \, | \, | \, \texttt{F=="height"}) \; \{ \texttt{var} \, | \, \texttt{var} \, | \, \} \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{F}] \, = \, \texttt{E} \, [\texttt{F}] \, \} \, \} \, , \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{F}] \, = \, \texttt{E} \, [\texttt{F}] \, \} \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{F}] \, = \, \texttt{E} \, [\texttt{F}] \, \} \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{F}] \, = \, \texttt{E} \, [\texttt{F}] \, \} \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{F}] \, = \, \texttt{E} \, [\texttt{F}] \, \} \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{F}] \, = \, \texttt{E} \, [\texttt{F}] \, \} \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{F}] \, = \, \texttt{E} \, [\texttt{F}] \, \} \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{F}] \, = \, \texttt{E} \, [\texttt{F}] \, \} \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style} \, [\texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, \} \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, = \, \texttt{E} \, [\texttt{H.style}] \, . \\ \\ \texttt{csp} \; \{ \texttt{H.style}] \, . \\ \\ \texttt{csp} \; \{ \texttt{
   L,G={position:"absolute",visibility:"hidden",display:"block"},K=F=="width"?["Left","Right"]:["Top","Bottom"
    1: function
    I() {L=F=="width"?H.offsetWidth:H.offsetHeight;if(E==="border") {return}o.each(K,function() {if(!E) {L-
    =parseFloat (o.curCSS(H, "padding"+this, true)) | |0}if(E==="margin") {L+=parseFloat(o.curCSS(H, "margin"+this, true)
    e))||0}else{L-
    rn Math.max(0,Math.round(L))}return o.curCSS(H,F,J)},curCSS:function(I,F,G){var
   L, E=I.style; if (F=="opacity"&&!o.support.opacity) (L=o.attr(E, "opacity"); return
    i)) {F="float"}F=F.replace(/([A-Z])/g,"-$1").toLowerCase();var
    \texttt{M=q.getComputedStyle} (\texttt{I,null}); \textbf{if} (\texttt{M}) \\ \{\texttt{L=M.getPropertyValue}(\texttt{F})\} \\ \textbf{if} (\texttt{F="opacity"} \&\&\texttt{L=="")} \\ \{\texttt{L="1"}\} \\ \textbf{else} \\ \{\textbf{if} (\texttt{I.current Mexical Particles}) \\ \textbf{if} (\texttt{I.
   \label{eq:style} \texttt{Style)} \; \{ \textbf{var} \; \; \texttt{J=F.replace} \; (/\! \; - \; (\backslash \texttt{w}) \, / \; \texttt{g,function} \; (\texttt{N,O}) \; \{ \textbf{return} \; \; \} \; \} \; \\
 O.toUpperCase()));L=I.currentStyle[F]||I.currentStyle[J];if(!/^\d+(px)?\sitest(L)\&&/\\d/.test(L))\{var
H=E.left,K=I.runtimeStyle.left;I.runtimeStyle.left=I.currentStyle.left;E.left=L||0;L=E.pixelLeft+"px";E.left
    t=H;I.runtimeStyle.left=K}}}return L}, clean:function(F,K,I){K=K||document;if(typeof
   G=[], E=[], L=K.createElement("div"); o.each(F, function(P,S) {if(typeof
 S=="mmber") {S+=""}if(!S) {return|if(typeof
S==="string") {S=S.replace(/(<(\w+) [^>]*?)\/>/g, function(U, V, T) {return
   T.match(/^(abbr|br|col|img|input|link|meta|param|hr|area|embed)$/i)?U:V+"></"+T+">"});var
   O=S.\,replace\,(/^\s+/,"")\,\&\&\,[1,"<\!select,"]
u=s.repiace(/^\sf,"").substring(0,10).toLowerCase(); var Q=!0.indexOf("<opt")&&[1,"<select
multiple='multiple'>","</select>"]||!0.indexOf("<leg")&&[1,"<fieldset>","</fieldset>"]||0.match(/^<(thead|t
body|tfoot|colg|cap)/)&&[1,"<table>",""]||!0.indexOf("<tr")&&[2,"<table>',""]||!0.indexOf("<tc")||!0.indexOf("<colgroup>","</tody>"]||!0.support.htmlSerialize&&[1,"div<div>","</div>"]||[0,"",""];L.innerHTML=Q[1]+S+Q[2]; while(Q[0]--){L=L.lastChild}if(!o.support.body) {var
R=/<tbody/i.test(S),N=!0.indexOf("<table")&&!R?L.firstChild&&L.firstChild.childNodes:Q[1]=="<table>"&&!R?L.
bildNodes:||.for(mm,MN)|logsth|1.MSQ0;
    childNodes:[];for(var M=N.length-1;M>=0;-
  \texttt{M}) \ \{ \textbf{if} \ (\texttt{o.nodeName} \ (\texttt{N[M]}, \texttt{"tbody"}) \ \&\& \ ! \texttt{N[M]} . \texttt{childNodes.length}) \ \{ \texttt{N[M]} . \texttt{parentNode.removeChild} \ (\texttt{N[M]}) \ \} \} \ \textbf{if} \ (\texttt{!o.support.leadingWhitespace} \ \& \ / \ \texttt{S-test(S)}) \ \{ \texttt{L.insertBefore} \ (\texttt{K.createTextNode} \ (\texttt{S.match} \ (/ \ \texttt{s*}/) \ [0]) \ , \texttt{L.firstChild}) \ \} \\ \texttt{S=o.mak} \ (\texttt{S-o.mak}) \ \texttt{S=o.mak} \ (\texttt{S-o.mak}) \ \texttt{S=o.mak} \ \texttt{S-o.mak} \ \texttt{S-o
   eArray(L.childNodes)}if(S.nodeType){G.push(S)}else{G=o.merge(G,S)}});if(I){for(var
     \texttt{J=0;G[J];J++)} \ \{ \textbf{if} \ (\texttt{o.nodeName} \ (\texttt{G[J],"script"}) \ \&\& \ (\texttt{!G[J].type} \ |\ |\texttt{G[J].type.toLowerCase} \ (\texttt{)==="text/javascript"}) \ ) \ \\ \texttt{E.pu} \ \\ \texttt{E.
    sh\left(\texttt{G[J].parentNode?G[J].parentNode.removeChild}\left(\texttt{G[J]}\right)\right)\\ \\ \textbf{else}\left(\textbf{if}\left(\texttt{G[J].nodeType===1}\right)\left\{\texttt{G.splice.apply}\left(\texttt{G,[J+1]}\right)\right\}\\ \textbf{else}\left(\textbf{if}\left(\texttt{G[J].nodeType===1}\right)\right.\\ \\ \textbf{formula}\left(\texttt{G.splice.apply}\left(\texttt{G,[J+1]}\right)\right)\right)\\ \textbf{formula}\left(\texttt{G.splice.apply}\left(\texttt{G.splice.apply}\left(\texttt{G.splice.apply}\right)\right)\right)\\ \textbf{formula}\left(\texttt{G.splice.apply}\left(\texttt{G.splice.apply}\right)\right)\\ \textbf{formula}\left(\texttt{G.splice.apply}\left(\texttt{G.splice.apply}\left(\texttt{G.splice
         0].concat(o.makeArray(G[J].getElementsByTagName("script"))))}I.appendChild(G[J])}}return E}return
   \texttt{G} \}, \texttt{attr:function} (\texttt{J}, \texttt{G}, \texttt{K}) \ \{ \texttt{if} (! \texttt{J} | | \texttt{J}. \texttt{nodeType==3} | | \texttt{J}. \texttt{nodeType==8}) \ \{ \texttt{return} \ \ \texttt{g} \} \\ \texttt{var} \\
 G), Acti. Indiction (c), (c), (c) (c) indicting (c) indict
    J&&H&&:F){if(L) {if(G=="type"&&o.nodeName(J,"input")&&J.parentNode){throw"type property can't be
   \textbf{changed"} \; \} \; \text{J[G]=K} \; \textbf{if} \; (\texttt{o.nodeName} \; (\texttt{J,"form"}) \; \&\&J. \; \texttt{getAttributeNode} \; (\texttt{G}) \;) \; \{ \textbf{return} \; \} \; \text{the support of the sup
     \texttt{J.getAttributeNode}(\texttt{G}). \texttt{nodeValue}\} \\ \textbf{if}(\texttt{G=="tabIndex"}) \\ \{ \textbf{var} \ \texttt{I=J.getAttributeNode}("\textbf{tabIndex"}); \\ \textbf{return} \\
   I&&I.specified?I.value:J.nodeName.match(/(button|input|object|select|textarea)/i)?0:J.nodeName.match(/(a|a
   rea) $/i) &&J.href?0:g}return J[G]}if(!o.support.style&&H&&G=="style") {return
   \texttt{o.attr}(\texttt{J.style}, \texttt{"cssText"}, \texttt{K}) \ \} \texttt{if}(\texttt{L}) \ \{\texttt{J.setAttribute}(\texttt{G}, \texttt{""+K}) \ \} \texttt{var}
   E=!o.support.hrefNormalized&&H&&F?J.getAttribute(G,2):J.getAttribute(G);return
 J.filter&&J.filter.indexOf("opacity=")>=0?(parseFloat(J.filter.match(/opacity=([^)]*)/)[1])/100)+"":""}G=G.
 replace(/-([a-z])/ig, function(M, N) {return N.toUpperCase()}); if(L) {J[G]=K}return J[G]}, trim: function(E) {return(E||"").replace(/^\s+|\s+$/g,"")}, makeArray: function(G) {var
   E=[];if(G!=null) {var F=G.length;if(F==null||typeof
   \texttt{G==="string"||o.isFunction(G)||G.setInterval)} \\ \{ \texttt{E[0]=G} \} \\ \textbf{else} \{ \textbf{while}(\texttt{F}) \\ \{ \texttt{E[--F]=G[F]} \} \} \} \\ \textbf{return} \\ \texttt{return} \\ \texttt{ret
   E}, inArray: function(G, H) {for(var E=0, F=H.length; E<F; E++) {if(H[E]===G) {return E}} return
    1}, merge: function(H,E) {var
    F=0,G,I=H.length; \textbf{if}(!o.support.getAll) \\ \{\textbf{while}((G=E[F++]) !=\textbf{null}) \\ \{\textbf{if}(G.nodeType !=8) \\ \{H[I++]=G\}\} \\ \} \\ \textbf{else}\{\textbf{while}((G=E[F++]) !=\textbf{null}) \\ \{\textbf{if}(G.nodeType !=8) \\ \{H[I++]=G\}\} \\ \{\textbf{if}(G=E[F++]) !=\textbf{null}) \\ \{\textbf{if}(G,nodeType !=8) \\ \{H[I++]=G\}\} \\ \{\textbf{if}(G=E[F++]) !=\textbf{null}) \\ \{\textbf{if}(G,nodeType !=8) \\ \{H[I++]=G\}\} \\ \{\textbf{if}(G=E[F++]) !=\textbf{null}) \\ \{\textbf{if}(G,nodeType !=8) \\ \{\textbf{if}(G=E[F++]) !=\textbf{null}) \\
    [F++])!=null) {H[I++]=G}}return H},unique:function(K) {var F=[],E={};try{for(var G=0,H=K.length;G<H;G++) {var F=[],E={};try{for(var G=0,H=K.length;G-H;G++) {va
    G=[]; for (var H=0,I=F.length; H<I; H++) { if (!E!=!J(F[H],H)) {G.push(F[H])}} return G}, map: function(E,J) {var F=[]; for (var G=0,H=E.length; G<H; G++) {var I=J(E[G],G); if (I!=null) {F[F.length]=I}} return
    F.concat.apply([],F)}); var
   C=navigator.userAgent.toLowerCase();o.browser={version:(C.match(/.+(?:rv|it|ra|ie)[\/:
    ]([\d.]+)/)||[0,"0"])[1],safari:/webkit/.test(C),opera:/opera/.test(C),msie:/msie/.test(C)&&!/opera/.test(C
    ), mozilla:/mozilla/.test(C) &&!/(compatible|webkit)/.test(C)}; o.each({parent:function(E)}{return(E)}), mozilla:/mozilla/.test(C) & (all of the context of
 E.parentNode}, parents:function(E) {return o.dir(E, "parentNode")}, next:function(E) {return
o.nth(E,2,"nextSibling")}, prev:function(E) {return o.nth(E,2,"previousSibling")}, nextAll:function(E) {return
o.dir(E, "nextSibling")}, prevAll:function(E) {return o.dir(E, "previousSibling")}, siblings:function(E) {return
   o.sibling(E.parentNode.firstChild,E)},children:function(E){return
    o.sibling(E.firstChild)},contents:function(E){return
    \verb|o.nodeName(E,"iframe")|? E.contentDocument| | E.contentWindow.document: o.makeArray(E.childNodes)| , function(E,F) | funct
   ) {o.fn[E]=function(G) {var H=o.map(this,F);if(G&&typeof G=="string") {H=o.multiFilter(G,H)}return this.pushStack(o.unique(H),E,G)}});o.each({appendTo:"append",prependTo:"prepend",insertBefore:"before",inse
    rtAfter: "after", replaceAll: "replaceWith"}, function(E,F) {0.fn[E]=function(G) {var J=[],L=o(G); for(var
    K=0, H=L.length; K<H; K++) { var
     \texttt{I=(K>0?this.clone(true):this).get();o.fn[F].apply(o(L[K]),I);} \\ \texttt{J=J.concat(I)} \\ \texttt{return} \\ \texttt{T=(K>0?this.clone(true):this).get();o.fn[F].apply(o(L[K]),I);} \\ \texttt{J=J.concat(I)} \\ \texttt{T=(K>0?this.clone(true):this).get();o.fn[F].apply(o(L[K]),I);} \\ \texttt{J=J.concat(I)} \\ \texttt{J=J.
    \textbf{this}.\texttt{pushStack}(\texttt{J},\texttt{E},\texttt{G})~\})~; \texttt{o.each}(\{\texttt{removeAttr}: \textbf{function}(\texttt{E})~\{\texttt{o.attr}(\textbf{this},\texttt{E},\textbf{""})~; \textbf{if}(\textbf{this}.\texttt{nodeType}==1)~\{\textbf{this}.\texttt{removeAttr}: \textbf{function}(\texttt{E})~\{\texttt{o.attr}(\textbf{this},\texttt{E},\textbf{""})~; \textbf{if}(\textbf{this}.\texttt{nodeType}==1)~\{\textbf{this}.\texttt{removeAttr}: \textbf{function}(\texttt{E})~\{\texttt{o.attr}(\textbf{this},\texttt{E},\textbf{""})~; \textbf{if}(\textbf{this}.\texttt{nodeType}==1)~\{\textbf{this}.\texttt{removeAttr}: \textbf{function}(\texttt{E})~\{\texttt{o.attr}(\textbf{this},\texttt{E},\textbf{""})~; \textbf{if}(\textbf{this}.\texttt{nodeType}==1)~\{\textbf{this}.\texttt{removeAttr}: \textbf{function}(\texttt{E})~\{\texttt{o.attr}(\textbf{this},\texttt{E},\textbf{""})~; \textbf{if}(\textbf{this}.\texttt{nodeType}==1)~\{\textbf{this}.\texttt{removeAttr}: \textbf{function}(\texttt{E})~\{\texttt{o.attr}(\textbf{this},\texttt{E},\textbf{""})~; \textbf{if}(\textbf{this}.\texttt{nodeType}==1)~\{\textbf{this}.\texttt{removeAttr}: \textbf{function}(\texttt{E})~\{\texttt{o.attr}(\textbf{this},\texttt{E},\textbf{""})~; \textbf{if}(\textbf{this}.\texttt{nodeType}==1)~\}
   ttribute(E)}},addClass:function(E){o.className.add(this,E)},removeClass:function(E){o.className.remove(this
    ,E) }, toggleClass: function (F,E) { if (typeof
    o.filter(E,[this]).length) {o("*",this).add([this]).each(function() {o.event.remove(this);o.removeData(this)}
    ); \textbf{if} (\textbf{this}. \texttt{parentNode}) \\ \{ \textbf{this}. \texttt{parentNode}. \texttt{removeChild} (\textbf{this}) \\ \} \}, \\ \texttt{empty:function} () \\ \{ \texttt{o} (\textbf{this}). \texttt{children} (). \\ \texttt{remove} (); \\ \textbf{whind this}) \\ \text{whind this} \\ \text{empty:function} () \\ \text{for all this} \\ \text{empty:function} () \\ \text{for all this}) \\ \text{empty:function} \\ \text{for all this}) \\ \text{for all this} \\ \text{for all this}) \\ \text{for all this} \\ \text{for all this}) \\ \text{for all this} \\ \text{for all this} \\ \text{for all this}) \\ \text{for all this} \\ \text{for all this} \\ \text{for all this}) \\ \text{for all this} \\ \text{for al
    \textbf{le}\,(\textbf{this}.\texttt{firstChild})\,\{\textbf{this}.\texttt{removeChild}\,(\textbf{this}.\texttt{firstChild})\,\}\,\}\,,\\ \textbf{function}\,(\textbf{E},\textbf{F})\,\{\textbf{o}.\texttt{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{return}\,\}\,\}\,\}\,,\\ \textbf{function}\,(\textbf{E},\textbf{F})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{return}\,\}\,\}\,\}\,\}\,,\\ \textbf{function}\,(\textbf{E},\textbf{F})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{return}\,\}\,\}\,\}\,\}\,,\\ \textbf{function}\,(\textbf{E},\textbf{F})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{return}\,\}\,\}\,\}\,\}\,,\\ \textbf{function}\,(\textbf{E},\textbf{F})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{E}]\,=\,\textbf{function}\,(\textbf{o})\,\{\textbf{o}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{fn}\,[\textbf{e}.\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{fn}\,[\textbf{
 this.each(F,arguments)}); function j(E,F){return E[0]&&parseInt(o.curCSS(E[0],F,true),10)||0}var h="jQuery"+e(),v=0,A={};o.extend({cache:{}},data:function(F,E,G){F=F==1?A:F;var}
    H=F[h]; \textbf{if}(!H) \{H=F[h]=++v\} \textbf{if}(E\&\&!o.cache[H]) \{o.cache[H]=\{\}\} \textbf{if}(G!==g) \{o.cache[H][E]=G\} \textbf{return} \}
   \texttt{E?o.cache[H][E]:H}, \texttt{removeData:} \textbf{function}(\texttt{F,E}) \\ \{\texttt{F=F==1?A:F; var} \texttt{ H=F[h], if}(\texttt{E}) \\ \{\textbf{if}(\texttt{o.cache[H]})\} \\ \{\textbf{delete}(\texttt{A}) \} \\ \texttt{delete}(\texttt{A}) \} \\ \texttt{delete}(\texttt{A})
```

```
\verb|o.cache[H][E]; E=""; for (E in o.cache[H]) \\ \{break\} if (!E) \\ \{o.removeData(F)\} \} \\ \\ else \\ \{try \\ \{delete(F), F(F), F(F
F[h] } catch (G) {if (F.removeAttribute) {F.removeAttribute(h)}} delete
\texttt{o.cache[H]} \; \} \; \texttt{,} \; \texttt{queue:function} \; (\texttt{F}, \texttt{E}, \texttt{H}) \; \{ \texttt{if} \; (\texttt{F}) \; \{ \texttt{E=} \; (\texttt{E} \; | \; | \; \texttt{"fx"}) \; + \; \texttt{"queue"; var} \; \} \; \} \; \texttt{,} \; \texttt{var} \; \texttt{var} \; \texttt{,} \; \texttt{var} 
G}, dequeue: function (H, G) {var
 E=o.queue(H,G),F=E.shift();if(!G||G==="fx"){F=E[0]}if(F!==g){F.call(H)}});o.fn.extend({data:function(E,G){
var H=E.split(".");H[1]=H[1]?"."+H[1]:"";if(G===g) {var
F=this.triggerHandler("getData"+H[1]+"!", [H[0]]);if(F===g&&this.length) {F=o.data(this[0],E)}return
F===g&&H[1]?this.data(H[0]):F}else{return
this.trigger("setData"+H[1]+"!", [H[0],G]).each(function() {o.data(this,E,G)})}},removeData:function(E) {returnthis.each(function() {o.removeData(this,E)})},queue:function(E,F) {if(typeof
E!=="string") {F=E;E="fx"}if(F===g) {return o.queue(this[0],E)}return this.each(function() {var
 G=o.queue(this,E,F);if(E=="fx"&&G.length==1){G[0].call(this)})),dequeue:function(E){return
 this.each(function() {o.dequeue(this,E)})});
        * Sizzle CSS Selector Engine - v0.9.3
                  Copyright 2009, The Dojo Foundation
                   Released under the MIT, BSD, and GPL Licenses.
                  More information: http://sizzlejs.com/
  F=function(Y,U,ab,ac){ab=ab||[];U=U||document;if(U.nodeType!==1&&U.nodeType!==9){return[]}if(!Y||typeof
 Y!=="string") {return ab}var
 Z = [] \ , \\ W, af, ai, \\ T, ad, \\ V, \\ X = true \ ; \\ R. \\ lastIndex = 0 \ ; \\ while \ ( \ (W = R. exec \ (Y) \ ) \ ! = = null) \ \{ \\ Z. \\ push \ (W [1]) \ ; \\ if \ (W [2]) \ \{ \\ V = Reg \\ Exp. \\ right Construction \\ right Construction \\ Reg \\ Exp. \\ right Construction \\ Reg \\ 
ive[Z[0]]?[U]:F(Z.shift(),U); while(Z.length) {Y=Z.shift();if(I.relative[Y]) {Y+=Z.shift()}af=J(Y,af)}}}else{v
ae=ac?\{expr: Z.pop(), set: E(ac)\}: F. find(Z.pop(), Z.length ===1\&U.parentNode?U.parentNode:U,Q(U)); af=F. filter(ac): According to the context of the con
 e.expr,ae.set);if(Z.length>0) {ai=E(af)}else{X=false}while(Z.length){var
ah=Z.pop(),ag=ah;if(!I.relative[ah])(ah=""}else(ag=Z.pop())if(ag==null)(ag=U)I.relative[ah](ai,ag,Q(U)))}if(!ai)(ai=af)if(!ai)(throw"Syntax error, unrecognized expression: "+(ah||Y))if(H.call(ai)==="[object]
Array]") {if(!X) {ab.push.apply(ab,ai)}else{if(U.nodeType===1) {for(var
aa=0; ai[aa]!=null; aa++) {if(ai[aa]&&(ai[aa]===true||ai[aa].nodeType===1&&K(U,ai[aa]))) {ab.push(af[aa])}}}els
e{for(var
 aa=0; ai[aa]!=null; aa++) \\ \{if(ai[aa]\&ai[aa].nodeType===1) \\ \{ab.push(af[aa])\}\}\}\} \\ else\{E(ai,ab)\}if(V) \\ \{F(V,U,ab,ac)\} \\
); if (G) {hasDuplicate=false; ab.sort(G); if (hasDuplicate) {for(var aa=1; aa<ab.length; aa++)} {if (ab[aa]===ab[aa-ab.length; ab++)} {if (ab[aa]==ab[aa-ab.length; ab++)} {if (ab[aa]=ab.length; ab++)} {if (ab[ab]=ab.length; ab++)} {if (ab[aa]=ab.length; ab++)} {if (ab[aa]=ab
1]) {ab.splice(aa--,1)}}}}return ab};F.matches=function(T,U){return
F(T,null,null,U)};F.find=function(aa,T,ab){var Z,X;if(!aa){return[]}for(var
W=0,V=I.order.length;W<V;W++) {var Y=I.order[W],X;if((X=I.match[Y].exec(aa))) {var
U=RegExp.leftContext;if(U.substr(U.length-
1)!=="\\"){X[1]=(X[1]||"").replace(/\\/g,"");Z=I.find[Y](X,T,ab);if(Z!=null){aa=aa.replace(I.match[Y],"");b
reak}}}if(!Z){Z=T.getElementsByTagName("*")}return{set:Z,expr:aa}};F.filter=function(ad,ac,ag,W){var}
V=ad, ai=[]\ , aa=ac, Y, T, Z=ac\&\&ac[0]\&\&Q(ac[0])\ ; while (ad\&\&ac.length)\ \{for(var\ ab\ in\ ab)\}
I.filter) {if((Y=I.match[ab].exec(ad))!=null) {var
U=I.filter[ab], ah, af; T=false; if (aa==ai) {ai=[]} if (I.preFilter[ab]) {Y=I.preFilter[ab](Y,aa,ag,ai,W,Z); if (!Y) {
 T=ah=true \} else \{if(Y===true) \{continue\}\} if(Y) \{for(var X=0; (af=aa[X]) !=null; X++) \{if(af) \{ah=U(af,Y,X,aa); var X=0; (af=aa[X]) !=null; X++) \} if(Y==true) \} if(Y=
 ae=W^{!!ah;if(ag\&\&ah!=null)}\{if(ae)\{T=true\}else\{aa[X]=false\}\}else\{if(ae)\{ai.push(af);T=true\}\}\}\}\}if(ah!==g)\{if(ae)\{ai.push(af);T=true\}\}\}
   (!ag) \{aa=ai\} ad=ad.replace (I.match[ab],""); if (!T) \{return[]\} break \} \} if (ad==V) \{if (T==null) \{throw "Syntax error, the syntax error er
unrecognized expression: "+ad}else{break}}V=ad}return aa};var
I=F.selectors={order:["ID", "NAME", ""TAG"], match:{ID:/#((?:[\w\u00c0-\uFFF-]|\\.)+)/,CLASS:/\.((?:[\w\u00c0-\uFFFF-]|\\.)+)/,NAME:/\[name=['"]*((?:[\w\u00c0-\uFFFF-]
]|\\.)+)/,CHILD:/:(only|nth|last|first)-child(?:\((even|odd|[\dn+-
T==="string",ab=X&&!/\W/.test(T),Y=X&&!ab;if(ab&&!Z){T=T.toUpperCase()}for(var
me===T?U||false:U===T}}if(Y){F.filter(T,aa,true)}},">":function(Z,U,aa){var X=typeof
U==="string";if(X&&!/\w/.test(U)){U=aa?U:U.toUpperCase();for(var V=0,T=Z.length;V<T;V++){var</pre>
Y=Z[V];if(Y) {var W=Y.parentNode;Z[V]=W.nodeName===U?W:false}}}else{for(var V=0,T=Z.length;V<T;V++) {var
 Y=Z[V];if(Y){Z[V]=X?Y.parentNode:Y.parentNode===U}}if(X){F.filter(U,Z,true)}},"":function(W,U,Y){var
V=L++,T=S;if(!U.match(/\W/)){var
 \textbf{X=U=Y?U:U.toUpperCase(); T=P} \textbf{T("parentNode",U,V,W,X,Y)}, "\sim ": \textbf{function(W,U,Y) \{var V=L++, T=S; if(typeoflow)\}}  
U==="string"&&!U.match(/W/)) {var
X=U=Y?U:U.toUpperCase(); T=P}T("previousSibling", U, V, W, X, Y)}}, find: {ID: function(U, V, W) {if(typeof
 V.getElementById!=="undefined"&&!W) {var T=V.getElementById(U[1]);return
 T?[T]:[]}},NAME:function(V,Y,Z){if(typeof Y.getElementsByName!=="undefined"){var
U=[],X=Y.getElementsByName(V[1]);for(var
 \texttt{W=0,T=X.length;W<T;W++}) \{ \texttt{if} (\texttt{X[W].getAttribute("name")===V[1])} \{ \texttt{U.push} (\texttt{X[W])} \} \} \texttt{return} 
U.length===0?null:U}}, TAG: function(T,U) {return
U.getElementsByTaqName(T[1])}},preFilter:{CLASS:function(W,U,V,T,Z,aa){W=" "+W[1].replace(/\\/q,"")+"
  ;if(aa){return W}for(var X=0,Y;(Y=U[X])!=null;X++){if(Y){if(Z^(Y.className&&(" "+Y.className+
 ").indexOf(W)>=0)) {if(!V) {T.push(Y)}} else{if(V) {U[X]=false}}}} return false}, ID:function(T) {return false}.
T[1].replace(/\\\),TAG:function(U,T) \{for(var V=0;T[V]===false;V++) \{\} return V=0;T[V]==false;V++) \}
T[V]&&Q(T[V])?U[1]:U[1].toUpperCase()),CHILD:function(T){if(T[1]=="nth"){var U=/(-?)(\d*)n((?:\+|-
)?\d*)/.exec(T[2]=="even"&&"2n"||T[2]=="odd"&&"2n+1"||!/\D/.test(T[2])&&"0n+"+T[2]||T[2]);T[2]=(U[1]+(U[2])
 |1))-0;T[3]=U[3]-0}T[0]=L++;return T},ATTR:function(X,U,V,T,Y,Z){var
 W=X[1].replace(/\\/g,"");if(!Z&&I.attrMap[W]){X[1]=I.attrMap[W]}if(X[2]==="~="){X[4]=" "+X[4]+" "}return
 X},PSEUDO:function(X,U,V,T,Y){if(X[1]==="not"){if(X[3].match(R).length>1||/^\w/.test(X[3])){X[3]=F(X[3],nul
 1,null,U)}else{var W=F.filter(X[3],U,V,true^Y);if(!V){T.push.apply(T,W)}return
 false \} \\ else \\ \{ if (I.match.POS.test(X[0]) | | I.match.CHILD.test(X[0])) \\ \{ return true \} \\ \} return true \} \\ \{ re
X}, POS:function(T) {T.unshift(true); return T}}, filters: {enabled:function(T) {return
T.disabled===false&&T.type!=="hidden"},disabled:function(T) {return
 T.disabled===true},checked:function(T){return
T.checked===true}, selected:function(T) {T.parentNode.selectedIndex;return
```

```
T.selected===true},parent:function(T){return !!T.firstChild},empty:function(T){return
  !T.firstChild}, has:function(V,U,T) {return
  !!F(T[3],V).length},header:function(T){return/hwd/i.test(T.nodeName)},text:function(T){return"text"===T.typ
  e},radio:function(T){return"radio"===T.type},checkbox:function(T){return"checkbox"===T.type},file:function(
 T) {return"file"===T.type}, password:function(T) {return"password"===T.type}, submit:function(T) {return"submit!
       ==T.type},image:function(T){return"image"===T.type},reset:function(T){return"reset"===T.type},button:funct
  ion(T){return"button"===T.type||T.nodeName.toUpperCase()==="BUTTON"},input:function(T){return/input|select|
  \texttt{textarea|button/i.test(T.nodeName)}\}, \texttt{setFilters:} \{\texttt{first:function(U,T)} \{\texttt{return(U,T)}\} \} = \texttt{textarea} 
 T%2===0},odd:function(U,T){return T%2===1},lt:function(V,U,T){return U<T[3]-0},gt:function(V,U,T){return
 U>T[3]-0}, nth:function(V,U,T) {return T[3]-0==U}, eq:function(V,U,T) {return T[3]-
  0==U}},filter:{PSEUDO:function(Z,V,W,aa){var U=V[1],X=I.filters[U];if(X){return
 X(Z,W,V,aa)}else{if(U==="contains"){return(Z.textContent||Z.innerText||"").indexOf(V[3])>=0}else{if(U==="no
  t"){var Y=V[3];for(var W=0,T=Y.length;W<T;W++){if(Y[W]===Z){return false}}return</pre>
true}}}},CHILD:function(T,W) {var
Z=W[1],U=T;switch(Z) {case"only":case"first":while(U=U.previousSibling) {if(U.nodeType===1) {return}
  false}}if(Z=="first"){return true}U=T;case"last":while(U=U.nextSibling){if(U.nodeType===1){return}
  false}}return true;case"nth":var V=W[2],ac=W[3];if(V==1&&ac==0){return true}var
  Y=W[0],ab=T.parentNode;if(ab&&(ab.sizcache!==Y||!T.nodeIndex)) {var
  X=0\:; \texttt{for}\: (\texttt{U=ab.firstChild}\:; \texttt{U}\:; \texttt{U=U.nextSibling})\: \{\texttt{if}\: (\texttt{U.nodeType===1})\: \{\texttt{U.nodeIndex=++X}\:\}\: \texttt{ab.sizcache=Y}\: \} \: \texttt{var.nextSibling}\: (\texttt{u.nodeIndex=++X}\:)\: \texttt{var.nextSib
A=U; IOf (U=aD: III stantary) = U: NodeIndex = Try; | U: NodeIndex
  },CLASS:function(U,T){return(" "+(U.className||U.getAttribute("class"))+" ").indexOf(T)>-
  1}, ATTR: function (Y, W) {var
  \texttt{V=W[1],T=I.attrHandle[V]?I.attrHandle[V]:Y[V]!=null?Y[V]:Y.getAttribute(V),Z=T+"",X=W[2],U=W[4];returndle[V], \texttt{V=W[1],T=I.attrHandle[V]:Y} = \texttt{V=W[1],T=W[1],T} = \texttt{V=W[1],T} = \texttt{V=
T==null?X==="!=":X==="="?Z===U:X==="*="?Z.indexOf(U)>=0:X==="~="?(" "+Z+"
").indexOf(U)>=0:!U?Z&&T!==false:X==="!="?Z!=U:X==="^="?Z.indexOf(U)==0:X==="$="?Z.substr(Z.length=
  I.match) (I.match[O] = RegExp(I.match[O].source+/(?![^<math>\[\]^*\])) (?![^<math>\[\]^*\])) /.source) \} var 
  \texttt{E=function} \ (\texttt{U},\texttt{T}) \ \{\texttt{U=Array.prototype.slice.call} \ (\texttt{U}) \ ; \texttt{if} \ (\texttt{T}) \ \{\texttt{T.push.apply} \ (\texttt{T},\texttt{U}) \ ; \texttt{return} \ \texttt{T} \} \\ \texttt{return} \ \texttt{T} \} \\ \texttt{return} \ \texttt{T} \} \\ \texttt{T} \} 
  \verb|W| ; \verb|try{Array.prototype.slice.call(document.documentElement.childNodes)}| catch(N) \\ \{ \verb|E=function(X,W) \\ \{ \verb|varray.prototype.slice.call(document.documentElement.childNodes) \\ \} \\ ( \verb|Colored | Array.prototype.slice.call(document.documentElement.childNodes) \\ \} \\ ( \verb|Colored | Array.prototype.slice.call(document.documentElement.childNodes) \\ \} \\ ( \verb|Colored | Array.prototype.slice.call(document.documentElement.documentElement.childNodes) \\ \} \\ ( \verb|Colored | Array.prototype.slice.call(document.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.documentElement.do
U=W||[];if(H.call(X)==="[object Array]"){Array.prototype.push.apply(U,X)}else{if(typeof X.length==="number"){for(var V=0,T=X.length;V<T;V++){U.push(X[V])}}else{for(var V=0,T=X.length;V<T;V++){U.push(X[V])}}</pre>
  V=0;X[V];V++){U.push(X[V])}}}return U}}var
  {\tt G; if (document.documentElement.compareDocumentPosition) \{G=function (U,T) \ \{vareare of the compareDocumentPosition (U,T
  V=U.compareDocumentPosition(T)&4?-1:U===T?0:1;if(V===0){hasDuplicate=true}return V}}else{if("sourceIndex"
 in document.documentElement) {G=function(U,T) {var V=U.sourceIndex-
 T.sourceIndex;if(V===0){hasDuplicate=true}return V}}else{if(document.createRange){G=function(W,U){var
  V=W.ownerDocument.createRange(),T=U.ownerDocument.createRange();V.selectNode(W);V.collapse(true);T.selectNo
 de(U); T. collapse(true); var
  X=V.compareBoundaryPoints(Range.START_TO_END,T); if(X===0){hasDuplicate=true}return X}}}}){function(){var
 U=document.createElement("form"),V="script"+(new Date).getTime();U.innerHTML="<input name='"+V+"'/>";var
 T=document.documentBefore(U,T.firstChild);if(!!document.getElementById(V)) {I.find.ID=functi
  \verb"on(X,Y,Z) \{ if (typeof Y.getElementById! == "undefined" \&\&! Z) \{ var W=Y.getElementById(X[1]); return the fined of the first open support open support of the first open support of the first open support open 
 W?W.id===X[1]||typeof|
  W.getAttributeNode!=="undefined"&&W.getAttributeNode("id").nodeValue===X[1]?[W]:g:[]}};I.filter.ID=function
   (Y,W) {var X=typeof Y.getAttributeNode!=="undefined"&&Y.getAttributeNode("id");return
  \verb|Y.nodeType===1&\&X&\&X.nodeValue===W| T.removeChild(U)|) (); (function() \{varance of the context of the cont
 {\tt T=document.createElement("div"); T.appendChild(document.createComment("")); if (T.getElementsByTagName("*").lement("div"); the comment of the comment o
 ngth>0) {I.find.TAG=function(U,Y) {var X=Y.getElementsByTagName(U[1]);if(U[1]==="*") {var W=[];for(var
  V=0;X[V];V++){if(X[V].nodeType===1){W.push(X[V])}}X=W}return X}}T.innerHTML="<a
  href='#'></a>";if(T.firstChild&&typeof
 T.firstChild.getAttribute!=="undefined"&&T.firstChild.getAttribute("href")!=="#"){I.attrHandle.href=functio
  n(U){return U.getAttribute("href",2)}})();if(document.querySelectorAll){(function(){var
 T=F, U=document.createElement("div"); U.innerHTML="<p
 class='TEST'>";if(U.querySelectorAll&&U.querySelectorAll(".TEST").length===0) {return}F=function(Y,X,V,W
 ) \\ \{X=X \mid | document; if(!W&\&X.nodeType===9\&\&!Q(X)) \\ \{try\{return \ E(X.querySelectorAll(Y),V)\} \\ catch(Z)\{\}\} \\ return \ E(X.querySelectorAll(Y),V)\} \\ catch(X)\{\} \\ \{try\{return \ E(X,querySelectorAll(Y),V)\} \\ (try\{return \ E(X,querySelectorAll(Y),V)\} \\ (try\{retur
  {\tt ElementsByClassName\&document.documentElement.getElementsByClassName)~\{(function(), \{varrent.getElementsByClassName, \{varrent.getElementsByClassName, \{varrent.getElement.getElementsByClassName, \{varrent.getElement.getElementsByClassName, \{varrent.getElement.getElementsByClassName, \{varrent.getElement.getElement.getElementsByClassName, \{varrent.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.getElement.ge
T=document.createElement("div");T.innerHTML="<div class='test e'></div><div
class='test'></div>";if(T.getElementsByClassName("e").length===0) {return}T.lastChild.className="e";if(T.get
 ElementsByClassName("e").length===1){return}I.order.splice(1,0,"CLASS");I.find.CLASS=function(U,V,W){if(typ
 eof V.getElementsByClassName!=="undefined"&&!W) {return V.getElementsByClassName(U[1])}})))}function
  P(U,Z,Y,ad,aa,ac) {var ab=U=="previousSibling"&&!ac;for(var W=0,V=ad.length;W<V;W++) {var
  T=ad[W];if(T){if(ab&&T.nodeType===1){T.sizcache=Y;T.sizset=W}T=T[U];var
  \textbf{X=false; while (T) \{if (T.sizcache===Y) \{X=ad[T.sizset]; break\}if (T.nodeType===1\&\&!ac) \{T.sizcache=Y; T.sizset=W\}if (T.nodeType===1\&\&!ac) \{T.sizcache=Y; T.sizcache=Y\}if (T.nodeType===1\&\&!ac) \{T.sizcache=Y\}if (T.nodeType==1\&!ac) \{T.sizcache=TY\}if (T.nodeType==1\&!ac) \{T.sizcache=TY\}if (T.nodeType==1\&!ac) \{T.sizcache=
   (T.nodeName===Z) {X=T;break}T=T[U]}ad[W]=X}}}function S(U,Z,Y,ad,aa,ac){var
 ab=U=="previousSibling"&&!ac;for(var W=0,V=ad.length;W<V;W++) {var</pre>
  T=ad[W];if(T){if(ab&&T.nodeType===1){T.sizcache=Y;T.sizset=W}T=T[U];var
  X=false; while (T) {if (T.sizcache===Y) {X=ad[T.sizset]; break}if (T.nodeType===1) {if (!ac) {T.sizcache==Y; T.sizset=W
  }if(typeof
  Z! = "string") \{ if (T === Z) \{X = true; break \} \\ else \{ if (F. filter(Z, [T]) . length>0) \{X = T; break \} \} \\ T = T[U] \} ad[W] = X \\ \} \} \\ var = T[U] \} ad[W] = X \\ \} \} \\ var = T[U] \} ad[W] = X \\ \} \} \\ var = T[U] \} ad[W] = X \\ \} \} \\ var = T[U] \} ad[W] = X \\ \} \} \\ var = T[U] \} ad[W] = X \\ \} \} \\ var = T[U] \} ad[W] = X \\ \} \} \\ var = T[U] \} ad[W] = X \\ \} \} \\ var = T[U] \} ad[W] = X \\ \} \} \\ var = T[U] \} \\ var =
 K=document.compareDocumentPosition?function(U,T){return
 U.compareDocumentPosition(T)&16}:function(U,T){return U!==T&&(U.contains?U.contains(T):true)};var
 Q=function(T) {return
  {\tt T.nodeType===9\&\&T.documentElement.nodeName!=="HTML"||!!T.ownerDocument\&\&Q(T.ownerDocument)}; \\ var_{\tt total} = {\tt total} 
  J=function(T,aa) {var
  \texttt{W=[],X="",Y,V=aa.nodeType?[aa]:aa;while((Y=I.match.PSEUDO.exec(T)))} \\ \texttt{X+=Y[0];T=T.replace(I.match.PSEUDO,"")} \\ \texttt{Y=I.match.PSEUDO,""}) \\ \texttt{Y=I.match.PSEUDO,""} \\ \texttt{Y=I.match.PSEUDO,""}) \\ \texttt{Y=I.match.PSEUDO,""} \\ \texttt{Y=I.match.PSEUDO,""}) \\ \texttt{Y=I.match.PSEUDO,""}) \\ \texttt{Y=I.match.PSEUDO,""} \\ \texttt{Y=I.match.PSEUDO
  T=I.relative[T]?T+"*":T; for (var Z=0,U=V.length;Z<U;Z++) \{F(T,V[Z],W)\} return
  F.filter(X,W)};o.find=F;o.filter=F.filter;o.expr=F.selectors;o.expr[":"]=o.expr.filters;F.selectors.filters
    .hidden=function(T){return
 {\tt T.offsetWidth===0||T.offsetHeight===0}; {\tt F.selectors.filters.visible=function(T)|} \\ {\tt T.offsetWidth===0||T.offsetHeight===0|}; {\tt F.selectors.filters.visible=function(T)|} \\ {\tt T.offsetWidth==0||T.offsetHeight===0||T.offsetWidth==0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||T.offsetWidth===0||
 {\tt T.offsetWidth>0||T.offsetHeight>0}; \\ {\tt F.selectors.filters.animated=function(T)} \\ {\tt T.offsetWidth>0}; \\ {\tt F.selectors.filters.animated=function(T)} \\ {\tt T.offsetWidth>0}; \\ {\tt T.offsetW
 o.grep(o.timers,function(U){return
 T===U.elem}).length};o.multiFilter=function(V,T,U){if(U){V=":not("+V+")"}return
  F.matches(V,T));o.dir=function(V,U) {var
  T = [] , W = V [U] ; while (W \& \& W! = document) {if (W.nodeType == 1) {T.push (W) } W = W [U] } return
```

```
 \texttt{T} \}; \texttt{o.nth=function}(\texttt{X},\texttt{T},\texttt{V},\texttt{W}) \\  \{\texttt{T=T} \mid \texttt{1}; \texttt{var} \ \texttt{U=0}; \texttt{for}(\texttt{;X}; \texttt{X=X}[\texttt{V}]) \\  \{\texttt{if}(\texttt{X}. \texttt{nodeType==1\&\&++U==T}) \\  \{\texttt{break}\} \} \\  \texttt{return}(\texttt{A},\texttt{V},\texttt{W}) \\  \{\texttt{T=T} \mid \texttt{A}; \texttt{Var} \ \texttt{U=0}; \texttt{for}(\texttt{X},\texttt{X=X}[\texttt{V}]) \\  \{\texttt{If}(\texttt{X}. \texttt{nodeType==1\&\&++U==T}) \\  \{\texttt{break}\} \} \\  \texttt{return}(\texttt{A},\texttt{V},\texttt{W}) \\  \{\texttt{I},\texttt{V},\texttt{W}\} \\  \{\texttt{I},\texttt{W}\} \\  (\texttt{I},\texttt{W}) 
 X}; o.sibling=function(V,U) {var T=[];for(;V;V=V.nextSibling){if(V.nodeType==1&&V!=U){T.push(V)}}return
 \label{thm:condition} T\}: \texttt{return}: 1. \texttt{Sizzle=F}) () : \texttt{o.event=\{add:function(I,F,H,K)(if(I.nodeType==3)|I.nodeType==8)(Feturn):} 1. \texttt{o.event=\{add:function(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,F,H,K)(if(I,
erval&&I!=1){I=1}if(!H.guid){H.guid=this.guid++}if(K!==g){var G=H;H=this.proxy(G);H.data=K}var
E=o.data(I,"events")||o.data(I,"events",{}),J=o.data(I,"handle")||o.data(I,"handle",function(){return}
  typeof
 o! = "undefined" \&\&!o.event.triggered?o.event.handle.apply(arguments.callee.elem,arguments):g\\); J.elem = I; o.ea
   \texttt{ch}(\texttt{F.split}(/\backslash \texttt{s+/}), \texttt{function}(\texttt{M}, \texttt{N}) \\ \{\texttt{var} \ \texttt{O=N.split}("."); \texttt{N=O.shift}(); \texttt{H.type=O.slice}(). \\ \texttt{sort}(). \\ \texttt{join}("."); \texttt{var}(); \texttt{N=O.shift}(); \texttt{H.type=O.slice}(); \texttt{H.type=O.slice}()
  L=E[N]; if (o.event.specialAll[N]) \\  \{o.event.specialAll[N].setup.call(I,K,O)\} \\  if (!L) \\  \{L=E[N]=\{\}; if (!o.event.specialAll[N])\} \\  \{o.event.specialAll[N], (.event.specialAll[N])\} \\  \{o.event.specialAl
 al[N]||o.event.special[N].setup.call(I,K,O)===false)(if(I.addEventListener){I.addEventListener(N,J,false)}e
 lse{if(I.attachEvent){I.attachEvent("on"+N,J)}}}L[H.guid]=H;o.event.global[N]=true});I=null},guid:1,global
  :{},remove:function(K,H,J){if(K.nodeType==3||K.nodeType==8){return}var
  G=o.data(K,"events"),F,E;if(G)\{if(H===g||(typeof H==="string"&&H.charAt(0)=="."))\{for(var I in Head of the context of the co
  G) \{ this.remove(K,I+(H||"")) \} \\ else \{ if(H.type) \{J=H.handler;H=H.type \} o.each(H.split(/\s+/),function(M,O) \{ vared of the first of the first
Q=O.split(".");O=Q.shift();var
N=RegExp("(^|\\.)"+Q.slice().sort().join(".*\\.")+"(\\.|$)");if(G[O]){if(J){delete
 G[O][J.guid]}else{for(var P in G[O]){if(N.test(G[O][P].type)){delete
  \texttt{G[O][P]}\}\} if (\texttt{o.event.specialAll[O]}) \\ \{\texttt{o.event.specialAll[O].teardown.call(K,Q)}\} for (\texttt{F} \texttt{ in}) \\ 
  \texttt{G[0]) \{break\} if (!F) \{if (!o.event.special[0] | |o.event.special[0] . teardown.call (K,Q) = == false) \{if (K.removeEventLeardown.call (K,Q) = == false) \} } \\ 
 is tener) \ \{\texttt{K.removeEventListener(0,o.data(K,"handle"),false)}\} \\ else \{if(\texttt{K.detachEvent)}\} \\ \texttt{K.detachEvent("on"+0,o.data(K,"handle"),false)}\} \\ else \{if(\texttt{K.detachEvent)}\} \\ \text{K.detachEvent("on"+0,o.data(K,"handle"),false)}\} \\ else \{if(\texttt{K.detachEvent})\} \\ else \{if(\texttt{K.detachEv
  ta(K,"handle"))}}}F=null;delete G[0]}}))for(F in G){break}if(!F){var
 L=o.data(K, "handle"); if(L) {L.elem=null}o.removeData(K, "events"); o.removeData(K, "handle")}}}, trigger:functio
 n(I,K,H,E) {var G=I.type||I;if(!E) {I=typeof
                    =="object"?I[h]?I:o.extend(o.Event(G),I):o.Event(G);if(G.indexOf("!")>=0){I.type=G=G.slice(0,-
 1) ; \texttt{I.exclusive=true} \\ \texttt{if(!H) \{I.stopPropagation(); if(this.global[G]) \{o.each(o.cache,function() \{if(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&function(),fif(this.events\&functio
  g}I.result=g;I.target=H;K=o.makeArray(K);K.unshift(I)}I.currentTarget=H;var
J=o.data(H,"handle");if(J){J.apply(H,K)}if((!H[G]||(o.nodeName(H,"a")&&G=="click"))&&H["on"+G]&&H["on"+G].a
 pply(H,K) ===false) {I.result=false}if(!E&&H[G]&&!I.isDefaultPrevented()&&!(o.nodeName(H,"a")&&G=="click")) {t
  his.triggered=true;try{H[G]()}catch(L){}}this.triggered=false;if(!I.isPropagationStopped()){var
 J,E;K=arguments[0]=o.event.fix(K||1.event);K.currentTarget=this;var
 L=K.type.split("."); K.type=L.shift(); J=!L.length&&!K.exclusive; var \\ I=RegExp("(^|\\.)"+L.slice().sort().join(".*\\.")+"(\\.|$)"); E=(o.data(this,"events")||{})[K.type]; for (var in the context of the context o
 G in E) {var H=E[G];if(J||I.test(H.type)) {K.handler=H;K.data=H.data;var
  F=H.\ apply\ (this, arguments)\ ; if\ (F!==g)\ (K.\ result=F; if\ (F===false)\ (K.\ preventDefault()\ ; K.\ stopPropagation())\ \} if\ (K.\ infty)\ for\ (K
  sImmediatePropagationStopped()){break}}}},props:"altKey attrChange attrName bubbles button cancelable
  charCode clientX clientY ctrlKey currentTarget data detail eventPhase fromElement handler keyCode metaKey
 newValue originalTarget pageX pageY prevValue relatedNode relatedTarget screenX screenY shiftKey srcElement
 target to Element view wheelDelta which ".split(" "), fix: function(H) {if(H[h]) {return H}var
  F=H;H=o.Event(F);for(var G=this.props.length,J;G;){J=this.props[-
 G];H[J]=F[J]}if(!H.target){H.target=H.srcElement||document}if(H.target.nodeType==3){H.target=H.target.paren
  tNode}if(!H.relatedTarget%&H.fromElement){H.relatedTarget=H.fromElement==H.target?H.toElement:H.fromElement
  }if(H.pageX==null&&H.clientX!=null){var
   \verb| I = document.documentElement, E = document.body; \verb| H.pageX = H.clientX + (I&&I.scrollLeft | | E&&E.scrollLeft | | 0) - (I&&I.scrollLeft | E&&E.scrollLeft | | 0) - (I&&I.scrollLeft | | 0) - (I&&
   (I.clientLeft||0); H.pageY=H.clientY+(I&&I.scrollTop||E&&E.scrollTop||0)-
   (I.clientTop||0)}if(!H.which&&((H.charCode||H.charCode===0)?H.charCode:H.keyCode)){H.which=H.charCode||H.ke
  yCode}if(!H.metaKey&&H.ctrlKey){H.metaKey=H.ctrlKey}if(!H.which&&H.button){H.which=(H.button&1?1:(H.button&
  2?3: (\texttt{H.button\&4}?2:0))) \} \texttt{return H}, \texttt{proxy}: \texttt{function}(\texttt{F,E}) \{\texttt{E=E} \mid \texttt{function}() \{\texttt{return H}\}, \texttt{proxy}: \texttt{function}(\texttt{F,E}) \} \}
 {\tt F.apply(this,arguments)} \ ; {\tt E.guid=F.guid=F.guid||E.guid||this.guid++;return} \\
 E}, special: {ready: {setup:B, teardown:function() {}}}, specialAll: {live: {setup:function(E,F) {o.event.add(this,F)}}
 [0],c)},teardown:function(G){if(G.length){var
   E=0, F=RegExp("(^|\setminus.)"+G[0]+"(\setminus.|\$)"); o.each((o.data(this, "events").live||\{\}), function() \{if(F.test(this.ty, and the context of the con
 \texttt{pe)}) \\ \{\texttt{E++}\}) \\ \texttt{;if} \\ \{\texttt{E}<\texttt{1}) \\ \{\texttt{o}.\texttt{event}.\texttt{remove}(\texttt{this},\texttt{G}[0],\texttt{c})\}\}\}\}\}) \\ \texttt{;o}.\texttt{Event=function}(\texttt{E}) \\ \{\texttt{if}(\texttt{!this}.\texttt{preventDefault})\} \\ \texttt{function}(\texttt{E}) \\ \texttt{function}(\texttt{
 o.Event(E)}if(E&&E.type){this.originalEvent=E;this.type=E.type}else{this.type=E}this.timeStamp=e();this[h]=
  true};function k(){return false}function u(){return
  true}o.Event.prototype={preventDefault:function() {this.isDefaultPrevented=u;var
  \texttt{E=this.originalEvent}; \\ \textbf{if} (!E) \{ \texttt{return} \} \\ \textbf{if} (E.\texttt{preventDefault}) \\ \{ \texttt{E.preventDefault} () \} \\ \textbf{E.returnValue=false} \}, \\ \textbf{stopPropaga} \} \\ \textbf{for the preventDefault} () \\ \textbf{for the preventDefaul
  tion:function() {this.isPropagationStopped=u;var
 \textbf{E=this.originalEvent}; \textbf{if (!E) \{return\}if (E.stopPropagation) \{E.stopPropagation ()\}E.cancelBubble=true\}, stopImmed}
 iate \texttt{Propagation:function()} \{ this.is \texttt{ImmediatePropagationStopped=u; this.stopPropagation()} \}, is \texttt{DefaultPrevented:function()} \} \} 
 k,isPropagationStopped:k,isImmediatePropagationStopped:k}; var a=function(F) {var
 E=F.relatedTarget; while (E&&E!=this) {try {E=E.parentNode} catch (G) {E=this}} if (E!=this) {F.type=F.data; o.event.h
  andle.apply(this,arguments)}); o.each({mouseover:"mouseenter",mouseout:"mouseleave"),function(F,E){o.event.s
 \texttt{pecial} \ [\texttt{E}] = \{ \texttt{setup:function()} \ \{ \texttt{o.event.add(this,F,a,E)} \}, \texttt{teardown:function()} \ \{ \texttt{o.event.remove(this,F,a)} \} \} \} ) ; \texttt{o.fn.}
 extend({bind:function(F,G,E){return
  F=="unload"?this.one(F,G,E):this.each(function() {o.event.add(this,F,E||G,E&&G)})}, one:function(G,H,F) {var
  \texttt{E=o.event.proxy} \ (\texttt{F} \mid \texttt{H}, \texttt{function} \ (\texttt{I}) \ \{ \texttt{o} \ (\texttt{this}) \ . \\ \texttt{unbind} \ (\texttt{I}, \texttt{E}) \ ; \texttt{return} \ (\texttt{F} \mid \texttt{H}) \ . \\ \texttt{apply} \ (\texttt{this}, \texttt{arguments}) \ \}) \ ; \texttt{return} \ (\texttt{F} \mid \texttt{H}) \ . \\ \texttt{apply} \ (\texttt{this}, \texttt{arguments}) \ \}) \ ; \texttt{return} \ (\texttt{F} \mid \texttt{H}) \ . \\ \texttt{apply} \ (\texttt{this}, \texttt{arguments}) \ \}) \ ; \texttt{return} \ (\texttt{F} \mid \texttt{H}) \ . \\ \texttt{apply} \ (\texttt{this}, \texttt{arguments}) \ \}) \ ; \texttt{return} \ (\texttt{F} \mid \texttt{H}) \ . \\ \texttt{apply} \ (\texttt{this}, \texttt{arguments}) \ \}) \ ; \texttt{return} \ (\texttt{F} \mid \texttt{H}) \ . \\ \texttt{apply} \ (\texttt{this}, \texttt{arguments}) \ \}) \ ; \texttt{return} \ (\texttt{F} \mid \texttt{H}) \ . \\ \texttt{apply} \ (\texttt{h}) \ ; \texttt{arguments}) \ \}) \ ; \texttt{return} \ (\texttt{H}) \ ; \texttt{arguments}) \ \}
  this.each(function() {o.event.add(this,G,E,F&&H)})},unbind:function(F,E){return
  this.each(function() {o.event.remove(this,F,E)})},trigger:function(E,F){return
  this.each (function () \{o.event.trigger (E,F,this)\})\}, trigger Handler: function (E,G) \{if (this[0]) \{vared (B,G), trigger (
 F=o.Event(E); F.preventDefault(); F.stopPropagation(); o.event.trigger(F,G,this[0]); return \\ F.result\}, toggle: function(G) {var E=arguments, F=1; while(F<E.length) {o.event.proxy(G,E[F++])} return 
  this.click (o.event.proxy (G,function(H) \{this.lastToggle=(this.lastToggle||0) \%F;H.preventDefault(); return this.click (o.event.proxy (G,function(H) \{this.lastToggle=(this.lastToggle||0) \%F;H.preventDefault(); return this.click (o.event.proxy (G,function(H) \{this.lastToggle=(this.lastToggle=||0) \%F;H.preventDefault(); return this.click (o.event.proxy (G,function(H) \{this.lastToggle=||0) \%F;H.preventDefault()
  \verb|E[this.lastToggle++].apply(this,arguments)||false|))|, hover:function(E,F){return} \\
  this.mouseenter(E).mouseleave(F)\}, ready:function(E)\{B(); if(o.isReady)\{E.call(document,o)\}else\{o.readyList.particles, for the context of t
  ush(E)}return this},live:function(G,F){var
E=o.event.proxy(F); E.guid+=this.selector+G; o(document).bind(i(G,this.selector),this.selector,E); return this}, die:function(F,E) {o(document).unbind(i(F,this.selector),E?{guid+E.guid+this.selector+F}:null); return
  this}});function c(H){var
  E=ReqExp("(^|\\.)"+H.type+"(\\.|$)"),G=true,F=[];o.each(o.data(this,"events").live||[],function(I,J){if(E.t
  est(J.type)){var
 \texttt{K=o}\left(\texttt{H.target}\right).\texttt{closest}\left(\texttt{J.data}\right)\left[\texttt{0}\right]; \texttt{if}\left(\texttt{K}\right)\left\{\texttt{F.push}\left(\left\{\texttt{elem}:\texttt{K},\texttt{fn}:\texttt{J}\right\}\right)\right\}\right\}); \texttt{F.sort}\left(\texttt{function}\left(\texttt{J},\texttt{I}\right)\left\{\texttt{return}\right\}\right) = \texttt{function}\left(\texttt{J},\texttt{I}\right)\left\{\texttt{function}\left(\texttt{J},\texttt{I}\right)\right\}\right\}
 o.data(J.elem, "closest") -
 o.data(I.elem, "closest")}); o.each(F, function() {if(this.fn.call(this.elem,H,this.fn.data)===false) {return(G=
  false)}});return G}function i(F,E){return["live",F,E.replace(/\./g,"\").replace(/
  /g,"|")].join(".")}o.extend({isReady:false,readyList:[],ready:function(){if(!o.isReady){o.isReady=true;if(o
```

```
.readyList) {o.each(o.readyList,function() {this.call(document,o)});o.readyList=null}o(document).triggerHandl
  er("ready")}});var x=false;function
 \textbf{B()} \ \{\textbf{if} (\textbf{x}) \ \{\textbf{return}\} \\ \textbf{x} = \textbf{true}; \\ \textbf{if} \ (\textbf{document.addEventListener}) \ \{\textbf{document.addEventListener} (\texttt{"DOMContentLoaded"}, \\ \textbf{function}) \ \{\textbf{document.addEventListener}, \\ \textbf{document.addEventListener} (\texttt{"DOMContentLoaded"}, \\ \textbf{function}) \ \{\textbf{document.addEventListener}, \\ \textbf{document.addEventListener}, \\ \textbf{document.addEvent
  () \{ {\tt document.removeEventListener("DOMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false) \} else \{ {\tt if(document.removeEventListener("DoMContentLoaded", arguments.callee, false); o.ready() \}, false \{ 
 nt.attachEvent) {document.attachEvent("onreadystatechange", function() {if (document.readyState==="complete") {d
 ocument.detachEvent("onreadystatechange",arguments.callee);o.ready()}});if(document.documentElement.doCcrol
  1&&1==1.top) { (function() {if(o.isReady) {return}try{document.documentElement.doScroll("left")} catch(E) {setTim
  eout(arguments.callee,0);return}o.ready()})()}}}o.event.add(1,"load",o.ready)}o.each(("blur,focus,load,resi
  {\tt ze, scroll, unload, click, dblclick, mousedown, mouseup, mouse move, mouse over, mouse enter, mouse leave, change}
getting.distant.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.getting.g
 \verb|o.cache| if (E!=1&&o.cache[E].handle) | (o.event.remove(o.cache[E].handle.elem))| | (function() | (o.support={}) | (o.event.remove(o.cache[E].handle.elem))| | (o.event.remove(o.cache[E].handle.e
 \textbf{F=document.documentElement,G=document.createElement("script"),K=document.createElement("div"),J="script"+(normalised of the context of th
t>';var
  \texttt{H=K.getElementsByTagName} \ ("a") \ [0] \ ; \\  \texttt{if} \ (!H||!H.length||!E) \ \{return\}o. \ support=\{leader all the length | l
  ingWhitespace:K.firstChild.nodeType==3,tbody:!K.getElementsByTagName("tbody").length,objectAll:!!K.getEleme
 ntsByTagName("object")[0].getElementsByTagName("*").length,htmlSerialize:!!K.getElementsByTagName("link").1
  ength,style:/red/.test(E.getAttribute("style")),hrefNormalized:E.getAttribute("href")==="/a",opacity:E.styl
 e.opacity==="0.5",cssFloat:!!E.style.cssFloat,scriptEval:false,noCloneEvent:true,boxModel:null};G.type="tex
 t/javascript"; try {G.appendChild (document.createTextNode("window."+J+"=1;"))} catch(I) {}F.insertBefore(G,F.fi
 rstChild); if(l[J]) {o.support.scriptEval=true; delete
 1 \\ [J] \} F. \\ remove Child (G); \\ if (K.attach \\ Event \& \& K.fire \\ Event) \\ \{K.attach \\ Event ("onclick", function() \\ \{o.support.noClone \\ Event \\ ("onclick", function()) 
 ent=false;K.detachEvent("onclick",arguments.callee)});K.cloneNode(true).fireEvent("onclick")}o(function(){v
 ar
  \textbf{L=document.createElement("div");L.style.width=L.style.paddingLeft="lpx";document.body.appendChild(L);o.boxMarker.px"; and the contract of the contract of
 odel=o.support.boxModel=L.offsetWidth===2;document.body.removeChild(L).style.display="none"})}))));var
  w=o.support.cssFloat?"cssFloat":"styleFloat";o.props={"for":"htmlFor","class":"className","float":w,cssFloa
  t:w,styleFloat:w,readonly:"readOnly",maxlength:"maxLength",cellspacing:"cellSpacing",rowspan:"rowSpan",tabi
ndex:"tabIndex");o.fn.extend({_load:o.fn.load,load:function(G,J,K){if(typeof G!=="string"){return
this._load(G)}var I=G.indexOf(" ");if(I>=0){var E=G.slice(I,G.length);G=G.slice(0,I)}var
 H="GET"; if (J) {if (o.isFunction(J)) {K=J;J=null}else(if(typeof J==="object") {J=o.param(J);H="POST"}}} var
 F=this; o.ajax({url:G,type:H,dataType:"html",data:J,complete:function(M,L) {if(L=="success"||L=="notmodified"
  ) {F.html (E?o("<div/>") . append (M.responseText.replace (/<script(.|\s\)*?\/script>/g,"")) . find (E) : M.responseTex
  t)}if(K){F.each(K,[M.responseText,L,M])}});return this},serialize:function(){return
  o.param(this.serializeArray())), serializeArray:function() {return this.map(function() {return
  this.elements?o.makeArray(this.elements):this}).filter(function(){return
  this.name&&!this.disabled&&(this.checked||/select|textarea/i.test(this.nodeName)||/text|hidden|password|sea
  rch/i.test(this.type))}).map(function(E,F){var G=o(this).val();return
  G==null?null:o.isArray(G)?o.map(G,function(I,H){return{name:F.name,value:I}}):{name:F.name,value:G}}).get()
  }});o.each("ajaxStart,ajaxStop,ajaxComplete,ajaxError,ajaxSuccess,ajaxSend".split(","),function(E,F){0.fn[F
 ]=function(G) {return this.bind(F,G)}});var
 r=e(); o.extend({qet:function(E,G,H,F){if(o.isFunction(G)){H=G;G=null}return
 o.ajax({type:"GET",url:E,data:G,success:H,dataType:F})},getScript:function(E,F){return
 o.get(E,null,F,"script")},getJSON:function(E,F,G){return
  o.get(E,F,G,"json")},post:function(E,G,H,F){if(o.isFunction(G)){H=G;G={}}return
  o.ajax({type:"FOST",url:E,data:G,success:H,dataType:F})},ajaxSetup:function(E){o.extend(o.ajaxSettings,E)},
  ajaxSettings: {url:location.href,global:true,type:"GET",contentType:"application/x-www-form-
 urlencoded",processData:true,async:true,xhr:function() {return 1.ActiveXObject?new
 ActiveXObject("Microsoft.XMLHTTP"):new XMLHttpRequest()),accepts:{xml:"application/xml,
  text/xml",html:"text/html",script:"text/javascript, application/javascript",json:"application/json,
  text/javascript",text:"text/plain",_default:"*/*")),lastModified:{),ajax:function(M){M=o.extend(true,M,o.ex
   tend(true,{},o.ajaxSettings,M));var
 \textit{W,F=/=\?(\&|\$)/g,R,V,G=M.type.toUpperCase();if(M.data\&\&M.processData\&\&typeofder)}
 \begin{tabular}{ll} $W,F=/=(?(\&\{s)/g,K,V,G=M.type.toupperCase();If(M.data&M.processData&&typeof(M.data)) $$ M. data=="string") $$ (M. data=-param(M.data) $$ if(M. dataType=="jsonp") $$ if(G=="GET") $$ if(!M.url.match(F)) $$ M.url+=(M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.data-M.dat
  false&&G=="GET") {var E=e();var
   U = M.url.replace(/(\?\\&)\_.*?(\&\§)/,"\$1\_="+E+"\$2"); \\ M.url=U+((U==M.url)?(M.url.match(/\?/)?"\&":"?")+"\_="+E:"" \\ M.url=U+((U==M.url)?(M.url.match(/\?/)?"\&":"?")+"_="+E:"" \\ M.url=U+((U=M.url)?(M.url.match(/\?/)?"\&")+"_="+E:"" \\ M.url=U+((U=M.url)?(M.url.match(/\?/)?")+"_="+E:"" \\ M.url=U+((U=M.url)?(M.url.match(/\?/)?")+"_="+E:"") \\ M.url=U+((U=M.url)?(M.url.match(/\?/)?")+"_="+E:"") \\ M.url=U+((U=M.url)?(M.url.match(/\?/)?")+"_="+E:"") \\ M.url=U+((U=M.url)?(M.url.match(/\?/)?")+"_="+E:"") \\ M.url=U+((U=M.url)?(M.url.match(/\?/)?")+"_="+E:"") \\ M.url=U+((U=M.url.match(/\?/)?")+"_="+E:"") \\ M.url=U+((U=M.url.match(/\?/)?"
  ent.trigger("ajaxStart")}var
  ||Q[2]!=location.host))(var H=document.getElementsByTagName("head")[0];var
  T = document.create Element ("script"); T.src = M.url; if (M.scriptCharset) (T.charset = M.scriptCharset) if (!W) (varance to the context of the context o
  O=false; T. onload=T. onready state change=function () \{if (!0\&\& (!this.readyState||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.readyState=="loaded"||this.leaded"||this.leaded||this.leaded||this.leaded||this.leaded||this
  readyState = "complete")) \ \{O = true; I(); L(); T. onload = T. onreadyState change = null; H. removeChild(T)\}\} \\ H. appendChild(T), T. onload = T. onreadyState change = null; H. removeChild(T)\} \\ H. appendChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), T. onload = T. onreadyState change = null; H. removeChild(T), 
    (T); return g}var K=false; var
 J=M.xhr(); if (\textit{M.username}) \{\textit{J.open}(\textit{G},\textit{M.url},\textit{M.async},\textit{M.username},\textit{M.password}) \} \\ else \{\textit{J.open}(\textit{G},\textit{M.url},\textit{M.async})\} \\ try\{if (\textit{M.data}) \{\textit{J.setRequestHeader}("Content-Type",\textit{M.contentType})\} \\ if (\textit{M.ifModified}) \{\textit{J.setRequestHeader}("If-Modified-Type",\textit{M.contentType})\} \\ if (\textit{M.ifModified}) \{\textit{J.setRequestHeader}("If-Modified-Type",\textit{M.contentType})\} \\ f(\textit{M.ifModified}) \{\textit{M.ifModified}(\textit{M.ifModified})\} \\ f(\textit{M.ifModified}) \} \\ f(\textit{M.ifModified}(\textit{M.
  Since", o.lastModified[M.url]||"Thu, 01 Jan 1970 00:00:00 GMT")}J.setRequestHeader("X-Requested-
  \label{limits} \textit{With","XMLHttpRequest"}); \textit{J.setRequestHeader("Accept",M.dataType&&M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M.accepts[M.dataType]?M
                       */*":M.accepts._default)}catch(S){}if(M.beforeSend&&M.beforeSend(J,M)===false){if(M.global&&!--
 o.active) {o.event.trigger("ajaxStop")}J.abort();return
false}if(M.global) {o.event.trigger("ajaxSend",[J,M])}var
 N=function(X) {if(J.readyState==0) {if(P) {clearInterval(P);P=null;if(M.global&&!--
 o.active) {o.event.trigger("ajaxStop")}}}else{if(!K&&J&&(J.readyState==4||X=="timeout"))}K=true;if(P){clearI
 nterval(P); P=null}R=X=="timeout"?"timeout":!o.httpSuccess(J)?"error":M.ifModified&&o.httpNotModified(J,M.ur
 1) ?"notmodified": "success"; if (R=="success") {try{V=o.httpData(J,M.dataType,M)}catch(Z){R="parsererror"}}if(R
  =="success") {var Y; try{Y=J.getResponseHeader("Last-
 Modified"))catch(Z){}if(M.ifModified&&Y){o.lastModified[M.url]=Y}if('W){I()}}else(o.handleError(M.J.R)}L():
 if(X){J.abort()}if(M.async){J=null}}};if(M.async){var
  P=setInterval(N,13);if(M.timeout>0) {setTimeout(function() {if(J&&!K) {N("timeout")}}, M.timeout)} } try{J.send(M
   .data) } catch(S) {o.handleError(M,J,null,S)} if(!M.async) {N()} function
```

```
I() {if (M.success) {M.success(V,R)}if(M.global) {o.event.trigger("ajaxSuccess",[J,M])}}function
L() {if (M.complete) {M.complete(J,R)} if (M.global) {o.event.trigger("ajaxComplete",[J,M])} if (M.global&&!--
o.active) {o.event.trigger("ajaxStop")}}return
J}, handleError: function(F,H,E,G) {if(F.error) {F.error(H,E,G)} if(F.global) {o.event.trigger("ajaxError",[H,F,G])}}, active:0,httpSuccess:function(F) {try{return}
 !F.status&&location.protocol=="file:"||(F.status>=200&&F.status<300)||F.status==304||F.status==1223|catch(E
){}return false},httpNotModified:function(G,E){try{var H=G.getResponseHeader("Last-Modified");return
G.status==304||H==o.lastModified[E]}catch(F){}return false},httpData:function(J,H,G){var
F=J.getResponseHeader("content-
 type"), E=H=="xml"||!H&&F&W.indexOf("xml")>=0, I=E?J.responseXML:J.responseText;if(E&&I.documentElement.tagN
 ame=="parsererror") { throw"parsererror"} if (G&&G. dataFilter) { I=G. dataFilter(I, H) } if (typeof
 I==="string") {if (H=="script") {0.globalEval(I)} if (H=="json") {I=1["eval"] ("("+I+")")}}return
 I},param:function(E) {var G=[];function
\texttt{H(I,J)} \\ \{\texttt{G[G.length]} = \texttt{encodeURIComponent(I)} \\ + \texttt{"="+encodeURIComponent(J)} \\ \} \\ \texttt{if(o.isArray(E) | E.jquery)} \\ \{\texttt{o.each(E,funcodeURIComponent(J))} \\ + \texttt{o.each(E,funcodeURIComponent(J))} \\ + \texttt{o.each(E,funcodeURIComponent(L))} 
 tion(){H(this.name,this.value)})}else{for(var F in
E) {if (o.isArray(E[F])) {o.each(E[F], function() {H(F.this)}) }else{H(F.o.isFunction(E[F])?E[F]():E[F])}}}return
G.join("&").replace(/%20/g,"+")}});var
m=\{\}, n, d=[["height", "marginTop", "marginBottom", "paddingTop", "paddingBottom"], ["width", "marginLeft", "marginRouted for the state of the sta
 ight","paddingLeft","paddingRight"],["opacity"]];function t(F,E){var
G=\{\}; o.each(d.concat.apply([],d.slice(0,E)),function()\{G[this]=F\}); return(0,E)\}
 G \} o.fn. extend (\{show: function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{if (J) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{return this.animate (t ("show",3),J,L) \} else \{for (varner), function (J,L) \{return this.animate (t ("show),3),J,L) \} else \{for (varner), function (J,L) \{return this.animate (t ("show),3),J,L) \} else \{for (varner), function (J,L) \{return this.animate (J
H=0,F=this.length;H<F;H++) {var
E=o.data(this[H], "olddisplay"); this[H].style.display=E||""; if(o.css(this[H], "display")==="none") {var
\label{lock} $$ \parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\parbox{$\pa
 lay",K)}}for(var H=0,F=this.length;H<F;H++){this[H].style.display=0.data(this[H],"olddisplay")||""}return
 this}}, hide: function(H,I){if(H){return this.animate(t("hide",3),H,I)}else{for(var
G=0,F=this.length;G<F;G++) {var
 E=o.data(this[G],"olddisplay"); if(!E&&E!=="none"){o.data(this[G],"olddisplay",o.css(this[G],"display"))}}fo
 r(var G=0,F=this.length;G<F;G++){this[G].style.display="none"}return
 this}},_toggle:o.fn.toggle;toggle:function(G,F){var E=typeof G==="boolean";return
o.isFunction(G)&&o.isFunction(F)?this._toggle.apply(this,arguments):G==null||E?this.each(function(){var H=E?G:o(this).is(":hidden");o(this)[H?"show":"hide"]()}):this.animate(t("toggle",3),G,F)},fadeTo:function(E
  ,G,F) {return this.animate({opacity:G},E,F)}, animate:function(I,F,H,G) {var E=o.speed(F,H,G); return
 this[E.queue===false?"each":"queue"](function() {var
 K=o.extend({},E),M,L=this.nodeType==1&&o(this).is(":hidden"),J=this;for(M in
I) {if(I[M]=="hide"&&L||I[M]=="show"&&!L) {return}
K.complete.call(this)}if((M=="height"||M=="width")&&this.style){K.display=o.css(this, "display");K.overflow=
 this.style.overflow)}if(K.overflow!=null){this.style.overflow="hidden"}K.curAnim=o.extend({},I);o.each(I,fu
nction(O,S) {var R=new
o.fx(J,K,O);if(/toggle|show|hide/.test(S)){R[S=="toggle"?L?"show": "hide":S](I)}else{var
 Q=S.toString().match(/^([+-]=)?([\sqrt{d+-.}]+)(.*)$/),T=R.cur(true)||0;if(Q){var
true})},stop:function(F,E){var G=o.timers;if(F){this.queue([])}this.each(function(){for(var H=G.length-
 1;H>=0;H--){if(G[H].elem==this){if(E){G[H](true)}G.splice(H,1)}}});if(!E){this.dequeue()}return
 this}});o.each({slideDown:t("show",1),slideUp:t("hide",1),slideToggle:t("toggle",1),fadeIn:{opacity:"show"}
  , fadeOut: {opacity: "hide"}}, function(E,F) {o.fn[E]=function(G,H) {return
 this.animate(F,G,H)\}); o.extend(\{speed:function(G,H,F)\} var \ E=typeof
G==="object"?G:{complete:F||!F&&H||o.isFunction(G)&&G,duration:G,easing:F&&H||H&&!o.isFunction(H)&&H};E.dur
ation=o.fx.off?0:typeof
E.duration==="number"?E.duration:o.fx.speeds[E.duration]||o.fx.speeds.default;E.old=E.complete;E.complete=
 function(){if(E.queue!==false){o(this).dequeue()}if(o.isFunction(E.old)){E.old.call(this)}};return
 E \} , easing: \{linear: function(G,H,E,F) \{ return \ E+F*G \}, swing: function(G,H,E,F) \{ return(G,H,E,F) \} \} 
{\tt Math.cos(G*Math.PI)/2)+0.5)*F+E}\}, timers: [], fx:function(F,E,G) \{this.options=E; this.elem=F; this.prop=G; if(!E,E,G), fig. (a) = f(E,E,G) \}
 .oriq) {E.oriq={}}}); o.fx.prototype={update:function() {if(this.options.step) {this.options.step.call(this.el
 em, this.now, this) } (o.fx.step[this.prop]||o.fx.step._default) (this);if((this.prop=="height"||this.prop=="wid
 th") &&this.elem.style) {this.elem.style.display="block"}}, cur:function(F) {if(this.elem[this.prop]!=null&&(!t
his.elem.style||this.elem.style[this.prop]==null)){return this.elem[this.prop]}var
E=parseFloat(o.css(this.elem,this.prop,F));return E&&E>-
10000? E: parseFloat (o.curCSS (this.elem, this.prop)) | | 0 \}, custom: function (I,H,G) \{this.startTime=e(); this.start=e(), this.startTime=e(), this.startTime=e()
I; this.end=H; this.unit=G||this.unit||"px"; this.now=this.start; this.pos=this.state=0; var E=this; function
F(J) {return E.step(J) }F.elem=this.elem; if (F() &&o.timers.push(F) &&!n) {n=setInterval(function() {var
,1)}}if(!K.length){clearInterval(n);n=g}},13)}},show:function(){this.options.orig[this.prop]=o.attr(this.el
 em.style,this.prop);this.options.show=true;this.custom(this.prop=="width"||this.prop=="height"?1:0,this.cur
 ()); o(this.elem).show()}, hide:function(){this.options.orig[this.prop]=o.attr(this.elem.style,this.prop);thi
 s.options.hide=true; this.custom(this.cur(),0)}, step:function(H) {var
this.options.curAnim[this.prop]=true;var E=true;for(var F in
 this.options.curAnim) {if (this.options.curAnim[F]!==true) {E=false}}if (E) {if (this.options.display!=null) {this
  . \verb| elem.style.overflow=this.options.overflow|; this.elem.style.display=this.options.display|; if (o.css (this.elem.style.overflow=this)|; if (o.css (t
 "display") == "none") { this.elem.style.display="block"} } if (this.options.hide) { o (this.elem).hide () } if (this.opti
ons.hide||this.options.show){for(var I in
 this.options.cur^{2} Anim) \\ \{o.attr(this.elem.style,I,this.options.orig[I])\}\\ this.options.complete.call(this.elem)\\ this.options.co
 }return false}else{var J=G-
 this.start \verb|Time|; this.state=J/this.options.duration|; this.pos=o.easing[this.options.easing||(o.easing.swing?"s)| and the start \verb|Time|; this.options.easing||(o.easing.swing?"s)| and the start \verb|Time|; this.options.easing||(o.easing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.swing.
 wing":"linear")](this.state,J,0,1,this.options.duration);this.now=this.start+((this.end-
 this.start) *this.pos); this.update()} return
 true}};o.extend(o.fx,{speeds:{slow:600,fast:200,_default:400},step:{opacity:function(E){o.attr(E.elem.style}
 ,"opacity", E.now)}, default:function(E) {if(E.elem.style&&E.elem.style[E.prop]!=null) {E.elem.style[E.prop]=E
  .now+E.unit}else{E.elem[E.prop]=E.now}}});if(document.documentElement.getBoundingClientRect){o.fn.offset=f
 unction(){if(!this[0]){return{top:0,left:0}}if(this[0]===this[0].ownerDocument.body){return
 o.offset.bodyOffset(this[0]) }var
G=this[0].getBoundingClientRect(), J=this[0].ownerDocument,F=J.body,E=J.documentElement,L=E.clientTop||F.cli
entTop||0,K=E.clientLeft||F.clientLeft||0,I=G.top+(self.pageYOffset||o.boxModel&&E.scrollTop||F.scrollTop)-
L, H=G.left+(self.pageXOffset||o.boxModel&&E.scrollLeft||F.scrollLeft)-
K;return{top:I,left:H}}}else{o.fn.offset=function(){if(!this[0]){return{top:0,left:0}}if(this[0]===this[0].
```

```
ownerDocument.body) {return o.offset.bodyOffset(this[0])}o.offset.initialized||o.offset.initialize();var
 J=this[0],G=J.offsetParent,F=J,O=J.ownerDocument,M,H=O.documentElement,K=O.body,L=O.defaultView,E=L.getComp
  \textbf{utedStyle}\left(\textbf{J}, \textbf{null}\right), \textbf{N=J}. \textbf{offsetTop}, \textbf{I=J}. \textbf{offsetLeft}; \textbf{while}\left((\textbf{J=J}. \texttt{parentNode}) \& \& \textbf{J}! == \texttt{K} \& \& \textbf{J}! == \texttt{H}\right) \\ \textbf{\{M=L}. \texttt{getComputedStyle}\left(\textbf{J}, \textbf{J}, \textbf{J
  ,null); N-=J.scrollTop, I-
  =J.scrollLeft;if(J===G){N+=J.offsetTop,I+=J.offsetLeft;if(o.offset.doesNotAddBorder&&!(o.offset.doesAddBord
 erForTableAndCells&&/^t(able|d|h)$/i.test(J.tagName))){N+=parseInt(M.borderTopWidth,10)||0,I+=parseInt(M.bo
 \verb|rderLeftWidth,10||0|| F=G,G=J.offsetParent| if (o.offset.subtractsBorderForOverflowNotVisible \&\&M.overflow! == "value" of the property of 
  isible") {N+=parseInt(M.borderTopWidth,10)||0,I+=parseInt(M.borderLeftWidth,10)||0}E=M}if(E.position==="rela
 tive"||E.position==="static") {N+=K.offsetTop,I+=K.offsetLeft}if(E.position==="fixed") {N+=Math.max(H.scrollT
 op, K. scrollTop), I+=Math.max(H. scrollLeft, K. scrollLeft)}return{top:N,left:I}}}o.offset={initialize:function(
 ) {if (this.initialized) {return}var
  L=document.body,F=document.createElement("div"),H,G,N,I,M,E,J=L.style.marginTop,K='<div
 style="position:absolute;top:0;left:0;margin:0;border:5px solid
  #000; padding:0; width:1px; height:1px; "><div></div></div></table
  style="position:absolute;top:0;left:0;margin:0;border:5px solid #000;padding:0;width:1px;height:1px;"
 cellpadding="0"
 cellspacing="0">';M={position:"absolute",top:0,left:0,margin:0,border:0,width:"1p
  x", height: "1px", visibility: "hidden"}; for (E in
 M) {F.style[E]=M[E]}F.innerHTML=K;L.insertBefore(F,L.firstChild);H=F.firstChild,G=H.firstChild,I=H.nextSibli
 \verb|ng.firstChild.firstChild|; this.doesNotAddBorder=(G.offsetTop!==5); this.doesAddBorderForTableAndCells=(I.offsetTop!==5); this.doesAddBorderForTableAndCells=(I.offsetTop!==5); this.doesAddBorderForTableAndCells=(I.offsetTop!==5); this.doesAddBorderForTableAndCells=(I.offsetTop!==5); this.doesAddBorderForTableAndCells=(I.offsetTop!==5); this.doesAddBorderForTableAndCells=(I.offsetTop!=5); this.doe
  etTop===5); H.style.overflow="hidden", H.style.position="relative"; this.subtractsBorderForOverflowNotVisible=
   (G.offsetTop=
  5);L.style.marginTop="lpx";this.doesNotIncludeMarginInBodyOffset=(L.offsetTop===0);L.style.marginTop=J;L.re
 moveChild(F); this.initialized=true}, bodyOffset:function(E) {o.offset.initialized||o.offset.initialize(); var
  \textbf{G=E.offsetTop,F=E.offsetLeft;} \textbf{if(o.offset.doesNotIncludeMarginInBodyOffset)} \textbf{ \{G+=parseInt(o.curCSS (E,"marginToesnotIncludeMarginInBodyOffset)\}} \textbf{ (G+=parseInt(o.curCSS (E,"marginToesnotIncludeMarginInBodyOffset))} \textbf{ (G+=parseInt(o.curCSS (E,"marginToesnotIncludeMarginToesnotIncludeMarginToesnotIncludeMarginToesnotIncludeMarginToesnotIncludeMarginToesnotIncludeMarginToesnotIncludeMarginToesnotIncludeMarginToesnotIncludeMarginToesnotIncludeMarginToesnotIncludeMarginTo
  p",true),10)||0,F+=parseInt(o.curCSS(E,"marginLeft",true),10)||0}return{top:G,left:F}}};o.fn.extend({positi
  on:function() {var I=0,H=0,F;if(this[0]) {var
 G=this.offsetParent(), J=this.offset(), E=/^body|html$/i.test(G[0].tagName)?{top:0,left:0}:G.offset();J.top-
 =j(this, "marginTop"); J.left-
  =j(this, "marginLeft"); E.top+=j(G, "borderTopWidth"); E.left+=j(G, "borderLeftWidth"); F={top:J.top-
 E.top,left:J.left-E.left}}return F},offsetParent:function(){var
 ic")) {E=E.offsetParent)return o(E)}});o.each(["Left","Top"],function(F,E){var
G="scroll"+E;o.fn[G]=function(H){if(!this[0]){return null}return
  \texttt{H!} = = \texttt{q?this.each} \\ (\texttt{function}() \\ \texttt{\{this==1 | | this==document?1.scrollTo(!F?H:o(1).scrollLeft(), F?H:o(1).scrollTo()):} \\ ) \\ \texttt{()} \\ \texttt
 this[G]=H):this[0]==1||this[0]==document?self[F?"pageYOffset":"pageXOffset"]||o.boxModel&&document.documentElement[G]||document.body[G]:this[0][G]});o.each(["Height","Width"],function(I,G){var
 E=I?"Left": "Top", H=I?"Right": "Bottom", F=G.toLowerCase(); o.fn["inner"+G]=function() {return
  this[0]?o.css(this[0],F,false,"padding"):null};o.fn["outer"+G]=function(K) {return
  this[0]?o.css(this[0],F,false,K?"margin":"border"):null};var J=G.toLowerCase();o.fn[J]=function(K){return
  this[0]==1?document.compatMode=="CSS1Compat"&&document.documentElement["client"+G]||document.body["client"+
 G]: this[0] == document? Math.max(document.documentElement["client"+G], document.body["scroll"+G], document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.document.doc
 \textbf{entElement["scroll"+G], document.body["offset"+G], document.documentElement["offset"+G]): K===g?(this.length?offset"+G]): K===g?(this.length?offset"+G]): K===g?(this.length?offset"+G]): K===g?(this.length?offset"+G]): K===g?(this.length?offset"+G]): K===g?(this.length?offset"+G]): K===g?(this.length?offset"+G]): K==g?(this.length?offset"+G]): K==g?(this.length?offset"+G]): K==g?(this.length?offset"+G]): K==g?(this.length?offset"+G]): K==g?(this.length?offset"+G]): K==g?(this.length?offset"+G]): K==g?(this.length?offset"+G]): K=g?(this.length?offset"+G]): K=g?(this.l
  .css(this[0],J):null):this.css(J,typeof K==="string"?K:K+"px")}})))));
```

Loopedslider.min.js:

```
loopedSlider 0.5.6 - jQuery plugin
       * written by Nathan Searles
            http://nathansearles.com/loopedslider/
             Copyright (c) 2009 Nathan Searles (http://nathansearles.com/)
       * Dual licensed under the MIT (MIT-LICENSE.txt)
       * and GPL (GPL-LICENSE.txt) licenses.
            Built for iOuerv library
       * http://jquery.com
       * Works with jQuery version 1.3+
if(typeof jouery!='undefined'){jouery(function($){$.fn.extend({loopedSlider:function(options){var}})}
 settings=$.extend({},$.fn.loopedSlider.defaults,options);return
  this.each(function(){if($.fn.jquery<'1.3.2'){return}var $t=$(this);var
 o=$.metadata?$.extend({{}},settings,$t.metadata()):settings;var distance=0;var times=1;var
 slides=$(o.slides,$t).children().size(); var width=$(o.slides,$t).children().outerWidth(); var position=0; var
 active=false;var number=0;var interval=0;var restart=0;var pagination=$("."+o.pagination+" li
a", $t); if (o.addPagination&&!$ (pagination).length) {var buttons=slides;$ ($t).append("<ul
class="+o.pagination+">"); $(o.slides,$t).children().each(function(){if(number<buttons){$("."+o.pagination,$t).append("<li>a rel="+(number+1)+" href=\"#\"
>"+(number+1)+"</a>");number=number+1}else{number=0;return false}$("."+o.pagination+" li
\textbf{a:eq(0)",\$t).} \texttt{parent().addClass("active")}); \texttt{pagination=\$("."+o.pagination+" 1i)}; \texttt{pagination} \texttt{pagina
 \textbf{a"}, \$t) \ \} \textbf{else} \\ \$ \ (\texttt{pagination}, \$t) \ . \ \texttt{each} \ (\textbf{function} \ () \ \{\texttt{number=number+1}; \$ \ (\textbf{this}) \ . \ \texttt{attr} \ (\textbf{"rel"}, \texttt{number}); \$ \ (\texttt{pagination.eq} \ (0) \ , \ \texttt{number+1}; \$ \ (\textbf{this}) \ . \ \texttt{attr} \ (\textbf{"rel"}, \texttt{number}); \$ \ (\texttt{pagination.eq} \ (0) \ , \ \texttt{number+1}; \$ \ (\textbf{this}) \ . \ \texttt{attr} \ (\textbf{"rel"}, \texttt{number}); \$ \ (\texttt{pagination.eq} \ (0) \ , \ \texttt{number+1}; \$ \ (\texttt{number+1}; 
$t).parent().addClass("active")))if(slides===1){$(o.slides,$t).children().css({position: "absolute", left:position, display: "block"});return}$(o.slides,$t).css({width:(slides*width)});$(o.slides,$t).children().each(f
 unction() {$(this).css({position: "absolute", left:position, display: "block"});position=position+width});$(o.sl
 ides, \$t) . children (":eq("+(slides-1)+")") . css (\{position: "absolute", left:-defined absolute", left:-defined absolute", left:-defined absolute (":eq("+(slides-1)+")") . css (\{position: "absolute", left:-defined absolute", left:-defined absolute (":eq("+(slides-1)+")") . css (\{position: "absolute", left:-defined absolute (":eq("+(slides-1)+")") . css (\{position: "absolute (":eq("+(slides-1)+")") . css (\{position: "absolute (":eq("+(slides-1)+")") . css (\{position: "absolute (":eq("+(slides-1)+") . css ([int] (":eq("+(slide
width));if(slides>3) {$(o.slides,$t).children(":eq("+(slides-1)+")").css({position:"absolute",left:-
width})}if(o.autoHeight){autoHeight(times)}$(".next",$t).click(function(){if(active===false)}{animate("next")})
false};;f(o.autoStart) {if(o.restart) (autoStart() }else(clearInterval(sliderIntervalID))}} return
false});;(".previous",$t).click(function() {if(active===false) {animate("prev",true);if(o.autoStart) {if(o.restart) }else(clearIntervalID))}
 tart) {autoStart()}else{clearInterval(sliderIntervalID)}}}return
 \textbf{false}); \textbf{if} (\texttt{o.containerClick}) \ \{\$ (\texttt{o.container},\$\texttt{t}) . \texttt{click} \\ (\textbf{function}()) \ \{\texttt{if} (\texttt{active===false}) \ \{\texttt{animate}("\texttt{next"},\texttt{true}); \texttt{if} (\texttt{o.container},\$\texttt{true}) \} \}
 o.autoStart) {if(o.restart) {autoStart() }else{clearInterval(sliderIntervalID) }}} return
 false})) $ (pagination, $t).click(function() {if($(this).parent().hasClass("active")) {return
 false}else{times=$(this).attr("rel");$(pagination, $t).parent().siblings().removeClass("active");$(this).par
ent().addClass("active");animate("fade",times);if(o.autoStart){if(o.restart){autoStart()}else{clearInterval}
```

```
(sliderIntervalID) }}}return
  false); if (o.autoStart) {sliderIntervalID=setInterval(function() {if (active===false) {animate("next",true)}}, o
   .autoStart); function
  autoStart() {if(o.restart) {clearInterval(sliderIntervalID, interval);clearTimeout(restart);restart=setTimeout
   (function() (interval=setInterval(function() {animate("next", true)}, o.autoStart)}, o.restart)}else{sliderInter
  valID=setInterval(function(){if(active===false){animate("next",true)}},o.autoStart)}}}function
current(times) (if(times==slides+1) (times=) if(times===0) (times=slides) (pagination, $t).parent().siblings() .removeClass("active"); (pagination+"[rel='"+(times)+"']", $t).parent().addClass("active")); function
  \verb|autoHeight(times| \{if(times===slides+1) \{times=1\} if(times===0) \{times=slides\} | var| \} | times=slides | var| | times=slides | v
 getHeight=$(o.slides,$t).children(":eq("+(times-
  1)+")",$t).outerHeight();$(o.container,$t).animate({height:getHeight},o.autoHeight)};function
 animate(dir,clicked) {active=true; switch(dir) { case"next":times=times+1; distance=(-(times*width-
  width));current(times);if(o.autoHeight){autoHeight(times)}if(slides<3){if(times===3){$(o.slides,$t).childre
  \texttt{n(":eq(0)").css(\{left:(slides*width)\})}\} \\ \textbf{if}(\texttt{times===2}) \\ \{ \texttt{(o.slides,\$t).children(":eq("+(slides-mids)))} \\ \textbf{if}(\texttt{times===2}) \\ \{ \texttt{(o.slides,\$t).children(":eq("+(slides-mids)))} \\ \textbf{if}(\texttt{times====2}) \\ \{ \texttt{(o.slides,\$t).children(":eq("+(slides-mids)))} \\ \textbf{if}(\texttt{(i.slides,\$t).children(":eq("+(slides-mids)))} \\ \textbf{if}(\texttt{(i.slides,\$t).children(":eq("+(slides,\$t).children("))} \\ \textbf{if}(\texttt{(i.slides,\$t).children("))} \\ \textbf{if}(\texttt{(i.slides,\$t).children(")} \\ \textbf{if}(\texttt{(i.slides,\$t).chil
 1)+")").css({position:"absolute",left:width})}}$(o.slides,$t).animate({left:distance},o.slidespeed,function(){if(times==slides+1){times=1;$(o.slides,$t).css({left:0},function(){$(o.slides,$t).animate({left:distance})}.animate({left:distance}).css({left:0},function(){$(o.slides,$t).animate({left:distance})}.animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left:distance}).animate({left
 e})});$(o.slides, $t).children(":eq(0)").css({left:0});<math>$(o.slides, $t).children(":eq("+(slides-thick of the context of the 
  1) +")").css({position:"absolute",left:
  1) (0.slides, t).children(":eq("+(slides-1)+")").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})").css({left:(slides*width-1)+"})")").css({left:(slides*width-1)+"})").css({left:(sl
 width) });active=false });break;case"prev":times=times-1;distance=(-(times*width-
 n(":eq("+(slides-1)+")").css({position:"absolute",left:(-
  animate(\{left: distance\}, o.slidespeed, \textbf{function}() \\ \{\textbf{if}(times===0) \\ \{times=slides; \\ \$(o.slides, \$t). \\ children(":eq("+(left: distance), o.slides, o.sli
  slides-1)+")").css({position:"absolute",left:(slides*width-width)});$(o.slides,$t).css({left:-
   (slides*width-
 !:eq(0)").css(\{position: "absolute", left:0\}); if(times===1)$(o.slides,$t).children(":eq("+(slides-times==1))$(o.slides,$t).children(":eq("+(slides-times==1))$(o.slides,$t).children(":eq("+(slides-times==1))$(o.slides,$t).children(":eq("+(slides-times==1))$(o.slides,$t).children(":eq("+(slides-times==1))$(o.slides,$t).children(":eq("+(slides-times==1)))$(o.slides,$t).children(":eq("+(slides-times==1)))$(o.slides,$t).children(":eq("+(slides-times==1)))$(o.slides,$t).children(":eq("+(slides-times==1)))$(o.slides,$t).children(":eq("+(slides-times==1)))$(o.slides,$t).children(":eq("+(slides-times==1)))$(o.slides,$t).children(":eq("+(slides-times==1)))$(o.slides,$t).children(":eq("+(slides-times==1)))(o.slides,$t).children(":eq("+(slides-times==1)))$(o.slides,$t).children(":eq("+(slides-times==1)))(o.slides,$t).children("+(slides-times===1))$(o.slides,$t).children(":eq("+(slides-times==1)))(o.slides)
  1)+")").css({position:"absolute",left:-width});active=false});break;case"fade":times=[times]*1;distance=(-
   (times*width-
width));current(times);if(o.autoHeight){autoHeight(times)}$(o.slides,$t).children().fadeOut(o.fadespeed,function(){$(o.slides,$t).css({left:distance});$(o.slides,$t).children(":eq("+(slides-
  1)+")").css({left:slides*width-
  ).css({left:(slides*width)})} if(times===1){$(o.slides, $t).children(":eq("+(slides-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-times-tim
 1) +")").css({position:"absolute",left:-
 width})}$(o.slides,$t).children().fadeIn(o.fadespeed);active=false});break;default:break}}}))});$,fn.looped
Slider.defaults={container:".container", slides:".slides:".pagination:"pagination", containerClick:true, autoSt art:0,restart:0,slidespeed:300,fadespeed:200,autoHeight:0,addPagination:false}})}
```

Titillium Text14L 300 600.font.js:

```
^{\star} The following copyright notice may not be removed under any circumstances.
         * Copyright:
         * Generated in 2009 by FontLab Studio. Copyright info pending.
          * Full name:
          * TitilliumText14L-250wt
  Cufon.registerFont({"w":190,"face":{"font-family":"TitilliumText14L","font-weight":300,"font-
  stretch":"normal","units-per-em":"360","panose-1":"0 0 0 0 0 0 0 0 0 0","ascent":"270","descent":"-90","x-
height":"4","bbox":"-12 -284 335 86","underline-thickness":"18","underline-position":"-18","unicode-range":"U+0020-U+2122"},"glyphs":{" ":{"w":84},"C":{"d":"176,-24r1,20v0,0,-39,8,-67,8v-75,0,-91,-48,-91,-
  129v0,-82,16,-130,91,-130v33,0,68,8,68,8r-2,21v0,0,-37,-7,-64,-7v-60,0,-70,38,-
  70,108v0,69,10,107,70,107v24,0,64,-6,64,-6","w":192},"c":{"d":"94,-183v15,0,46,4,46,4r0,19v0,0,-29,-3,-43,-
  3v-43, 0, -56, 19, -56, 70v0, 56, 9, 76, 56, 76v14, 0, 43, -3, 43, -3r1, 19v0, 0, -33, 5, -48, 5v-58, 0, -74, -26, -74, -97v0, -9
  66, 21, -90, 75, -90", "w": 157\}, "d": \{"d": "162, -252r0, 252r-22, 0r0, -13v0, 0, -29, 17, -58, 17v-30, 0, -63, -12, -63, -93v0, -12, -93v0, -
63,19,-94,76,-94v16,0,38,3,45,4r0,-73r22,0xm85,-16v27,0,55,-16,55,-16r0,-128v-7,-1,-31,-4,-45,-4v-43,0,-54,26,-54,76v0,63,23,72,44,72","w":194},"e":{"d":"91,-16v26,0,66,-3,66,-3r1,18v0,0,-41,5,-69,5v-54,0,-70,-33,-70,-93v0,-69,31,-94,75,-94v46,0,71,25,71,85r-1,17r-123,0v0,42,12,65,50,65xm41,-99r102,0v0,-48,-15,-65,-
  49,-65v-33,0,-53,18,-53,65","w":182},"f":{"d":"56,-160r0,160r-21,0r0,-160r-24,0r0,-20r24,0r0,-18v0,-52,13,-
  66, 47, -66 \text{v} \\ 13, 0, 35, 3, 35, 3 \text{r} \\ 0, 18 \text{v} \\ 0, 0, -22, -1, -32, -1 \text{v} \\ -22, 0, -29, 9, -29, 46 \text{r} \\ 0, 18 \text{r} \\ 55, 0 \text{r} \\ 0, 20 \text{r} \\ -22, 0, -29, 9, -29, 46 \text{r} \\ 0, 18 \text{r} \\ 55, 0 \text{r} \\ 0, 20 \text{r} \\ -22, 0, -29, 9, -29, 46 \text{r} \\ 0, 18 \text{r} \\ 0, 
  55,0","w":119},"g":{"d":"93,86v-58,0,-75,-13,-75,-56v0,-22,10,-31,29,-45v-6,-4,-9,-14,-9,-25v0,-6,12,
28,12,-28v-15,-6,-29,-20,-29,-54v0,-44,25,-62,64,-62v19,0,38,5,38,5r52,-1r0,19r-35,0v8,8,12,18,12,39v0,46,-22,60,-68,60v-3,0,-14,-1,-18,-2v0,0,-7,18,-7,23v0,15,2,17,45,17v49,0,68,8,68,52v0,41,-27,58,-79,58xm103,-5v-14,0,-41,-1,-41,-1v-17,12,-22,19,-22,34v0,28,10,39,54,39v39,0,56,-11,56,-38v0,-31,-13,-34,-47,-34xm84,-
  81v33,0,46,-10,46,-41v0,-35,-12,-43,-45,-43v-28,0,-43,11,-43,43v0,28,10,41,42,41","w":184},"h":{"d":"55,0r-
 56,11,-56,11r0,152","w":203},"i":{"d":"30,0r0,-180r22,0r0,180r-22,0xm30,-225r0,-27r22,0r0,27r-22,0","w":82},"j":{"d":"35,-2r0,-178r22,0r0,178v0,43,-11,59,-59,83r-9,-18v38,-22,46,-32,46,-65xm35,-226r0,-
22,0, , w .02}, ] . ( 1 . 3,7-210,7-10412,010,17600,43,-11,35,-35,031-3,-16036,-22,40,-02,40,-038403,-2210,27122,010,271-22,010,153730,-1158,-72124,01-63,82164,988-25,01-68,82164,988-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,981-25,01-68,82164,98164,98164,98164,98164,98164,98164,98164,98164,98164,98164,98164,98164,98164,981
  22,0 \\ \text{ro}, -88 \\ \text{vo}, -57, -5, -75, -41, -75 \\ \text{v} -27,0, -53,13, -54,14 \\ \text{v} 4,10,5,31,5,55 \\ \text{ro}, 94 \\ \text{r} -22,0 \\ \text{ro}, -93 \\ \text{vo}, -54, -5, -70, -41, -70 \\ \text{v} -22,0 \\ \text{ro}, -93 \\ \text{vo}, -54, -5, -70, -41, -70 \\ \text{v} -22,0 \\ \text{ro}, -93 \\ \text{vo}, -93 \\ \text{vo},
27,0,-52,15,-52,15r0,148","w":312},"A":{"d":"11,0r72,-251r52,0r71,251r-22,0r-21,-68r-109,0r-21,68r-22,0xm99,-230r-40,140r99,0r-40,-140r-19,0","w":217},"p":{"d":"33,81r0,-261r22,0r0,14v0,0,28,-17,57,-17v45,0,64,28,64,91v0,69,-23,96,-78,96v-18,0,-37,-4,-43,-5r0,82r-22,0xm109,-164v-26,0,-54,16,-54,16r0,128v6,1,25,4,42,4v42,0,56,-21,56,-77v0,-52,-16,-71,-44,-71","w":194},"q":{"d":"89,4v-51,0,-70,-32,-
  70, -90v0, -65, 20, -97, 83, -97v18, 0, 58, 3, 58, 3r0, 261r-21, 0r0, -89v0, 0, -22, 12, -50, 12xm102, -164v-48, 0, -61, 26, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -97, 20, -9
61,77v0,46,12,71,48,71v27,0,50,-12,50,-12r0,-134v0,0,-25,-2,-37,-2","w":193},"r":("d":"33,0r0,-180r22,0r0,26v0,0,29,-23,66,-30r0,22v-34,7,-66,28,-66,28r0,134r-22,0","w":127},"s":{"d":"148,-177r-
 7,-63,-7r2,-19v0,0,41,6,59,6v31,0,49,-7,49,-35v0,-22,-10,-26,-49,-32v-43,-7,-62,-14,-62,-49v0,-39,32,-51,63,-51v27,0,64,6,64,6","w":174},"u":{"d":"146,-180r21,0r0,180r-21,0r0,-13v0,0,-28,17,-55,17v-50,0,-60,-
```

```
22, -60, -90 \\ \text{r0}, -94 \\ \text{r21}, 0 \\ \text{r0}, 93 \\ \text{v0}, 54, 5, 71, 41, 71 \\ \text{v27}, 0, 53, -15, 53, -15 \\ \text{r0}, -149 \\ \text{"}, \\ \text{"w"} : 200 \}, \\ \text{"w"} : \{\text{"d"}: \text{"11}, -15, \text{"10}, \text{"21}, \text{"22}, \text{"23}, \text{"24}, \text"24}, \text{"24}, \text"24, \text"24}, \text"24, \text"24, \text"24}, \text"24, \text"24, \text"24, \text"24, \text"24}, \text"24, \text"24, \text"24, \text"24}, \text"24, \text"24, \text"24, \text"24, \text"24}, \text"24, \text"24, \text"24, \text"24}, \text"24, \text"24, \text"24, \text"24, \text"24, \text"24}, \text"24, \text"24, \text"24, \text"24, \text"24, \text"24, \text"24, \text"24}, \text"24, \text"24, \text"24, \text"24, \text"24, \text"24, \text"24}, \text"24, \text"2
 180 \\ \text{r22,0r40,161r5,0r47,-157r23,0r46,157r6,0r40,-161r22,0r-46,180r-37,0r-43,-148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148r-42,148
38,0","w":272},"y":{"d":"10,-180r22,0r48,159r13,0r48,-159r22,0r-56,188r-22,73r-21,0r23,-81r-24,0","w":173},"z":{"d":"19,-161r0,-19r134,0r0,19r-107,142r107,0r0,19r-134,0r0,-19r108,-142r-
  108,0", "w":172}, "Z":{"d":"22,-230r0,-21r162,0r0,31r-136,192r0,7r136,0r0,21r-162,0r0,-30r136,-192r0,-8r-
  136,0","w":205},"0":{"d":"95,-241v55,0,84,27,84,127v0,91,-31,118,-84,118v-53,0,-84,-26,-84,-118v0,-100,30,-
  106"},"1":{"d":"27,-188r74,-50r21,0r0,238r-22,0r0,-212r-63,42"},"2":{"d":"172,0r-154,0r0,-21r77,-76v28,-
29,48,-50,48,-80v0,-32,-20,-43,-56,-43v-27,0,-65,9r-2,-21v0,0,38,-9,71,-9v49,0,75,17,75,62v0,38,-22,62,-48,88r-70,70r124,0r0,21"},"3":{"d":"21,-233v0,0,38,-8,72,-8v55,0,74,19,74,61v0,40,-33,50,-38,53v25,8,44,20,44,60v0,47,-24,71,-77,71v-38,0,-78,-9,-78,-9r3,-20v0,0,39,7,74,7v38,0,55,-16,55,-48v0,-37,-23,-46,-52,-47r-49,0r0,-21r48,0v19,0,47,-16,47,-45v0,-30,-15,-41,-52,-41v-33,0,-68,7,-
  68,7"},"5":{"d":"28,-238r137,0r0,22r-116,0r-7,82v0,0,30,-15,58,-15v46,0,75,19,75,70v0,55,-30,82,-79,82v-
  36,0,-77,-9,-77,-9r3,-21v0,0,41,9,73,9v34,0,57,-21,57,-60v0,-38,-23,-50,-54,-50v-30,0,-58,16,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,-58,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16r-18,16
3"},"7":{"d":"18,-216r0,-22r146,0r0,32r-94,210r-21,-7r92,-205r0,-8r-123,0"},"8":{"d":"96,-
241v54,0,87,19,87,61v0,31,-14,44,-44,55v27,10,47,26,47,61v0,53,-38,68,-90,68v-50,0,-88,-15,-88,-64v0,
  38,18,-52,44,-65v-26,-12,-40,-25,-40,-56v0,-41,29,-60,84,-60xm96,-18v41,0,67,-11,67,-48v0,-32,-22,-41,-48,-
  20, 44, -44 \text{v0}, -31, -22, -42, -63, -42 \text{"}\}, \text{"E"} : \{\text{"d"}: \text{"34}, \text{0r0}, -251 \text{r150}, \text{0r0}, 21 \text{r} -128, \text{0r0}, 92 \text{r106}, \text{0r0}, 21 \text{r} -128, \text{0r0}\}
 106,0\texttt{r0},96\texttt{r}128,0\texttt{r0},21\texttt{r}-150,0\texttt{"},\texttt{"w"}:204\},\texttt{"F"}:\{\texttt{"d"}:\texttt{"34},0\texttt{r0},-251\texttt{r}150,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},103\texttt{r}107,0\texttt{r0},21\texttt{r}-128,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},218,0\texttt{r0},2
 107,0r0,106r-22,0","w":200},"G":{"d":"128,-106r0,-21r68,0r0,122v0,0,-51,9,-80,9v-75,0,-96,-48,-96,-129v0,-
 81,19,-130,95,-130,98,0,81,10,81,10r-1,20v0,0,-45,-8,-78,-8v-61,0,-74,38,-74,108v0,69,13,107,74,107v23,0,55,-5,57,-5r0,-83r-46,0","w":219},"H":{"d":"192,0r0,-116r-136,0r0,116r-
 22,0\text{ro},-251\text{r}22,0\text{ro},114\text{r}136,0\text{ro},-114\text{r}22,0\text{ro},251\text{r}-22,0\text{"},\text{"w"}:248\},\text{"K"}:\{\text{"d"}:\text{"172},0\text{r}-72,-113\text{r}-44,1\text{ro},112\text{r}-72,0\text{ro}\}
 21, 4, -34, 4\text{v}-77, 0, -97, -44, -97, -128\text{v}0, -82, 20, -131, 97, -131\text{v}77, 0, 98, 48, 98, 131\text{v}0, 60, -10, 98, -42, 116\text{r}31, 49\text{xm}117, -18\text{v}62, 0, 75, -33, 75, -106\text{v}0, -69, -14, -109, -75, -109\text{v}-61, 0, -74, 39, -74, 109\text{v}0, 70, 12, 106, 74, 106", "w": 235}, "R": {"d": "132, -98\text{r}-7, 0\text{r}-69, 0\text{r}0, 98\text{r}-22, 0\text{r}0, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106, -74, 106
  70,0r0,111r70,0v42,0,54,-22,54,-57","w":225},"s":{"d":"168,-248r-2,20v0,0,-47,-6,-68,-6v-36,0,-57,13,-
 57,44v0,37,18,42,62,51v47,10,71,21,71,66v0,55,-28,76,-78,76v-27,0,-76,-7,-76,-7r2,-
20v0,0,48,6,74,6v36,0,55,-15,55,-54v0,-31,-15,-38,-56,-46v-51,-12,-76,-22,-76,-72v0,-47,31,-65,79,-65v28,0,70,7,70,7","w":192},"T":{"d":"-1,-230r0,-21r180,0r0,21r-79,0r0,230r-22,0r0,-230r-79,0","w":178},"V":{"d":"177,-251r23,0r-66,251r-55,0r-68,-251r23,0r62,230r20,0","w":211},"N":{"d":"34,0r0,-
  251r43,0r107,226r8,0r0,-226r23,0r0,251r-43,0r-108,-226r-8,0r0,226r-
 13,100v48,9,72,16,72,64v0,48,-27,68,-76,68v-4,0,-8,-1,-13,-1r-5,41v0,0,-12,-1,-12,-2xm163,-64v0,-39,-18,-45,-59,-52r-14,106r10,0v41,0,63,-16,63,-54xm36,-183v0,37,18,45,57,52r13,-98r-6,0v-41,0,-64,10,-64,46"\},"!":{"d":"85,0r0,-36r24,0r0,36r-24,0xm86,-81r0,-171r23,0r-1,171r-22,0"},"a":{"d":"154,-
  126r0,94v1,11,11,16,23,17r-1,18v-19,0,-32,-3,-41,-13v0,0,-32,14,-69,14v-30,0,-48,-20,-48,-55v0,-33,16,-
  49,53,-52\texttt{r}61,-6\texttt{r}0,-17\texttt{v}0,-26,-12,-37,-34,-37\texttt{v}-26,0,-68,6,-68,6\texttt{r}-2,-19\texttt{v}0,0,43,-7,71,
  7 v 37, 0, 55, 17, 55, 57 x m 132, -91 r -58, 5 v -24, 2, -33, 15, -33, 35 v 0, 23, 10, 36, 28, 36 v 31, 0, 63, -13, 63, -13 r 0, -13 r 
 63","w":187},"o":{"d":"95,-183v52,0,75,27,75,90v0,64,-15,97,-75,97v-60,0,-76,-29,-76,-97v0,-64,20,-90,76,-90xm95,-16v46,0,53,-26,53,-77v0,-51,-16,-71,-53,-71v-41,0,-54,17,-54,71v0,55,8,77,54,77","w":189},"J":{"d":"78,-251r0,212v0,61,-20,65,-66,65r0,-21v36,0,44,-1,44,-47r0,-
  209r22,0","w":110},"t":{"d":"119,-160r-60,0r0,87v0,45,2,57,28,57v10,0,34,-3,34,-3r1,19v0,0,-23,4,-36,4v-
  35,0,-49,-13,-49,-65r0,-99r-26,0r0,-20r26,0r0,-57r22,0r0,57r60,0r0,20","w":131\},"n":\{"d":"55,0r-22,0r0,-67r22,0r0,57r60,0r0,20","w":131\},"n":["d":"55,0r-22,0r0,-67r22,0r0,57r60,0r0,20","w":131\},"n":["d":"55,0r-22,0r0,-67r22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,-67r22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,57r60,0r0,20","w":131],"n":["d":"55,0r-22,0r0,57r60,0r0,20","w":["d":"55,0r-22,0r0,57r60,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r0,20","w":["d":"55,0r-22,0r-22,0r0,20","w":["d":"55,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,0r-22,
 56,15r0,148","w":205},"#":{"d":"186,-66r-41,0r0,66r-20,0r0,-66r-60,0r0,66r-20,0r0,-66r-41,0r0,-19r41,0r0,-
 71r-41,0r0,-18r41,0r0,-66r20,0r0,66r60,0r0,-66r20,0r0,66r41,0r0,18r-41,0r0,71r41,0r0,19xm125,-85r0,-71r-60,0r0,71r60,0"},"W":{"d":"14,-251r23,0r48,229r11,0r52,-226r24,0r53,226r12,0r46,-229r23,0r-53,251r-44,0r-
  41,20,-65,20v-28,0,-63,-8,-63,-90v0,-61,16,-96,74,-96v18,0,44,9,44,9r0,-6r21,0r0,72v0,88,5,92,29,92v24,0,39,-6,39,-88r0,-6v0,-90,-36,-129,-131,-129v-94,0,-139,39,-139,145v0,112,43,146,139,146v14,0,52,-3,52,-3r1,20v0,0,-36,4,-53,4v-107,0,-161,-37,-161,-167v0,-120,56,-
166,161,-166v109,0,154,49,154,4150xm168,-17v22,0,46,-11,59,-18v-3,-15,-4,-37,-4,-68r0,-52v0,0,-23,-8,-41,-8v-45,0,-55,26,-55,77v0,62,22,69,41,69","w":354},"`":{"d":"57,-267r75,34r-9,18r-75,-
  33", "w": 196\}, "M": \{"d": "34,0r0, -251r41,0r78, 219r79, -219r40, 0r0, 251r-22, 0r0, -226r-5, 0r-79, 218r-26, 0r-79, 0r-7
218r-5,0r0,226r-22,0","w":306},"U":{"d":"52,-73v0,41,24,55,62,55v40,0,65,-14,65,-55r0,-178r22,0r0,178v0,56,-31,76,-87,76v-53,0,-84,-20,-84,-76r0,-178r22,0r0,178","w":230},"X":{"d":"37,-251r68,110r67,-110r25,0r-77,126r77,125r-25,0r-67,-108r-68,108r-25,0r78,-125r-78,-
  126r25,0", "w":209}, "Y": {"d":"110,-108r0,108r-22,0r0,-108r-80,-143r24,0r67,119r66,-
  119r24,0", "w":197}, "\u2122":{"d":"3,-212r0,-12r72,0r0,12r-30,0r0,92r-12,0r0,-92r-30,0xm87,-119r0,-
  105r18,0r30,88r32,-88r18,0r0,105r-12,0r0,-93r-32,89r-12,0r-30,-89r0,93r-12,0"},"\u00d7":{"d":"83,
 180r69, 71r68, -71r15, 14r-69, 72r70, 72r-15, 14r-69, -72r-70, 72r-15, -14r70, -72r-69, -72r, "w": 272\}, "I": \{"d": "32, 0r0, -251r22, 0r0, 251r-22, 0", "w": 86\}, "O": \{"d": "117, -18v62, 0, 75, -33, 75, -106v0, -69, -72r, 0, 
 14, -109, -75, -109v - 61, 0, -74, 39, -74, 109v 0, 70, 12, 106, 74, 106xm117, 4v -77, 0, -97, -44, -97, -128v 0, -82, 20, -131, 97, -128v 0, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82, 20, -82
  131v77,0,98,48,98,131v0,86,-21,128,-
  98,128", "w":235}, "\u201c":{"w":299}, "~":{"w":299}, "\u2014":{"w":299}, "L":{"d":"171,0r-137,0r0,-
69,0 \\ \text{ro},122 \\ \text{","w":} \\ 219\}, \\ \text{"b":} \\ \text{"d":} \\ \text{"111,} \\ \text{-}183 \\ \text{v} \\ 49,0,64,26,64,90 \\ \text{vo},69,\\ \text{-}18,97,\\ \text{-}84,97 \\ \text{v-}23,0,\\ \text{-}58,\\ \text{-}4,\\ \text{-}58,\\ \text{-}4x \\ \text{-}58,\\ \text{
260r22,0r0,89v0,0,28,-12,56,-12xm91,-16v53,0,62,-24,62,-77v0,-49,-9,-70,-44,-70v-27,0,-54,11,-54,11r0,134v0,0,25,2,36,2","w":194},"v":{"d":"10,-180r23,0r47,161r14,0r47,-161r22,0r-53,180r-
  47,0","w":173},"x":{"d":"11,-180r24,0r47,74r48,-74r24,0r-58,90r58,90r-24,0r-48,-74r-47,74r-24,0r58,-
  90","w":165},"6":{"d":"166,-234x-3,20v0,0,-28,-6,-58,-6v-44,0,-68,25,-68,88v0,0,35,-16,63,-
  127v-30,1,-61,15,-61,15v1,60,16,95,60,95v38,0,56,-20,56,-58v0,-36,-19,-52,-55,-52"},"9":{"d":"23,-4r3,-20v0,0,31,66,61,6v43,0,66,-26,66,-85v0,0,-34,13,-62,13v-49,0,-77,-26,-77,-75v0,-49,32,-76,81,-76v59,0,81,45,81,124v0,92,-34,121,-89,121v-30,0,-64,-8,-64,-8xm93,-111v26,0,60,-12,60,-12v-1,-59,-14,-97,-58,-97v-36,0,-58,19,-58,55v0,36,20,54,56,54"},"<":{"d":"148,-178r-105,65r105,69r0,24v-10,-5,-106,-69,-125,-
  81r0,-22r125,-78r0,23"},">":{"d":"127,-113r-104,-65r0,-23r125,78r0,22v-20,12,-115,76,-125,81r0,
 24","[":\{"d":"87,-270r0,21r-50,0r0,273r50,0r0,20r-71,0r-1,-314r72,0","w":108\},"\\":\{"d":"215,-4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,4r-23,
```

```
109, -249\text{r23}, -3\text{"}, \text{"w"} : 299\}, \text{"]"} : \{\text{"d"} : \text{"8}, -249\text{r0}, -21\text{r72}, 0\text{r-1}, 314\text{r-71}, 0\text{r0}, -20\text{r50}, 0\text{r0}, -273\text{r-10}, 0\text{r-10}, 0\text{r-1
162","w":93},")":{"d":"37,43r-22,0v0,0,34,-93,34,-161v0,-67,-34,-154,-34,-154r22,0v0,0,35,82,35,154v0,72,-
35,161,-35,161", "w":93},",":{"d":"12,44r16,-80r24,0r-19,80r-21,0","w":61},"=":{"d":"22,-91r0,-21r114,0r0,21r-114,0r0,"w":58},",":{"d":"33,-5r100,-249r20,7r-100,250"},":":{"d":"24,-119r0,-37r24,0r0,36r-23,0","w":89},"\\nderset{"":35,-5r100,-249r20,7r-100,250"},":":{"d":"24,-119r0,-37r24,0r0,37r-24,0xm24,0r0,-36r24,0r0,36r-24,0","w":58},";":{"d":"27,-37r-17,81r20,0r21,-81r-24,0xm25,-119r0,-37r24,0r0,37r-24,0","w":67},"=":{"d":"13,-122r0,-21r163,0r0,21r-163,0xm13,-57r0,-20r163,0r0,20r-163,0"},"?":{"d":"138,-
195v0, 60, -70, 75, -70, 111r0, 14r-23, 0r0, -15v0, -46, 70, -61, 70, -109v0, -30, -16, -40, -52, -40v-17, 0, -57, 9, -57, 9r-3, -21v0, 0, 41, -10, 60, -10v48, 0, 75, 16, 75, 61xm45, 0r0, -37r24, 0r0, 37r-24, 0", "w": 138}, "_": {"d": "10, 8r154, 0r0, 20r-154, 0r0, -20", "w": 187}, "{": {"d": "61, -61v-1, 13, -2, 28, -2, 42v0, 27, 9, 42, 45, 44r-1, 21v-48, -2, -67, -21, -67, -64v0, -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20", -20
14,3,-35,3,-44v0,-21,-10,-33,-37,-41r0,-18v28,-7,37,-19,37,-41v0,-10,-3,-33,-3,-46v0,-44,19,-61,67,-63r1,20v-36,2,-45,16,-45,44v0,12,2,34,2,44v0,31,-10,42,-36,51v26,9,36,21,36,51","w":107},"}":{"d":"43,
 31,10,-42,36,-51v-26,-9,-36,-21,-36,-51","w":107},"\u2018":{"d":"46,-262r-15,76r-23,0r18,-
 76 \\ \texttt{r20,0","w":} \\ 61\}, \\ \texttt{"\u2019":} \\ \{\texttt{"d":} \\ \texttt{15,-190r15,-76r23,0r-18,76r-20,0","w":} \\ 61\}, \\ \texttt{"\&":} \\ \{\texttt{"d":} \\ \texttt{"116,-190r15,-76r23,0r-18,76r-20,0","w":} \\ \texttt{"a":} \\ \texttt{"b":} \\ \texttt{"d":} \\ \texttt{"d":} \\ \texttt{"lameleree} \\ \texttt{"lame
252 v41, 0, 60, 22, 60, 55 v0, 35, -16, 51, -56, 68 r57, 57 v4, -13, 9, -32, 11, -50 r21, 1 v-3, 24, -9, 47, -15, 64 r48, 46 r-14, 15 r-45, -43 v-19, 31, -44, 44, -81, 44 v-60, 0, -84, -30, -84, -79 v0, -42, 20, -60, 57, -73 v-16, -19, -18, -30, -18, -51 v0, -32, 20, -54, 59, -84, -79 v0, -42, 20, -60, 57, -73 v-16, -19, -18, -30, -18, -51 v0, -32, 20, -54, 59, -84, -79 v0, -42, 20, -60, 57, -73 v-16, -19, -18, -30, -18, -51 v0, -32, 20, -54, 59, -84, -79 v0, -42, 20, -60, 57, -73 v-16, -19, -18, -30, -18, -51 v0, -32, 20, -54, 59, -84, -79 v0, -42, 20, -60, 57, -73 v-16, -19, -18, -30, -18, -51 v0, -32, 20, -54, 59, -84, -79 v0, -42, 20, -60, 57, -73 v-16, -19, -18, -30, -18, -51 v0, -32, 20, -54, 59, -84, -70 v0, -84, -
 54xm103,-16v29,0,49,-10,64,-37r-78,-78v-35,10,-49,25,-49,57v0,37,19,58,63,58xm78,
 196v0, 15, 3, 29, 16, 42r11, 11v35, -14, 49, -25, 49, -52v0, -23, -11, -36, -38, -36v-24, 0, -38, 11, -
 38,35","w":252},"*":{"d":"158,-185r-48,0r15,46r-16,4r-15,-46r-39,29r-9,-13r39,-28r-38,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-13r39,28r15,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-29r9,-2
 45x15, 5x-14, 46x47, 0x0, 16"\}, "%": {"d": "48, -253v27, 0, 39, 15, 39, 50v0, 33, -12, 50, -39, 50v-27, 0, -40, -17, -40, -51v0, -17, -51v0, -17
33,13,-49,40,-49xm149,-100v27,0,40,16,40,50v0,33,-13,50,-40,50v-27,0,-40,-17,-40,-51v0,-33,13,-49,40,-49xm59,-2r61,-252r18,5r-62,252xm26,-204v0,23,5,35,22,35v17,0,21,-11,21,-34v0,-22,-4,-34,-21,-34v-17,0,-22,11,-22,33xm127,-51v0,22,5,35,22,35v17,0,21,-12,21,-34v0,-23,-4,-34,-21,-34v-17,0,-22,11,-
22,33"},"+":{"d":"-12,-84r0,-20r80,0r0,-80r21,0r0,80r80,0r0,20r-80,0r0,80r-21,0r0,-80r-80,0","w":158},"^":{"d":"136,-158r-39,-77r-41,77r-50,0r65,-125r50,0r66,125r-
51,0","w":272},"\u00a0":{"w":84}}});
            The following copyright notice may not be removed under any circumstances.
      * Generated in 2009 by FontLab Studio. Copyright info pending.
       * Full name:
            TitilliumText14L-600wt
Cufon.registerFont({"w":190,"face":{"font-family":"TitilliumText14L","font-weight":600,"font-stretch":"normal","units-per-em":"360","panose-1":"0 0 0 0 0 0 0 0 0 0 0","ascent":"270","descent":"-90","x-height":"4","bbox":"-12 -284 337 86","underline-thickness":"18","underline-position":"-18","unicode-range":"U+0020-U+2122"},"glyphs":{" ":{"w":84},"C":{"d":"177,-36r2,31v0,0,-42,9,-70,9v-75,0,-92,-45,-92,-
 129v0,-87,20,-129,92,-129v32,0,70,9,70,9r-2,32v0,0,-41,-7,-64,-7v-50,0,-60,27,-
60,95v0,66,9,95,61,95v21,0,63,-6,63,-6","w":192},"c":("d":"91,-184v18,0,52,6,52,6r-1,30v0,0,-28,-4,-42,-4v-39,0,-49,15,-49,59v0,48,8,65,49,65v14,0,42,-3,42,-3r1,29v0,0,-34,6,-52,6v-56,0,-75,-28,-75,-97v0,-65,21,-
28,0,-43,15,-43,51","w":182},"f":{"d":"64,-149r0,149r-34,0r0,-149r-21,0r0,-31r21,0r0,-14v0,-52,13,-66,50,-
17,28v0,20,11,28,47,28v32,0,47,-9,47,-29v0,-23,-9,-25,-40,-25xm87,-89v27,0,38,-7,38,-32v0,-26,-11,-33,-38,-33v-24,0,-35,9,-35,33v0,22,9,32,35,32","w":188},"h":{"d":"63,0r-34,0r0,-259r34,0r0,87v0,0,29,-12,52,-
46,8r0,144","w":202},"i":{"d":"27,0r0,-180r35,0r0,180r-35,0xm27,-215r0,-37r35,0r0,37r-35,0","w":88},"j":{"d":"31,-2r0,-178r34,0r0,178v0,46,-13,63,-62,87r-15,-28v35,-20,43,-28,43,-59xm31,-
217r0,-37r34,0r0,37r-34,0","w":92},"k":{"d":"63,0r-34,0r0,-256r34,0r0,147r24,-2r48,-69r39,0r-56,84r57,96r-
 39,0r-48,-78r-25,2r0,76","w":181},"1":{"d":"28,0r0,-256r34,0r0,256r-34,0","w":90},"m":{"d":"63,0r-34,0r0,-
 180r34,0r0,11v0,0,18,-10,38,-13v7,-1,14,-1,19,-1v17,1,29,6,37,15v13,-5,41,-16,64,-
16v49, 0, 62, 25, 62, 90r0, 94x - 34, 0r0, -82v0, -51, -2, -70, -34, -70v - 21, 0, -44, 10, -45, 11v2, 5, 4, 29, 4, 48r0, 93x - 34, 0r0, -93v0, -44, -4, -59, -34, -59v - 20, 0, -43, 11, -43, 11r0, 141", "w": 308\}, "A": {"d": "9, 0r64, -250r72, 0r63, 250r - 35, 0r - 16, -56r - 97, 0r - 16, 56r - 35, 0xm100, -217r - 33, 127r83, 0r - 32, -127r - 18, 0", "w": 217\}, "p": {"d": "29, 78r0, -
 153v-19,0,-44,12,-44,12r0,111v3,0,21,3,35,3v36,0,47,-17,47,-65v0,-45,-14,-61,-38,
 83 v 0, 0, -16, 8, -\overline{39}, 8 x m 98, -153 v - 36, 0, -48, 22, -48, 66 v 0, 39, 11, 60, 41, 60 v \\ 20, 0, 39, -9, 39, -9 r 0, -116 v 0, 0, -22, -1, -32, -120 v 0, -1
1","w":193},"r":{"d":"29,0r0,-180r34,0r0,22v0,0,26,-20,59,-26r0,36v-33,6,-59,22,-59,22r0,126r-34,0","w":128},"s":{"d":"152,-176r-1,29v0,0,-42,-6,-64,-6v-22,0,-34,5,-
 34,23v0,14,8,18,41,23v48,8,64,19,64,54v0,42,-27,57,-71,57v-24,0,-66,-8,-66,-8x1,-29v0,0,44,6,62,6v27,0,39,-
 90r0,-94r34,0r0,94v0,44,4,59,34,59v20,0,44,-11,44,-11r0,-142","w":201},"w":{"d":"8,-180r34,0r31,149r7,0r38,-145r36,0r37,145r7,0r32,-149r34,0r-40,180r-57,0r-32,-131r-32,131r-
25,00", "w":271}, "y":("d":"7,-180r34,0r40,147r11,0r41,-147r34,0r-51,184r-20,74r-33,0r21,-78r-28,0", "w":173}, "z":("d":"19,-149r0,-31r134,0r0,31r-93,118r93,0r0,31r-134,0r0,-31r93,-118r-
 93,0","w":172},"Z":{"d":"22,-216r0,-34r162,0r0,39r-119,171r0,7r119,0r0,33r-162,0r0,-39r118,-171r0,-6r-
 118,0","w":205},"0":{"d":"95,-242v57,0,88,31,88,126v0,91,-32,120,-88,120v-56,0,-88,-29,-88,-120v0,-95,32,-
126,88,-126xm95,-208v-36,0,-51,19,-51,92v0,69,16,86,51,86v35,0,51,-17,51,-86v0,-72,-15,-92,-51,-92"},"1":{"d":"19,-187r76,-51r33,0r0,238r-35,0r0,-197r-58,38"},"2":{"d":"172,0r-154,0r0,-32r64,-64v30,-30,49,-50,49,-76v0,-26,-15,-35,-47,-35v-26,0,-62,7,-62,7r-2,-32v0,0,38,-10,71,-10v51,0,76,21,76,66v0,37,-
```

```
37,0,-80,-11,-80,-11r4,-32v0,0,44,9,75,9v27,0,46,-16,46,-46v0,-30,-19,-41,-45,-41v-26,0,-48,11,-48,11r-28,-6"},"7":{"d":"18,-204r0,-34r149,0r0,44r-90,199r-33,-10r87,-191r0,-8r-113,0"},"8":{"d":"96,-
242v53,0,87,21,87,63v0,30,-10,42,-35,56v23,13,39,26,39,59v0,51,-40,68,-91,68v-50,0,-89,-15,-89,-64v0,-
 36, 15, -49, 38, -63v-23, -14, -34, -28, -34, -56v0, -41, 32, -63, 85, -63xm96, -30v33, 0, 53, -11, 53, -39v0, -22, -14, -32, -35, -30v3, -3
 17,32,-36v0,-25,-17,-34,-49,-34"},"E":{"d":"30,0r0,-250r154,0r0,34r-120,0r0,75r98,0r0,33r-98,0r0,95r-34,0","w":197},"G":{"d":"127,-98r0,-31r70,0r0,124v0,0,-51,9,-82,9v-76,0,-98,-47,-98,-129v0,-85,23,-129,97,-129v38,0,83,10,83,10r-2,31v0,0,-43,-7,-76,-7v-53,0,-66,28,-66,95v0,66,12,95,65,95v19,0,43,-4,44,-4r0,-64r-
 35,0","w":217},"H":{"d":"180,0r0,-110r-115,0r0,110r-35,0r0,-250r35,0r0,107r115,0r0,-107r35,0r0,250r-
 35,0","w":244},"K":{"d":"162,0r-58,-106r-39,2r0,104r-35,0r0,-250r35,0r0,112r38,-2r56,-110r40,0r-
250r93,0v55,0,82,23,82,78v0,38,-14,61,-43,73r44,99r-38,0xm169,-171v0,-31,-15,-46,-46,-46r-
 58,0r0,94r58,0v34,0,46,-19,46,-48","w":223},"s":{"d":"168,-246r-3,32v0,0,-46,-67,-67,-6v-28,0,-44,10,-
 44,33v0,27,13,32,54,45v45,14,65,26,65,70v0,53,-28,76,-78,76v-27,0,-76,-9,-76,-9r3,-
32 v_0, 0, 46, 6, 72, 6 v_2 e_3, 0, 44, -10, 44, -40 v_0, -24, -11, -30, -47, -40 v_{-53}, -17, -73, -28, -73, -75 v_0, -47, 32, -68, 80, -68 v_2 e_3, 0, 70, 8, 70, 8", "w":191}, "T": {"d":"-2, -216 r_0, -34 r_180, 0 r_0, 34 r_{-72}, 0 r_0, 216 r_{-35}, 0 r_0, -216 r_{-73}, 0", "w":175}, "V": {"d":"170, -250 r_36, 0 r_{-62}, 250 r_{-72}, 0 r_{-63}, -250 r_{37}, 0 r_{53}, 217 r_{18}, 0", "w":215}, "N": {"d":"30, 0 r_0, -73, 0 r_0, -7
 250r59,0r89,208r7,0r0,-208r35,0r0,250r-57,0r-91,-207r-7,0r0,207r-
13,100v48,9,72,16,72,64v0,48,-27,68,-76,68v-4,0,-8,-1,-13,-1r-5,41v0,0,-12,-1,-12,-2xm163,-64v0,-39,-18,-45,-59,-52r-14,106r10,0v41,0,63,-16,63,-54xm36,-183v0,37,18,45,57,52r13,-98r-6,0v-41,0,-64,10,-64,46"\},"!":{"d":"79,0r0,-48r37,0r0,48r-37,0xm80,-87r-1,-165r37,0r-1,165r-35,0"},"a":{"d":"159,-
 51,57,-54r51,-4r0,-13v0,-18,-10,-27,-27,-27v-27,0,-69,5,-69,5r-2,-30v0,0,46,-8,73,-8v39,0,59,18,59,60xm125,-84r-47,3v-19,1,-27,11,-27,28v0,18,8,27,22,27v23,0,52,-9,52,-9r0,-
39","w":188},"o":{"d":"95,-184v57,0,79,34,79,93v0,60,-18,95,-79,95v-62,0,-79,-33,-79,-95v0,-60,20,-93,79,-93xm95,-27v37,0,44,-21,44,-64v0,-43,-12,-62,-44,-62v-35,0,-44,18,-44,62v0,45,7,64,44,64"},"J":{"d":"82,-25v0,76,1,133,1,210v0,57,-21,66,-71,66r0,-33v27,0,36,-4,36,-36r0,-207r34,0","w":111},"t":{"d":"119,-149r-53,0r0,78v0,32,2,43,23,43v10,0,30,-2,30,-2r2,30v0,0,-24,4,-37,4v-39,0,-52,-15,-52,-67r0,-86r-24,0r0,-
 31r24,0r0,-54r34,0r0,54r53,0r0,31","w":129\},"n": \{"d":"63,0r-34,0r0,-180r34,0r0,11v0,0,30,-15,52,124,0r0,11v0,0,30,-15,52,124,0r0,11v0,0,30,-15,52,124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v0,11v0,0,30,-124,0r0,11v0,0,30,-124,0r0,11v
15 v 50\,, 0\,, 62\,, 27\,, 62\,, 90 r 0\,, 94 r - 34\,, 0 r 0\,, -94 v 0\,, -41\,, -5\,, -58\,, -34\,, -58 v - 20\,, 0\,, -46\,, 11\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,, -20\,,
 46,11r0,141","w":203},"#":{"d":"188,-63r-38,0r0,63r-30,0r0,-63r-50,0r0,63r-30,0r0,-63r-38,0r0,-29r38,0r0,-
55r-38,0r0,-29r38,0r0,-63r30,0r0,63r50,0r0,-63r30,0r0,63r38,0r0,29r-38,0r0,55r38,0r0,29xm120,-95r0,-55r-50,0r0,55r50,0"},"W":{"d":"12,-250r36,0r43,214r9,0r45,-212r39,0r46,212r8,0r43,-214r36,0r-54,250r-58,0r-41,-
 198r-39,198r-59,0","w":328},"@":{"d":"337,-110r0,6v0,89,-24,108,-65,108v-21,0,-34,-4,-43,-19v-13,7,-40,18,-
 8, 31, -75 \pm 0, -6 \pm 0, -84, -36, -118, -122, -118 \pm -87, 0, -129, 41, -129, 134 \pm 0, 100, 37, 135, 129, 135 \pm 14, 0, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4, 52, -4
4r1,33v0,0,-36,4,-53,4v-107,0,-164,-38,-164,-168v0,-117,62,-167,164,-167v108,0,156,51,156,151xm171,-30v16,0,34,-7,46,-12v-2,-13,-2,-30,-2,-53r0,-50v0,0,-20,-6,-33,-6v-36,0,-44,18,-44,64v0,48,16,57,33,57","w":354},"`":{"d":"53,-273r83,34r-12,30r-83,-32","w":196},"M":{"d":"30,0r0,-
 250r59,0r64,200r65,-200r58,0r0,250r-35,0r0,-207r-6,0r-64,198r-37,0r-64,-198r-5,0r0,207r-
 57,0,-88,-23,-88,-81r0,-172r35,0r0,172","w":230\},"x":\{"d":"48,-250r57,99r56,-99r39,0r-71,126r71,124r-39,0r-56,-98r-57,98r-39,0r73,-124r-73,-126r39,0","w":209\},"Y":\{"d":"118,-107r0,107r-34,0r0,-107r-78,-143r39,0r56,104r55,-104r39,0","w":201\},"\\ u2122":\{"d":"3,-212r0,-12r72,0r0,12r-30,0r0,92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-12,0r0,-92r-
 30,0xm87,-119r0,-105r18,0r30,88r32,-88r18,0r0,105r-12,0r0,-93r-32,89r-12,0r-30,-89r0,93r-
 12,0"},"\u00d7":{"d":"86,-190r66,68r65,-68r23,22r-66,68r62,68r-22,22r-66,-68r-66,68r-23,-22r67,-68r-67,-
 68", "w" : 234\}, "I" : \{"d" : "29,0r0, -250r35,0r0,250r-35,0", "w" : 92\}, "o" : \{"d" : "117, -30v52,0,63, -29,63, -93v0, -62, -93v0, -93v
12, -97, -63, -97\mathbf{v} - 51, 0, -64, 35, -64, 97\mathbf{v} 0, 63, 12, 93, 64, 93\mathbf{xm} \\ 117, 4\mathbf{v} - 77, 0, -100, -43, -100, -127\mathbf{v} 0, -83, 23, -131, 100, -127\mathbf{v} 0, -127\mathbf{v} 0
 131v77,0,99,48,99,131v0,85,-22,127,-
199,127", "w":233}, "\u201c":("w":299}, "~":("w":299}, "\u2014":("w":299}, "L":("d":"168,0r-138,0r0,-250r35,0r0,217r103,0r0,33", "w":181}, "B":("d":"30,-250r92,0v46,0,75,18,75,62v0,34,-11,50,-
 31,60v22,8,37,23,37,58v0,51,-30,70,-78,70r-95,0r0,-250xm123,-110r-59,0r0,78r60,0v27,0,43,-11,43,-41v0,-32,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43,-11,43
250 \text{rg} 1,0 \text{v} 55,0,82,28,82,83 \text{v} 0,55,-27,87,-82,87 \text{xm} 65,-113 \text{r} 56,0 \text{v} 32,0,46,-21,46,-54 \text{v} 0,-33,-14,-49,-46,-49 \text{r} -10,0 \text{v} -
 56,0r0,103","w":216},"b":{"d":"111,-184v49,0,68,25,68,91v0,73,-21,97,-86,97v-20,0,-64,-4,-64,-4r0,-
44,7r0,116v0,0,22,2,30,2","w":195),"v":{"d":"7,-180r35,0r39,152r12,0r39,-152r35,0r-49,180r-63,0","w":173},"x":{"d":"8,-180r36,0r39,66r39,-66r37,0r-54,90r54,90r-37,0r-39,-65r-39,65r-36,0r53,-
90", "w":166}, "6":{"d":"170,-234r-3,32v0,0,-33,-6,-63,-6v-39,0,-56,21,-56,70v0,0,29,-12,52,-12v53,0,79,24,79,75v0,52,-30,79,-83,79v-60,0,-84,-42,-84,-123v0,-93,34,-123,92,-123v30,0,66,8,66,8xm98,-
 118v-25,1,-51,11,-51,11v0,46,12,78,49,78v31,0,47,-15,47,-46v0,-30,-15,-43,-45,-43"},"9":{"d":"19,-4r3,-
32v0,0,34,6,64,6v39,0,56,-22,56,-67v0,0,-30,9,-53,9v-51,0,-79,-26,-79,-76v0,-50,34,-78,84,-78v61,0,84,47,84,125v0,93,-34,121,-92,121v-30,0,-67,-8,-67,-8xm92,-120v23,0,50,-9,-50,-9v-1,-46,-12,-80,-48,-80v-29,0,-48,16,-48,45v0,30,16,44,46,44"},"<":{"d":"148,-165r-92,53r92,56r0,36v-25,-13,-95,-57,-125,-74r0,-35r125,-72r0,36"},">":"d":"114,-112r-91,-53r0,-36r125,72r0,35v-30,17,-100,61,-125,74r0,-
 36"},"[":{"d":"94,-270r0,33r-46,0r0,248r46,0r0,33r-81,0r0,-314r81,0","w":108},"\\":{"d":"223,-2r-38,2r
109,-251r37,-2", "w":299},"]":{"d":"-8,-237r0,-33r81,0r0,314r-81,0r0,-33r47,0r0,-248r-47,0","w":108},"]":{"d":"-8,-237r0,-33r81,0r0,314r-81,0r0,-33r47,0r0,-248r-47,0","w":108},"]":("d":"76,58r0,-321r35,0r0,321r-35,0"),"\"":{"d":"119,2r0,-42r-110,0r0,-28r67,-170r38,0r-65,165r70,0r0,-62r35,0r0,62r27,0r0,33r-27,0r0,42r-35,0"},"\"":{"d":"103,-167r-32,0r0,-83r33,0xm46,-167r-31,0r-1,-83r33,0","w":117},"'":{"d":"1,-165r-1,-84r33,0r-1,84r-31,0","w":36},"(":{"d":"44,-270r37,0v0,0,-35,94,-35,162v0,67,35,153,35,153r-37,0v0,0,-35,-81,-35,-153v0,-72,35,-162,35,-
 162","w":93},")":{"d":"44,43r-37,0v0,0,34,-93,34,-161v0,-67,-34,-154,-34,-154r37,0v0,0,35,82,35,154v0,72,-
35,161,-35,161","w":93},",":{"d":"5,44r18,-86r37,0r-21,86r-34,0","w":61},"-":{"d":"24,-85r0,-33r111,0r0,33r-111,0","w":158},".":{"d":"24,0r0,-48r37,0r0,48r-37,0","w":89},"\dots":{"d":"28,-6r101,-251r32,12r-101,250"},":":{"d":"19,-112r0,-47r36,0r0,47r-36,0xm19,0r0,-48r36,0r0,48r-
36,0", "w":69},":":{"d":"26,-46r-20,88r32,0r25,-88r-37,0xm23,-112r0,-47r37,0r0,47r-37,0","w":76},"=":{"d":"10,-121r0,-32r167,0r0,32r-167,0xm10,-50r0,-31r167,0r0,31r-167,0"},"?":{"d":"141,-
191v0,63,-67,74,-67,105r0,13r-36,0r0,-14v0,-48,66,-56,66,-100v0,-24,-10,-34,-42,-34v-18,0,-55,8,-55,8r-4,-33v0,0,41,-10,60,-10v52,0,78,16,78,65xm37,0r0,-48r37,0r0,48r-37,0","w":138},"_":{"d":"10,2r154,0r0,31r-
```

TEMPLATES:

Expense.html:

```
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
<!--[if lte IE 6]>
     <link rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
<! [endif]-->
<!--[if IE 71>
      k rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->
 <!-- :TOUERY Library
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
cscript type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script
cscript type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script
cscript type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script type="t
<script type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script>
<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script>
Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
     accordionid: 'hcl'.
     paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
     selectedli: [-1, true],
     collapsecurrent: false
})
</script>
```

```
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
      <div id="mainpageheader"> <!-- Header Start -->
         <div class="clear"></div>
         <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
               <a href="index.php">Home</a>
                <!--<li><a href="adminlogin.php">Admin</a>
                </1i>
               <a href="mechlogin.php">Mechanic</a>
                     <a href="portfolio-category.html">Gallery Categories</a>
                      <a href="portfolio-items.html">Gallery Items</a>
                     <a href="portfolio-recent.html">Recent Works</a>
                     <\!\!1i\!\!><\!\!a\ href="portfolio-gallery.html">\!\!Slideshow\ Gallery<\!/a><\!/li>
               <a href="userlogin.php">User</a>-->
               </111>
            <br/>
<br/>
dr style="clear: left" />
         </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header
<div class="clear"></div>
   <!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <u1>
          - Block One -->
      <1i>
         <div class="hpanel">
            <div class="hpanelimage">
             <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
            </div>
         </div>
      </div>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
         <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block"
data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
           Portfolio Block -->
      <div style="font-size:15px">
                <form name="f" method="post">
{% csrf_token %}

Expense
```

```
</tr>
<tr>
Date
<input type="date" name="cdate">
<tr>
Account
<select name="acc">
       <option>cash</option>
       <option>account</option>
       <option>card</option>
</select>
</tr>
<tr>
Category
<aheen color="text-align: center; color="text-align: center; color="text-align: center; 
       <option>food</option>
        <option>social life</option>
        <option>self-development</option>
       <option>transportation</option>
       <option>culture
       <option>household</option>
       <option>apparel</option>
        <option>beauty</option>
        <option>health</option>
       <option>education</option>
       <option>gift</option>
<option>other</option>
</select>
</tr>
<tr>
Amount
<input name="amt">
<tr>
Description
<input name="desc">
>
<input type="submit" name="submit">&nbsp;&nbsp;<input type="reset" />
</form>
                     <div class="clear"></div>
              </div>
              <div class="clear"></div>
               <!-- The can be 3 column of info on your company -->
               <div id="mblogwrap">
                     </div>
                     </div>
                     <div class="mblogbox mblogspace"><!-- Info Block Two -->
                            <div class="mblogtitle">
                            </div>
                     </div>
                     <div class="mblogbox mblogspace"><!-- Info Block Three -->
                            <div class="mblogtitle">
                            </div>
                     </div>
                     <div class="clear"></div>
              </div>
       </div> <!-- Close Mainpage -->
       <div id="footer">
              <div id="footerwrap">
                     <div class="footerminibox">
                     </div>
                     <div class="footerbox footerspace">
                            <div class="footertext">
                     <div class="footerflickrwrap flickrfooterspace">
```

```
<div class="footertitle"></div>
           </div>
         </div>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
   </div>
   <div id="footerbarwrap">
   </div>
</div> <
         -- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
</html>
Graph.html:
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
k href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
k href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />

/>
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
<!--[if IE 7]>
   ink rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->
<!-- JOUERY Library
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
<script type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script>
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
/*************
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
  accordionid: 'hcl',
  paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
   selectedli: [-1, true],
  collapsecurrent: false
})
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
```

```
<div id="mainpage">
      <div id="mainpageheader"> <!-- Header Start -->
         <div class="clear"></div>
         <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
               <!--<li><a href="adminlogin.php">Admin</a>
                <a href="mechlogin.php">Mechanic</a>
                   <u1>
                      <a href="portfolio-category.html">Gallery Categories</a>
                      <a href="portfolio-items.html">Gallery Items</a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a>
                      <a href="portfolio-gallery.html">Slideshow Gallery</a>
               <a href="userlogin.php">User</a>-->
               <br style="clear: left" />
         </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header
<div class="clear"></div>
    <!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <u1>
      <!-- Block One -->
      <1i>>
         <div class="hpanel">
            <div class="hpanelimage">
             <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
            </div>
               <!-- Caption -->
         </div>
      </ul>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
         <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
</style>
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block"
data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
           Portfolio Block -->
      <div style="font-size:15px">
 <form name="f" method="post">
            {% csrf_token %}
>
Segmentation Page
</tr>
<td>Date</td>
<input name="d">
<tr>
Location
<input name="loc">
```

```
</tr>
<tr>
Gender
</tr>
<tr>
<input type="submit" name="submit">&nbsp;&nbsp;<input type="reset" />
</form>
        <div class="clear"></div>
     </div>
     <div class="clear"></div>
     <!-- The can be 3 column of info on your company -->
     </div>
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Two -->
          <div class="mblogtitle">
          </div>
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Three -->
          <div class="mblogtitle">
        </div>
        <div class="clear"></div>
     </div>
  </div> <!-- Close Mainpage -->
   <!-- Footer start -->
  <div id="footer">
     <div id="footerwrap">
        <div class="footerminibox">
        </div>
        <div class="footerbox footerspace">
          <div class="footertext">
        </div>
        <div class="footerflickrwrap flickrfooterspace">
          <div class="footertitle"></div>
          <!-- Flickr Photos -->
          </div>
        </div>
        <div class="clear"></div>
     </div>
     <div class="clear"></div>
  </div>
  <div id="footerbarwrap">
</div> <!-- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
</html>
Index.html:
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
```

```
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
clink href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
clink href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
<!--[if lte IE 61>
     <link rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
<![endif]-->
<!--[if IE 71>
    <![endif]-->
<!-- JOUERY Library -->
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script><
<script type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script>
<script type="text/javascript" src="{% static 'js/TitillliumText14L_300_600.font.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fontconfig.js' %}"></script>
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
    accordionid: 'hcl',
     paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
     selectedli: [-1, true],
    collapsecurrent: false
})
</script>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
     <div id="mainpage">
          <div id="mainpageheader"> <!-- Header Start -->
               <div class="clear"></div>
               <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
                    <u1>
                          <a href="homepage.php">Home</a>
                          <!--<li><a href="adminlogin.php">Admin</a>
                          <a href="mechlogin.php">Mechanic</a>
                                    <a href="portfolio-category.html">Gallery Categories</a>
                                    <a href="portfolio-items.html">Gallery Items</a><a href="portfolio-recent.html">Recent Works</a>
                                    <a href="portfolio-gallery.html">Slideshow Gallery</a>
                          <a href="userlogin.php">User</a>-->
```

```
<br style="clear: left" />
         </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
<div class="clear"></div>
    <!-- Accordion Featured Block --</pre>
   <div id="hc1" class="haccordion">
         <div class="hpanel">
            <div class="hpanelimage">
            <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
            </div>
               <!-- Caption -->
         </div>
      </div>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
         <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
</style>
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block'
     data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
            Portfolio Block -->
      <div style="font-size:15px">
                <form name="f" method="post">
User Login
</tr>
<tr>
User Name (Emailid) 
<input name="uname">
>
Password
<input type="password" name="pwd">
ctd colspan="2" align="center"><a href="user_regist.html">Register</a><input type="submit"
name="submit">&nbsp; &nbsp; <input type="reset" />
</form>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
       <!-- The can be 3 column of info on your company -->
      <div id="mblogwrap">
```

```
</div>
         <div class="mblogbox mblogspace"><!-- Info Block Two -->
            <div class="mblogtitle">
         </div>
         <div class="mblogbox mblogspace"><!-- Info Block Three -->
            <div class="mblogtitle">
            </div>
         </div>
         <div class="clear"></div>
      </div>
   </div> <!-- Close Mainpage -->
        Footer start -->
   <div id="footer">
      <div id="footerwrap">
         <div class="footerminibox">
         </div>
         <div class="footerbox footerspace">
            <div class="footertext">
         <div class="footerflickrwrap flickrfooterspace">
            <div class="footertitle"></div>
            <!-- Flickr Photos -
            </div>
         </div>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
   </div>
   <div id="footerbarwrap">
   </div>
</div> <!-- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
Login1.html:
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
k rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->
<!-- JOUERY Library -->
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
</script>
```

```
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
\mbox{\scriptsize \star} This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
   accordionid: 'hcl',
   paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
   selectedli: [-1, true],
   collapsecurrent: false
})
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
      <div id="mainpageheader"> <!-- Header Start -->
         <div class="clear"></div>
         <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
            <u1>
               <a href="homepage.php">Home</a>
               <!--<li><a href="adminlogin.php">Admin</a>
               </1i>
               <a href="mechlogin.php">Mechanic</a>
                     <a href="portfolio-category.html">Gallery Categories</a>
                     <a href="portfolio-items.html">Gallery Items</a><a href="portfolio-recent.html">Recent Works</a>
                      <a href="portfolio-gallery.html">Slideshow Gallery</a>
               </1i>
               <a href="userlogin.php">User</a>-->
               </ul>
             <br style="clear: left" />
         </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header -->
<div class="clear"></div>
   <!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <u1>
          - Block One -->
      <1i>>
         <div class="hpanel">
            <div class="hpanelimage">
             <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
               <!-- Caption -->
         </div>
      </111>
   </div>
   <!-- End of Featured Block -->
   <div class="clear"></div>
```

```
<div style="text-align:center;">
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
    style="display:inline-block"
data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
     </div>
           Portfolio Block -->
      <div style="font-size:15px">
              <form name="f" method="post">
{% csrf_token %} 
User Registration
>
User Name (Emailid) 
<input name="email">
</tr>
<tr>
Password
<input type="password" name="pwd">
<tr>
<input type="submit" name="submit">&nbsp; &nbsp; <input type="reset" />
</form>
        <div class="clear"></div>
      </div>
     <div class="clear"></div>
      <!-- The can be 3 column of info on your company -->
     <div class="mblogtitle">
           </div>
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Two -->
           <div class="mblogtitle">
           </div>
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Three -->
           <div class="mblogtitle">
           </div>
        </div>
        <div class="clear"></div>
     </div>
  </div> <!-- Close Mainpage -->
     -- Footer start -->
   <div id="footer">
      <div id="footerwrap">
        <div class="footerminibox">
        <div class="footerbox footerspace">
           <div class="footertext">
        </div>
        <div class="footerflickrwrap flickrfooterspace">
           <div class="footertitle"></div>
           <!-- Flickr Photos -
```

```
</div>
          </div>
          <div class="clear"></div>
       </div>
       <div class="clear"></div>
   </div>
   <div id="footerbarwrap">
</div> <!-- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
</html>
Process.html:
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
<!--[if lte IE 61>
   <link rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
<![endif]-->
< l -- lif TE 71 >
   <!iink rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<![endif]-->

<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
<script type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script>

<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fontconfig.js' %}">
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
  This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
   accordionid: 'hcl',
   paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
   selectedli: [-1, true],
   collapsecurrent: false
</script>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
    <div id="mainpage">
```

```
<div id="mainpageheader"> <!-- Header Start -->
         <div class="clear"></div>
         <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
               <!--<li><a href="adminlogin.php">Admin</a>
               <a href="mechlogin.php">Mechanic</a>
                    <a href="portfolio-category.html">Gallery Categories</a>
                    <a href="portfolio-items.html">Gallery Items</a>
<a href="portfolio-recent.html">Recent Works</a>
                     <a href="portfolio-gallery.html">Slideshow Gallery</a>
               <a href="userlogin.php">User</a>-->
              </ul>
            <br style="clear: left" />
        </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header -->
<div class="clear"></div>
      -- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <u1>
         - Block One -->
      <1i>>
        <div class="hpanel">
            <div class="hpanelimage">
            <a href="#"><img src="{\% static 'images/accordion/image4.jpg' \%}" alt="slide" /></a>
               <!-- Caption -->
         </div>
      </div>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
        <stvle>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
</style>
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block
     data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
           Portfolio Block -->
      <div style="font-size:15px">
<form name="f" method="post">
            {% csrf_token %}
Segmentation Page
<td>Date</td>
<input name="d">
</tr>
Location
<input name="loc">
<tr>
```

```
Gender
</tr>
<tr>
<input type="submit" name="submit">&nbsp;&nbsp;<input type="reset" />
</tr>
{% for v in objes %}
      <tr>
         <th>ID</th>
         TransactionID
         CustomerID
         CustomerDOB
         CustGender
         CustLocation
         CustAccountBalance
         TransactionDate
         Time
         Amount
         </tr>
   >
         { { v.id} } 
            {td>{{v.TransactionID}}}
            <td>{ {v.CustomerID} } </td>
            { {v.CustomerDOB}} 
            {{v.CustGender}}
            { {v.CustLocation} } 
            {td>{{v.CustAccountBalance}}}
            { td>{ {v.TransactionDate}} 
            {td>{{v.TransactionTime}}
         { { v.TransactionAmount } } 
         {% endfor %}
      </form>
      <div class="clear"></div>
    </div>
    <div class="clear"></div>
    </div>
       </div>
       <div class="mblogbox mblogspace"><!-- Info Block Two -->
         <div class="mblogtitle">
         </div>
      </div>
<div class="mblogbox mblogspace"><!-- Info Block Three -->
         <div class="mblogtitle">
         </div>
      </div>
       <div class="clear"></div>
    </div>
  </div> <!-- Close Mainpage -->
  <!-- Footer start -->
  <div id="footer">
```

<div id="footerwrap">

```
<div class="footerminibox">
               </div>
                <div class="footerbox footerspace">
                     <div class="footertext">
                <div class="footerflickrwrap flickrfooterspace">
                     <div class="footertitle"></div>
<!-- Flickr Photos -->
                    </div>
                </div>
                <div class="clear"></div>
           </div>
          <div class="clear"></div>
     </div>
     <div id="footerbarwrap">
     </div>
                -- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</html>
User regist.html:
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
clink href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
clink href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />

<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
<!--[if lte IE 61>
     < static 'css/ie6.css' %}" media="screen" />
<![endif]-->
<!-- JOUERY Library -->
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
<script type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script
<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fontconfig.js' %)">//script>
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
  This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
     accordionid: 'hcl',
     paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
    selectedli: [-1, true],
collapsecurrent: false
```

```
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
      <div id="mainpageheader"> <!-- Header Start -->
          <div class="clear"></div>
         <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
                <a href="index.php">Home</a>
                <!--<li><a href="adminlogin.php">Admin</a>
                <a href="mechlogin.php">Mechanic</a>
                      <a href="portfolio-category.html">Gallery Categories</a>
                      <a href="portfolio-items.html">Gallery Items</a></a></a></h></a></h></a></a></a></a>
                       <a href="portfolio-gallery.html">Slideshow Gallery</a>
                <a href="userlogin.php">User</a>-->
                </ul>
             <br style="clear: left" />
         </div>
          <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header
<div class="clear"></div>
    <!-- Accordion Featured Block -->
   <div id="hc1" class="haccordion">
      <u1>
       <!-- Block One -->
      <1i>>
          <div class="hpanel">
             <div class="hpanelimage">
             <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
             </div>
                <!-- Caption -->
          </div>
      </ul>
   </div>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
         <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
</style>
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
     style="display:inline-block"
     data-ad-client="ca-pub-1845532317325027"
data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
            Portfolio Block -->
      <div style="font-size:15px">
```

<form name="f" method="post">

```
{% csrf token %}
<tr>
User Registration
</tr>
<tr>
User Name
<input name="uname">
>
Password
<input type="password" name="pwd">
<tr>
Address
<textarea name="addr" rows="10" cols="21"></textarea>
</tr>
Email Id
<input name="email">
>
Mobile Number
<input name="mno">
</tr>
<input type="submit" name="submit">&nbsp;&nbsp;<input type="reset" />
</form>
       <div class="clear"></div>
     </div>
     <div class="clear"></div>
     <!-- The can be 3 column of info on your company -->
     <div id="mblogwrap">
       </div>
       </div>
       <div class="mblogbox mblogspace"><!-- Info Block Two -->
          <div class="mblogtitle">
       </div>
       <div class="mblogbox mblogspace"><!-- Info Block Three -->
          <div class="mblogtitle">
          </div>
       </div>
       <div class="clear"></div>
     </div>
  </div> <!-- Close Mainpage -->
  <!-- Footer start -->
  <div id="footer">
     <div id="footerwrap">
       <div class="footerminibox">
       </div>
       <div class="footerbox footerspace">
    <div class="footertext">
       <div class="footerflickrwrap flickrfooterspace">
          <div class="footertitle"></div>
<!-- Flickr Photos -->
          </div>
       </div>
       <div class="clear"></div>
     </div>
     <div class="clear"></div>
  </div>
  <div id="footerbarwrap">
```

```
</div>
</div>
          -- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
</html>
Welcome.html:
{% load static %}
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
k href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
k href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
k href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
   <link rel="stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
<! [endif]-->
<!--[if IE 7]>
   k rel="stylesheet" type="text/css" href="{% static 'css/ie7.css' %}" media="screen" />
<! [endif]-->
<!-- JOUERY Library -->
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
<script type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script>
<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fontconfig.js' %}"></script></script>
<script type="text/javascript" src="{% static 'js/ddsmoothmenu.js' }">
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
</script>
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
   accordionid: 'hcl',
   paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
   selectedli: [-1, true],
   collapsecurrent: false
1)
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
       <div id="mainpageheader"> <!-- Header Start -->
          <div class="clear"></div>
          <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
                 <a href="homepage.php">Home</a>
```

```
<!--<li><a href="adminlogin.php">Admin</a>
              </1i>
              <a href="mechlogin.php">Mechanic</a>
                    <a href="portfolio-category.html">Gallery Categories</a>
                    <a href="userlogin.php">User</a>-->
              </ul>
            <br/>
br style="clear: left" />
        </div>
        <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
      </div> <!-- Close Header -->
<div class="clear"></div>
   <!-- Accordion Featured Block -->
<div id="hc1" class="haccordion">
      <u1>
         - Block One -->
      <1i>>
        <div class="hpanel">
            <div class="hpanelimage">
            <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
               <!-- Caption -->
        </div>
     </ul>
   </div>
   <!-- End of Featured Block -->
   <div class="clear"></div>
      <div style="text-align:center;">
        <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
    style="display:inline-block"
data-ad-client="ca-pub-1845532317325027"
     data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
      </div>
          Portfolio Block -->
      <div style="font-size:15px">
               <form name="f" method="post">
           {% csrf token %}
<tr>
WELCOME TO DASHBOARD
<tr>
<a href='welcome1.html'>CLICK HERE</a>
</tr>
</form>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
```

```
<!-- The can be 3 column of info on your company -->
            <div id="mblogwrap">
                  </div>
                  </div>
                  <div class="mblogbox mblogspace"><!-- Info Block Two -->
                        <div class="mblogtitle">
                  </div>
                  <div class="mblogbox mblogspace"><!-- Info Block Three -->
                        <div class="mblogtitle">
                  </div>
                  <div class="clear"></div>
            </div>
      </div> <!-- Close Mainpage -->
      <!-- Footer start -->
      <div id="footer">
            <div id="footerwrap">
                  <div class="footerminibox">
                  </div>
                  <div class="footerbox footerspace">
                        <div class="footertext">
                  </div>
                  <div class="footerflickrwrap flickrfooterspace">
                       <div class="footertitle"></div>
<!-- Flickr Photos -->
                       </div>
                  </div>
                  <div class="clear"></div>
            </div>
            <div class="clear"></div>
      </div>
      <div id="footerbarwrap">
      </div>
</div> </
                  -- Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
</html>
Welcome1.html:
<html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
<head>
<title>Customer Segmentation</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<meta name="description" content="Site Template Theme" />
<meta name="keywords" content="menus, website, template, your, key, words, here"/>
<link rel="Shortcut Icon" type="image/ico" href="favicon.ico" />
<link href="{% static 'css/style.css' %}" rel="stylesheet" type="text/css" />
clink href="{% static 'css/prettyPhoto.css' %}" rel="stylesheet" type="text/css" />
clink href="{% static 'css/ddsmoothmenu.css' %}" rel="stylesheet" type="text/css" />
<link href="{% static 'css/haccordion.css' %}" rel="stylesheet" type="text/css" />
<!--[if lte IE 61>
     < ref = "stylesheet" type="text/css" href="{% static 'css/ie6.css' %}" media="screen" />
<![endif]-->
<!--[if IE 7]>
    <!--[if IE 7]>
    <! *static 'css/ie7.css' *}" media="screen" />
<![endif]-->
 <!-- JQUERY Library
<script type="text/javascript" src="{% static 'js/jquery-1.3.2.min.js' %}"></script>
<script type="text/javascript" src="{% static 'js/fadeinout.js' %}"></script>
<script type="text/javascript" src="{% static 'js/jquery.prettyPhoto.js' %}"></script>
<script type="text/javascript" src="{% static 'js/cufon-yui.js' %}"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script
<script type="text/javascript" src="{% static 'js/TitilliumText14L_300_600.font.js' %}"></script>
```

```
<script type="text/javascript" src="{% static 'js/fontconfig.js' %}"></script>
,
* Smooth Navigational Menu- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com)
* This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for full source code
<script type="text/javascript" src="{% static 'js/common.js' %}"></script>
<link rel="stylesheet" type="text/css" href="{% static 'css/haccordion.css' %}" />
<script type="text/javascript" src="js/haccordion.js">
* Horizontal Accordion script- (c) Dynamic Drive DHTML code library (www.dynamicdrive.com) * This notice MUST stay intact for legal use
* Visit Dynamic Drive at http://www.dynamicdrive.com/ for this script and 100s more
</script>
<script type="text/javascript">
haccordion.setup({
  accordionid: 'hcl',
   paneldimensions: {peekw:'50px', fullw:'786px', h:'430px'},
  selectedli: [-1, true], collapsecurrent: false
</script>
</head>
<body onload="javascript:haccordion.expandli('hc1', 0)">
<div id="mainpagecontainer"> <!-- Outside Container -->
   <div id="mainpage">
      <div id="mainpageheader"> <!-- Header Start -->
         <div class="clear"></div>
         <div id="smoothmenu1" class="ddsmoothmenu"><!-- The Menu -->
               <a href="homepage.php">Home</a>
               <!--<li><a href="adminlogin.php">Admin</a>
               <a href="mechlogin.php">Mechanic</a>
                     <a href="portfolio-category.html">Gallery Categories</a>
                     <a href="portfolio-items.html">Gallery Items</a></a href="portfolio-items.html">Gallery Items</a></a></a>
                      <a href="portfolio-gallery.html">Slideshow Gallery</a>
               <a href="userlogin.php">User</a>-->
               </ul>
            <br style="clear: left" />
         </div>
         <div id="logo"><img src="{% static 'images/1.png' %}" height=50/></div>
<div class="clear"></div>
      - Accordion Featured Block -
   <div id="hc1" class="haccordion">
      <u1>
          Block One -->
      <1i>>
         <div class="hpanel">
            <a href="#"><img src="{% static 'images/accordion/image4.jpg' %}" alt="slide" /></a>
            </div>
               <!-- Caption -->
         </div>
```

```
</ul>
  </div>
  <!-- End of Featured Block -->
  <div class="clear"></div>
     <div style="text-align:center;">
        <style>
.reponsive-ad { width: 320px; height: 50px; }
@media(min-width: 500px) { .reponsive-ad { width: 468px; height: 60px; } }
@media(min-width: 800px) { .reponsive-ad { width: 728px; height: 90px; } }
<script async src="//pagead2.googlesyndication.com/pagead/js/adsbygoogle.js"></script>
<ins class="adsbygoogle reponsive-ad"</pre>
    style="display:inline-block"
    data-ad-client="ca-pub-1845532317325027"
    data-ad-slot="3780060900"></ins>
<script>
(adsbygoogle = window.adsbygoogle || []).push({});
</script>
     </div>
          Portfolio Block -->
     <div style="font-size:15px">
               <form name="f" method="post">
           {% csrf_token %}
<tr>
WELCOME TO DASHBOARD
<tr>
<a href='expense.html'>EXPENSE</a>
<a href=''>MONTHLY</a>
<a href=''>CHATBOT</a>
<a href='index.html'>LOGOUT</a>
</tr>
</form>
        <div class="clear"></div>
     </div>
      <div class="clear"></div>
      <!-- The can be 3 column of info on your company -->
      <div id="mblogwrap">
        <div class="mblogbox"><!-- Info Block One -->
           <div class="mblogtitle">
           </div>
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Two -->
           <div class="mblogtitle">
           </div>
        </div>
        <div class="mblogbox mblogspace"><!-- Info Block Three -->
           <div class="mblogtitle">
           </div>
        </div>
        <div class="clear"></div>
   </div> <!-- Close Mainpage -->
   <!-- Footer start -->
  <div id="footer">
     <div id="footerwrap">
        <div class="footerminibox">
        </div>
        <div class="footerbox footerspace">
           <div class="footertext">
```

```
</div>
         <div class="footerflickrwrap flickrfooterspace">
            <div class="footertitle"></div>
<!-- Flickr Photos -->
            </div>
         </div>
         <div class="clear"></div>
      </div>
      <div class="clear"></div>
   </div>
   <div id="footerbarwrap">
   </div>
</div>
           - Close Container -->
<script type="text/javascript"> Cufon.now(); </script>
</body>
</html>
PERSONAL:
_Init_.py
Settings.py:
Django settings for personal project.
Generated by 'django-admin startproject' using Django 2.2.
For more information on this file, see
https://docs.djangoproject.com/en/2.2/topics/settings/
For the full list of settings and their values, see
https://docs.djangoproject.com/en/2.2/ref/settings/
import os
# Build paths inside the project like this: os.path.join(BASE DIR, ...)
BASE DIR = os.path.dirname(os.path.dirname(os.path.abspath( file )))
# Quick-start development settings - unsuitable for production
# See https://docs.djangoproject.com/en/2.2/howto/deployment/checklist/
# SECURITY WARNING: keep the secret key used in production secret!
SECRET KEY = 'biluedg*c5h&z37j21ssrio8#n$n5(t6yzfg-#z+b(adr1b@#k'
# SECURITY WARNING: don't run with debug turned on in production!
DEBUG = True
ALLOWED HOSTS = []
# Application definition
INSTALLED APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions'
    'django.contrib.messages',
    'django.contrib.staticfiles',
    'tracker',
]
MIDDLEWARE = [
    'django.middleware.security.SecurityMiddleware',
'django.contrib.sessions.middleware.SessionMiddleware',
    'django.middleware.common.CommonMiddleware',
    'django.middleware.csrf.CsrfViewMiddleware',
    'django.contrib.auth.middleware.AuthenticationMiddleware',
    'django.contrib.messages.middleware.MessageMiddleware',
    'django.middleware.clickjacking.XFrameOptionsMiddleware',
ROOT_URLCONF = 'personal.urls'
TEMPLATES = [
        'BACKEND': 'django.template.backends.django.DjangoTemplates',
```

```
'DIRS': [(os.path.join(BASE DIR,'design/templates'))],
          'APP DIRS': True,
         'OPTIONS':
              'context processors': [
                   'django.template.context processors.debug',
                   'django.template.context_processors.request'
                   'django.contrib.auth.context_processors.auth',
                   'django.contrib.messages.context_processors.messages',
              ],
        },
    },
WSGI_APPLICATION = 'personal.wsgi.application'
# https://docs.djangoproject.com/en/2.2/ref/settings/#databases
DATABASES = {
     'default': {
          'ENGINE': 'django.db.backends.mysql',
         'NAME': 'personal',
         'USER': 'root',
         'PASSWORD': '',
'HOST': '127.0.0.1',
'PORT': '3306',
     }
}
# Password validation
# https://docs.djangoproject.com/en/2.2/ref/settings/#auth-password-validators
AUTH PASSWORD VALIDATORS = [
          'NAME': 'django.contrib.auth.password_validation.UserAttributeSimilarityValidator',
     },
         'NAME': 'django.contrib.auth.password_validation.MinimumLengthValidator',
         'NAME': 'django.contrib.auth.password validation.CommonPasswordValidator',
     },
         'NAME': 'django.contrib.auth.password_validation.NumericPasswordValidator',
     },
1
# Internationalization
# https://docs.djangoproject.com/en/2.2/topics/i18n/
LANGUAGE CODE = 'en-us'
TIME ZONE = 'UTC'
USE I18N = True
USE_L10N = True
USE TZ = True
# Static files (CSS, JavaScript, Images)
# https://docs.djangoproject.com/en/2.2/howto/static-files/
STATIC URL = '/static/'
STATICFILES_DIRS=[os.path.join(BASE_DIR,'design/static'),]
SET_EMAIL_USE_TLS = True
SET_EMAIL_HOST='smtp.gmail.com'
SET_EMAIL_HOST_USER='customerproject404nf@gmail.com'
SET_EMAIL_HOST_PASSWORD='nowdlnospvmgsoth'
SET EMAIL PORT=587
SET_EMAIL_BACKEND = 'django.core.mail.backends.smtp.EmailBackend'
SET_DEFAULT_FROM_EMAIL = 'customerproject404nf@gmail.com'
EMAIL USE TLS = SET EMAIL USE TLS
EMAIL HOST = SET EMAIL HOST
EMAIL_HOST_USER = SET_EMAIL_HOST_USER
EMAIL_HOST_PASSWORD = SET_EMAIL_HOST_PASSWORD
EMAIL_PORT = SET_EMAIL_PORT
EMAIL_BACKEND = SET_EMAIL_BACKEND
DEFAULT_FROM_EMAIL = SET_DEFAULT_FROM_EMAIL
```

Urls.py:

"""personal URL Configuration

```
The `urlpatterns` list routes URLs to views. For more information please see:
    https://docs.djangoproject.com/en/2.2/topics/http/urls/
Examples:
Function views
    1. Add an import: from my_app import views
    2. Add a URL to urlpatterns: path('', views.home, name='home')
Class-based views
    1. Add an import: from other_app.views import Home
    2. Add a URL to urlpatterns: path('', Home.as_view(), name='home')
Including another URLconf
    1. Import the include() function: from django.urls import include, path 2. Add a URL to urlpatterns: path('blog/', include('blog.urls'))
from django.contrib import admin
from django.urls import path
from django.conf.urls import url
from tracker import views as user_views
from django.conf.urls import url
urlpatterns = [
    path('admin/', admin.site.urls),
    url(r'^$', user views.index, name="index"),
    url(r'', user_views.login, name="login"),
    url(r'^expense/$', user_views.exp, name="exp"),
    # url(r'', user_views.login,name="login"),
# url(r'', user_views.expense,name="expense"),
Wsgi.py:
11 11 11
WSGI config for personal project.
It exposes the WSGI callable as a module-level variable named ``application``.
For more information on this file, see
https://docs.djangoproject.com/en/2.2/howto/deployment/wsgi/
import os
from django.core.wsgi import get wsgi application
os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'personal.settings')
application = get wsgi application()
TRACKER:
Migration
001 initial.pv:
# Generated by Django 2.2 on 2022-11-17 09:21
from django.db import migrations, models
class Migration(migrations.Migration):
    initial = True
    dependencies = [
    operations = [
        migrations.CreateModel(
             name='ExpenseModel',
             fields=[
                  ('id', models.AutoField(auto created=True, primary key=True, serialize=False,
verbose name='ID')),
                  ('email', models.CharField(max_length=250)),
                  ('cdate', models.CharField(max_length=250)),
('account', models.CharField(max_length=250)),
('category', models.CharField(max_length=250)),
```

```
('amount', models.IntegerField()),
                   ('descr', models.CharField(max_length=250)),
                   ('bal', models.IntegerField()),
             1,
         migrations.CreateModel(
             name='RegistrationModel',
('id', models.AutoField(auto_created=True, primary_key=True, serialize=False, verbose_name='ID')),
                   ('uname', models.CharField(max length=250)),
                   ('pwd', models.CharField(max_length=250)),
('addr', models.CharField(max_length=250)),
('email', models.CharField(max_length=250)),
                  ('mno', models.CharField(max_length=250)),
('bal', models.IntegerField()),
             ],
        ),
Admin.py:
from django.contrib import admin
# Register your models here.
Apps.py:
from django.apps import AppConfig
class TrackerConfig(AppConfig):
    name = 'tracker'
models.py:
from django.db import models
# Create your models here.
class RegistrationModel(models.Model):
    uname=models.CharField(max length=250)
     pwd=models.CharField(max_length=250)
    addr = models.CharField(max_length=250)
email = models.CharField(max_length=250)
    mno = models.CharField(max length=250)
    bal = models.IntegerField()
class ExpenseModel (models.Model):
     email = models.CharField(max length=250)
     cdate=models.CharField(max_length=250)
     account=models.CharField(max_length=250)
     category = models.CharField(max length=250)
     amount = models.IntegerField()
     descr = models.CharField(max_length=250)
    bal = models.IntegerField()
tests.pv:
from django.test import TestCase
# Create your tests here.
Views.py:
from django.shortcuts import render, redirect, get object or 404
from django.http import HttpResponse
from tracker.models import RegistrationModel
from tracker.models import ExpenseModel
from django.db.models import Q
from personal.settings import DEFAULT FROM EMAIL
from django.core.mail import EmailMultiAlternatives
\textbf{from} \text{ random } \textbf{import} \text{ randint}
# Create your views here.
def exp(request):
    print("Expense")
     bal1=0
     if request.method == "POST":
      email= request.session['email']
      cdate = request.POST.get('cdate')
      account = request.POST.get('account')
      category = request.POST.get('category')
     amount = request.POST.get('amount')
descr = request.POST.get('descr')
```


```
if ExpenseModel.objects.filter(email=email).exists():
              = ExpenseModel.objects.get(email=email)
          if request.method == "POST":
              email = request.session['email']
              cdate = request.POST.get('cdate')
              account = request.POST.get('account')
              category = request.POST.get('category')
              amount = request.POST.get('amount')
descr = request.POST.get('descr')
              bal = request.POST.get('bal')
              obj = get_object_or_404(RegistrationModel,email=email)
obj.bal = obj.bal-amount
              ball=obj.bal-amount
              obj.save(update_fields=["bal"])
     else:
ExpenseModel.objects.create(cdate=cdate,account=account,category=category,amount=amount,descr=descr,bal=bal
1):
             return redirect('welcome.html')
    return render(request, 'expense.html')
def index(request):
    if request.method == "POST":
        email= request.POST.get('uname', '')
         pwd = request.POST.get('pwd', '')
             enter = RegistrationModel.objects.get(email=email,pwd=pwd)
             return render(request, 'welcome.html')
         except:
             pass
    return render(request, 'index.html')
     # return render(request, 'index.html')
def login(request):
    if request.method == "POST":
     uname = request.POST.get('uname')
     pwd = request.POST.get('pwd')
     addr = request.POST.get('addr')
email = request.POST.get('email')
     mno = request.POST.get('mno')
     bal=50000
     if RegistrationModel.objects.filter(uname=uname).exists():
          return HttpResponse("Already registered")
     if RegistrationModel.objects.create(uname=uname.pwd=pwd.addr=addr.email=email.mno=mno.bal=bal):
          subject = "Registration"
          text_content = ""
# otp = randint(1000, 9999)
          st="Registered successfully"
          request.session('email') = request.POST.get('email')
html_content = "<br/>
p>Registration :<strong>" + str(st) + "</strong>"
          from mail = DEFAULT FROM EMAIL
          to mail = [email]
          print(to_mail)
          msg = EmailMultiAlternatives(subject, text_content, from_mail, to_mail)
msg.attach_alternative(html_content, "text/html")
          if msg.send():
               ts = 'sent'
          return redirect('index.html')
    return render(request, 'user_regist.html')
manage.py:
#!/usr/bin/env python
"""Django's command-line utility for administrative tasks."""
import os
import sys
def main():
    os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'personal.settings')
        from django.core.management import execute from command line
    except ImportError as exc:
    raise ImportError(
             "Couldn't import Django. Are you sure it's installed and "
```

External libraries:


Scratches and consoles.

OUTPUT:


REGISTRATION PAGE



Registration success page:



Login page:



Dashboard page:

