| Name         | Keerth.p  |  |
|--------------|---|--|
|              |   |  |
|              |   |  |
| Team ID      | PNT2022TMID43024  |  |
|              |   |  |
| Project Name | Real time communication powered by Ai for specially abled |  |
|              |   |  |

#### **ASSIGNMENT-3**

Problem Statement: - Build CNN Model for Classification of Flowers

### 1) Importing Various Modules.

```
# Ignore the warnings
import warnings
warnings.filterwarnings('always')
warnings.filterwarnings('ignore')
# data visualisation and manipulation
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
from matplotlib import style
import seaborn as sns
#configure
# sets matplotlib to inline and displays graphs below the corressponding cell.
%matplotlib inline
style.use('fivethirtyeight')
sns.set(style='whitegrid',color codes=True)
#model selection
from sklearn.model_selection import train_test_split
from sklearn.model_selection import KFold
from sklearn.metrics import
accuracy_score,precision_score,recall_score,confusion_matrix,roc_curve,roc_auc_score
from sklearn.model selection import GridSearchCV
from sklearn.preprocessing import LabelEncoder
#preprocess.
from keras.preprocessing.image import ImageDataGenerator
#dl libraraies
```

```
from keras import backend as K
from keras.models import Sequential
from keras.layers import Dense
from keras.optimizers import Adam, SGD, Adagrad, Adadelta, RMSprop
from keras.utils import to_categorical
# specifically for cnn
from keras.layers import Dropout, Flatten, Activation
from keras.layers import Conv2D, MaxPooling2D, BatchNormalization
import tensorflow as tf
import random as rn
# specifically for manipulating zipped images and getting numpy arrays of pixel
values of images.
import cv2
import numpy as np
from tqdm import tqdm
import os
from random import shuffle
from zipfile import ZipFile
from PIL import Image
Using TensorFlow backend.
```

#### 2) Preparing the Data

# 2.1) Making the functions to get the training and validation set from the Images

```
In [3]:
X=[]
Z=[]
IMG SIZE=150
FLOWER_DAISY_DIR='../input/flowers/flowers/daisy'
FLOWER_SUNFLOWER_DIR='../input/flowers/flowers/sunflower'
FLOWER_TULIP_DIR='../input/flowers/flowers/tulip'
FLOWER DANDI DIR='../input/flowers/flowers/dandelion'
FLOWER_ROSE_DIR='../input/flowers/flowers/rose'
In [4]:
def assign label(img,flower type):
    return flower_type
In [5]:
def make_train_data(flower_type,DIR):
    for img in tqdm(os.listdir(DIR)):
        label=assign_label(img,flower_type)
        path = os.path.join(DIR,img)
        img = cv2.imread(path,cv2.IMREAD COLOR)
        img = cv2.resize(img, (IMG_SIZE,IMG_SIZE))
```

```
In [6]:
make_train_data('Daisy',FLOWER_DAISY_DIR)
print(len(X))
100% | 769/769 [00:03<00:00, 215.70it/s]
769
In [7]:
make_train_data('Sunflower',FLOWER_SUNFLOWER_DIR)
print(len(X))
100%
     734/734 [00:03<00:00, 206.81it/s]
1503
In [8]:
make_train_data('Tulip',FLOWER_TULIP_DIR)
print(len(X))
100% | 984/984 [00:04<00:00, 224.01it/s]
2487
In [9]:
make train data('Dandelion',FLOWER DANDI DIR)
print(len(X))
  9%
                97/1055 [00:00<00:04, 235.89it/s]
                                          Traceback (most recent call
error
last)
<ipython-input-9-95c78ead0c98> in <module>
----> 1 make train data('Dandelion', FLOWER DANDI DIR)
      2 print(len(X))
<ipython-input-5-001b1f747236> in make_train_data(flower_type, DIR)
      4
                path = os.path.join(DIR,img)
      5
                img = cv2.imread(path,cv2.IMREAD_COLOR)
                img = cv2.resize(img, (IMG SIZE,IMG SIZE))
----> 6
      8
                X.append(np.array(img))
error: OpenCV(3.4.3) /io/opencv/modules/imgproc/src/resize.cpp:4044:
error: (-215:Assertion failed) !ssize.empty() in function 'resize'
In [10]:
make_train_data('Rose',FLOWER_ROSE_DIR)
print(len(X))
100% | 784/784 [00:03<00:00, 235.31it/s]
3386
```

X.append(np.array(img))
Z.append(str(label))

#### 2.2) Visualizing some Random Images

```
In [11]:
fig,ax=plt.subplots(5,2)
fig.set_size_inches(15,15)
for i in range(5):
    for j in range (2):
        l=rn.randint(0,len(Z))
        ax[i,j].imshow(X[1])
        ax[i,j].set_title('Flower: '+Z[1])

plt.tight_layout()
```

# 2.3) Label Encoding the Y array (i.e. Daisy->0, Rose->1 etc...) & then One Hot Encoding

```
In [12]:
le=LabelEncoder()
Y=le.fit_transform(Z)
Y=to_categorical(Y,5)
X=np.array(X)
X=X/255
```

### 2.4) Splitting into Training and Validation Sets

```
In [13]:
x_train,x_test,y_train,y_test=train_test_split(X,Y,test_size=0.25,random_state=42)
```

### 2.5) Setting the Random Seeds

```
In [14]:
np.random.seed(42)
rn.seed(42)
tf.set_random_seed(42)
In [ ]:
```

#### 3) Modelling

#### 3.1) Building the ConvNet Model

```
In [15]:
# # modelling starts using a CNN.

model = Sequential()
model.add(Conv2D(filters = 32, kernel_size = (5,5),padding = 'Same',activation
='relu', input_shape = (150,150,3)))
model.add(MaxPooling2D(pool_size=(2,2)))
```

```
model.add(Conv2D(filters = 64, kernel_size = (3,3),padding = 'Same',activation
='relu'))
model.add(MaxPooling2D(pool size=(2,2), strides=(2,2)))
model.add(Conv2D(filters =96, kernel_size = (3,3),padding = 'Same',activation
='relu'))
model.add(MaxPooling2D(pool size=(2,2), strides=(2,2)))
model.add(Conv2D(filters = 96, kernel_size = (3,3),padding = 'Same',activation
='relu'))
model.add(MaxPooling2D(pool_size=(2,2), strides=(2,2)))
model.add(Flatten())
model.add(Dense(512))
model.add(Activation('relu'))
model.add(Dense(5, activation = "softmax"))
3.2) Using a LR Annealer
In [16]:
batch size=128
epochs=50
from keras.callbacks import ReduceLROnPlateau
red lr= ReduceLROnPlateau(monitor='val acc',patience=3,verbose=1,factor=0.1)
3.3 ) Data Augmentation to prevent Overfitting
In [17]:
datagen = ImageDataGenerator(
       featurewise_center=False, # set input mean to 0 over the dataset
        samplewise_center=False, # set each sample mean to 0
       featurewise_std_normalization=False, # divide inputs by std of the dataset
        samplewise_std_normalization=False, # divide each input by its std
        zca_whitening=False, # apply ZCA whitening
        rotation_range=10, # randomly rotate images in the range (degrees, 0 to 180)
        zoom range = 0.1, # Randomly zoom image
       width shift range=0.2, # randomly shift images horizontally (fraction of
total width)
       height shift range=0.2, # randomly shift images vertically (fraction of
total height)
        horizontal_flip=True, # randomly flip images
       vertical flip=False) # randomly flip images
datagen.fit(x_train)
3.4) Compiling the Keras Model & Summary
In [18]:
model.compile(optimizer=Adam(lr=0.001),loss='categorical_crossentropy',metrics=['accu
racy'])
```

In [19]:
model.summary()

| Layer (type)                 | Output | Shape         | Param # |
|------------------------------|--------|---------------|---------|
| conv2d_1 (Conv2D)            | (None, | 150, 150, 32) | 2432    |
| max_pooling2d_1 (MaxPooling2 | (None, | 75, 75, 32)   | 0       |
| conv2d_2 (Conv2D)            | (None, | 75, 75, 64)   | 18496   |
| max_pooling2d_2 (MaxPooling2 | (None, | 37, 37, 64)   | 0       |
| conv2d_3 (Conv2D)            | (None, | 37, 37, 96)   | 55392   |
| max_pooling2d_3 (MaxPooling2 | (None, | 18, 18, 96)   | 0       |
| conv2d_4 (Conv2D)            | (None, | 18, 18, 96)   | 83040   |
| max_pooling2d_4 (MaxPooling2 | (None, | 9, 9, 96)     | 0       |
| flatten_1 (Flatten)          | (None, | 7776)         | 0       |
| dense_1 (Dense)              | (None, | 512)          | 3981824 |
| activation_1 (Activation)    | (None, | 512)          | 0       |
| dense_2 (Dense)              | (None, | 5)            | 2565    |

Total params: 4,143,749
Trainable params: 4,143,749
Non-trainable params: 0

## 3.5) Fitting on the Training set and making predcitons on the Validation set

```
19/19 [============= ] - 15s 768ms/step - loss: 1.1096 -
acc: 0.5398 - val loss: 1.0287 - val acc: 0.5738
Epoch 3/50
19/19 [============== ] - 15s 770ms/step - loss: 1.0306 -
acc: 0.5749 - val loss: 0.8975 - val acc: 0.6647
Epoch 4/50
19/19 [=========== ] - 15s 779ms/step - loss: 0.9500 -
acc: 0.6150 - val loss: 1.0258 - val acc: 0.5986
19/19 [============== ] - 15s 771ms/step - loss: 0.9408 -
acc: 0.6352 - val loss: 0.8534 - val acc: 0.6659
Epoch 6/50
acc: 0.6450 - val loss: 0.8217 - val acc: 0.6824
Epoch 7/50
19/19 [============== ] - 14s 757ms/step - loss: 0.8909 -
acc: 0.6493 - val loss: 0.8131 - val acc: 0.6860
Epoch 8/50
19/19 [============== ] - 15s 765ms/step - loss: 0.8273 -
acc: 0.6697 - val_loss: 0.7303 - val_acc: 0.7226
Epoch 9/50
19/19 [=============== ] - 14s 758ms/step - loss: 0.8043 -
acc: 0.6879 - val loss: 0.7364 - val_acc: 0.7131
Epoch 10/50
19/19 [============== ] - 14s 762ms/step - loss: 0.8012 -
acc: 0.6792 - val loss: 0.6771 - val_acc: 0.7521
Epoch 11/50
19/19 [============= ] - 14s 761ms/step - loss: 0.8138 -
acc: 0.6789 - val loss: 0.7210 - val acc: 0.7107
Epoch 12/50
19/19 [============== ] - 15s 765ms/step - loss: 0.7827 -
acc: 0.6870 - val loss: 0.7838 - val acc: 0.6824
Epoch 13/50
19/19 [============= ] - 14s 761ms/step - loss: 0.8019 -
acc: 0.6843 - val loss: 0.7249 - val acc: 0.7226
Epoch 14/50
19/19 [============== ] - 15s 766ms/step - loss: 0.7274 -
acc: 0.7137 - val_loss: 0.6254 - val_acc: 0.7615
Epoch 15/50
19/19 [============== ] - 15s 764ms/step - loss: 0.6792 -
acc: 0.7381 - val loss: 0.6146 - val acc: 0.7686
Epoch 16/50
19/19 [============== ] - 14s 758ms/step - loss: 0.6489 -
acc: 0.7488 - val_loss: 0.6053 - val_acc: 0.7733
Epoch 17/50
19/19 [========== ] - 15s 765ms/step - loss: 0.6621 -
acc: 0.7463 - val loss: 0.6521 - val acc: 0.7509
Epoch 18/50
```

```
19/19 [============= ] - 15s 787ms/step - loss: 0.6664 -
acc: 0.7360 - val loss: 0.6240 - val acc: 0.7698
Epoch 19/50
19/19 [============== ] - 14s 757ms/step - loss: 0.6392 -
acc: 0.7450 - val loss: 0.6863 - val acc: 0.7308
Epoch 20/50
19/19 [============ ] - 15s 767ms/step - loss: 0.6411 -
acc: 0.7498 - val loss: 0.6494 - val acc: 0.7532
Epoch 21/50
19/19 [============== ] - 14s 759ms/step - loss: 0.6144 -
acc: 0.7669 - val loss: 0.5729 - val acc: 0.7887
Epoch 22/50
acc: 0.7606 - val loss: 0.6476 - val acc: 0.7651
Epoch 23/50
19/19 [============== ] - 14s 756ms/step - loss: 0.5982 -
acc: 0.7624 - val loss: 0.6235 - val acc: 0.7651
Epoch 24/50
19/19 [============== ] - 14s 759ms/step - loss: 0.5960 -
acc: 0.7631 - val loss: 0.6999 - val acc: 0.7190
Epoch 25/50
acc: 0.7646 - val loss: 0.6245 - val acc: 0.7780
Epoch 26/50
19/19 [============== ] - 14s 763ms/step - loss: 0.5379 -
acc: 0.7835 - val loss: 0.5983 - val acc: 0.7721
Epoch 27/50
19/19 [============= ] - 14s 751ms/step - loss: 0.5609 -
acc: 0.7821 - val loss: 0.6182 - val acc: 0.7615
Epoch 28/50
19/19 [============== ] - 14s 756ms/step - loss: 0.5226 -
acc: 0.7994 - val loss: 0.5834 - val acc: 0.7922
Epoch 29/50
19/19 [============= ] - 14s 751ms/step - loss: 0.5393 -
acc: 0.7847 - val loss: 0.6063 - val acc: 0.7674
Epoch 30/50
19/19 [========== ] - 14s 742ms/step - loss: 0.5416 -
acc: 0.7979 - val_loss: 0.5908 - val_acc: 0.7816
Epoch 31/50
19/19 [============== ] - 14s 739ms/step - loss: 0.5047 -
acc: 0.8101 - val loss: 0.5826 - val acc: 0.7851
Epoch 32/50
19/19 [============== ] - 14s 741ms/step - loss: 0.4784 -
acc: 0.8119 - val_loss: 0.6112 - val_acc: 0.7828
Epoch 33/50
19/19 [========= ] - 14s 745ms/step - loss: 0.4866 -
acc: 0.8068 - val loss: 0.6614 - val acc: 0.7509
Epoch 34/50
```

```
19/19 [============= ] - 14s 751ms/step - loss: 0.5058 -
acc: 0.8065 - val loss: 0.5518 - val acc: 0.7898
Epoch 35/50
19/19 [=============== ] - 14s 741ms/step - loss: 0.4497 -
acc: 0.8321 - val loss: 0.5333 - val acc: 0.8158
Epoch 36/50
19/19 [=========== ] - 14s 742ms/step - loss: 0.4184 -
acc: 0.8355 - val loss: 0.5814 - val acc: 0.7769
Epoch 37/50
19/19 [============== ] - 14s 737ms/step - loss: 0.3989 -
acc: 0.8450 - val loss: 0.6347 - val acc: 0.7887
Epoch 38/50
acc: 0.8381 - val loss: 0.6923 - val acc: 0.7568
Epoch 39/50
19/19 [============== ] - 14s 762ms/step - loss: 0.4132 -
acc: 0.8389 - val loss: 0.6282 - val acc: 0.7887
Epoch 40/50
19/19 [============== ] - 14s 756ms/step - loss: 0.4231 -
acc: 0.8346 - val_loss: 0.5511 - val_acc: 0.8076
Epoch 41/50
19/19 [=============== ] - 14s 747ms/step - loss: 0.4408 -
acc: 0.8277 - val loss: 0.5862 - val acc: 0.7887
Epoch 42/50
19/19 [============== ] - 14s 738ms/step - loss: 0.3850 -
acc: 0.8518 - val loss: 0.6169 - val acc: 0.7863
Epoch 43/50
19/19 [============= ] - 14s 736ms/step - loss: 0.3757 -
acc: 0.8571 - val loss: 0.5783 - val acc: 0.7839
Epoch 44/50
19/19 [=========== ] - 14s 730ms/step - loss: 0.3467 -
acc: 0.8686 - val loss: 0.6838 - val acc: 0.7745
Epoch 45/50
19/19 [============== ] - 14s 735ms/step - loss: 0.3528 -
acc: 0.8588 - val loss: 0.5599 - val acc: 0.8052
Epoch 46/50
19/19 [============== ] - 14s 745ms/step - loss: 0.3390 -
acc: 0.8665 - val_loss: 0.7213 - val_acc: 0.7816
Epoch 47/50
19/19 [============== ] - 14s 737ms/step - loss: 0.3561 -
acc: 0.8725 - val loss: 0.5799 - val acc: 0.8017
Epoch 48/50
19/19 [============== ] - 14s 747ms/step - loss: 0.3701 -
acc: 0.8616 - val_loss: 0.6822 - val_acc: 0.7804
Epoch 49/50
19/19 [============== ] - 14s 740ms/step - loss: 0.3353 -
acc: 0.8736 - val loss: 0.5710 - val acc: 0.8135
Epoch 50/50
```

#### 4) Evaluating the Model Performance

```
In [21]:
plt.plot(History.history['loss'])
plt.plot(History.history['val_loss'])
plt.title('Model Loss')
plt.ylabel('Loss')
plt.xlabel('Epochs')
plt.legend(['train', 'test'])
plt.show()
In [22]:
plt.plot(History.history['acc'])
plt.plot(History.history['val_acc'])
plt.title('Model Accuracy')
plt.ylabel('Accuracy')
plt.xlabel('Epochs')
plt.legend(['train', 'test'])
plt.show()
```

### 5) Visualizing Predictons on the Validation Set

```
In [23]:
# getting predictions on val set.
pred=model.predict(x test)
pred_digits=np.argmax(pred,axis=1)
In [24]:
# now storing some properly as well as misclassified indexes'.
prop_class=[]
mis_class=[]
for i in range(len(y_test)):
    if(np.argmax(y_test[i])==pred_digits[i]):
        prop_class.append(i)
    if(len(prop_class)==8):
        break
i=0
for i in range(len(y_test)):
    if(not np.argmax(y_test[i])==pred_digits[i]):
        mis_class.append(i)
```

```
if(len(mis_class)==8):
    break
```

#### CORRECTLY CLASSIFIED FLOWER IMAGES

```
In [25]:
warnings.filterwarnings('always')
warnings.filterwarnings('ignore')

count=0
fig,ax=plt.subplots(4,2)
fig.set_size_inches(15,15)
for i in range (4):
    for j in range (2):
        ax[i,j].imshow(x_test[prop_class[count]])
        ax[i,j].set_title("Predicted Flower :
"+str(le.inverse_transform([pred_digits[prop_class[count]]]))+"\n"+"Actual Flower :
"+str(le.inverse_transform(np.argmax([y_test[prop_class[count]]]))))
        plt.tight_layout()
        count+=1
```

#### MISCLASSIFIED IMAGES OF FLOWERS

```
In [26]:
warnings.filterwarnings('always')
warnings.filterwarnings('ignore')

count=0
fig,ax=plt.subplots(4,2)
fig.set_size_inches(15,15)
for i in range (4):
    for j in range (2):
        ax[i,j].imshow(x_test[mis_class[count]])
        ax[i,j].set_title("Predicted Flower :
"+str(le.inverse_transform([pred_digits[mis_class[count]]]))+"\n"+"Actual Flower :
"+str(le.inverse_transform(np.argmax([y_test[mis_class[count]]]))))
        plt.tight_layout()
        count+=1
```