

## Assignment -4


### Kubernetes / Docker

|                     |                  |
|---------------------|------------------|
| Assignment Date     | 11 November 2022 |
| Team ID             | PNT2022TMID48401 |
| Student Name        | Abinaya Priya.A  |
| Student Roll Number | 913319106001     |
| Maximum Marks       | 2 Marks          |

#### Question-1:


Pull an Image from docker hub and run it in docker playground.

#### Solution:



The screenshot shows the Docker Playground interface. On the left, there's a sidebar with a clock showing 03:57:52, a 'CLOSE SESSION' button, and a list of instances. The main area displays the instance ID 'cdl685u0\_cdl687v91rrg00ft0om0' and its IP '192.168.0.18'. Below this, there's a terminal window showing the following commands and output:

```
# This is a sandbox environment. Using personal credentials #
# is HIGHLY discouraged. Any consequences of doing so are #
# completely the user's responsibilities. #
# The PMD team. #
#####
(node1) (local) root@192.168.0.18 ~
$ docker pull uifd/ui-for-docker
Using default tag: latest
latest: Pulling from uifd/ui-for-docker
841194d080c8: Pull complete
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834chadF244870572150b1cb749
Status: Downloaded newer image for uifd/ui-for-docker:latest
docker.io/uifd/ui-for-docker:latest
(node1) (local) root@192.168.0.18 ~
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker
9826ada50bd684043f39bce4af6025d4397f8ae57b04e4762962369f90c80f0
(node1) (local) root@192.168.0.18 ~
$ docker images
REPOSITORY          TAG         IMAGE ID      CREATED      SIZE
uifd/ui-for-docker  latest     965940f98fa5  6 years ago  8.1MB
(node1) (local) root@192.168.0.18 ~
$
```



## Question-2:

Create a docker file for the jobportal application and deploy it in Docker desktop application.

### Solution:

#### app.py

```
from flask import *  
app = Flask(__name__)  
@app.route("/")  
def home():  
    return "Hello World"  
if __name__ == "__main__":  
    app.run(debug=True)
```

## Dockerfile:

FROM python:3.6

WORKDIR /app

ADD . /app

COPY requirements.txt /app

RUN python3 -m pip install -r requirements.txt

RUN python3 -m pip install ibm\_db

EXPOSE 5000

CMD ["python","app.py"]

```
C:\Windows\System32\cmd.exe x + v
Microsoft Windows [Version 10.0.22621.755]
(c) Microsoft Corporation. All rights reserved.

D:\OneDrive\Desktop\IBM Docs\Assignments\assignment-four>docker build -t assignment-four
"docker build" requires exactly 1 argument.
See 'docker build --help'.

Usage:  docker build [OPTIONS] PATH | URL | -

Build an image from a Dockerfile

D:\OneDrive\Desktop\IBM Docs\Assignments\assignment-four>docker build -t assignment-four .
[+] Building 410.4s (12/12) FINISHED
=> [internal] load build definition from Dockerfile                                0.0s
=> => transferring dockerfile: 231B                                              0.0s
=> [internal] load .dockerignore                                                  0.0s
=> => transferring context: 2B                                                  0.0s
=> [internal] load metadata for docker.io/library/python:3.6                    3.1s
=> [auth] library/python:pull token for registry-1.docker.io                    0.0s
=> [1/6] FROM docker.io/library/python:3.6@sha256:f0652afaf83c25f0c22354d547d892591067aa4026a7fa9a60194f9f300af6+c  0.0s
=> [internal] load build context                                                0.0s
=> => transferring context: 292B                                                0.0s
=> CACHED [2/6] WORKDIR /app                                                    0.0s
=> [3/6] ADD . /app                                                            0.0s
=> [4/6] COPY requirements.txt /app                                            0.0s
=> [5/6] RUN python3 -m pip install -r requirements.txt                        5.7s
=> [6/6] RUN python3 -m pip install ibm_db                                    400.6s
=> exporting to image                                                            0.8s
=> => exporting layers                                                            0.7s
=> => writing image sha256:c078f0dadaefc509e6a60020e5640f17ad4aa981c68d3f7c7c416ec0c88fcbac  0.0s
=> => naming to docker.io/library/assignment-four                             0.0s

Use 'docker scan' to run Snyk tests against images to find vulnerabilities and learn how to fix them



D:\OneDrive\Desktop\IBM Docs\Assignments\assignment-four>
```

```
C:\Windows\System32\cmd.exe X + -
D:\OneDrive\Desktop\IBM Docs\Assignments\assignment-four>docker images
REPOSITORY          TAG                 IMAGE ID            CREATE
D                     SIZE
assignment-four      latest             c078f0dadaef       55 sec
ons ago             1.08GB
<none>              <none>            43c70dac96eb       15 min
utes ago            913MB
docker101tutorial   latest             3da8546f1c85       5 days
ago                 28.9MB
alpine/git           latest             42alcda0ba24       2 week
s ago              43.6MB
docker/desktop-git-helper c1e302e18fba86bb07f6b657155011bd6791dfc5 352f04e41a19 2 week
s ago              45.8MB
hubproxy.docker.internal:5000/docker/desktop-kubernetes kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian 09d7e1dbc2c4 6 week
s ago              363MB
k8s.gcr.io/kube-apiserver v1.25.2           97801f839490       6 week
s ago              128MB
k8s.gcr.io/kube-scheduler v1.25.2           ca0ealee3cfd       6 week
s ago              50.6MB
k8s.gcr.io/kube-controller-manager v1.25.2           dbfceb93c69b       6 week
s ago              117MB
k8s.gcr.io/kube-proxy v1.25.2           1c7d8c51823b       6 week
s ago              61.7MB
k8s.gcr.io/pause 3.8              4873874c08ef       4 mont
hs ago              711kB
k8s.gcr.io/etcd 3.5.4-0          a8a176a5d5d6       5 mont
hs ago              300MB
k8s.gcr.io/coredns v1.9.3           5185b96f0bec       5 mont
hs ago              48.8MB
docker/getting-started latest            cb90f98fd791       7 mont
hs ago              28.8MB
docker/desktop-git-helper 5a4fca126aadcd3f6cc3a011aa991de982ae7000 efe2d67c403b 15 mon
ths ago              44.2MB
docker/desktop-vpnkit-controller v2.0             8c2c38aa676e       18 mon
ths ago              21MB
docker/desktop-storage-provisioner v2.0             99f89471f470       18 mon
ths ago              41.9MB

D:\OneDrive\Desktop\IBM Docs\Assignments\assignment-four>docker run -p 5000:5000 assignment-four
* Serving Flask app 'app' (lazy loading)
* Environment: production
WARNING: This is a development server. Do not use it in a production deployment.
```

```
C:\Windows\System32\cmd.exe X + -
docker101tutorial     latest            3da8546f1c85       5 days
ago                   28.9MB
alpine/git            latest            42alcda0ba24       2 week
s ago                 43.6MB
docker/desktop-git-helper c1e302e18fba86bb07f6b657155011bd6791dfc5 352f04e41a19 2 week
s ago                 45.8MB
hubproxy.docker.internal:5000/docker/desktop-kubernetes kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian 09d7e1dbc2c4 6 week
s ago                 363MB
k8s.gcr.io/kube-apiserver v1.25.2          97801f839490       6 week
s ago                 128MB
k8s.gcr.io/kube-scheduler v1.25.2          ca0ealee3cfd       6 week
s ago                 50.6MB
k8s.gcr.io/kube-controller-manager v1.25.2          dbfceb93c69b       6 week
s ago                 117MB
k8s.gcr.io/kube-proxy v1.25.2          1c7d8c51823b       6 week
s ago                 61.7MB
k8s.gcr.io/pause 3.8              4873874c08ef       4 mont
hs ago                 711kB
k8s.gcr.io/etcd 3.5.4-0          a8a176a5d5d6       5 mont
hs ago                 300MB
k8s.gcr.io/coredns v1.9.3           5185b96f0bec       5 mont
hs ago                 48.8MB
docker/getting-started latest            cb90f98fd791       7 mont
hs ago                 28.8MB
docker/desktop-git-helper 5a4fca126aadcd3f6cc3a011aa991de982ae7000 efe2d67c403b 15 mon
ths ago                 44.2MB
docker/desktop-vpnkit-controller v2.0             8c2c38aa676e       18 mon
ths ago                 21MB
docker/desktop-storage-provisioner v2.0             99f89471f470       18 mon
ths ago                 41.9MB


D:\OneDrive\Desktop\IBM Docs\Assignments\assignment-four>docker run -p 5000:5000 assignment-four
* Serving Flask app 'app' (lazy loading)
* Environment: production
WARNING: This is a development server. Do not use it in a production deployment.
Use a production WSGI server instead.
* Debug mode: on
* Running on http://127.0.0.1:5000/ (Press CTRL+C to quit)
* Restarting with stat
* Debugger is active!
* Debugger PIN: 569-750-282
```



Question-3:

Create a IBM container registry and deploy helloworld app or jobportalapp.

## Solution:



```
Command Prompt
C:\Users\ASUS>docker login
Login with your Docker ID to push and pull images from Docker Hub. If you don't have a Docker ID, head over to https://hub.docker.com to create one.
Username: sathiyananth
Password:
Login Succeeded

Logging in with your password grants your terminal complete access to your account.
For better security, log in with a limited-privilege personal access token. Learn more at https://docs.docker.com/go/access-tokens/

C:\Users\ASUS>ibmcloud cr login
Logging 'docker' in to 'icr.io'...
Logged in to 'icr.io'.

OK
C:\Users\ASUS>ibmcloud cr namespace-add helloworldapp
No resource group is targeted. Therefore, the default resource group for the account ('Default') is targeted.

Adding namespace 'helloworldapp' in resource group 'Default' for account SATHIYANANTH PERIYASAMY's Account in registry icr.io...
The requested namespace is already owned by your account.

OK
C:\Users\ASUS>docker tag assignment-four icr.io/helloworldapp/testrepo:helloworldtest

C:\Users\ASUS>docker push icr.io/helloworldapp/testrepo:helloworldtest
The push refers to repository [icr.io/helloworldapp/testrepo]
7f34fa385bac: Pushed
22a411d95e51: Pushed
3b94bb2ef59b: Pushed
9ea062ac7e5d: Pushed
78ac81885ac4: Pushed
aa4c888c19fe: Pushed
8ba9f690e8ba: Pushed
3e607c59ef9f: Pushed
1e18e7e1fcc2: Pushed
c3a0d593ed24: Pushed
26a504e63be4: Pushed
8b42cb0de72: Pushed
31892cc314cb: Pushed
```

```
Command Prompt
C:\Users\ASUS>docker tag assignment-four icr.io/helloworldapp/testrepo:helloworldtest
C:\Users\ASUS>docker push icr.io/helloworldapp/testrepo:helloworldtest
The push refers to repository [icr.io/helloworldapp/testrepo]
7f54fa305bac: Pushed
22a411d35e51: Pushed
3b94bcb2ef50: Pushed
9ea062ac7e5d: Pushed
78ac81885ac4: Pushed
aa4c888c19f6: Pushed
8ba9f690e8ba: Pushed
3e607c59ef9f: Pushed
1e18e7e1fcc2: Pushed
c3a0d593ed24: Pushed
26a504e63be4: Pushed
8b442cb0de72: Pushed
31892cc31dcb: Pushed
11936651f93b: Pushed
helloworldtest: digest: sha256:78e5bb538c5b55e5827f0eecf765cb3690a4cf37ec0195dc98cb222669f0155e size: 3262
C:\Users\ASUS>ibmcloud cr image-list
Listing images...

Repository          Tag          Digest          Namespace        Created        Size        Security status
icr.io/helloworldapp/testrepo  helloworldtest  78e5bb538c5b    helloworldapp    2 hours ago    435 MB      -
OK
C:\Users\ASUS>|
```

Container Registry

Quick start

Namespaces1

Repositories1

Images1

Trash0


Settings

## Repositories


LocationGlobal

Search

Create +

| <input type="checkbox"/>            | Name  | Image count | Namespace     | Last updated |
|-------------------------------------|---|-------------|---------------|--------------|
| <input checked="" type="checkbox"/> |  testrepo<br>icr.io/helloworldapp/testrepo | 1           | helloworldapp | 3 hours ago  |


Items per page: 251-1 of 1 item




#### Question-4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.


#### Solution:








kubernetes

default

 Search



Overview

Workloads

Cron Jobs

Daemon Sets

Deployments

Jobs

Pods

Replica Sets

Replication Controllers

Stateful Sets

Service

Ingresses

Ingress Classes

Services

Config and Storage

Config Maps

Persistent Volume Claims

Secrets

Storage Classes

Namespaces

| Name            | Labels   | Phase  | Created     |
|-----------------|----------|--------|-------------|
| ibm-cert-store  | Show all | Active | an hour ago |
| ibm-operators   | Show all | Active | an hour ago |
| ibm-system      | Show all | Active | 2 hours ago |
| default         | Show all | Active | 2 hours ago |
| kube-node-lease | Show all | Active | 2 hours ago |
| kube-public     | Show all | Active | 2 hours ago |
| kube-system     | Show all | Active | 2 hours ago |

Nodes

| Name           | Labels   | CPU Ready | CPU requests     | CPU limits       | CPU capacity | Memory requests   | Memory limits    | Memory capacity | Pods        | Create      |
|----------------|----------|-----------|------------------|------------------|--------------|-------------------|------------------|-----------------|-------------|-------------|
|                |          |           | (cores)          | (cores)          | (cores)      | (bytes)           | (bytes)          | (bytes)         |             |             |
| 10.144.228.173 | Show all | True      | 959.00m (49.95%) | 498.00m (25.94%) | 1.92         | 724.50Mi (26.81%) | 5.43Gi (205.90%) | 2.64Gi          | 16 (14.55%) | an hour ago |