SPRINT-1

Team ID	PNT2022TMID48401
Project Name	Smart Fashion Recommender Application

Registration page:

SOURCE CODE:

```
<!DOCTYPE html>
<html>
    <title>Registration Form In HTML and CSS</title>
    <link rel="stylesheet" type="text/css" href="styles.css">
    <script type="module"</pre>
src="https://unpkg.com/ionicons@5.5.2/dist/ionicons/ionicons.esm.js"></script>
</head>
<style>
:root{
    --white: #fff;
    --text-clr: #000024;
    --primary: #3e2093;
    --secondary: #c0c1d2;
    --input-bg: #f1f1ff;
    --btn-hvr: #1a0065;
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    outline: none;
    font-family: 'Open Sans', sans-serif;
body{
   font-size: 14px;
```

```
.wrapper{
   width: 100%;
   padding: 0 10px;
   margin-top: 20px;
   display: flex;
   justify-content: center;
.r_form_wrap{
   width: 500px;
   max-width: 100%;
.r_form_wrap .title{
   padding: 25px;
    background: var(--white);
   border-radius: 3px;
   margin-bottom: 20px;
.r_form_wrap .title p{
   font-size: 25px;
   text-align: center;
.r_form{
    padding: 40px;
   border-radius: 3px;
   background-color:white;
.r_form .input_wrap{
   width: 100%;
   margin-bottom: 25px;
.r_form .input_wrap label{
   display: block;
   margin-bottom: 5px;
.r_form .input_wrap .input_item{
   position: relative;
   width: 100%;
```

```
.r form .input wrap .input item .input{
   width: 100%;
   border-radius: 3px;
   height: 40px;
   border: 2px solid var(--input-bg);
   background: var(--input-bg);
   padding: 10px 20px;
   padding-left: 50px;
   transition: 0.5s ease;
   color: var(--secondary);
.r_form .input_wrap .input_item .input:focus{
   border-color: var(--primary);
.r_form .input_wrap .input_item .icon{
   position: absolute;
   top: 12px;
   left: 20px;
   color: var(--secondary);
   font-size: 16px;
.r_form .input_wrap .input_radio{
   display: flex;
.r_form .input_wrap .input_radio .input_radio_item{
   background: var(--input-bg);
   margin-right: 25px;
   padding: 20px;
   border-radius: 3px;
   position: relative;
   width: 100px;
.r_form .input_wrap .input_radio .input_radio_item .radio_mark{
   position: absolute;
   top: 0;
   left: 0;
   width: 100%;
   height: 100%;
   display: flex;
   align-items: center;
   justify-content: center;
   color: var(--secondary);
```

```
border: 2px solid transparent;
    border-radius: 3px;
    margin: 0;
    cursor: pointer;
    transition: 0.5s ease;
.r_form .input_wrap .input_radio .input_radio_item .radio_mark .i{
   margin-right: 5px;
    display: inline-block;
.r_form .input_wrap .input_radio .input_radio_item .radio{
    position: absolute;
    top: 0;
    left: 0;
    opacity: 0;
.r_form .input_wrap .input_radio .input_radio_item .radio:checked ~
.radio_mark{
    color: var(--primary);
    border-color: var(--primary);
button{
   width: 100%;
    border: 0;
   background: var(--primary);
    padding: 10px;
    border-radius: 3px;
   height: 40px;
    color: var(--white);
    cursor: pointer;
    transition: 0.5s ease;
button:hover{
    background: var(--btn-hvr);
</style>
<body background="D:\EDUCATION\13-Figure2.1-1.png">
<div class="wrapper">
    <div class="r_form_wrap">
        <div class="title">
           Registration Form
```

```
</div>
        <div class="r form">
            <form>
                <div class="input_wrap">
                     <label for="yourname">Your Name</label>
                     <div class="input item">
                         <span class="icon">
                             <ion-icon name="person-sharp"></ion-icon>
                         </span>
                         <input type="text" name="your name" class="input"</pre>
id="yourname">
                     </div>
                </div>
                <div class="input wrap">
                     <label for="emailaddress">Email Address</label>
                     <div class="input item">
                        <span class="icon">
                             <ion-icon name="mail-sharp"></ion-icon>
                         <input type="text" name="email address" class="input"</pre>
id="emailaddress">
                     </div>
                </div>
                <div class="input wrap">
                     <label for="password">Password</label>
                     <div class="input_item">
                         <span class="icon">
                             <ion-icon name="key-sharp"></ion-icon>
                         </span>
                         <input type="password" name="password" class="input"</pre>
id="password">
                     </div>
                </div>
                <div class="input wrap">
                     <label for="confirmpassword">Confirm Password</label>
                     <div class="input_item">
                         <span class="icon">
                             <ion-icon name="key-sharp"></ion-icon>
                         </span>
                         <input type="password" name="confirm password"</pre>
class="input" id="confirmpassword">
                     </div>
                </div>
                <div class="input wrap">
                     <label for="phone">Phone</label>
                     <div class="input_item">
                        <span class="icon">
```

```
<ion-icon name="call-sharp"></ion-icon>
                         </span>
                         <input type="number" name="phone" class="input"</pre>
id="phone">
                     </div>
                 </div>
                 <div class="input wrap">
                     <label>Gender</label>
                     <div class="input radio">
                         <div class="input_radio_item">
                              <input type="radio" id="male" name="gender"</pre>
class="radio" value="male">
                             <label for="male" class="radio_mark">
                                  <ion-icon class="i" name="male-sharp"></ion-</pre>
icon>
                             Male</label>
                         </div>
                         <div class="input_radio_item">
                              <input type="radio" id="female" name="gender"</pre>
class="radio" value="female">
                             <label for="female" class="radio_mark">
                                  <ion-icon class="i" name="female-sharp"></ion-</pre>
icon>
                                  Female</label>
                         </div>
                         <div class="input_radio_item">
                              <input type="radio" id="others" name="gender"</pre>
class="radio" value="others">
                             <label for="others" class="radio mark">
                                  <ion-icon class="i" name="male-female-</pre>
sharp"></ion-icon>
                                  Others</label>
                         </div>
                     </div>
                 </div>
                 <button href="login page.html">Register Now</button>
        <h5>Already registered?</h5>
<a href="login page.html"> login </a
        </div>
    </div>
</div>
</body>
</html>
```

Login Page:

SOURCE CODE

```
<!DOCTYPE html>
<html>
<head>
  <title>Registration Form In HTML and CSS</title>
  <link rel="stylesheet" type="text/css" href="styles.css">
  <script type="module"</pre>
src="https://unpkg.com/ionicons@5.5.2/dist/ionicons/ionicons.esm.js"></script>
</head>
<style>
    #root, body, html {
 height:100%;
body {
  overflow-y: scroll;
a, abbr, acronym, address, applet, article, aside, audio, b, big, blockquote,
body, canvas, caption, center, cite, code, dd, del, details, dfn, div, dl, dt,
em, embed, fieldset, figcaption, figure, footer, form, h1, h2, h3, h4, h5, h6,
header, hgroup, html, i, iframe, img, ins, kbd, label, legend, li, mark, menu,
nav, object, ol, output, p, pre, q, ruby, s, samp, section, small, span,
strike, strong, sub, summary, sup, table, tbody, td, tfoot, th, thead, time,
tr, tt, u, ul, var, video {
 margin:0;
  padding:0;
 border:0;
  font:inherit;
  vertical-align: baseline;
a, a:visited {
  text-decoration: none;
a:active, .btn:active {
  opacity:.5;
ol, ul {
  list-style: none;
body, button, input {
  font-family: -apple-system,BlinkMacSystemFont,"Segoe
UI", Roboto, Helvetica, Arial, sans-serif;
```

```
font-size:14px;
  line-height:18px;
#root, article, main, div, section, header, nav, footer {
  border: 0 solid #000000;
 box-sizing: border-box;
  align-items: stretch;
  display: flex;
  flex-direction: column;
  flex-shrink: 0;
  margin:0;
  padding:0;
  position: relative;
  -webkit-box-align: stretch;
    -moz-box-align: stretch;
  -webkit-box-orient: vertical;
    -moz-box-orient: vertical;
  -webkit-box-direction: normal;
    -moz-box-direction: normal;
} /* <--Universal Selectors End */
#root {
  z-index: 0;
.section-all {
 min-height:100%;
 overflow:hidden;
.main {
 order: 4;
  flex-grow: 1;
  -webkit-box-flex: 1;
  -moz-box-flex: 1;
  -moz-box-ordinal-group: 5;
  -webkit-box-ordinal-group: 5;
.wrapper {
 min-height:100%;
  overflow: hidden;
.wrapper, .article {
 flex-grow: 1;
```

```
justify-content: center;
  -webkit-box-flex: 1;
    -moz-box-flex: 1;
  -webkit-box-pack: center;
    -moz-box-pack: center;
.article {
 flex-direction: row;
 margin:0 auto;
 max-width: 935px;
 width:100%;
  -webkit-box-orient: horizontal;
    -moz-box-orient: horizontal;
  -webkit-box-direction: normal;
    -moz-box-direction: normal;
.content {
 color:#262626;
 flex-grow:1;
  justify-content: center;
 max-width: 350px;
  margin-top:12px;
  -webkit-box-pack: justify;
    -moz-box-pack: justify;
  -webkit-box-flex: 1;
    -moz-box-flex: 1;
.login-box {
    background: #fff;
  border: 1px solid #e6e6e6;
  border-radius: 1px;
 margin:0 0 10px;
 padding: 10px 0;
  /* align-items: center; */
.header {
 margin: 14.45px auto 12px;
.logo {
 background: cover no-repeat;
 width:175px;
  height:auto;
```

```
.form {
  display: flex;
  flex-direction: column;
  margin-bottom: 10px;
  -moz-box-direction: normal;
  -webkit-box-direction: normal;
.input-box {
  margin:auto 40px 6px;
input {
  height: 36px;
  border: 1px solid #efefef;
  border-radius: 3px;
  width:100%;
  font-size:12px;
  margin: 0;
  padding: 9px 0 7px 8px;
  outline: none;
  overflow: hidden;
  text-overflow: ellipsis;
  box-sizing: border-box;
input#name:focus, input#password:focus {
  border-color:#bbb;
.button-box {
 display: block;
 position: relative;
 margin: 8px 40px;
.btn {
  cursor: pointer;
 width: 100%;
  padding:0 8px;
  background: #3897f0;
  border:1px solid #3897f0;
  color:#fff;
  border-radius:3px;
  font-weight:600;
  font-size: 14px;
  height: 28px;
  line-height: 26px;
  outline: none;
```

```
white-space: nowrap;
.forgot, .forgot:active, .forgot:hover, .forgot:visited {
 font-size:12px;
 margin-top:12px;
 text-align: center;
  color:#003569;
  line-height: 14px!important;
.text {
 text-align:center;
 margin:15px;
  color:#262626;
  font-size:14px;
.text a, .text a:visited, .text a:hover, .text a:active {
 color:#3897f0;
 margin-left:3px;
/* App Store */
.app p {
 line-height: 18px;
 color:#262626;
 font-size:14px;
 text-align:center;
 margin:10px 20px;
.app-img {
 flex-direction: row;
 justify-content: center;
 margin:10px 0;
  -webkit-box-orient: horizontal;
  -moz-box-orient: horizontal;
.app-img a {
 margin-right:8px;
 height: 43.5px;
.app-img img {
  height:40px;
```

```
/* FOOTER */
.footer-nav {
 max-width:100%;
.footer-nav ul {
 margin-right:16px;
 margin-bottom:3px;
 flex-grow:1;
.footer-nav ul li {
 display: inline-block;
 margin-right: 13px;
 margin-bottom:7px;
.footer-nav ul li a {
 color: #003569;
 text-decoration: none;
.footer span {
 color:#999;
span.language {
 color: #003569;
 cursor: pointer;
 display: inline-block;
 font-weight: 600;
 position: relative;
 text-transform: uppercase;
 vertical-align: top;
.select {
 cursor: pointer;
 height: 100%;
 top: 0;
  opacity: 0;
  position: absolute;
 left:0;
 width: 100%;
```


```
/* Media Queries */
@media (max-width:450px) {
  .main {
  .content {
   max-width: 100%;
   margin-top: 0;
   justify-content: space-between;
  .login-box {
   background-color: transparent;
   border:none;
  .logo {
   background: cover no-repeat;
   width:175px;
   height:auto;
   margin:0 auto;
  .btn {
    cursor: pointer;
   width: 100%;
    padding:0 8px;
   background: #3897f0;
    border:1px solid #3897f0;
    color:#fff;
    border-radius:3px;
    font-weight:600;
    font-size: 14px;
   height: 28px;
    line-height: 26px;
   outline: none;
   white-space: nowrap;
  .input-box {
   border: 1px solid #efefef;
   border-radius: 3px;
   height: 36px;
   background: #fafafa;
   position: relative;
```

```
input {
    border: 0;
    background-color: #fafafa;
    width:100%;
    font-size:12px;
    margin: 0;
    padding: 9px 0 7px 8px;
    outline: none;
    overflow: hidden;
    text-overflow: ellipsis;
   box-sizing: border-box;
  .input-box:hover, .input-box:focus {
   border-color:#bbb;
@media only screen and (max-width:875px) {
  .footer-container {
   text-align: center;
   padding:10px 0;
  .footer-container, .footer-nav ul {
    justify-content: center;
   margin:0 auto;
   max-width: 360px;
   min-width: auto;
    -webkit-box-pack: center;
    -moz-box-pack: center;
</style>
<body background="D:\EDUCATION\13-Figure2.1-1.png">
    <span id="root">
      <section class="section-all">
        <!-- 1-Role Main -->
        <main class="main" role="main">
          <div class="wrapper">
            <article class="article">
              <div class="content">
                <div class="login-box">
                 <div class="header">
```

```
<h4><b>Login Page</b></h4>
                  </div><!-- Header end -->
                  <div class="form-wrap">
                    <form class="form">
                      <div class="input-box">
                        <input type="text" id="name" aria-describedby=""</pre>
placeholder="Phone number, username, or email" aria-required="true"
maxlength="30" autocapitalize="off" autocorrect="off" name="username" value=""
required>
                      </div>
                      <div class="input-box">
                        <input type="password" name="password" id="password"</pre>
placeholder="Password" aria-describedby="" maxlength="30" aria-required="true"
autocapitalize="off" autocorrect="off" required>
                      </div>
                      <span class="button-box">
                        <button href="appFront.html" class="btn" type="submit"</pre>
name="submit">Log in</button>
                      </span>
                      <a class="forgot" href="">Forgot password?</a>
                  </div> <!-- Form-wrap end -->
                </div> <!-- Login-box end -->
                <div class="login-box">
                  Don't have an account?<a</pre>
href="Registrationpage01.html">Sign up</a>
                </div> <!-- Signup-box end -->
                </body>
</html>
```

OUTPUT:

REGISTRATION PAGE:



LOGIN PAGE:

