


Prior Knowledge

DATE	06 November 2022
Team id	PNT2022TMID49069
Project Name	Emerging methods for early detection of forest fires

Supervised and unsupervised learning:

Supervised Learning

The machine learns under supervision. It contains a model that is able to predict with the help of a labelled dataset. A labelled dataset is one where you already know the target answer.




In this case, we have images that are labelled a spoon or a knife. This known data is fed to the machine, which analyses and learns the association of these images based on its features such as shape, size, sharpness, etc. Now when a new image is fed to the machine without any label, the machine is able to predict accurately that it is a spoon with the help of the past data.

Supervised learning can be further divided into two types:

- In Classification
- Regression

Unsupervised Learning

The machine uses unlabelled data and learns on itself without any supervision. The machine tries to find a pattern in the unlabelled data and gives a response.



Let's take a similar example as before, but this time we do not tell the machine whether it's a spoon or a knife. The machine identifies patterns from the given set and groups them based on their patterns, similarities, etc.

Unsupervised learning can be further grouped into types:

- Clustering
- Association

Regression, Classification and Clustering:

Regression is used when the output variable is a real or continuous value. In this case, there is a relationship between two or more variables i.e., a change in one variable is associated with a change in the other variable. For example, salary based on work experience or weight based on height, etc.

Classification is used when the output variable is categorical i.e. with 2 or more classes. For example, yes or no, male or female, true or false, etc. In order to predict whether a mail is spam or not, we need to first teach the machine what a spam mail is. This is done based on a lot of spam filters - reviewing the content of the mail

reviewing the mail header, and then searching if it contains any false information. Certain keywords and blacklist filters that blackmails are used from already blacklisted spammers.

Clustering is the method of dividing the objects into clusters that are similar between them and are dissimilar to the objects belonging to another cluster. For example, finding out which customers made similar product purchases. Suppose a telecom company wants to reduce its customer churn rate by providing personalized call and data plans. The behaviour of the customers is studied and the model segments the customers with similar traits. Several strategies are adopted to minimize churn rate and maximize profit through suitable promotions and campaigns.

Convolution Neural Networks:

Convolutional Neural Networks are a special type of feed-forward artificial neural network in which the connectivity pattern between its neuron is inspired by the visual cortex. The visual cortex encompasses a small region of cells that are region sensitive to visual fields. In case some certain orientation edges are present then only some individual neuronal cells get fired inside the brain such as some neurons responds as and when they get exposed to the vertical edges, however some responds when they are shown to horizontal or diagonal edges, which is nothing but the motivation behind Convolutional Neural Networks.