

Assignment -2
IBM CLOUD DB2

Assignment Date	29 September 2022
Student Name	S Ramesh Kannan
Student Roll Number	911719104054
Maximum Marks	2 Marks

Questions:

1. Create a Flask App

```
import email
from turtle import st
from flask import Flask, render_template, request, redirect, url_for, session
from markupsafe import escape

import ibm_db
conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=19af6446-6171-4641-8aba-9dcff8e1b6ff.clogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=30699;SECURITY=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=lcr86196;PWD=K1KuSfq9rUF9R3C2",'','')

app = Flask(__name__)

@app.route('/')
def home():
    return render_template('home.html')

@app.route('/addstudent')
def new_student():
    return render_template('add_student.html')

@app.route('/login')
def login_student():
    return render_template('login.html')

@app.route('/addrec', methods = ['POST', 'GET'])
def addrec():
    if request.method == 'POST':

        email = request.form['email']
        username = request.form['username']
        rollnumber = request.form['rollnumber']
        password = request.form['password']
        insert_sql = "INSERT INTO students VALUES (?, ?, ?, ?)"
```

```

    prep_stmt = ibm_db.prepare(conn, insert_sql)
    ibm_db.bind_param(prepare_stmt, 1, email)
    ibm_db.bind_param(prepare_stmt, 2, username)
    ibm_db.bind_param(prepare_stmt, 3, rollnumber)
    ibm_db.bind_param(prepare_stmt, 4, password)
    ibm_db.execute(prepare_stmt)

    return render_template('signupcomplete.html', msg="Student Data saved
successfully..")

@app.route('/checklogin', methods=['POST'])
def checklogin():
    if request.method == 'POST':

        email = request.form['email']
        password = request.form['password']

        sql = "SELECT * FROM students WHERE email =? and password=?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, email)
        ibm_db.bind_param(stmt, 2, password)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            return list()



@app.route('/signup')
def signup():
    return render_template("signup.html")

@app.route('/list')
def list():
    students = []
    sql = "SELECT * FROM Students"
    stmt = ibm_db.exec_immediate(conn, sql)
    dictionary = ibm_db.fetch_both(stmt)
    while dictionary != False:
        # print ("The Name is : ", dictionary)
        students.append(dictionary)
        dictionary = ibm_db.fetch_both(stmt)

    if students:
        return render_template("list.html", students = students)

```

2.) Add the Home page, About Page



3.) Add the Bootstrap

```
<!-- CSS only -->
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
Zenh87qX5JnK2Jl0vWa8Ck2rdkQ2Bzep5IDxbcnCeuOxjzrPF/et3URy9Bv1WTRi"
crossorigin="anonymous">

<!-- JavaScript Bundle with Popper -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.2/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
OERcA2EqjJCMA+/3y+gxIOqMEjwtxJY7qPCqsdltbNJuaOe923+mo//f6V8Qbsw3"
crossorigin="anonymous"></script>

<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
  <div class="container-fluid">
    <a href="#" class="navbar-brand">PNT2022TMID47819</a>
    <button type="button" class="navbar-toggler" data-bs-toggle="collapse"
data-bs-target="#navbarCollapse1">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarCollapse1">
      <div class="navbar-nav">
        <a href="/" class="nav-item nav-link active">Home</a>
        <a href="#about" class="nav-item nav-link">About</a>
        <a href="#seats" class="nav-item nav-link">Seats</a>
      </div>
      <form class="d-flex ms-auto" action="/login">
        <button type="submit" class="btn btn-outline-
light">Login</button>
      </form>
    </div>
  </div>
</nav>

<div id="carouselExampleSlidesOnly" class="carousel slide" data-
ride="carousel">
  <div class="carousel-inner">
    <div class="carousel-item active">
      
    </div>
    <div class="carousel-item">
```

```

        
    </div>
    <div class="carousel-item">
        
    </div>
</div>
</div>
</div>

<div class="card text-center" id="seats">
    <div class="card-header">
        <h1>SEATS AVILABILITY</h1><br>
        <div class="row">
            <div class="col-sm-6">
                <div class="card">
                    <div class="card-body">
                        <h5 class="card-title">Seats Book</h5>
                        <p class="card-text">
                            A package will always include reserved or general admission
tickets to the event, and may include one or some of the following: Meet and
greet with the artist. A photo with the artist. Exclusive access to a private
pre-show soundcheck. Exclusive access to a backstage tour.
                        </p>
                        <a href="#" class="btn btn-primary">Book Ticket</a>
                    </div>
                </div>
            </div>
            <div class="col-sm-6">
                <div class="card">
                    <div class="card-body">
                        <h5 class="card-title">Seats Check</h5>
                        <p class="card-text">NON-AC Seater is one kind of bus type
that is more convenient for the Traveler when they are doing long journeys.
NON-AC Seater available in both A/C as well as Non-A/C Bus Types. NON-AC
Seater buses have the facilities like Push-Back & Water Bottle Holdings,
etc.</p>
                        <a href="#" class="btn btn-primary">Check Ticket</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <div class="card-body" id="about">
        <h1>About</h1><br>
        <div class="row">
            <div class="col-sm-6">
                <div class="card">

```

```

<div class="card-body">
  <h2 class="card-title">Benefits of Bus</h2>
  <p class="card-text" style="text-align:justify;font-size:
18px;font-style: italic;">
    The Benefits of Bus Travel
    It's greener to get around by bus – buses help tackle air
pollution by taking cars off the road

    A fully loaded double-decker bus can take 75 cars off the road
    If everyone switched just one car journey a month to the bus,
there would be one billion fewer car journeys on our roads, and a saving of 2
million tonnes of CO2[i]
    Buses are vital to improving air quality. The latest models
deliver a 95% reduction in NOx emissions compared to previous bus models[ii]
    Diesel cars are the biggest contributor to road transport NOx
emissions in the UK, contributing 41% of emissions compared with 30% for
diesel vans and just 6% for buses and coaches[iii]
    Travelling by bus can be a less stressful way to travel and
free up valuable time
    <br>
    <br>

    Travelling by bus is good for your health. It is a third less
stressful than commuting by car
    Taking the bus frees your hands and your head, allowing you to
catch up on life admin, read a book or play games on your mobile.
    Walking to the bus stop can, on average, help you achieve half
the Government's recommended 30 minutes of exercise per day
    A third of drivers consider driving a chore because of high
fuel costs and increased congestion.

    <br>
    <br>
    The bus is good value for everyone
    Bus commuters help tackle congestion, which costs the UK
economy at £11 billion each year
    Bus commuters generate £64 billion of benefits to the UK
economy

    Tackling loneliness & other social benefits
    <br>
    <br>
    A third (33 per cent) of Britons admit that they deliberately
catch the bus to have some human contact[iv]
    Young people are more reliant on the bus than any other group
– more than 50% of 16-19 year olds use the bus regularly[v]
    Jobseekers are heavily dependent on the bus, with 77% having
no regular access to a car, van or motorcycle, rising to 87% among 16-24 year
olds[vi]


```

Buses are crucial to family life. 41% of passengers said they believed they would spend less time with family without access to the bus[vii]

Buses help local communities to thrive by keeping local people connecting and strengthening community ties.

```
        <br>
    </p>
</div>
</div>
<div class="col-sm-6">
    <div class="card">
        <div class="card-body">
            
        </div>
    </div>
</div>
</div>
<div class="card-footer text-muted">
    2 days ago
</div>
</div>
```

4.) Add the Sign in page and App the Signup Page + database connectivity



List of Students

Email	Username	Roll Number	Password
rameshkannan000078@gmail.com	admin	6776567565	adadssdaasdads
	admin		adadssdaasdads
admin@gmail.com	admin	911719104054	admin
ram@gmail.com	ram	7835	divyaread
admin@gmail.com	admin	2443	admin
admin@gmail.com	admin	2443	admin
admin@gmail.com	admin	2443	admin
admin@gmail.com	admin	2443	admin
admin@gmail.com	admin	2443	admin
admin@gmail.com	admin	2443	admin
admin@gmail.com	admin	2443	admin
admin@gmail.com	admin	2443	admin

83°F Mostly sunny

ENG IN 10:20 AM 10/23/2022

IBM Cloud

Search resources and products...

Catalog Manage Ramesh kannan's Acco...

Resource list /

Db2-pw Active Add tags

Details Actions...

Manage

Getting started

Service credentials

Connections

Service credentials

You can generate a new set of credentials for cases where you want to manually connect an app or external consumer to an IBM Cloud service. [Learn more](#)

Search credentials...

New credential +

Key name	Date created
Service credentials-1	2022-09-23 5:38 AM

83°F Mostly sunny

ENG IN 10:30 AM 10/23/2022

IBM Db2 on Cloud

Data objects My script

Filter objects

LCR86196

Tables

STUDENTS

Views

MQTs

Aliases

Nicknames

*Untitled - 1


Beta Classic

Syntax assistant

Run all

1 Select * from students;

History



```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>ACCOUNT</title>

  <link href="{{url_for('static',
filename='css/assets/dist/css/bootstrap.min.css')}}" rel="stylesheet">
  <style>
    .center {
display: flex;
justify-content: center;
}
  </style>
</head>
<body>
  <div class="center">
    <H1>Your Account Has Been Created Successfully</H1>

    <br>
    <BR>
    
```

```

    </div>
    <br>
    <div class="center">
        <form action ="/login">
            <button class="w-40 btn btn-lg btn-danger" type="submit">Go to
Sign in Page</button>
        </form>

    </div>

</body>
</html>

```

```

<!DOCTYPE html>
<html>
<style>
body {font-family: Arial, Helvetica, sans-serif;}
* {box-sizing: border-box}

/* Full-width input fields */
input[type=text], input[type=password] {
    width: 100%;
    padding: 15px;
    margin: 5px 0 22px 0;
    display: inline-block;
    border: none;
    background: #f1f1f1;
}

input[type=text]:focus, input[type=password]:focus {
    background-color: #ddd;
    outline: none;
}

hr {
    border: 1px solid #f1f1f1;
    margin-bottom: 25px;
}

/* Set a style for all buttons */
button {
    background-color: #04AA6D;
    color: white;
    padding: 14px 20px;
    margin: 8px 0;
    border: none;
    cursor: pointer;
}

```

```

    width: 100%;
    opacity: 0.9;
}

button:hover {
    opacity: 1;
}

/* Extra styles for the cancel button */
.cancelbtn {
    padding: 14px 20px;
    background-color: #f44336;
}

/* Float cancel and signup buttons and add an equal width */
.cancelbtn, .signupbtn {
    float: left;
    width: 50%;
}

/* Add padding to container elements */
.container {
    padding: 16px;
}

/* Clear floats */
.clearfix::after {
    content: "";
    clear: both;
    display: table;
}

/* Change styles for cancel button and signup button on extra small screens */
@media screen and (max-width: 300px) {
    .cancelbtn, .signupbtn {
        width: 100%;
    }
}
</style>
<body>

<form action = "{ url_for('addrec') }" method = "POST" style="border:1px
solid #ccc">
    <div class="container">
        <h1>Sign Up</h1>
        <p>Please fill in this form to create an account.</p>
        <hr>

```

```
<label for="email"><b>Email</b></label>
<input type="text" placeholder="Enter Email" name="email" required>

<label for="Username"><b>Username</b></label>
<input type="text" name="username" placeholder="Enter Username" required
/><br>

<label for="psw"><b>RollNumber</b></label>
<input type="password" placeholder="Enter RollNumber" name="rollnumber"
required>

<label for="psw"><b>Password</b></label>
<input type="password" placeholder="Enter Password" name="password"
required>

<label>
  <input type="checkbox" checked="checked" name="remember" style="margin-
bottom:15px"> Remember me
</label>

<p>By creating an account you agree to our <a href="#"
style="color:dodgerblue">Terms & Privacy</a>.</p>

<div class="clearfix">
  <button type="button" class="cancelbtn">Cancel</button>
  <button type="submit" class="signupbtn">Sign Up</button>
</div>
</div>
</form>

</body>
</html>
```