NATURAL DISASTER INTENSITY ANALYSIS AND CLASSIFICATION USING ARTIFICIAL INTELLIGENCE

PROJECT REPORT

Submitted by

Team ID:PNT2022TMID49084

J.SOWNDARYA (921819104031)

S.PREETHY(921819104026)

S.NITHYASRI (921819104023)

M.RAMALAKSHMI (921819104027)

In partial fulfillment for the

award of the degree Of

SREE SOWDAMBIKA COLLEGE OF ENGINEERING



Chettikurichi (po), Aruppukottai-626 134 Virudhunagar District.

Project Report

1. INTRODUCTION 1.1 Project Overview

1.2 Purpose

2. LITERATURE SURVEY

- 2.1 Existing problem
- 2.2 References
- 2.3 Problem statement definition

3. IDEATION & PROPOSED SOLUTION

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit

4. REQUIREMENT ANALYSIS

- 4.1 Functional requirements
- 4.2 Non-Functional requirement
- 5. PROJECT DESIGN
 - 5.1 Data Flow Diagram
 - 5.2 Solution and Technical Architecture
 - 5.3 User Stories

6. PROJECT PLANNING & SCHEDULING

- 6.1 Sprint Planninf and Estimation
- 6.2 Sprint Delivery Schedule
- 6.3 Reports from JIRA
- 7. CODING AND SOLUTIONING(Explain the features added in the project along with code)
 - 7.1 Feature 1
 - 7.2 Feature 2
 - 7.3 Database Schema (if Applicable)
- 8. TESTING
 - 8.1 Test Cases
 - 8.2 User Acceptance Testing
- 9. RESULTS
 - 9.1 Performance Metrics
- 10. ADVANTAGES&DISADVANTAGES
- 11. CONCLUSION
- 12. FUTURE SCOPE
- 13. APPENDIX

SOURCE CODE

Github&Project demo link

1.1 Project Overview:

Natural Disasters are catastrophic events with atmospheric and historic origins (hurricanes, floods, tsunamis, earthquakes). That can cause fatalities, property damage and social environment disruption. Natural disasters are the results of a hazard overwhelming highly vulnerable community,often resulting in mortality and morbidity. Over the past decade, over 300 natural disasters occur yearly around the world affecting millions and cost billions. The disaster cycle is a framework used to base a coordinated plan to respond, recover, prevent, and prepare for a disaster. Access to clean water, proper sanitation, food/nutrition, shelter, and the threat of communicable diseases are concerns that have potential to be detrimental to the management of a natural disaster, slowing the recovery process. Natural disasters not only disturb the human ecological system but also destroy the properties and critical infrastructures of human societies and even lead to permanent change in the ecosystem. Disaster can be caused by naturally occurring events such as earthquakes, cyclones, floods, and wildfires. Many deep learning techniques have been applied by various researchers to detect and classify natural disasters to overcome losses in ecosystems, but detection of natural disasters still faces issues due to the complex and imbalanced structures of images. To tackle this problem, we developed a multilayered deep convolutional neural network model that classifies the natural disaster and tells the intensity of disaster of natural The model uses an integrated webcam to capture the video frame and the video frame is compared with the Pre-trained model and the type of disaster is identified and showcased on the Open CV window.

1.2 Purpose:

Basically the main objective of natural disaster management is to reduce the damage. However, there are several objectives that are integrated with it. Those are,

- 1. Identifying the hazard and its cause.
- 2. Reducing vulnerability and notential losses of hazard Assessing reviewing and controlling the

2. LITERATURE SURVEY:

2.1 Existing problem:

Natural disasters not only disturb the human ecological system but also destroy the properties and critical infrastructures of human societies and even lead to permanent change in the ecosystem. Disaster can be caused by naturally occurring events such as earthquakes, cyclones, floods, and wildfires. Many deep learning techniques have been applied by various researchers to detect and classify natural disasters to overcome losses in ecosystems, but detection of natural disasters still faces issues due to the complex and imbalanced structures of images.

2.2 References:

-]—Number of reported disasters by type.I [Online]. Available: <u>bttps://ourworldindata.org/naturaldisasters.</u>
- [1] Tuswadi and T. Hayashi, —Disaster Prevention Education in Merapi Volcano Area Primary Schools: Focusing on Students' Perception and Teachers' Performance, Procedia Environ. Sci., vol. 20, pp. 668–677, 2014. [2] —2015_43291_Sendaiframeworkfordren_Disaster Reduction 2015-2030, I 2015.
- [3] S. Goswami, S.Chakraborty, S.Ghosh, A.Chakraborti, and B.Chakraborty, —A review on application of data mining techniques to combat natural disasters, I Ain Shams Eng. J., vol. 9, no. 3, pp. 365–378, 2018.
- [4] I. A. T. Hashem, I.Yaqoob, N.B. Anuar, S.Mokhtar, A.Gani, and S.Ullah Khan, —The rise of _big data' on cloud computing: Review and open research issues, Inf. Syst., vol. 47, pp. 98–115, 2015.
- [5] M. Yu, C. Yang, and Y. Li, —Big Data in Natural Disaster Management: A Review,I Geosciences, vol. 8, no. 5, p. 165, 2018.
- [6] P. Sciences, -science direct, I 2018. [Online]. Available: https://www.sciencedirect.com/.
- [7] Springer,—springeropen, ITechnolo, 2018. [Online].
- [8] Available: https://www.springeropen.com/journals.
- [9] IEEE, -IEEE, 1 2018. [Online]. Available: http://ieeexplore.ieee.org.

Google Scholar,—Google Scholar,1 2018. [Online]. Available: https://scholar.google.com/intl/en/scholar/about.html

2.3 Problem Statement Definition:

The purpose of the problem statement is to identify the issue that is a concern and focus it in a way that allows it to be studied in a systematic way. It defines the problem and proposes a way to research a solution, or demonstrates why further information is needed in order for a solution to become possible. Problem Statement is inclusive of below answers:

- Who does it affect/does not affect?
- · What does it affect/does not affect?
- How does it affect/does not affect?
- · When is it a problem/is not a problem.
- · Where is it a problem/is not a problem.

Natural disasters not only disturb the human ecological system but also destroy the properties and critical infrastructures of human societies and even lead to permanent change in the ecosystem. Disaster can be caused by naturally occurring events such as earthquakes, cyclones, floods, and wildfires. Many deep learning techniques have been applied by various researchers to detect and classify natural disasters to overcome losses in ecosystems, but detection of natural disasters still faces issues due to the complex and imbalanced structures of images.

The natural disasters disturbs the ecosystem, both humans and animals. (WHO)

In a disaster, you face the danger of death or physical injury. You may also lose your home, possessions, and community. Such stressors place you at risk for emotional and physical health problems. Stress reactions after a disaster look very much like the common reactions seen after any type of trauma.(WHAT)

Wildlife can be killed by the force of the disaster or impacted indirectly through changes in habitat and food availability. Endangered species are especially vulnerable when habitat is destroyed. Water quality is impacted when sewage treatment facilities flood or debris enters reservoirs and waterways.(HOW)

Natural disasters generally constitute an emergency since they require immediate intervention due to their high impact on human health and safety; they affect the normal functioning of working infrastructure, interrupting normal day activities and representing a risk for residents and workers in affected areas.(WHEN)

An area is defined as a hazard prone area if the mortality risk is higher than a certain threshold. A cyclone is defined as a wind storm with a maximum speed of more than 64 knots per hour. The definition includes typhoons and hurricanes.(WHERE)

Problem	I am	I'm trying to	But	Because	Which	makes	
statement(PS)	(Customer)		- 70 M		me feel		

PS-1 A f	2	Increase the yield on my land	I couldn't	Of flooding in agricultural area crop damage & disease	Disappointed
----------	---	-------------------------------------	------------	--	--------------



PROBLEM STATEMENT 2:




Problem Statement (PS)	lam (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	An employee from NDRF	Classify the type of natural disaster	It is difficult to identify	The data is of images and images are of various forms	Tensed and frustrated
PS-2	A student	classify the type of natural disaster in order to learn about that disaster	It is difficult to identify	The data is of images and images are of various forms	Tensed and frustrated


3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas:


An empathy map is a collaborative tool teams can use to gain a deeper insight into their customers. Much like a user persona, an empathy map can represent a group of users, such as a customer segment. The empathy map was originally created by Dave Gray and has gained much popularity within the agile community.



3.2 Ideation & Brainstorming:








3.3 Proposed solution:

Project team shall fill the following information in proposed solution template.

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	★ Integrating frontier technologies including Artificial Intelligence into existing emergency system can harness the potential of existing data streams and improves hazard mitigation and disaster management
2.	Idea / Solution description	★ Al shows great potential to support data collection and monitoring, the reconstruction and forecasting of extreme events, and effective and accessible communication before and during a disaster

3.	Novelty / Uniqueness	★ Response of During Disaster : Search and recuse to identity
		affected people
		 Assess initial damage
		 Provide first-aid and
		humanitarian assistance
		 Open and manage shelters
		★ Recovery of After Disaster :
		 Debris removal
		 Precise damage assessment
		 Infrastructure destruction and reconstruction
		 Restore the livelihood
		 Community development
4.	Social Impact / Customer Satisfaction	★ Al impact on society :
		 The people can easily identify
		the type of natural disaster and
		its effect on the environment
		which leads to the earlier
		identification and reduced
		damage in the ecosystem
5.	Business Model (Revenue Model)	★ We build a system that classifies the
		natural disaster and its intensity and it
		is believed that the website is useful for
		all people and also the website works
		for a long time effectively

3.4 Problem Solution fit:



4. REQUIREMENT ANALYSIS

4.1 Functional requirement:

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)		
FR-1	Request Permission	Access permission from web camera.		
FR-2	Disaster Prediction	Based on the webcam image, natural disaster is classified.		
FR-3	Accuracy	Since the training and testing images are huge, the accuracy is higher.		
FR-4	Speed	The generation of results from the input images are faster.		
FR-5	Resolution	The resolution of the		


		integrated web
		camera should be
		high enough to capture the
	l,	video Frames.
FR-6	User Interface	Maximizing the interaction
		in Web Designing Service.


4.2 Non-functional Requirements:

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	User friendly and classify the disaster easily.
NFR-2	Security	The model is secure due to the cloud deployment models and also there is no login issue.
NFR-3	Reliability	Accurate prediction of the natural disaster and the website can also be fault tolerant.
NFR-4	Performance	It is shown that the model gives almost 90 percent accuracy after continuous training.
NFR-1	Availability	The website will be made available for 24 hours.
NFR-6	Scalability	The website can run on web browsers like Google chrome, Microsoft edge and also it can be extended to the NDRF and customers.

1.1 Data Flow Diagrams:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.






5.2 Solution & Technical Architecture:

Solution architecture is a complex process – with many sub-processes – that bridges the gap between business problems and technology solutions. Its goals are to: • Find the best tech solution to solve existing business problems.

- Describe the structure, characteristics, behavior, and other aspects of the software to project stakeholders.
- Define features, development phases, and solution requirements.
- Provide specifications according to which the solution is defined, managed, and delivered.



S.NO	COMPONENT	DESCRIPTION	TECHNOLOGY
1.	User Interface	How user interacts with application e.g. Web UI, Mobile App, Chafbot etc.	HTML, CSS, JavaScript / Angular Js / Reac Js etc.
2.	Application Logic-1	Logic for a process in the application	Python
3.	Application Logic-2	Logic for a process in the application	IBM Watson STT service
4.	Application Logic-3	Logic for a process in the application	IBM Watson Assistant
5.	Database	Data Type, Configurations etc.	MySQL etc
6.	Cloud Database	Database Service on Cloud	IBM DB2, IBM Cloudant etc.
7.	File Storage	File storage requirements	IBM Block Storage or Other Storage Service or Local Filesystem
11.	Infrastructure (Server / Cloud)	Application Deployment on Local System / Cloud Local Server Configuration: Cloud Server Configuration:	Local, Cloud Foundry, Kubernetes, etc.

5.3 User Stories:

Sprint	Function al Requireme nt (Epic)	User story Number	User story / Task	Story points	Priority	Team members
Sprint-1	Registration	USN - 1	As a user, registering into the product using a valid email address	5	High	J.Sowndarya S. Preethy M.Ramalaksh mi S.Nithyasri

Sprint-2	Registration	USN - 2	As a user, registering into the product using avalid username and password	3	Medium	J.Sowndarya S.Preethy M.Ramalaksh mi S.Nithyasri
Sprint-1	Authenticati on	USN - 3	As a user, I adept to logging into the system with credentials	4	High	J.Sowndarya S.Preethy M.Ramalaksh mi S.Nithyasri
Sprint-2	Authenticati on	USN - 4	As a user, I adept to logging into the system	2	High	J.Sowndarya S.Preethy M.Ramalaksh mi S.Nithyasri

			with OTP			
Sprint-1	Designation of Region	USN - 5	selecting the region of interest to be monitored and analyzed	3	High	J.Sowndarya S.Preethy M.Ramalaksh mi S.Nithyasri

User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a customer, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
	login	USN-2	As a customer, I can login to the application by entering correct email and password.	I can access my account/dashboard.	High.	Sprint-1
	Dashboard	USN-3	As a customer, I can see all the orders raised by me.	I get all the info needed in my dashboard.	Low	Sprint-2
	Order creation	USN-4	As a customer, I can place my order with the detailed description of my query	I can ask my query	Medium	Sprint-2
	Address Column	USN-5	As a customer, I can have conversations with the assigned agent and get my queries clarified	My queries are clarified.	High	Sprint-3
	Forgot password	USN-6	As a customer, I can reset my password by this option incase I forgot my old password.	I get access to my account again	Medium	Sprint-4
	Order details	USN-7	As a Customer ,I can see the current stats of order.	I get abetter understanding	Medium	Sprint-4
Agent (web user)	Login	USN-1	As an agent I can login to the application by entering Correct email and password.	I can access my account / dashboard.	High	Sprint-3
	Dushboard	USN-2	As an agent, I can see the order details assigned to me by admin.	I can see the tickets to which I could answer.	High	Sprint-3
	Address column	USN-3	As an agent, I get to have conversations with the customer and clear his/er dobuts	I can clarify the issues.	High	Sprint-3
	Forgot password	USN-4	As an agent I can reset my password by this option in case I forgot my old password.	I get access to my account again.	Medium	Sprint-4

6. PROJECT PLANNING & SCHEDULING:

6.1 Sprint Planning and Estimation:

Sprint	Functional Requireme nt (Epic)	User story Number	User story / Task	Story points	Priority	Team members
Sprint-2	Accumulati on of required Data	USN – 7	Gathering data and detailed report on past event analysis	3	Low	J.Sowndarya S.Preethy M.Ramalaksh mi S.Nithyasri

Sprint-4	Organizing Unstructure d data	USN-8	Choosing a required algorithm for specific analysis	2	High	J.Sowndarya S.Preethy M.Ramalaksh mi S.Nithyasri
Sprint-2	Algorithm selection	USN - 9	Choosing a required algorithm for specific analysis	6	High	J.Sowndarya S.Preethy M.Ramalaksh mi S.Nithyasri
Sprint-3	Prediction and analysis of data	USN - 10	Predicting and visualizing the data effectively	36	High	J.Sowndarya S.Preethy M.Ramalaksh mi S.Nithyasri
Sprint-4	Report generation	USN - 11	Generating a clear and detailed	3	High	J.Sowndarya S.Preethy M.Ramalaksh mi S.Nithyasri
			report on product data analysis			

Identify the Problem	1
Prepare a Abstract, Problem Statement	2
List a required object needed	3
Create a Code and Run it	4
Make a Prototype	5
Test with the created code and check the designed prototype is	6
Solution for the Problem is Found!!	
Solution the Problem is Found:	

Project design and planning	Matural Disasters [utensity and Classification using H [utelligence	october 2022 Project development phase
Ideation phase		Sprint 1
Project design phase I		Sprint 2
project design phase II		Sprint 3
Project planning phase		Sprint 4
	Final deliverables	

6.2 Sprint Delivery Schedule:

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	12	6 days	24 Oct 2022	29 Oct 2022	12	30 Oct 2022
Sprint-2	14	6 days	31 Oct 2022	5 Nov 2022	14	6 Nov 2022
Sprint-3	6	6 days	07 Nov 2022	12 Nov 2022	6	8 Nov 2022
Sprint-4	6	6 days	14 Nov 2022	19 Nov 2022	6	20 Nov 2022

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	User Panel	USN-1	The user will login into the website and gothrough the services available on the webpage	20	High	MTHYASRI S PREETHY S RAMALAKSHMI M SOWNDHARYA J
Sprint-2	Admin parel	USN-2	The role of the admin is to check out the database about the availability and have a trackof all the things that the users are going to service	20	High	PREETHY'S SOWNDHARYA J
Sprint-3	Chat Bot	USN-3	The user can directly talk to Charbot regarding the services. Get the recommendations based on information provided by the user.	20	High	NITHYASRI S SOWNDHARYA J
Sprint-4	final delivery	USN-4	Container of applications using docker kubernetes and deployment the application Create the documentation and final submit the application	20	High	RAMALAKSHMI M SOWNDHARYA J

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022		29 Oct 2022
Sprint-2	20	6 Dwys	31 Oct 2022	05 Nov 2022		05 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022		12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022		19 Nov 2022

Valority: Imagine we have a 10-day sprint duration, and the velocity of the team in 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{sprint\ duration}{velocity} = \frac{20}{10} = 2$$

BURNDOWN CHART



```
}*/
 li {
float: left;
     }
li a {
displ
ay:
block
;
color:darkblue;
fant-size:20px;
text-align: center;
padding:10px20px;
text-decoration: none;
.active{
background-color: gray;
color: white;
)
li a:hover {
color: white;
     }
     #navbar{
position: fixed;
margin: 0;
padding: 0px;
top: 0;
overflow: hidden;
transition: top 0.3s;
list-style-type: none;
}
ing {
max-width: 20%;
height: auto;
box-sizing: border-box;
    )
.ing1 {
max-width: 100%;
height: auto;
transform: translate(350px, -250px);
box-sizing: border-box;
    )
.ing2 {
max-width: 106%;
height: auto;
transform: translate(700px, -500px)
```

27

```
.ing3 {
max-width: 100%;
height: auto;
transform: translate(350px, -250px)
 }
h1{
text-align: left;
 }
  </style>
  </head>
  cbody style= "margin:0;background-attachment:fixed;background: linear-gradient(to botton,#967dcb @%,#c391a8
  100%); backgroundrepeat:no-repeat; background-size: cover;">
  <!--<div class="bg-inage" style="background-inage;
url('https://www.google.com/url?sa-i&url=https%3A%2F%2Fwww.rawpixel.com%2Fsearch%2Fmedicine&psig=AOvVaw@ZWZptOixLLBHyPL95-
  J9r&ust=1667986349857098&source=images&cd=vfe&ved=8CA8QjRxqFwoTCNi9pMGjnvsCFQAAAAAAAAAAAAAA');;height:180vh;"></div>-->
  <div id = "navbar">
  cul style = "list-style-type; none;">
  <a href="intro.html">Introduction</a>
  <a href="upload.html">Open Web Cam</a>
  dii style = "2-lidex.-1,tup.depx,paiding.Sepx,pusition.relative,tulur.rgb(255, 255, 255),"ANI based natural Disaster
  Analysis</h1>
  <div class="container">
  cp style = "padding:50px;font-size:x-large;font-family:sams-serif;text-align:justify;width:70%">China, India and the United
  States are among the countries of the world most affected by natural disasters.
  Natural disasters have the potential to wreck and even end the lives of those people, who stand in their way. However, whether
  or not you are likely to be affected by a natural disaster greatly depends on where in the world you live, The objective of
  the project is to human build a web application to detect the type of disaster. The input, is taken from the in built web
  cam, which in turn is given to the pre trained model. The model predicts the type of disaster and displayed on
 UI. <1--22-->
  </0>
```

....

```
<!--cing class="my-image" src = "{{url_for('static', filename='img/docs.jpg')}}"/>-->
   <div class="ing">
   ch1>Earthquakec/h1>
  cing src * "Earthquake.jpg">
  <div class="img1">
   ch1>cyclone</h1>
   cing src - "cyclone.jpg">
   </div>
  <div class="img2">
  <div class="imageColumn">
  ch1>Floodc/h1>
  cing src - "Flood.jpg">
  </div>
  <div class="img3">
  chlowildfirec/hlo
  cing src - "wildfire.jpg">
  </div>
cscript>
var prevScrollpos = window.page*Offset;
window.onscroll = function() {
var currentScrollPos = window.page*Offset;
if (prevScrollpos > currentScrollPos) {
document.getElementById("navbar").style.top = "8";
} else {
document.getElementById("navbar").style.top + "-70px";
}
prevScrollpos - currentScrollPos;
  }
  (/script>
   </body>
   </html>
```

7.2 Feature 2:

Intro.html:

```
chtml>
        che ad>
        <meta charset="utf-8">
        <title>www.vijayakumar.com</title>
        c/head>
        <fant calor="#A6ACAF" size="5">
        <marquee>cb>ci>THANKS FOR WATCHING</i>c/b>c/marquee>
        </fant>
        cfont face="cinzel" size="4">
        </fant>
        cbr />cbr />cbr />cbr />
        cbr />
        <div id = "navbar">
        cul style = "list-style-type: none;">
        cli>ca href="{{ url_for('home') }}">Home</a>
        cli>ca href="{{ url_for('Introduction') }}">Introductionc/a>
        cli>ca href="{{ url_for('Open Web Cam') }}">Open Web Camc/a>
```

```
c/ul>
c/div>
<body style="background-color:aquamarine;">
ch1 align="center">
<fant calar="a0314" size="9" >
AI based Natural disaster analysis dr/>
</fant>
China, India and the United States are among the countries of the world most affected by natural disasters.
c/h1>
ch3 align="center">
<font face="Lato" calor="darkblue" size="5">
Natural disasters have the potential to wreck and even end the lives of those people, who stand in their way. However, whether or
not you are likely to be affected by a natural disaster greatly depends on where in the world you live, The objective of the
project is to human build a web application to detect the type of disaster. The input, is taken from the in built web cam, which
in turn is given to the pre trained model. The model predicts the type of disaster and displayed on UI.
</fant>
cbr />cbr />cbr />cbr />cbr/>cbr/>cbr/>cbr/>
chr width="1500px">
(center)
<font face="cinzel" size="4">
```

```
ca href ="#">/About Us |
ca href ="#">Contact Us |
ca href ="#"> Privacy Policy |
ca href ="#"> Terms |
```

Open web cam.html:

```
cloctype
html>

chtml>

chtml

c
```

```
<h2>Alert Messages</h2>
Click on the "x" symbol to close the alert message.
<div class="alert">
<span class="closebtn" onclick="this.parentElement.style.display='none';">&times;</span>
<strong>Danger!</strong> Emergency pull
</div>
</body>
</html>
<div id = "navbar">
cul style = "list-style-type: none;">
<a href="intro.html">Introduction</a>
<a href="{{ url_for('Open Web Cam') }}">Open Web Cam</a>
</div>
<h1 style = "z-index:-1;top:60px;padding:50px;position:relative;color:rgb(255, 255, 255);">AI based Natural Disaster
Analysis</h1>
<div class="container">
</div>
<!--cing class="my-image" src = "{{url_for('static', filename-'img/docs.jpg')}}"/>-->
<div class="img">
```

```
<div class="imageColumn">
<div class="img">
<h1>AI based Natural disaster Analysis</h1>
<ing src ="Emergency pull.jpg"width="1690" height="898">
</div>
</script>
</body>
</html>
```

7.3 Database Schema(if Applicable):

A convolutional neural network is a class of artificial neural networks. It is a Deep Learning algorithm that can take in an input image, assign importance to various objects in the image and be able to differentiate one from the other. The pre-processing required in a ConvNet is much lower as compared to other classification algorithms. The advantage of CNNs is to provide an efficient dense network which performs the prediction or identification efficiently.

We developed a multilayered deep convolutional neural network model that classifies the natural disaster and tells the intensity of disaster of natural The model uses an integrated webcam to capture the video frame and the video frame is compared with the Pre-trained model and the type of disaster is identified and showcased on the OpenCV window. A multilayer neural network with appropriate weights has been shown to be able to approximate any input-output function making it an attractive tool for modeling and forecasting.

8. TESTING

8.1 Test Cases


Home.html:



Intro.html:



Open web cam.html:





				1.00	13 481/20								
				MAR U	PRODUCT MODELLA								
				Popul hare	Project - Natural Disease Internsty Analysis and Classification using Acticus intelligence								
				Administrated.	1791								
feerest)	. Items for	Companyor	betreet	Pri Associate	treps to become	Non-Suns	Specialist	Arted front	Market	Commonts	10 to Asternative (1/4)	0.00	beneath
minutage_PC_CDEs	u	Institute Page	Verify upon to alread to past this former page and other balls, other user propositions the velocity	mene projecte	Little officerd coulge Little the table in the hangeton for	W-5025CHR25	Petate Post te nitre	Marining as most 2nd	tec	No.		ta	Ingelanceurs S Lagranus S Lagranus S Paulton S
tyretypt, FL/KS	w	Prome Page	and our half to see the mode		Librar Uffi, and other go. C. Dod on results lab and check of etcher the care is often to one the fing sect outfill specification.	WANTE HERE	Supplication product shall be seen as demonstrated with the director is a survival glostholm is a further glostholm is a further technologue.	Monthly as majerited	Age of	Na.	*	ш	Hipmanumer S Ligarity Ligarity and S Tackney S
municipal (C)(C)	Farehood	Print jugs	we'll use it also to this the output or the resultable	7	1. Since cott, and chot, go 2. Only in very to the and check union or the user is other to cross the button technologic	40.50134 MICH	par draud this the fulfor remed spen	Starting as expected	tes	NA	4	tu.	Mantamore S Ligaritation S Ligaritation S Parking S
nonethias, PL/014	functions	****	Verify user is able to see that the common is accommon and seen when the bullet is display.		Librar officers statute 2 class on recurs tale 5 class open butters	VILVA DE VIDEO	Systemics though pick to access the particular field and trackers	Spring to equated	****	tub		44	Opinariumar I; Liperi R Legenturare II Peutora II
(aneq_%_004	Functional	iones	lands use traile to septure the image from that bream		Limprofit, and circligo District community and District operations of Limmens is sparsed business business of business as abstractionage	VA.SADE HILLS	Application phose and to conture image from Eugeneum	Motorg to Superior	***	NA.		ш	Contamional S Logarité Logarité par S Paulline S
Pademin, N., 008	functional	solve under	Verify user it absents asserted predicates results in the solution		ution the image to destroy again you is bullion to see the results	aconomic	Application through these that predicted results from the strage rapitures	Anning to Reparted	***	14	,	ш	Eliphantumer S Eliphantumer S Lagranumer S Federal S

8.2 User Acceptance Testing:

This document serves as a quick reference for the Deep Learning Fundus Image Analysis for Early Detection of Diabetic Retinopathy project's test coverage and open issues as of the project's release for user acceptance testing.

Defect Analysis:-

This shows how many bugs were fixed or closed at each severity level and how they were fixed.

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	4	5	2	3	14
Duplicate	1	0	3	1	5
External	2	3	0	1	6
Fixed	9	2	4	15	30
Not Reproduced	0	0	1	0	1
Skipped	1	0	1	1	3
Won't Fix	0	5	2	1	8
Totals	17	14	13	22	64

Test-Case Analysis

This report shows the number of test cases that have passed, failed, and untested.

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	9	0	0	9
Client Application	40	0	0	40
Security	3	0	0	3
Out-source Shipping	3	0	0	3
Exception Reporting	8	0	0	8
Final Report Output	4	0	0	4
Version Control	2	0	0	2

9. RESULTS:

9.1 Performance Metrics:

S.No.	Parameter	Values(Percentage)	
1,	Model Summary	-96%	
2.	Accuracy	Training Accuracy - 96.5% Validation Accuracy -92.3%	
3.	Canfidence Score (Only Yolo Projects)	Class Detected - Nil Confidence Score - Nil	



Our Project marks the successive performance by implementing in order to be cost effective and more reliable to use and to predict the future from the natural disaster that we are ahead of. The successive way includes the objectives, activities and the approaches for the project. It mainly includes the trained dataset which gives an excessive measure of success which helps to overcome the future from this natural disaster.

10. ADVANTAGES AND DISADVANTAGES ADVANTAGES:

The company of the co

 The use of AI to forecast natural disasters would save millions of lives. Furthermore, the information evaluated by AI-powered systems can aid in understanding the scale and patterns of natural catastrophes such as floods, earthquakes, and tsunamis, which would aid in improved infrastructure development in disaster-prone areas.

 Disaster management plays an integral role in keeping communities safe. It involves coordinating the resources, such as pollution control systems, and responsibilities, such as following best practice policies, needed to prevent, prepare for, respond to, and recover from emergencies

DISADVANTAGES:

- · A forest fire is a natural disaster that cannot be forecasted.
- · Sometimes the prediction may fail and result in huge loss.

11. CONCLUSION

Natural disasters inflict severe damage on almost the entire spectrum of social and natural habitats, ranging from housing and shelter, water, food, health, sanitation, and waste management to information and communication networks, supply of power and energy, and transportation infrastructure. The major challenges faced in all disasters include pre-disaster early warning infrastructure; the supply of food and clean drinking water; health and sanitation; information and communication; power and energy for lighting and cooking; waste collection and disposal, including rapid disposal of dead bodies of humans and animals; disaster-proof housing and shelter; emergency and post-disaster shelters; rescue and relief operations; and transport infrastructure. Though it is not possible to prevent most of the disasters, still their effects can be alleviated or mitigated in magnitude by anticipated preparedness. Advanced disaster management technology could provide a critical support system for disaster management authorities at times of disasterrelated crises. Such a technology also provides important inputs for any disaster management plan of action in modern times. Communities and individuals have to be educated on pre-disaster planning and preparedness. Awareness must be created amongst masses, for which first-aid training at grass roots level is essential. There should be a National Disaster Plan that defines the tasks of the communities and local health personnel.

For the evaluation of the model ROC and 30% landslide point's residual was used. The results showed that the accuracy of the model was estimated by ANFIS in the study area of 77.48% (good accuracy); this data-mining method depends on the number of pairs of training, experimental and fuzzy data used in the research, and, in particular, by increasing the number of fuzzy rules of the process, more accurate simulation can be provided. So far, different methods have been proposed for landslide susceptibility zonation. The accuracy or the error of each of these methods, as well as the use and comparison of each of these methods, requires knowledge of the foundations on which the methods are based. So far, different approaches to landslide susceptibility zonation have been proposed, but what is certain is that all these methods can provide accurate results with minimal data and costs and at very low levels. Combining these models with GIS and RS systems not only increases the accuracy of dealing with complex issues and uncertainties, but also leads to the emergence and development of new theories and methods in a variety of issues.

12. FUTURE SCOPE

The term —Natural Disasterl encompasses the complete realm of disaster-related activities. Traditionally people tend to think of disaster management only in terms of the post-disaster actions taken by relief and reconstruction officials; yet disaster management covers a much broader scope, and many modern disaster managers may find themselves far more involved in pre-disaster activities than in post-disaster response. Those are:

- The refugee field of disaster management is highly specialized and requires not only many development skills but also a broader awareness of political, legal, and humanitarian issues.
- 2. DM aims and objectives, elements, Natural/man-made Disasters, Victims, Relief Systems.
- Phases of Disaster Response/Relief Operations, Government's Role.

To Safeguard and make available vital materials, supplies and equipment to ensure the safety and recovery of records from predictable disasters. To reduce the risk of disasters caused by human error, deliberate destruction, and building or equipment failures. Be better prepared to recover from a major natural catastrophe.

In this project we help to build preparedness for threats and hazards by providing a low-risk, cost effective environment to: Test and validate plans, policies, procedures and capabilities. Identify resource requirements, capability gaps, strengths, areas for improvement, and potential best practices. Disaster management aims to reduce, or avoid, the potential losses from hazards, assure prompt and appropriate assistance to victims of disaster, and achieve rapid and effective recovery. Disaster Risk Management includes the sum total of all activities, programmes and measures which can be taken up before, during and after a disaster with the purpose to avoid a disaster, reduce its impact or recover from its losses.

13.APPENDIX

GITHUB LINK: https://github.com/IBM-EPBL/IBM-Project-41934-1660646242.git

VIDEO DEMO LINK: https://youtu.be/-k6zZm06R38