

Sprint 1:

Home.html:

```
<!DOCTYPE html>

<html lang="en">

  <head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">


    <link rel="stylesheet" href="..\static\css\home.css">

    <title>My Website</title>

  </head>


  <body>

    <!-- Header -->

    <section id="header">

      <div class="header container">

        <div class="nav-bar">

          <div class="brand">

            <a href="#hero">

              <h1><span>J</span><span>A<span>3</span></span><span>B</span><span>udgeting</span></h1>

            </a>

          </div>

          <div class="nav-list">

            <div class="hamburger">

              <div class="bar"></div>

            </div>

            <ul>

              <li><a href="#hero" data-after="Home">Home</a></li>

              <li><a href="#services" data-after="Service">Services</a></li>

              <li><a href="#about" data-after="About">About</a></li>

              <li><a href="#contact" data-after="Contact">Contact</a></li>

              <li><a href="/signin" data-after="Login">-Login-</a></li>

            </ul>

          </div>

        </div>

      </div>

    </section>

  </body>

</html>
```

```
        </ul>
    </div>
</div>
</div>
</section>
<!-- End Header -->
```

```
<!-- Hero Section -->
<section id="hero">
    <div class="hero container">
        <div>
            <h1>Hello, <span></span></h1>
            <h1>Welcome To <span></span></h1>
            <h1>Personal Expense Tracker Application <span></span></h1>
            <a href="/signup" type="button" class="cta">Sign-up</a>
        </div>
    </div>
</section>
<!-- End Hero Section -->
```

```
<!-- Service Section -->
<section id="services">
    <div class="services container">
        <div class="service-top">
            <h1 class="section-title">Serv<span>i</span>ces</h1>
            <p>MyBudget provides a many services to the customer and industries. Financial solutions to meet your needs whatever your money goals,there is a MyBudget solution to help you reach them </p>
        </div>
        <div class="service-bottom">
            <div class="service-item">
                <div class="icon"></div>
                <h2>Personal Expenses</h2>
                <p>Budgeting is more than paying bills and setting aside savings.it's about creating a money plan for the life you want</p>
            </div>
            <div class="service-item">
                <div class="icon"></div>
                <h2>Investments</h2>
```

```

        <p>Follow your investments and bring your portfolio into focus with support for stocks,bonds,CDs,mutual funds and more</p>
    </div>

    <div class="service-item">

        <div class="icon"></div>

        <h2>Online Banking</h2>

        <p>MyBudget application can automatically download transactions and send payments online from many financial
institutions</p>

    </div>

    <div class="service-item">

        <div class="icon"></div>

        <h2>Financial Life</h2>

        <p>Get your Complete financial picture at a glance. With MyBudget application you can view your all the financial activities

        </p>

    </div>

</div>

</section>

<!-- End Service Section -->


<!-- About Section -->
<section id="about">

    <div class="about container">

        <div class="col-left">

            <div class="about-img">

                

                <div><h2>Founders, CSE-C Last Benchers </h2></div>

            </div>

        </div>

        <div class="col-right">

            <h1 class="section-title">About <span>Us</span></h1>

            <h2>Financial Solution</h2>

            <p>JA3 Budgeting is an expenses tracking application. JA3 Budgeting provides many services to the customers to meet their needs
whatever their money goals,there is a JA3 Budgeting application help to reach them.You can Contact our service center for further
information and also follow our social media for update on new services </p>

            <a href="#footer" class="cta">Follow Us</a>

        </div>

    </div>

</div>

```

</section>

<!-- End About Section -->

<!-- Contact Section -->

<section id="contact">

<div class="contact container">

<div>

<h1 class="section-title">Contact info</h1>

</div>

<div class="contact-items">

<div class="contact-item">

<div class="icon"></div>

<div class="contact-info">

<h1>Phone</h1>

<h2>+91 93442 25531</h2>

<h2>+91 90255 42322</h2>

</div>

</div>

<div class="contact-item">

<div class="icon"></div>

<div class="contact-info">

<h1>Email</h1>

<h2>info@gmail.com</h2>

<h2>ja3budgeting@gmail.com</h2>

</div>

</div>

<div class="contact-item">

<div class="icon"></div>

<div class="contact-info">

<h1>Address</h1>

<h2>6th main-road,Chennai,Tamilnadu,India</h2>

</div>

</div>

</div>

</div>

</section>

<!-- End Contact Section -->

```

<!-- Footer -->

<section id="footer">

<div class="footer container">

<div class="brand">

<h1><span>M</span>y <span>B</span>udget</h1>

</div>

<h2>Your Complete Financial Solution</h2>

<div class="social-icon">

<div class="social-item">

<a href="#"></a>

</div>

<div class="social-item">

<a href="#"></a>

</div>

<div class="social-item">

<a href="#"></a>

</div>

</div>

<p>Copyright © 2022 SECE IV Future handlers . All rights reserved</p>

</div>

</section>

<!-- End Footer -->

<script src="..\static\js\home.js"></script>

</body>

</html>

```

Homepage.html:

```

{% extends
'base.html'
%}

{% block body %}
<style>

H1 {

```

```

        position: relative;
        right: -790PX;
        top: -400PX;
        color: RED;

    }

p{
position: relative;
right: -800px;
top: -350px;
font-family:monospace;
}

span{
    position: relative;
right: -800px;
top: -360px;
}

.ccc {
    position: relative;
    top:80px;
    left:-100px;

}

</style>
<div id=aa class="container">
<div class="ccc">
    
    <h1>LET START JOURNEY</h1>
    <P>MyBudget web application helps<br> you to maintain budget<br>
        and analyse the expense</P>
    
    </div>
    <span class="btn btn-outline-dark">Let's Begin</span>
</div>

{% endblock %}

```

Login.html:

```
<!DOCTYPE
html>

<html>
<head>
    <title>Animated Login Form</title>
    <link rel="stylesheet" type="text/css"
href="..\static\css\login.css">
    <link
href="https://fonts.googleapis.com/css?family=Poppins:600&display=swap"
rel="stylesheet">
    <script src="https://kit.fontawesome.com/a81368914c.js"></script>
    <meta name="viewport" content="width=device-width, initial-scale=1">
</head>
<body >
    
    <div class="container">

        <div class="img">
            <div id="png"><a href="/" title="HOME"></a></div>
            
        </div>

        <div class="login-content">

            <form action='/login' method="POST">
                <div class="msg">{{ msg }}</div>
                
                <h2 class="title">Welcome</h2>
                <div class="input-div one">
                    <div class="i">
                        <i class="fas fa-user"></i>
                    </div>
                    <div class="div">
                        <h5>Username</h5>
                        <input type="text" name="username"
class="input" required>
                    </div>
                </div>
                <div class="input-div pass">
```

```

        <div class="i">
            <i class="fas fa-lock"></i>
        </div>
        <div class="div">
            <h5>Password</h5>
            <input type="password" name="password"
class="input" required>
        </div>
    </div>
    <a href="#">Forgot Password?</a>
    <input type="submit" class="btn" value="Login">

        <div>
            <ul>

                </ul>

            </div>
            <div class="app" ><b>Don't have an
account?</b><a id="app1" href="\signup">REGISTER.here</a></div>
        </form>

    </div>

</div>

    <script type="text/javascript" src="..\static\js\login.js"></script>
</body>
</html>

```

Signup.Html:

```

<html>
    <head>
    <meta charset="utf-8">
    <title>Sign-up</title>
    <link href="..\static\css\signup.css" rel="stylesheet">
    <script src="https://kit.fontawesome.com/a81368914c.js"></script>
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aowXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

```



```

</head>
<body>
  <!--container----->
<div class="container" >
  <!--sign-up-box-container--->
<div class="sign-up">

    <div id="png"><a href="/" title="HOME"></a></div>
    <!--heading-->
    <form action="/register" method="post">
      <div class="msg">{{ msg }}</div>
      <h1 class="heading">Hello,Friend</h1>
      <!--name-box-->
      <div class="text">
        
        <input placeholder="Name" type="text" name="username"/>
      </div>
      <!--Email-box-->
      <div class="text">
        
        <input placeholder=" Example@gmail.com" type="email" name="email" />
      </div>
      <!--Password-box-->
      <div class="text">
        
        <input placeholder=" Password" type="password" name="password"/>
      </div>

      <div>
        <ul>

          </ul>

      </div>
      <!--trem-->

      <div class="trem">
        <input class="check" type="checkbox" required/>
        <p class="conditions">I read and agree to <a href="#">Trem &
Conditions</a></p>
      </div>
      <!--button-->
      <div class="toop">
        <button type="submit" class="btn btn-primary" >CREATE ACCOUNT</button> </div>

```

```
</form>
<!--sign-in-->
<div class="t"><p class="conditions" id="p3">Already have an account <a
href="/signin">Sign in</a></p> </div></div>
</div>
<!--text-container-->
<div class="text-container">

    <h1 style="color: #2d2c2c;font-family:cursive;">Glad to see you</h1>

    <div class="diag"></div>
<div class="para"> <b>Welcome</b>,<b>Please Fill in the blanks for sign up</b></div>

</div>
</div>
</body>
</html>
```