# Create Node-RED Service

| Team ID	PNT2022TMID44726
Project Name	Project - IOT based safety gadget for childsafety monitoring and notification

Aim: To create a web application create a Node-RED service.

Steps followed:

● Navigated to the App creation page

● Entered project details and clicked on create

● Clicking on the "Deploy your App" Button

Deployment Automation

Configure Continuous Delivery

Continuous Delivery is not enabled for this app. Enable Continuous Delivery to automate builds, tests, and deployments through Delivery Pipeline, GitLab, and more.

Deploy your app

● Setting up the environment and deploying the app

IBM Cloud Search resources and offerings... Q Catalog Docs Support Manage ⌄

.... 👁 🗗 🔑 New +

Number of instances

1

Memory allocation per instance

64 MB ●──────────────────────────────── 2000 MB 256

Region Organization Space

Region ↻ Organization ↻ Space ↻

Host Domain

● Successfully deployed the app

## Delivery Pipelines

Name   ci-pipeline [↗]

Status   ✅ Success [↗]

Last input   Last commit by IBM Cloud DevOps
                    Services (7 minutes ago)

                    Clone from zip [↗]

● Dragged and dropped components into the editor

● Editing some values of the properties

● Successfully deployed the app

Result: Successfully created a NodeRED service on IBM Cloud